

DRAFT

Coconut Rhinoceros Beetle

Bibliography

Aubrey Moore and James Grasela

October 13, 2019

<https://www.overleaf.com/project/5d92e50a61cab30001783d1a>

Technical Notes

The data source for this bibliography is a **Zotero** private group library. To facilitate updates, source code for this document is maintained in a local **git** repository in a local folder named **CRB-group-biblio**. This local repo is linked to a remote repo on **Overleaf**. The **BetterBibtex** component of **Zotero** is configured to automatically synchronize **CRB-group-biblio/CRB-group.bib** whenever changes are made to the group library.

The following commands, executed on the local machine, are used to synchronize the local and remote repositories:

```
cd CRB-group-biblio
git pull
git add .
git commit -m 'bib updated'
git push
```

Citation (Bibtex)

```
@report{moore_coconut_2019,  
  title = {Coconut {{Rhino}} Beetle Bibliography}},  
  url = {https://www.overleaf.com/project/5d92e50a61cab30001783d1a},  
  author = {Moore, Aubrey and Grasela, James},  
  year = {2019}  
}
```

References

(N.d.). Techreport.

K P GOPINATHAN K S MOHAN (1992). “Characterization of the Genome of *Oryctes* Baculovirus, a Viral Biocide of the Insect Pest *Oryctes* *Rhinoceros*”. In: *J. Biosci.*, 17.4, pp. 421–430.

S. .M. ZAHERUDDEEN A.SUJATHA and J.KRISHNA PRASADJI (1992). “Occurrence of Baculovirus in Natural Population of *Oryctes* *Rhinoceros* (L.) in Andhra Pradesh”. In: *I.Biol.Control* 6.2, pp. 77–79.

Mohd Rizuan Zainal Abidin et al. (2014). “Population Dynamics of *Oryctes* *Rhinoceros* in Decomposing Oil Palm Trunks in Areas Practising Zero Burning and Partial Burning”. In: *Journal of Oil Palm Research* 26.2, pp. 140–145. URL: <http://jopr.mpob.gov.my/wp-content/uploads/2014/06/jopr26jun2014-rizuan1.pdf> (visited on 08/23/2019).

Brandi-Leigh H Adams (2019). “ANALYSIS AND DEVELOPMENT OF MANAGEMENT TOOLS FOR *ORYCTES* *RHINOCEROS* (COLEOPTERA: SCARABAEIDAE)”. en. PhD thesis. Manoa, Hawaii: University of Hawaii.

D. A. Evans Adhira M. Nayar (2019). “Modulation of Carbohydrate Metabolism in Asiatic *Rhinoceros* Beetle (*Oryctes* *Rhinoceros* [L]) Grubs in Response to Various Stressors”. In: *Proceedings of the National Academy of Sciences, India Section B: Biological Sciences* 89.2, pp. 703–713.

Abu Hassan Ahmad (2006). *Final Report on Control of Rhinoceros Beetles (Oryctes Rhinoceros) (SCARABAEIDAE: COLEOPTERA) in a Zero Burning Replanted Oil Palm Area, Felda Plantation, Lepar Utara, Pahang (2003-2006)*. Tech. rep., pp. 1–71.

Takashi Onodera Akikazu Sakudo and Yasuharu Tanaka (2010). “INACTIVATION OF VIRUSES”. In: *In: Sterilization and disinfection by Plasma.....* Editors: Akikazu Sakudo and Hideharu Shintani ©2010 Nova Science Publishers, Inc.

AMBROSIO R. ALFILER (1986). “Genotypic Variation in Geographical Isolates of *Oryctes* Baculovirus”. In: *J. gen. Virol.* 67, pp. 949–952.

Abdelhameed Ibrahim Ali Ahmed and Sherif Hussein (2019). “Detection of Palm Tree Pests Using Thermal Imaging: A Review”. In: *Machine Learning Paradigms: Theory and Application, Studies in Computational Intelligence*. Vol. 801, pp. 253–270.

- Siti Ramlah Ahmad Ali et al.** (n.d.). "MICROBIAL APPROACH IN PEST CONTROL". en. In: (), p. 50.
- CATHY SHEEHAN ALLAN M. CRAWFORD** (1985). "Replication of Oryctes Baculovirus in Cell Culture: Viral Morphogenesis, Infectivity and Protein Synthesis". In: *J gen Virology* 66, pp. 529–539.
- KEVIN ASHBRIDGE ALLAN M. CRAWFORD and PETER FAULKNER CATHY SHEEHAN** (1985). "A Physical Map of the Oryctes Baculovirus Genome". In: *J. gen Virology* 66, pp. 2649–2658.
- MALCOLM PARSLOW ALLAN M. CRAWFORD and CATHERINE SHEEHAN** (1983a). "Changes in the Karyotype of the Cell Line, DSIR-HA-1179, and a Comparison with That of Its Parent Insect, *Heteronychus Arator* (F.) (Coleoptera: Scarabaeidae)". In: *New Zealand J. Zoology* 10, pp. 405–408.
- (1983b). "Changes in the Karyotype of the Cell Line, DSIR-HA-1179, and a Comparison with That of Its Parent Insect, *Heteronychus Arator* (F.) (Coleoptera: Scarabaeidae)". In: *New Zealand J. Zoology* 10, pp. 405–408.
- Bernhard Zelazny Allan M.Crawford** (1990). "Evolution in Oryctes Baculovirus: Rate and Types of Genomic Change". In: *Virology* 174.1, pp. 294–298.
- Kouassi Allou et al.** (2006). "Oryctes Monoceros Trapping with Synthetic Pheromone and Palm Material in Ivory Coast". In: *Journal of Chemical Ecology* 32, pp. 1743–1754. URL: <http://www.guaminsects.net/CRB/docs/Allou%202006%20oryctes%20monoceros%20trapping%20with%20synthetic%20pheromone%20and%20palm%20material%20in%20Ivory%20Coast%5C%00fd.pdf>.
- A. Lolong B. Zelazny and B.Pattang** (1992). "Oryctes Rhinoceros (Coleoptera: Scarabaeidae) Populations Suppressed by a Baculovirus". In: *Journal of Invertebrate Pathology* 59.1, pp. 61–68.
- A. Lolong B. Zelazny and A. M. Crawford** (1990). "Introduction and Field Comparison of Baculovirus Strains Against Oryctes Rhinoceros (Coleoptera: Scarabaeidae) in the Maldives". In: *Environmental Entomology* 19.4, pp. 1115–1121.
- A. R. Alfiler B. Zelazny and A. Lolong** (1898). "Possibility of Resistance to a Baculovirus in Populations of the Coconut Rhinoceros Beetle, Oryctes Rhinoceros". In: *FAO Plant Protection Bull.* 37.2, pp. 77–82.
- B.Zelazny** (1972). "Studies on Rhabdionvirus Oryctes: I. Effect on Larvae of Oryctes Rhinoceros and Inactivation of the Virus". In: *Journal of Invertebrate Pathology* 20.3, pp. 235–241.
- G O Bedford** (1973). "Experiments Coconut Palm with the Virus Rhabdionvirus Oryctes against and the Scapanes Rhinoceros Beetles Australis Grosse punctafus Oryctes Rhinoceros in New Guinea". In: *Journal of Invertebrate Pathology* 22, pp. 70–74.
- (1986). "Biological Control of the Rhinoceros Beetle (Oryctes Rhinoceros) in the South Pacific by Baculovirus". In: *Agriculture, Ecosystems and Environment* 15, pp. 141–147.
- (2014). "Advances in the Control of Rhinoceros Beetle, Oryctes Rhinoceros in Oil Palm." In: *Journal of Oil Palm Research* 26.3, pp. 183–194. URL: <http://jopr.mpob.gov.my>.

- G. O. Bedford** (1968). “Observations on the Ecology of Oryctes (Coleoptera: Scarabaeidae: Dynastinae) in Madagascar”. In: *Bulletin of Entomological Research* 58.01, pp. 83–83. DOI: [10.1017/S0007485300055887](https://doi.org/10.1017/S0007485300055887).
- (2013). “Long-Term Reduction in Damage by Rhinoceros Beetle Oryctes Rhinoceros (L.) (Coleoptera: Scarabaeidae: Dynastinae) to Coconut Palms at Oryctes Nudivirus Release Sites on Viti Levu, Fiji”. In: *African J. Agricultural Research* 8.49, pp. 6422–6425.
- Geoffrey O Bedford** (1975). “Trap Catches of the Coconut Rhinoceros Beetle Oryctes Rhinoceros (L.) (Coleoptera, Scarabaeidae, Dynastinae) in New Britain”. In: *Bulletin of Entomological Research* 65, pp. 443–451. URL: <http://www.guaminsects.net/CRB/docs/Bedford%201975%20Trap%20catches%20of%20the%20coconut%20rhinoceros%20beetle%20oryctes%20rhinoceros.pdf>.
- (1980). “Biology, Ecology, and Control of Palm Rhinoceros Beetles”. In: *Annual Review of Entomology* 25, pp. 309–339.
 - (Jan. 2013). “Biology and Management of Palm Dynastid Beetles: Recent Advances.” In: *Annual review of entomology* 58, pp. 353–72. DOI: [10.1146/annurev-ento-120710-100547](https://doi.org/10.1146/annurev-ento-120710-100547). URL: <http://www.ncbi.nlm.nih.gov/pubmed/23317044>.
 - (2010). “Biology, Ecology, and Management of Palm Dynastid Beetles”. In: *Annual Review of Entomology* 57.1, pp. 110301095920015–110301095920015. ISSN: 0066-4170. DOI: [10.1146/annurev-ento-120710-100547](https://doi.org/10.1146/annurev-ento-120710-100547).
 - (2018). “Possibility of Evolution in Culture of the Oryctes Nudivirus of the Coconut Rhinoceros Beetle Oryctes Rhinoceros (Coleoptera: Scarabaeidae: Dynastinae)”. In: *Advances in Entomology* 6, pp. 27–33.
- G. O. Bedford*, G O BEDFORD, and G. O. Bedford*** (1976). “OBSERVATIONS ON THE BIOLOGY AND ECOLOGY OF ORYCTES RHINOCEROS AND SCAPANES AUSTRALIS (COLEOPTERA: SCARABAEIDAE: DYNASTINAE): PESTS OF COCONUT PALMS IN MELANESIA”. In: *Australian Journal of Entomology* 15.3, pp. 241–251. DOI: [10.1111/j.1440-6055.1976.tb01701.x](https://doi.org/10.1111/j.1440-6055.1976.tb01701.x). URL: <http://dx.doi.org/10.1111/j.1440-6055.1976.tb01701.x>.
- SUSANTA K. BEHURA** (2006). “Molecular Marker Systems in Insects: Current Trends and Future Avenues”. In: *Molecular Ecology (Invited Review)* 15, pp. 3087–3113.
- Melemalt Benedict** (n.d.). “Assessment of Coconut Rhinoceros Beetle Damage and Resistance in the Palau Archipelago”. en. In: (), p. 1.
- BernhardZelazny** (1976). “Transmission of a Baculovirus in Populations of Oryctes Rhinoceros”. In: *Journal of Invertebrate Pathology* 27.2, pp. 221–227.
- “Biototoxicity Assay of Neem (Azadirachta Indica) Products and Distillery Effluent on the Third Instar Larvae of Coconut Rhinoceros Beetle Oryctes Rhinoceros.” (2013). In: *International Journal of Pharma and Bio Sciences* 4.4, pp. 102–110.
- James Hagler Blas Lavandero and Mark Jervis Steve Wratten** (2004). “The Need for Effective Marking and Tracking Techniques for Monitoring the Movements of Insect Predators and Parasitoids”. In: *International Journal of Pest Management* 50.3, pp. 147–151.

- Brandi-Leigh H. Adams** (2019). “ANALYSIS AND DEVELOPMENT OF MANAGEMENT TOOLS FOR ORYCTES RHINOCEROS (COLEOPTERA: SCARABAEIDAE)”. English. Masters Thesis. University of Hawaii.
- Yamini Varma C.K** (2013). “Efficacy of Ecofriendly Management against Rhinoceros Beetle Grubs in Coconut”. In: *J. Biopest* 6.2, pp. 101–103.
- Karl Campbell and C. Josh Donlan** (2005). “Feral Goat Eradications on Islands”. In: *Conservation Biology* 19.5, pp. 1362–1374. ISSN: 0888-8892. DOI: [10.1111/j.1523-1739.2005.00228.x](https://doi.org/10.1111/j.1523-1739.2005.00228.x). URL: https://www.researchgate.net/publication/227629602_Feral_Goat_Eradications_on_Islands.
- A Catley** (1969). “The Coconut Rhinoceros Beetle *Oryctes Rhinoceros* (L)”. In: *International Journal of Pest Management: Part A* 15.1, pp. 18–30. ISSN: 0434554690941. DOI: [10.1080/04345546909415075](https://doi.org/10.1080/04345546909415075).
- a. K. Chakravarthy et al.** (2014). “Efficacy of Aggregation Pheromone in Trapping Red Palm Weevil (*Rhynchophorus Ferrugineus* Olivier) and Rhinoceros Beetle (*Oryctes Rhinoceros* Linn.) from Infested Coconut Palms”. In: *Journal of Environmental Biology* 35.3, pp. 479–484.
- Gait Fee Chung** (1997). “The Bioefficacy of the Aggregation Pheromone in Mass Trapping of Rhinoceros Beetles (*Oryctes Rhinoceros* L.) in Malaysia.” In: *Planter* 73.852, pp. 119–127.
- ABU HASSAN AHMAD CIK MOHD RIZUAN ZAINAL ABIDIN and NOOR HISHAM HAMID HASBER SALIM** (2014). “POPULATION DYNAMICS OF *Oryctes Rhinoceros* IN DECOMPOSING OIL PALM TRUNKS IN AREAS PRACTISING ZERO BURNING AND PARTIAL BURNING”. In: *Journal of oil Palm Research* 26.2, pp. 140–145.
- Michelle Stone Corey C. Holt et al.** (2019). “The First Clawed Lobster Virus *Homarus Gammarus Nudivirus* (HgNV n. Sp.) Expands the Diversity of the Nudiviridae”. In: *Nature Scientific Reports* 9, 15 pages.
- a M Crawford** (Apr. 1989). “Engineering of an *Oryctes* Baculovirus Recombinant: Insertion of the Polyhedrin Gene from the *Autographa Californica* Nuclear Polyhedrosis Virus.” In: *The Journal of general virology* 70 (Pt 4), pp. 1017–24. URL: <http://www.ncbi.nlm.nih.gov/pubmed/2659730>.
- A.M. Crawford** (1987). “Preparation of a Baculovirus Inoculum for Use by Coconut Farmers to Control Rhinoceros Beetle (*Oryctes Rhinoceros*)”. In: *FAO Plant Protection Bulletin* ...
- Allan M Crawford** (1984). “An *Oryctes Rhinoceros* (L .) (Coleoptera : Scarabaeidae) Baculovirus Inoculum Derived from Tissue Culture”. In: *Journal of Economic Entomology* 77, pp. 1982–1983.
- (1985). “*Oryctes* Baculovirus Infectivity for New Zealand Scarabs”. In: *Proceedings of the 4th Australasian Conference on grassland invertebrate ecology*, pp. 224–227. URL: <http://guaminsects.myspecies.info/sites/guaminsects.myspecies.info/files/Crawford%20et%20al%20-%201985.pdf> (visited on 06/22/2019).

- Allan M Crawford** (n.d.). *Detection of Baculovirus Infection in Rhinoceros Beetle (Oryctes Rhinoceros) and the Purification and Identification of Virus Strains*. Tech. rep., pp. 120–141.
- KIMBERLY A. NELSON DARA M. WALD and HALDRE S. ROGERS ANN MARIE GAWEL** (2018). “The Role of Trust in Public Attitudes toward Invasive Species Management on Guam: A Case Study”. In: *Iowa State University Summer Symposium on Science Communication: 2018: Understanding the Role of Trust and Credibility in Science Communication*.
- Ariffin Darus and Mohd Basri Wahid** (2000). “Intensive IPM for Management of Oil Palm Pests”. In: *Oil Palm Bulletin* 41, pp. 1–14. URL: <http://www.guaminsects.net/CRB/docs/Darus%20IPM%20for%20management%20of%20oil%20palm%20pests%20MALAY.pdf>.
- Charles Darwin** (1871). *The Ascent of Man, and Selection in Relation to Sex*. 1st ed. Vol. 1. London: John Murray. URL: http://darwin-online.org.uk/pdf/1871%5C%7B_%5C%7DDescent%5C%7B_%5C%7DF937.1.pdf.
- GUOHONG LI DAVID W. WILLIAMS and RUITONG GAO** (2004). “Tracking Movements of Individual Anoplophora Glabripennis (Coleoptera: Cerambycidae) Adults: Application of Harmonic Radar”. In: *Environ. Entomol.* 33.3, pp. 644–649.
- R L Davidson et al.** (1972). “Environmental Stress in the Pasture Scarab Sericesthis Nigrolineata Boisd . I . Mortality in Larvae Caused by High Temperature”. In: 9.3, pp. 783–797.
- ANNICK DEOTTE** (1975). “Susceptibility of Oryctes Rhinoceros Adults to M Etarrhizium Anisopliae”. In: *JOURNAL OF INVERTEBRATE PATHOLOGY* 25, pp. 313–319.
- “Detection of the Guam Biotype (CRB-G) Oryctes Rhinoceros Linneaus (Coleoptera: Scarabaeidae) in Port Moresby, Papua New Guinea” (2016). In: *Planter* 92.1089, pp. 883–891.
- Andre A Dhondt, T P McGovern, and Morton Beroza** (n.d.). “Effect of Juvenile Hormone Mimics on the Coconut Rhinoceros Beetle”. In: *Journal of Economic Entomology* 69 (), 427–428(2). URL: <http://www.ingentaconnect.com/content/esa/jee/1976/00000069/00000004/art00002>.
- William Moulder Dimitris Psychoudakis, Heping Zhu Chi-Chih Chen, and John L. Volakis** (2008). “A Portable Low-Power Harmonic Radar System and Conformal Tag for Insect Tracking”. In: *IEEE ANTENNAS AND WIRELESS PROPAGATION LETTERS* 7, pp. 444–447.
- R W Doane** (Dec. 1913). “How Oryctes Rhinoceros, a Dynastid Beetle, Uses Its Horn.” In: *Science* 38.990, pp. 883–883. DOI: [10.1126/science.38.990.883](https://doi.org/10.1126/science.38.990.883). URL: <http://www.ncbi.nlm.nih.gov/pubmed/17752421>.
- Claudia Dolinski and Lawrence A Lacey** (2007). “Microbial Control of Arthropod Pests of Tropical Tree Fruits”. In: *Neotropical Entomology* 36.2, pp. 161–179. URL: <http://www.scielo.br/pdf/ne/v36n2/a01v36n2.pdf>.
- GREG DWYER** (1994). “DENSITY DEPENDENCE AND SPATIAL STRUCTURE IN THE DYNAMICS OF INSECT PATHOGENS”. In: *The American Naturalist* 143.4, pp. 533–.

- Siska Dewi Anggraeni Dyah Rini Indriyanti and Muji Slamet** (2017). “DENSITY AND COMPOSITION OF *Oryctes Rhinoceros* (COLEOPTERA: SCARABAEIDAE) STADIA IN FIELD”. In: *Journal of Engineering and Applied Sciences* 12.22.
- A. D. Smith E. T. Cant1 and J. L. Osborne D. R. Reynolds** (2005). “Tracking Butterfly Flight Paths across the Landscape with Harmonic Radar”. In: *Proc. R. Soc. B* 272, pp. 785–790.
- E.C.Young** (1974). “The Epizootiology of Two Pathogens of the Coconut Palm Rhinoceros Beetle”. In: *Journal of Invertebrate Pathology* 24.1, pp. 82–92.
- Chung Gait Fee** (1997). “The Bioefficacy of the Aggregation Pheromone in Mass Trapping of Rhinoceros Beetles (*Oryctes Rhinoceros* L.) in Malaysia”. In: *The Planter* 73.852, pp. 119–127. URL: <http://www.guaminsects.net/CRB/docs/Fee%201997%20aggregation%20pheromone%20in%20mass%20trapping%20of%20rhinoceros%20beetles.pdf>.
- Denzel E Ferguson and James D Land** (2008). “Some Temperature Studies on the Beetle , *Popilius Disjunctus*”. In: 42.1, pp. 195–197.
- C. VINCENT G. BOITEAU and T. C. LESKEY F. MELOCHE** (2010). “Harmonic Radar: Assessing the Impact of Tag Weight on Walking Activity of Colorado Potato Beetle, Plum Curculio, and Western Corn Rootworm”. In: *JOURNAL OF ECONOMIC ENTOMOLOGY* 103.1, pp. 63–69.
- C. VINCENT G. BOITEAU, T. C. LESKEY F. MELOCHE, and B. G. COLPITTS** (2011). “Evaluation of Tag Entanglement as a Factor in Harmonic Radar Studies of Insect Dispersal”. In: *Environ. Entomol.* 40.1, pp. 94–102.
- F. MELOCHE G. BOITEAU and T. C. LESKEY C. VINCENT** (2009). “Effectiveness of Glues Used for Harmonic Radar Tag Attachment and Impact on Survival and Behavior of Three Insect Pests”. In: *Environ. Entomol.* 38.1, pp. 168–175.
- R. MUHAMAD G. MANJERI and S. G. TAN Q. Z. FARIDAH** (2013). “MORPHOMETRIC ANALYSIS OF *ORYCTES RHINOCEROS* (L.) (COLEOPTERA: SCARABAEIDAE) FROM OIL PALM PLANTATIONS”. In: *The Coleopterists Bulletin*, 67.2, pp. 194–200.
- R. Muhamad G. Manjeri and Soon Guan Tan** (2014). “*Oryctes Rhinoceros* Beetles, an Oil Palm Pest in Malaysia”. In: *Ann. Rev. & Res. Biology* 4.22, pp. 3429–3439.
- Ian A. N. Stringer Gabor L. Lovei and Marc Cartellieri Chris D. Devine** (1997). “HARMONIC RADAR - A METHOD USING INEXPENSIVE TAGS TO STUDY INVERTEBRATE MOVEMENT ON LAND”. In: *NEW ZEALAND JOURNAL OF ECOLOGY* 21.2, pp. 187–193.
- Mohammad Golabi et al.** (2009). “Draft Proposal: Development of Large Scale Composting of Green Waste on Guam”. In: URL: <http://guaminsects.net/anr/sites/default/files/Guam%20Large-Scale%20Composting.pdf>.
- Murali Gopal, Alka Gupta, B. Sathiamma, et al.** (2002). “Microbial Pathogens of the Coconut Pest *Oryctes Rhinoceros*: Influence of Weather Factors on Their Infectivity and Study of Their Coincidental Ecology in Kerala, India”. In: *World Journal of Microbiology*

- and *Biotechnology* 18.5, pp. 417–421. DOI: [10.1023/A:1015540625298](https://doi.org/10.1023/A:1015540625298). URL: <http://www.guaminsects.net/CRB/docs/Gopal%202002%20pathogens%20oryctes%20weather.pdf>.
- Murali Gopal, Alka Gupta, and George V Thomas** (2006). “Prospects of Using *Metarhizium Anisopliae* to Check the Breeding of Insect Pest, *Oryctes Rhinoceros* L. in Coconut Leaf Vermicomposting Sites”. In: *Bioresource Technology* 97, pp. 1801–1806. URL: <http://www.guaminsects.net/CRB/docs/Gopal%202006%20using%20Metarhizium%20anisopliae%20to%20check%20the%20breeding%20of%20insect%20pest,%20Oryctes%20rhinoceros%20L.%20in%20coconut%20leaf%20vermicomposting%20sites%5C%00fd.pdf>.
- B D Gorick** (1980). “Release and Establishment of the Baculovirus Disease of *Oryctes Rhinoceros* (L.) (Coleoptera: Scarabaeidae) in Papua New Guinea”. In: *Bulletin of Entomological Research* 70, pp. 445–453. URL: <http://www.guaminsects.net/CRB/docs/Gorick%201980%20Release%20and%20establishment%20of%20the%20baculovirus%20disease%20of%20Oryctes%20rhinoceros.pdf>.
- Benoit Graillot et al.** (2014). “Progressive Adaptation of a CpGV Isolate to Codling Moth Populations Resistant to CpGV-M”. In: *Viruses* 6.12, pp. 5135–5144. DOI: [10.3390/v6125135](https://doi.org/10.3390/v6125135).
- Green Waste from Typhoon Dolphin to Be Disposed of, Finally | Local News | Postguam.Com* (2016). URL: http://www.postguam.com/news/local/green-waste-from-typhoon-dolphin-to-be-disposed-of-finally/article_13850354-ce28-11e5-849f-e33b613c0bab.html (visited on 02/09/2016).
- Linsley J Gressitt** (1953). *The Coconut Rhinoceros Beetle (Oryctes Rhinoceros) with Particular Reference to the Palau Islands*. Tech. rep. Honolulu, pp. 1–83. URL: <https://books.google.com/books?id=OtcZAQAAIAAJ>.
- G Gries et al.** (1994). “Aggregation Pheromone of the African Rhinoceros Beetle *Oryctes Monoceros* (Oliver) (Coleoptera: Scarabaeidae)”. In: *Verlag der Zeitschrift für Naturforschung* 49c.5-6, pp. 363–366. URL: <http://www.guaminsects.net/CRB/docs/Gries%201994%20aggregation%20pheromone%20African%20rhinoceros%20beetle.pdf>.
- Rebecca H Hallett** (1999). “Pheromone Trapping Protocols for the Asian Palm Weevil, *Rhynchophorus Ferrugineus* (Coleoptera: Curculionidae)”. In: *International Journal of Pest Management*, pp. 231–237. URL: <http://www.guaminsects.net/CRB/docs/Hallett%201999%20Pheromone%20trapping%20protocols%20for%20the%20Asian%20palm%20weevil,%20Rhynchophorus%20ferrugineus.pdf>.
- Rebecca H Hallett et al.** (1995). “Hallett 1995 Aggregation Pheromone Coconut Rhinoceros Beetle *Oryctes*.Pdf”. In: pp. 1549–1570.
- A. H. Hara, M. Manly, and R. Niino-DuPonte** (2017). *Efficacy of Bifenthrin in Reducing Feeding Damage Caused by Adult Coconut Rhinoceros Beetle (Oryctes Rhinoceros) on Coconut Palms in Hawai’i*. Portland OR.
- S T Hassan** (1975). “Effects of High Temperature and Soil Moisture on Survival of First-Instar Larvae of the Scarab *Anoplognathus Porosus* (Dalman) (Coleoptera)”. In: *The Journal of Applied Ecology* 12.3, pp. 749–754.

- A Dexter Hinckley** (1973). “Ecology of the Coconut Rhinoceros Beetle , *Oryctes Rhinoceros* (L .) (Coleoptera : Dynastidae)”. In: *Biotropica* 5.2, pp. 111–116.
- Alden D Hinckley** (1967). “Associates of the Coconut Rhinoceros Beetle in Western Samoa”. In: *Pacific Insects* 9.3, pp. 505–511. URL: [http://hbs.bishopmuseum.org/pi/pdf/9\(3\)-505.pdf](http://hbs.bishopmuseum.org/pi/pdf/9(3)-505.pdf).
- Me Hochberg and Jk Waage** (1991). “A Model for the Biological Control of *Oryctes Rhinoceros*(Coleoptera: Scarabaeidae) by Means of Pathogens.” In: *Journal of applied ecology* 28.2, pp. 514–531. URL: <http://mike.hochberg.free.fr/MEHJap91.pdf>.
- Forrest W Howard** (2001). “Insect Pests of Palms and Their Control”. In: *Pesticide Outlook* December 2, pp. 240–243. URL: <http://www.guaminsects.net/CRB/docs/Howard%202001%20Insect%20pests%20of%20palms%20and%20their%20control.pdf>.
- Alois M. Huger** (May 2005). “The *Oryctes* Virus: Its Detection, Identification, and Implementation in Biological Control of the Coconut Palm Rhinoceros Beetle, *Oryctes Rhinoceros* (Coleoptera: Scarabaeidae)”. In: *Journal of Invertebrate Pathology* 89.1, pp. 78–84. ISSN: 0022-2011 (Print)\r0022-2011 (Linking). DOI: [10.1016/j.jip.2005.02.010](https://doi.org/10.1016/j.jip.2005.02.010). URL: <http://www.guaminsects.net/CRB/docs/Huger%202005%20The%20oryctes%20virus-%20Its%20detection,%20identification,%20and%20implementation%20in%20biological%20control%20of%20the%20coconut%20palm%20rhinoceros%20beetle.pdf>.
- “Incidence of Coconut Rhinoceros Beetle in Decomposed Oil Palm Empty Fruit Bunches and Control Strategy by *Metarhizium Guizhouense* PSUM04” (2019). In: *Kaen Kaset = Khon Kaen Agriculture Journal* 47.No.Suppl. 1, pp. 923–930.
- D. R. Indriyanti et al.** (Sept. 2018). “Ecological Studies of *Oryctes Rhinoceros* Larvae Controlled by *Metarhizium Anisopliae* and Entomopatogenic Nematodes”. en. In: *Jurnal Pendidikan IPA Indonesia* 7.3, pp. 286–292. ISSN: 2089-4392. DOI: [10.15294/jpii.v7i3.14239](https://doi.org/10.15294/jpii.v7i3.14239). URL: <https://journal.unnes.ac.id/nju/index.php/jpii/article/view/14239> (visited on 04/16/2019).
- JW Chapman J R Riley and A D Smith D R Reynolds** (2007). “RECENT APPLICATIONS OF RADAR TO ENTOMOLOGY”. In: *Outlooks on Pest Management* 18.2, pp. 62–68.
- G. P. CAREY J. F. LONGWORTH** (1980). “The Use of an Indirect Enzyme-Linked Immunosorbent Assay to Detect Baculovirus in Larvae and Adults of *Oryctes Rhinoceros* from Tonga”. In: *J. gen. Virol.* 47, pp. 431–438.
- P. Valeur J. R. Riley, D. R. Reynolds A. D. Smith, and C. Lofstedt G. M. Poppy** (1998). “Harmonic Radar as a Means of Tracking the Pheromone-Finding and Pheromone-Following Flight of Male Moths”. In: *Journal of Insect Behavior* 11.2, pp. 287–295.
- Grahame Jackson** (2018). *Action Plan for Oryctes Rhinoceros in the Commonwealth of the Northern Mariana Islands 2018-2023*. Tech. rep. COMMONWEALTH OF THE NORTHERN MARIANA ISLANDS DEPARTMENT OF LANDS AND NATURAL RESOURCES. URL: <https://pacificbasindevelopment.org/wp-content/uploads/2019/04/CNMI-Rhino-Beetle-Plan.pdf> (visited on 08/22/2019).

- T. A. Jackson** (2009). “The Use of Oryctes Virus for Control of Rhinoceros Beetle in the Pacific Islands”. In: *Use of Microbes for Control and Eradication of Invasive Arthropods* A.E. Hajak et al. [eds.] Chapter 8, pp. 133–140.
- Trevor A Jackson** (2015). “Need for Emergency Response for a New Variant of Rhinoceros Beetle (Guam Bioype)”. In: *International Association for the Plant Sciences XI*. URL: <https://www.plantprotection.org/portals/0/documents/newsletters/2015/iapps%5C%2011-2015.pdf>.
- Trevor A Jackson and Michael G. Klein** (2006). “Scarabs as Pests: A Continuing Problem”. In: *Coleopterists Society Monographs* 5, pp. 102–119. URL: <http://www.guaminsects.net/CRB/docs/Jackson%202006%20Scarabs%20as%20pests%20-%20A%20continuing%20problem.pdf>.
- M Jacob** (1989). “Influence of Methoprene on the Male Reproductive System of Oryctes Rhinoceros (Coleoptera: Scarabaeidae)”. In: *Current Science* 58, pp. 469–471.
- S. P. Jayawardena** (2013). “Effective Inoculation Method and Optimum Concentration of Oryctes Virus to Infect Oryctes Rhinoceros Adults”. In: *European International Journal of Science and Technology* 2.8, pp. 188–194.
- J F Julia and D Mariau** (1976). “Resresearch on Oryctes Monoceros Ol. in Ivory Coast III. Olfactory Trapping with Ethyl Chrysanthemate”. In: *Oleagineux* 31.6, pp. 263–272.
- Minhyung Jung Jung-Wook Kho and Doo-Hyung Lee** (2019). “Evaluating the Efficacy of Two Insect Detection Methods with Riptortus Pedestris (Hemiptera: Alydidae): Portable Harmonic Radar System and Fluorescent Marking System”. In: *Pest Manag Sci* 75, pp. 224–233.
- P Kalidas** (2004). “Effect of Abiotic Factors on the Efficiency of Rhinoceros Beetle Pheromone, Oryctalure, in the Oil Palm Growing Areas of Andhra Pradesh”. In: *The Planter* 80.935, pp. 103–115.
- Norman Kamarudin and Mohd B Washid** (2004). “Immigration and Activity of \textit{Oryctes Rhinoceros} within a Small Oil Palm Replanting Area”. In: *Journal of Oil Palm Research* 16.2, pp. 64–77. URL: <http://palmoilis.mpob.gov.my/publications/jopr16n2-norman.pdf>.
- S. Kameoka and H. Kiyono** (2004). *A Survey of the Rhinoceros Beetle and Stag Beetle Market in Japan*. ja. Tech. rep. OCLC: 674040974.: TRAFFIC East Asia - Japan.
- Marc Kenis et al.** (2019). *Guide to the Classical Biological Control of Insect Pests in Planted and Natural Forests*. Tech. rep. 182. Rome: FAO. URL: <http://www.fao.org/3/ca3677en/CA3677EN.pdf> (visited on 04/09/2019).
- M.M. Kinawy** (1987). “Control of Coconut Rhinoceros Beetle Oryctes Rhinoceros L.(Scarabidae: Coleoptera) in South Oman”. In: *Bulletin of Faculty of Agriculture* FAO (Ministry of Agriculture, Cairo (Egypt). Plant Protection Research Inst.)
- G. C. M. Latch** (1976). “Studies on the Susceptibility of Oryctes Rhinoceros to Some Entomogenous Fungi”. In: *Entomophaga* 21.1, pp. 31–38.
- G. C. M. Latch and R. E. Falloon** (1976). “Studies on the Use of Metarhizium Anisopliae to Control Oryctes Rhinoceros”. In: *Entomophaga* 21.1.

- Frank Bonaccorso Laurence Beaudoin-Ollivier and Mathew Kasiki Michael Aloysius** (2003). "Flight Movement of *Scapanes Australis Australis*(Boisduval) (Coleoptera: Scarabaeidae: Dynastinae) in Papua New Guinea: A Radiotelemetry Study". In: *Australian J. Entomology* 42, pp. 367–372.
- Walter Soares Leal** (1998). "Chemical Ecology of Phytophagous Scarab Beetles". In: *Annual Reviews Entomology* 43, pp. 39–61. URL: <http://www.guaminsects.net/CRB/docs/Leal%201998%20chem%20ecol%20phytophagous%20scarab%20beetles.pdf>.
- Seokhyun Lee, Heesam Lee, and Kwanho Park** (2019). "Establishment of a Loop-Mediated Isothermal Amplification System for on-Site Diagnosis of *Oryctes Rhinoceros* Nudivirus in *Allomyrina Dichotoma* (Coleoptera: Scarabaeidae)". en. In: *Entomological Research* 49.7, pp. 297–304. ISSN: 1748-5967. DOI: [10.1111/1748-5967.12362](https://doi.org/10.1111/1748-5967.12362). URL: <https://onlinelibrary.wiley.com/doi/abs/10.1111/1748-5967.12362> (visited on 09/13/2019).
- Phillip A. Lewis** (n.d.). *Insights from Applying Systemic Pesticide to Trees for APHIS Asian Longhorned Beetle*. Tech. rep.
- Lomer C. J** (1986). "Release of Baculovirus *Oryctes* into *Oryctes Monoceros* in the Seychelles". In: *Journal of Invertebrate Pathology* 47, pp. 237–246.
- Noor Nasuha A. A. Luqman H. A et al.** (2018). "DIVERSITY AND COMPOSITION OF BEETLES (ORDER: COLEOPTERA) IN THREE DIFFERENT AGES OF OIL PALMS IN LEKIR OIL PALM PLANTATION, PERAK, MALAYSIA". In: *Serangga* 23.1, pp. 58–71.
- D. A. Landis M. E. O’Neal, L. Kempel E. Rothwell, and D. Reinhard** (2004). "Tracking Insects with Harmonic Radar: A Case Study". In: *American Entomologist* 50.4, pp. 212–218.
- Allan M.Crawford** (1981). "Attempts to Obtain *Oryctes* Baculovirus Replication in Three Insect Cell Cultures". In: *Virology* 112.2, pp. 625–633.
- Alois M.Huger** (1966). "A Virus Disease of the Indian Rhinoceros Beetle, *Oryctes Rhinoceros* (Linnaeus), Caused by a New Type of Insect Virus, *Rhabdionvirus Oryctes* Gen. n., Sp. n". In: *Journal of Invertebrate Pathology* 8.1, pp. 38–51.
- G Manjeri et al.** (2011). "Genetic Variation Studies in *Oryctes Rhinoceros* (L .) (Coleoptera : Scarabaeidae) from Oil Palm Plantations Using Random Amplified Microsatellite (RAMs) Markers". In: *African Journal of Biotechnology* 10.14, pp. 2611–2617. DOI: [10.5897/AJB10.1537](https://doi.org/10.5897/AJB10.1537).
- R W Mankin and Aubrey Moore** (2010). "Acoustic Detection of *Oryctes Rhinoceros* (Coleoptera: Scarabaeidae: Dynastinae) and *Nasutitermes Luzonicus* (Isoptera: Termitidae) in Palm Trees in Urban Guam". In: *Journal of Economic Entomology* 103.4, pp. 1135–1143. DOI: [10.1603/EC09214](https://doi.org/10.1603/EC09214). URL: <http://www.ingentaconnect.com/content/esa/jee/2010/00000103/00000004/art00014>.
- Dominique Mariau** (2001). *The Fauna of Oil Palm and Coconut: Insect and Mites Pests and Their Natural Enemies*. en. Editions Quae. ISBN: 978-2-87614-478-1.

- K J Marschall and I Ioane** (1982). “The Effect of Re-Release of *Oryctes* in the Biological Control of Rhinoceros Rhinoceros Baculovirus Beetles in Western Samoa ”. In: *Journal of Invertebrate Pathology* 39, pp. 267–276.
- Sean D G Marshall et al.** (2015). “A New Coconut Rhinoceros Beetle Biotype Threatens Coconut and Oil Palms in Southeast Asia and the Pacific”. In: pp. 1–2. ISSN: 0434554690941.
- Sean D. G. Marshall et al.** (Oct. 2017). “A New Haplotype of the Coconut Rhinoceros Beetle, *Oryctes Rhinoceros*, Has Escaped Biological Control by *Oryctes Rhinoceros* Nudivirus and Is Invading Pacific Islands”. In: *Journal of Invertebrate Pathology* 149, pp. 127–134. ISSN: 0022-2011. DOI: [10.1016/j.jip.2017.07.006](https://doi.org/10.1016/j.jip.2017.07.006). URL: <http://www.sciencedirect.com/science/article/pii/S0022201117300289> (visited on 08/26/2017).
- Sean David Goldie Marshall et al.** (2015). “A New Invasive Biotype of the Coconut Rhinoceros Beetle (*Oryctes Rhinoceros*) Has Escaped from Biocontrol by *Oryctes Rhinoceros* Nudivirus”. In: *International Congress on Invertebrate Pathology and Microbial Control and the 48th Annual Meeting of the Society for Invertebrate Pathology*. URL: <http://www.sipmeeting.org/van1/SIP2015-Full%20Program.pdf>.
- Sean Marshall and Aubrey Moore** (2014a). “DNA Analysis of Hawaii CRB”. In: URL: <http://guaminsects.net/anr/sites/default/files/CRB2014-02-12.pdf>.
- (2014b). “Hawaii Beetle Dissections”. In: URL: <http://guaminsects.net/anr/sites/default/files/CRB2014-01-17A.pdf>.
- Sean Marshall, Aubrey Moore, et al.** (Aug. 2014). *Oryctes Rhinoceros Population Diversity and Potential Implications for Control Using Oryctes Nudivirus*. Mainz, Germany. URL: <http://www.sipweb.org/docs/Program%5C%20and%5C%20Abstracts%5C%202014.pdf>.
- Niall J McKeown Max Blake and Paul W Shaw** (2014). “DNA Isolation from Single Pieces of Beetle Frass: A Resource for Conservation Genetic Studies of *Gnorimus Nobilis*”. In: *S23: Conservation Ecology of European Saproxylic Insects*.
- Erin L. McCullough** (2013). “Using Radio Telemetry to Assess Movement Patterns in a Giant Rhinoceros Beetle: Are There Differences Among Majors, Minors, and Females?” In: *Journal of Insect Behavior* 26.1, pp. 51–56. ISSN: 1090501293. DOI: [10.1007/s10905-012-9334-8](https://doi.org/10.1007/s10905-012-9334-8). URL: <http://dx.doi.org/10.1007/s10905-012-9334-8>.
- Michael J. Melzer Megan Manley and Helen Spafford** (2018). “Oviposition Preferences and Behavior of Wild-Caught and Laboratory-Reared Coconut Rhinoceros Beetle, *Oryctes Rhinoceros* (Coleoptera: Scarabaeidae), in Relation to Substrate Particle Size”. In: *Insects* 9, p. 141.
- Daniel R Miller and B Staffan Lindgren** (2005). “Dose-Dependent Pheromone Responses of Mountain Pine Beetle in Stands of Lodgepole Pine”. In: 14.Table 1.
- A Mini and V K K Prabhu** (1990). “Stridulation in the Coconut Rhinoceros Beetle \textit{Oryctes Rhinoceros} (Coleoptera: Scarabaeidae)”. In: *Proceedings of the Indian Academy of Sciences* 99.6, 447–455. URL: <http://www.guaminsects.net/doc/oryctes/Mini%5C%7B%5C%7DPrabhu1990.pdf>.

- K S Mohan and K P Gopinathan** (1989). “Quantitation of Serological Cross-Reactivity between Two Geographical Isolates of Oryctes Baculovirus by a Modified ELISA.” In: *Journal of virological methods* 24.1-2, pp. 203–13. URL: <http://www.ncbi.nlm.nih.gov/pubmed/2760162>.
- K. S. Mohan** (1991). “Persistence of Oryctes Baculovirus in Organic Matter”. In: *L Biological Control* 5.1, pp. 28–31.
- K. S. Mohan, S. P. Jayapal, and G. B. Pillai** (1985). “Diagnosis of Baculovirus Infection in Coconut Rhinoceros Beetles by Examination of Excreta”. In: *Journal of Plant Disease and Protection* 93.4, pp. 379–383.
- W MOHD BASRI** (2003). *ORYCTES VIRUS FOR BIOCONTROL OF RHINOCEROS BEETLES Oryctes Rhinoceros*.
- J. Monty** (1974). “Teratological Effects of the Virus Rhabdionvirus Oryctes on Oryctes Rhinoceros (L.) (Coleoptera, Dynastidae)”. In: *Bulletin of entomological research* 64.4, pp. 633–636.
- Aubrey Moore** (2007). “Assessment of the Rhinoceros Beetle Infestation on Guam”. In: URL: <http://www.guaminsects.net/CRB/docs/Moore%202007%20Assessment%20of%20the%20Rhinoceros%20Beetle%20Infestation%20on%20Guam.doc>.
- (2008a). “Attempted Eradication of the Coconut Rhinoceros Beetle, \textit{Oryctes Rhinoceros}, (Scarabaeidae), a Recently Arrived Invasive Species on Guam”. In: *Entomological Society of America Annual Meeting*.
 - (2008b). *CRB Flight Range*. Tech. rep.
 - (2008c). “Efficacy of Systemic Insecticide Injections Applied to Mature Coconut Palms”. In: pp. 1–11. URL: <http://www.guaminsects.net/CRB/docs/Coconut%20Injection%20Bioassay.pdf>.
 - (2009). “Man, Land and Sea: Guam’s Rhino Hunters”. In: *Pacific Daily News*. URL: <http://www.guampdn.com/guampublishing/special-sections/ManLandSea/index.html>.
 - (2011a). “Containing the Rhinoceros Beetle Outbreak on Guam”. In: *International Plant Protection Congress*.
 - (2011b). “Cypermethrin Bioassay for CRB Grubs”. In: URL: <http://guaminsects.net/anr/sites/default/files/Cypermethrin>.
 - (2011c). *Research in Support of the Guam Coconut Rhinoceros Beetle Eradication Project: RB-SPLAT-Cypermethrin Attracticide Large Field Cage Experiment 2*. Tech. rep., pp. 1–5.
 - (2011d). *Research in Support of the Guam Coconut Rhinoceros Beetle Eradication Project: SPLAT Bioassay 2 : Attractivity of SPLAT Containing 5 % Cypermethrin to Adult Coconut Rhinoceros Beetles*. Tech. rep., pp. 1–2.
 - (2011e). “Update on the Guam Coconut Rhinoceros Beetle Eradication Project”. In: *Western Micronesia Invasive Species Committee Annual Meeting*, pp. 2–3.
 - (2012a). “CRB Is the BTS of the 21st Century”. In: *Brown Treesnake Technical Working Group Meeting*.

- Aubrey Moore** (2012b). “Field Cage Experiment: Escape Test”. In: pp. 1–3.
- (2012c). *Guam Coconut Rhinoceros Beetle Biological Control Project: Semiannual Report for USDA APHIS Grant Performance Period : June - December, 2012*. Tech. rep., pp. 1–3. URL: <http://guaminsects.net/anr/sites/default/files/Moore>.
 - (2012d). “Guam Coconut Rhinoceros Beetle Eradication Project Technical Note: Using QGIS to Detect Georeferencing Errors in an Online MySQL Database”. In: pp. 1–6.
 - (2012e). *Guam Coconut Rhinoceros Beetle Eradication Project: Semiannual Report for USDA APHIS Grant 11-8510-1123-CA; Performance Period: January - July, 2012*. Tech. rep.
 - (2012f). “Plan for the USDA-Forestry Service Grant”. In: pp. 1–14.
 - (2012g). *Research in Support of the Guam Coconut Rhinoceros Beetle Eradication Project: Field Cage Experiment: New Lure vs Depleted Lure*. Tech. rep., pp. 1–8.
 - (2012h). *Semiannual Report for USDA APHIS Grant 11-8510-1123-CA; Performance Period: July - December, 2011*. Tech. rep.
 - (2012i). “Using QGIS to Detect Georeferencing Errors in an Online MySQL Database”. In: URL: <http://guaminsects.net/anr/sites/default/files/GeorefErrors.pdf>.
 - (2013a). “Development of Barrel Traps”. In: URL: <http://guaminsects.net/anr/sites/default/files/barrelTraps.pdf>.
 - (2013b). “Improved Pheromone Traps for Coconut Rhinoceros Beetle”. In: URL: <http://guaminsects.net/anr/sites/default/files/improvedPheromoneTraps.pdf>.
 - (2013c). “Solar Powered Ultraviolet Light Emitting Diode for CRB Pheromone Traps Prepared By”. In: 29, pp. 1–5.
 - (2014a). “{CRB} Rearing”. In: URL: <http://guaminsects.net/anr/sites/default/files/CRB>.
 - (2014b). “APHIS Biocontrol Semiannual Report”. In: URL: http://guaminsects.net/anr/sites/default/files/CRB2014-05-04_0.pdf.
 - (2014c). “Chicken Wire Escape Test”. In: pp. 1–2. URL: http://guaminsects.net/anr/sites/default/files/CRB2014-01-12A_0.pdf.
 - (2014d). “Chicken Wire vs Plastic Top”. In: URL: <http://guaminsects.net/anr/sites/default/files/CRB2014-01-15.pdf>.
 - (2014e). “CRB Dispersal by Flight”. In: URL: <http://guaminsects.net/anr/content/2014-02-19a-crb-dispersal-flight>.
 - (2014f). “CRB Heat Tolerance”. In: URL: <http://guaminsects.net/anr/content/2014-02-19-crb-heat-tolerance>.
 - (2014g). “CRB Mitigation for Conservation of Rear Snails and Butterflies at Haputo Beach”. In: URL: <http://guaminsects.net/anr/sites/default/files/2014-02-17>.
 - (2014h). “CRB Rearing”. In: URL: <http://guaminsects.net/anr/sites/default/files/CRB>.
 - (2014i). “CRB Rearing Prepared By”. In: pp. 1–3.

- Aubrey Moore** (2014j). “CRB Sanitation at the University of Guam Yigo Agricultural Experiment Station”. In: URL: <http://guaminsects.net/anr/sites/default/files/2014-06-26-YigoSanitation.pdf>.
- (2014k). “Cypermethrin Applied to Coconut Palm Crowns as a Prophylactic Treatment for Prevention of CRB Damage”. In: pp. 1–7. URL: <http://guaminsects.net/anr/sites/default/files/crownSpray.pdf>.
 - (2014l). “Final Report for APHIS Biocontrol Grant: Entomopathogenic Virus for Biological Control of Coconut Rhinoceros Beetle on Guam”. In: 20140709. URL: http://guaminsects.net/anr/sites/default/files/final_July14-CRB.
 - (2014m). “Guam CRB Project Payroll Simulation”. In: URL: <http://nbviewer.ipynb.org/url/guaminsects.net/anr/sites/default/files/CRB%20Payroll.ipynb>.
 - (2014n). “Improved Traps for the Coconut Rhinoceros Beetle , Oryctes Rhinoceros Mark-Release-Recapture”. In:
 - (2014o). “Minibucket Escape Test”. In: URL: <http://guaminsects.net/anr/sites/default/files/CRB2014-01-17.pdf>.
 - (2014p). “Minibucket Test”. In: URL: <http://guaminsects.net/anr/sites/default/files/CRB2014-01-16.pdf>.
 - (2014q). “Plastic Top Catch Test”. In: URL: <http://guaminsects.net/anr/sites/default/files/CRB2014-01-12B.pdf>.
 - (2014r). “Progress Report: Development of Integrated Pest Management for Coconut Rhinoceros Beetle on Guam”. In: URL: <http://guaminsects.net/anr/sites/default/files/FS-CRB-Report-Sep-2014.pdf>.
 - (2014s). “Relative Attractiveness of White and Ultraviolet Light Emitting Diodes plus Oryctalure”. In: V, pp. 1–7. URL: http://guaminsects.net/anr/sites/default/files/LEDcolor_0.pdf.
 - (2014t). “Visualization of Trap Catch Data”. In:
 - (2015a). “A Report on the Guam Coconut Rhinoceros Beetle Infestation”. In: *Pacific Plant Protection Organization*.
 - (2015b). “Best Way to Access Data in the Guam Coconut Rhinoceros Project Database”. In: URL: <http://nbviewer.ipynb.org/url/guaminsects.net/anr/sites/default/files/bestWaySQL.ipynb>.
 - (2015c). “Following Radio Tagged Rhino Beetles to Discover Breeding Sites”. In: May, pp. 1–3.
 - (2015d). “Generating a Trap Map Animation”. In: URL: <http://nbviewer.ipynb.org/url/guaminsects.net/anr/sites/default/files/trapMapViz.ipynb>.
 - (2015e). “Harvesting Data from the EpiCollect Crb-Yigo-Barrel-Epicollect Project”. In: URL: http://nbviewer.ipynb.org/url/guaminsects.net/anr/sites/default/files/crb_yigo_barrel_epicollect.ipynb.
 - (2015f). “Harvesting Data from the EpiCollect Crb_yigo_barrel_epicollect Project”. In: URL: http://nbviewer.ipynb.org/url/guaminsects.net/anr/sites/default/files/crb_yigo_barrel_epicollect.ipynb.

- Aubrey Moore** (2015g). “Oryctes Nudivirus for Biocontrol of the Guam Biotype of the Coconut Rhinoceros Beetle”. In: pp. 1–4.
- (2015h). *Pacific Island Entomologists Are Worried About a New Type of Coconut Rhinoceros Beetle Discovered on Guam*. Tech. rep.
 - (2015i). “Standard CRB Pheromone Traps Catch More Females Than Males”. In: URL: <http://nbviewer.ipython.org/url/guaminsects.net/anr/sites/default/files/CRB-sex-ratio.ipynb>.
 - (2015j). “Trap Thinning”. In: URL: <http://nbviewer.ipython.org/url/guaminsects.net/anr/sites/default/files/Trap>.
 - (2015k). “Visualization of Pan Trap Data at the University of Guam Yigo Agricultural Experiment Station”. In:
 - (2015l). “Yigo Palm Image Album 2015-01-04”. In: URL: <http://nbviewer.ipython.org/url/guaminsects.net/anr/sites/default/files/Yigo%20Palm%20Image%20Album%202015-01-04.ipynb>.
 - (2016a). “USDA-Forest Service Project Proposal”. In: 3, pp. 1–11.
 - (Nov. 2018a). *Failed Attempts to Establish IPM for Asian Cycad Scale and Coconut Rhinoceros Beetle on Guam*. Vancouver, Canada. DOI: [10.5281/zenodo.2545065](https://doi.org/10.5281/zenodo.2545065). URL: <https://zenodo.org/record/2545065/files/Moore-Vancouver-2018.pdf> (visited on 01/21/2019).
 - (Feb. 2018b). *The Guam Coconut Rhinoceros Beetle Problem: Past, Present and Future*. Tech. rep. Zenodo. DOI: [10.5281/zenodo.1185371](https://doi.org/10.5281/zenodo.1185371). URL: <https://zenodo.org/record/1185371%5C#.W4Dolh9fhhE> (visited on 08/25/2018).
 - (2019a). *Online Interactive Map of Coconut Rhinoceros Beetle Invasion History*. URL: <http://aubreymoore.github.io/crbdist/mymap.html> (visited on 05/28/2019).
 - (Mar. 2019b). *Progress Report 3 for USDA-APHIS Grant AP17PPQFO000C312: Coconut Rhinoceros Beetle Biological Control*. Tech. rep. University of Guam, p. 165.
 - (Sept. 2019c). *Technical Notes for the Pohnpei CRB Emergency Response Plan*. Technical Report, p. 2. URL: <https://www.overleaf.com/project/5d86a48d21df820001d1edec>.
 - (n.d.). “Cocounut Rhinoceros Beetle”. In: *Guam Life* ().
 - (2016b). *Discovery of the Coconut Rhinoceros Beetle Guam Biotype and Implications for Global Control* Aubrey Moore Entomological Society of America Pacific Branch Meeting Honolulu April 5, 2016. URL: http://guaminsects.net/GISC_NOV2015/GISC_NOV2015/Moore_ESA_PB_APR2016.html (visited on 04/12/2016).
- Aubrey Moore, Diego C. Barahona, et al.** (2017). “Judas Beetles: Discovering Cryptic Breeding Sites by Radio-Tracking Coconut Rhinoceros Beetles, *Oryctes Rhinoceros* (Coleoptera: Scarabaeidae)”. In: *Journal of Environmental Entomology* 46.1, pp. 92–99. DOI: <https://doi.org/10.1093/ee/nvw152>.
- Aubrey Moore and James Grasela** (2019). *Coconut Rhinoceros Beetle Bibliography*. Tech. rep. URL: <https://www.overleaf.com/project/5d92e50a61cab30001783d1a>.
- Aubrey Moore and Jessica Gross** (2012). *Research in Support of the Guam Coconut Rhinoceros Beetle Eradication Project: Rhodamine WT as a Tracer Dye to Quantify How*

Much SPLAT Attracticide Is Picked Up by Adult Rhino Beetles During Brief Tarsal Contact. Tech. rep., pp. 6–8.

Aubrey Moore, Ian Iriarte, and Roland Quitugua (2015). “OrNV Witches Brew Experiment : A Last Ditch Attempt to Find Virus Pathogenetic for the Guam Coconut Rhinoceros Beetle Genotype”. In: 10, pp. 1–2.

Aubrey Moore, Trevor Jackson, Roland Quitugua, and Paul Bassler (n.d.). “Coconut Rhinoceros Beetle, *Oryctes Rhinoceros* (Coleoptera: Scarabaeidae), Grubs Develop in Live Coconut Palms on Guam”. In: *Florida Entomologist* ().

Aubrey Moore, Trevor Jackson, Roland Quitugua, Paul Bassler, and Russell Campbell (2015). “Coconut Rhinoceros Beetles (Coleoptera : Scarabaeidae) Develop in Arboreal Breeding Sites in Guam”. In: *Florida Entomologist* 98.3, pp. 1012–1014. URL: <http://journals.fcla.edu/flaent/article/download/84794/84044>.

Aubrey Moore, Trevor Jackson, Quitugua Roland, et al. (Sept. 2015). “Coconut Rhinoceros Beetles (Coleoptera: Scarabaeidae) Develop in Arboreal Breeding Sites in Guam”. In: *Florida Entomologist* 98.3, pp. 1012–1014. ISSN: 0015-4040. DOI: [10.1653/024.098.0341](https://doi.org/10.1653/024.098.0341). URL: <http://dx.doi.org/10.1653/024.098.0341> (visited on 09/30/2015).

Aubrey Moore and Sean Marshall (2015). “Efficacy of Entomopathogenic Fungus for Biological Control of Coconut Rhinoceros Beetle (CRB) on Guam and DNA Profiling of Asia/Pacific CRB Populations with Respect to Virus Susceptibility”. In: URL: <http://guaminsects.net/anr/sites/default/files/semiannual-report-April2015.pdf>.

– (n.d.). *Final Report for USDA-APHIS Biocontrol Project 13-8515-1555-CA: Efficacy of Entomopathogenic Fungus for Biological Control of Coconut Rhinoceros Beetle (CRB) on Guam and DNA Profiling of Asia/Pacific CRB Populations with Respect to Virus Susceptibility*. Tech. rep.

Aubrey Moore and Western Pacific (2015). “Failure Analysis of the Guam Coconut Rhinoceros Beetle Eradication Project Aubrey Moore Western Pacific Tropical Research Center”. In: *Pacific Entomology Conference*, pp. 1–2.

Aubrey Moore and Roland Quitugua (2011). “Challenges of Eradicating Coconut Rhinoceros Beetle, *Oryctes Rhinoceros*, on Guam”. In: *Society of American Foresters Annual Conference*.

– (2014a). “Adding CRB Breeding Site Material to Barrel Traps Does Not Increase Trap Catch”. In: pp. 1–4. URL: <http://guaminsects.net/anr/sites/default/files/barrelSubstrate.pdf>.

– (2014b). “Bird Net Escape Test”. In: URL: <http://guaminsects.net/anr/sites/default/files/BirdNet.pdf>.

– (2014c). “Funnels Added to Pan Traps Increase Catch”. In: URL: <http://guaminsects.net/anr/sites/default/files/FunnelTest.pdf>.

– (2014d). “Overview of the Guam Coconut Rhinoceros Beetle Eradication Project”. In: *Hawaii CRB Incident Command Meeting*. URL: <http://guaminsects.net/presentations/CRB-Hawaii-ICS-Jan-2014.pdf>.

Aubrey Moore and Roland Quitugua (2014e). “Overview of the Guam Coconut Rhinoceros Beetle First Coconut Rhinoceros Beetle Collected on Guam 11-Sep-2007 , Tumon Bay”.

In:

- (2014f). “Rhino Beetle Presentation for Hawaii ICS - January, 2014”. In: URL: <http://guaminsects.net/presentations/CRB-Hawaii-ICS-Jan-2014.pdf>.
- (2014g). “Test of Baffles to Prevent Escape from Pan Traps”. In: URL: <http://nbviewer.ipython.org/url/guaminsects.net/anr/sites/default/files/Baffle%20Escape%20Test.ipynb>.
- (2014h). “Test of Netting as a Physical Barrier for CRB Adults”. In: pp. 1–17. URL: <http://guaminsects.net/anr/sites/default/files/FishNetTest.pdf>.
- (2014i). “Yigo Barrel Traps: Trap Catch Comparison between Pan and Minibucket Traps”. In: URL: <http://nbviewer.ipython.org/github/aubreymoore/YigoBarrels/blob/master/YigoBarrels.ipynb>.
- (2015a). “Coconut Rhinoceros Beetle Trap Improvements”. In: *Pacific Entomology Conference*. URL: <http://guaminsects.net/anr/sites/default/files/pec2015-improved-traps.pdf>.
- (2015b). “DeFence Traps: Using Fish Netting as Novel CRB Pheromone Trap Deployed on Fence Lines”. In: URL: <http://nbviewer.ipython.org/url/guaminsects.net/anr/sites/default/files/DeFence%20Traps.ipynb>.
- (2015c). “Draft Agenda for Coconut Rhinoceros Beetle IPM Meeting Sponsored by the Western IPM Center”. In: pp. 1–3.
- (2015d). “Harvesting Data from the EpiCollect CRB-TALAYA Project”. In: URL: http://nbviewer.ipython.org/url/guaminsects.net/anr/sites/default/files/crb_talaya.ipynb.
- (2015e). “Harvesting Data from the EpiCollect CRB_TALAYA Project”. In: URL: http://nbviewer.ipython.org/url/guaminsects.net/anr/sites/default/files/crb_talaya.ipynb.
- (2015f). “Improved Traps for the Coconut Rhinoceros Beetle , Oryctes Rhinoceros Introduction Pheromone Traps Ultraviolet Light Emitting Diodes (UVLEDs) Tekken Fish Net Traps Mark-Release-Recapture”. In: April 2015, pp. 1–32.
- (2015g). “Protecting Coconut Palms from CRB Damage Using Fish Gill Netting”. In: URL: <http://nbviewer.ipython.org/url/guaminsects.net/anr/sites/default/files/Netted>.
- (2015h). “Taiwanese Gill Net Escape Test”. In: URL: <http://nbviewer.ipython.org/url/guaminsects.net/anr/sites/default/files/Taiwanese%20Gill%20Net%20Escape%20Test.ipynb>.

Aubrey Moore, Roland Quitugua, and Ian Iriarte (2015). “Netted Panel Traps to Test If CRB Are Deflected”. In: URL: <http://nbviewer.ipython.org/url/guaminsects.net/anr/sites/default/files/Netted%20Panel%20Traps%20Experiment%20to%20See%20if%20CRB%20are%20Deflected.ipynb>.

- Aubrey Moore, Roland Quitugua, Ian Iriarte, et al.** (Dec. 2016). “Movement of Packaged Soil Products as a Dispersal Pathway for Coconut Rhinoceros Beetle, *Oryctes Rhinoceros* (Coleoptera: Scarabaeidae) and Other Invasive Species”. en-US. In: *Proceedings of the Hawaiian Entomological Society* 48, pp. 21–22. ISSN: 0073-134X. URL: <http://scholarspace.manoa.hawaii.edu/handle/10125/42743> (visited on 12/19/2016).
- Aubrey Moore, Roland Quitugua, Matthew Siderhurst, et al.** (2014). “Improved Traps for the Coconut Rhinoceros Beetle, *Oryctes Rhinoceros*”. In: *Entomological Society of America*. URL: http://guaminsects.net/anr/sites/default/files/Moore_1957_2.pdf.
- Aubrey Moore and Roland Quitugua** (2008). “Funnel Test”. In: pp. 1–10.
- Aubrey Moore and Matthew Siderhurst** (2015). “Oryctalure Synergist Candidates Field Trial”. In: URL: <http://nbviewer.ipython.org/url/guaminsects.net/anr/sites/default/files/Oryctalure%20synergists%20field%20trial.ipynb>.
- Ramle Moslim and Norman Kamarudin** (2014). “THE USE OF PALM KERNEL CAKE IN THE PRODUCTION OF CONIDIA AND BLASTOSPORES OF *Metarhizium Anisopliae* Var . Major FOR CONTROL OF *Oryctes Rhinoceros*”. In: 26.June, pp. 133–139.
- Ramle Moslim, Mohd Basri Wahid, et al.** (1999). “Impact of *Metarhizium Anisopliae* (Deuteromycotina: Hyphomycetes) Applied by Wet and Dry Inoculum on Oil Palm Rhinoceros Beetles, *Oryctes Rhinoceros* (Coleoptera: Scarabaeidae)”. In: *Journal of Oil Palm Research* II.2, pp. 25–40.
- Alka Gupta Murali Gopal** (2002a). “An Opportunistic Bacterial Pathogen, *Pseudomonas Alcaligenes* , May Limit the Perpetuation of *Oryctes Virus*, a Biocontrol Agent of *Oryctes Rhinoceros* L.” In: *Biocontrol Sci & Technology* 12, pp. 507–512.
- (2002b). “An Opportunistic Bacterial Pathogen, *Pseudomonas Alcaligenes* , May Limit the Perpetuation of *Oryctes Virus*, a Biocontrol Agent of *Oryctes Rhinoceros* L.” In: *Biocontrol Sci. & Tech.* 12, pp. 507–512.
- Alka Gupta Murali Gopal and C. P. Radhakrishnan Nair B. Sathiamma** (2001). “Control of the Coconut Pest *Oryctes Rhinoceros* L. Using the *Oryctes Virus*”. In: *International Journal of Tropical Insect Science* 21.2, pp. 93–101.
- A. Snehalatharani N.B.V. Chalapathi Rao, G. Ramanandam A. Nischala, and H.P. Maheswarappa** (2018). “Management of Rhinoceros Beetle (*Oryctes Rhinoceros* L.) by Biological Suppression with *Oryctes Baculovirus* in Andhra Pradesh”. In: *Journal of Plantation Crops* 46.2, pp. 124–127.
- Donald M Nafus** (1997). *An Insect Survey of the Federated States of Micronesia and Palau, SPC Tech. Paper 210*. Tech. rep.
- Scientific Name et al.** (2014). “*Oryctes Rhinoceros* Manual”. In: pp. 1–14.
- Graham Brooker Nazifa Tahir** (2011). “Recent Developments and Recommendations for Improving Harmonic Radar Tracking Systems”. In: *Proceedings of the 5th European Conference on Antennas and Propagation (EUCAP)*.

- TRAVIS R. GLARE NICOLA K. RICHARDS and TREVOR A. JACKSON IOANE ALOALI'I** (1999). "Primers for the Detection of Oryctes Virus from Scarabaeidae (Coleoptera)". In: *Molecular Ecology* 8, pp. 1551–1561.
- Mohd Basri Wahid Norman Hj Kamarudin and Siti Ramlah Ahmad Ali Ramle Moslim** (2007). "The Effects of Mortality and Influence of Pheromone Trapping on the Infestation of *Oryctes rhinoceros* in an Oil Palm Plantation". In: *J. Asia-Pacific Entomol.* 10.3, pp. 239–250.
- MOHD BASRI WAHID NORMAN KAMARUDIN** (2004). "IMMIGRATION AND ACTIVITY OF *Oryctes Rhinoceros* WITHIN A SMALL OIL PALM REPLANTING AREA". In: *JOURNAL OF OIL PALM RESEARCH* 16.2, pp. 64–77.
- WAHIZATUL AFZAN AZMI NUR AIN FARHAH ROS SAIDON KHUDRI, SITI RAMLAH AHMAD ALI NORMAN KAMARUDIN, and RAMLE MOSLIM** (2016). "REPLICATION OF *Oryctes* NUDIVIRUS (OrNV) IN INSECT CELL LINE DSIR-HA-1179 AND ITS INFECTIVITY ON NEONATES OF RHINOCEROS BEETLE, *Oryctes Rhinoceros*". In: *J. Oil Palm Research* 28.4, pp. 452–462.
- Cam Oehlschlager and A C Oehlschlager** (2005). "Current Status of Trapping Palm Weevils and Beetles". In: *The Planter* 81.947, pp. 123–141. URL: <http://www.guaminsects.net/CRB/docs/Oehlschlager%202005%20trapping%20palm%20weevils%20and%20beetles.pdf>.
- Oryctes Baculovirus Infectivity for New Zealand Scarabs* (1985). Proceedings. Crawford, A. M. Sheehan, C. M. King, P. D. Meekings, J.
- Alan D. Smith Otso Ovaskainen et al.** (2008). "Tracking Butterfly Movements with Harmonic Radar Reveals an Effect of Population Age on Movement Distance". In: *PNAS* 105.49, pp. 19090–19095.
- J. C. VEYRUNES P. MONSARRAT** (1976). "Evidence of *Oryctes* Virus in Adult Feces and New Data for Virus Characterization". In: *J. Invertebrate Pathology* 27, pp. 387–389.
- C. THAMBAN P. SUBRAMANIAN et al.** (2018). *Coconut*. Tech. rep. COCONUT, Technical Bulletin No. 133, ICAR-CPCRI, Kasaragod, 56 p.
- C. C. Payne** (1974). "The Isolation and Characterization of a Virus from *Oryctes Rhinoceros*". In: *J. gen. Virology* 25, pp. 105–116.
- Matthias Herrmann Praveen Baskaran and Christian Rodelsperger Ralf J. Sommer** (2016). "Draft Genome of the Scarab Beetle *Oryctes Borbonicus* on La Reunion Island". In: *Genome Biology Evolution* 8.7, pp. 2093–2105.
- C Prior and M Arura** (1985). "The Infectivity of *Metarhizium Anisopliae* of Coconuts". In: *Journal of Invertebrate Pathology* 45, pp. 187–194.
- A Puker et al.** (2011). "Notes on Biology and Behavior of Rhinoceros Beetle *Enema Pan* (Coleoptera: Scarabaeidae: Dynastinae)". In: *Annals of the Entomological Society of America* 104.5, pp. 919–927. DOI: [10.1603/AN10197](https://doi.org/10.1603/AN10197). URL: <http://www.scopus.com/inward/record.url?eid=2-s2.0-80052496547%5C&partnerID=40%5C&md5=ea08e15dd7c255af47f96716f30ef73c>.

- Charlotte Pushparajan et al.** (Dec. 2013). “Characterization of Growth and Oryctes Rhinoceros Nudivirus Production in Attached Cultures of the DSIR-HA-1179 Coleopteran Insect Cell Line.” In: *Cytotechnology* 65.6, pp. 1003–16. DOI: [10.1007/s10616-013-9632-9](https://doi.org/10.1007/s10616-013-9632-9). URL: <http://www.ncbi.nlm.nih.gov/pubmed/23979321>.
- Roland Quitugua et al.** (2015). “Trifold Pamphlet: Coconut Rhinoceros Beetle Trapping”. In: URL: <http://guaminsects.net/anr/sites/default/files/crb-trapping-trifold.pdf>.
- K.V.Dinesh Babu R.Pradeep Kuma and D.A.Evans** (2019). “Isolation, Characterization and Mode of Action of a Larvicidal Compound, 22-Hydroxyhopane from Adiantum Latifolium Lam. against Oryctes Rhinoceros Linn.” In: *Pesticide Biochemistry and Physiology* 153, pp. 161–170.
- Valentine Ragoussis et al.** (June 2007). “Efficient Synthesis of (+/-)-4-Methyloctanoic Acid, Aggregation Pheromone of Rhinoceros Beetles of the Genus Oryctes (Coleoptera: Dynastidae, Scarabaeidae).” In: *Journal of agricultural and food chemistry* 55.13, pp. 5050–2. DOI: [10.1021/jf0704662](https://doi.org/10.1021/jf0704662). URL: <http://www.ncbi.nlm.nih.gov/pubmed/17530861>.
- IDRIS GHANI RAMLE MOSLIM, TRAVIS R GLARE MOHD BASRI WAHID, and TREVOR A JACKSON** (2010). “OPTIMIZATION OF THE POLYMERASE CHAIN REACTION (PCR) METHOD FOR THE DETECTION OF Oryctes Rhinoceros VIRUS”. In: *Journal of Oil Palm Research* 22, pp. 736–749.
- Norman Hj Kamarudin Ramle Moslim and ANG BAN NA** (2007). “APPLICATION OF POWDER FORMULATION OF Metarhizium Anisopliae TO CONTROL Oryctes Rhinoceros IN ROTTING OIL PALM RESIDUES UNDER LEGUMINOUS COVER CROPS”. In: *Journal of Oil Palm Research* 19, pp. 319–331.
- Norman Kamarudin Ramle Moslim et al.** (2011). “Molecular Approaches in the Assessment of Oryctes Rhinoceros Virus for the Control of Rhinoceros Beetle in Oil Palm Plantations”. In: *J. Oil Palm Research* 23, pp. 1096–1109.
- M Ramle et al.** (May 2005). “The Incidence and Use of Oryctes Virus for Control of Rhinoceros Beetle in Oil Palm Plantations in Malaysia.” In: *Journal of invertebrate pathology* 89.1, pp. 85–90. DOI: [10.1016/j.jip.2005.02.009](https://doi.org/10.1016/j.jip.2005.02.009). URL: <http://www.ncbi.nlm.nih.gov/pubmed/16039309>.
- J Bradley Reil, Michael San Jose, and Daniel Rubinoff** (2016). “Low Variation in Nuclear and Mitochondrial DNA Inhibits Resolution of Invasion Pathways across the Pacific for the Coconut Rhinoceros Beetle (Scarabaeidae: Oryctes Rhinoceros)”. en. In: *Proceedings of the Hawaiian Entomological Society* 48, pp. 57–69.
- J. Bradley Reil et al.** (2018). “Transpacific Coalescent Pathways of Coconut Rhinoceros Beetle Biotypes: Resistance to Biological Control Catalyzes Resurgence of an Old Pest”. en. In: *Molecular Ecology*. ISSN: 1365-294X. DOI: [10.1111/mec.14879](https://doi.org/10.1111/mec.14879). URL: <https://onlinelibrary.wiley.com/doi/abs/10.1111/mec.14879> (visited on 10/10/2018).
- Semiannual Report et al.** (2014). “Biological Control of Coconut Rhinoceros Beetle Prepared By”. In:

- Ma. Juliet C. Ceniza Roxan D. Pille** (2018). “Potential of Organic Waste Substrates as Attractants in Log Traps for Coconut Rhinoceros Beetle (*Oryctes Rhinoceros* L.)” In: *Journal of Science, Engineering and Technology* 6.
- V K K PRABHU S SREEKUMAR** (1988). “Digestive Enzyme Secretion during Metamorphosis in *Oryctes Rhinoceros* (Coleoptera: Scarabaeidae)”. In: *Proc. Indian Acad. Sci. (Anim. Sci.)* 97.1, pp. 67–71.
- A.Nadeem S. Azfar et al.** (2018). “Monitoring, Detection and Control Techniques of Agriculture Pests and Diseases Using Wireless Sensor Network: A Review”. In: *International Journal of Advanced Computer Science and Applications* 9.12, pp. 424–433.
- Imen Said et al.** (Oct. 2006). “Adaptation of a Four-Arm Olfactometer for Behavioural Bioassays of Large Beetles”. In: *Chemoecology* 16.1, pp. 9–16. DOI: [10.1007/s00049-005-0320-x](https://doi.org/10.1007/s00049-005-0320-x). URL: <http://www.guaminsects.net/CRB/docs/Said%202006%20Adaptation%20of%20a%20four-arm%20olfactometer%20for%20behavioural%20bioassays%20of%20large%20beetles%5C%00fd.pdf>.
- Mariana Sanders et al.** (n.d.). “Coconut Rhinoceros Beetle Behavior and Biology Guam Invasive Species Hotline”. In: ().
- C. M. Schipper** (1976). “Mass Rearing the Coconut Rhinoceros Beetle, *Oryctes Rhinoceros* L. (Scarab., Dynastinae)”. In: *Zeitschrift für Angewandte Entomologie* 81.1-4, pp. 21–25. ISSN: 1439-0418. DOI: [10.1111/j.1439-0418.1976.tb04206.x](https://doi.org/10.1111/j.1439-0418.1976.tb04206.x). URL: <http://dx.doi.org/10.1111/j.1439-0418.1976.tb04206.x>.
- Boris Sekachev, Nikita Manovitch, and Andrey Zhavoronkov** (Mar. 2019). *New Computer Vision Tool Accelerates Annotation of Digital Images and Video*. en-US. URL: <https://www.intel.ai/introducing-cvat/> (visited on 04/18/2019).
- Heesam Lee Seokhyun Lee and Kwanho Park** (2019). “Establishment of a Loop-mediated Isothermal Amplification System for On-site Diagnosis of *Oryctes Rhinoceros* Nudivirus in *Allomyrina Dichotoma* (Coleoptera: Scarabaeidae)”. In: *Entomological Research*.
- Kwan-Ho Park Seokhyun Lee, Kyu-Won-Kwak Sung-Hee Nam, and Ji-Young Choi** (2015). “First Report of *Oryctes Rhinoceros* Nudivirus (Coleoptera: Scarabaeidae) Causing Severe Disease in *Allomyrina Dichotoma* in Korea”. In: *J. of Insect Science* 15.26.
- G. Shyam Prasad et al.** (June 2008). “Bio-Suppression of Coconut Rhinoceros Beetle, *Oryctes Rhinoceros* L. (Coleoptera: Scarabaeidae) by *Oryctes* Baculovirus (Kerala Isolate) in South Andaman, India”. In: *Crop Protection* 27.6, pp. 959–964. DOI: [10.1016/j.cropro.2007.11.017](https://doi.org/10.1016/j.cropro.2007.11.017). URL: <http://linkinghub.elsevier.com/retrieve/pii/S0261219407003195>.
- Matt Siderhurst, Nate Derstine, and Aubrey Moore** (2012). *Research in Support of the Guam Coconut Rhinoceros Beetle Eradication Project: Y-Tube Olfactometer Bioassays, May 2012*. Tech. rep.
- ARTINI PANGASTUTI SITI LUSI ARUM SARI et al.** (2016). “Cellulolytic and Hemicellulolytic Bacteria from the Gut of *Oryctes Rhinoceros* Larvae”. In: *BIODIVERSITAS* 17.1, pp. 78–83.

- Sheri Lee Smith and Aubrey Moore** (2008). *Early Detection Pest Risk Assessment Coconut Rhinoceros Beetle*. Tech. rep., pp. 1–6.
- Dino P. McMahon Stephan Wolf et al.** (2014). “So Near and Yet So Far: Harmonic Radar Reveals Reduced Homing Ability of Nosema Infected Honeybees”. In: *PLOS ONE* 9.8, e103989.
- Y. B. Sumardiyono Susanto Somowiyarjo and Sedyo Hartono Triharso** (1996). “Propagation and Purification of Baculovirus *Oryctes* Huger”. In: *Indian J. Plant Protection* 1.1, pp. 38–40.
- D. I. Swan** (1974). “A Review of the Work on Predators, Parasites and Pathogens for the Control of *Oryctes Rhinoceros* (Coleoptera: Scarabaeidae) in the Pacific Area”. In: *Commonwealth Institute of Biological Control Miscellaneous Publication No. 7*.
- CHANDRIKA MOHAN T. SIVAKUMAR** (2013). “Occurrence of Rhinoceros Beetle, *Oryctes Rhinoceros* (L.), on Banana Cultivars in Kerala”. In: *Pest Management in Horticultural Ecosystems* 19.1. Short Note, pp. 99–101.
- K. Rajamanickam T. Srinivasan and H.P. Maheswarappa Chandrika Mohan** (2018). “Validation of Integrated Pest Management Strategy against Coconut Rhinoceros Beetle, *Oryctes Rhinoceros* L. (Scarabaeidae: Coleoptera)”. In: *Journal of Plantation Crops* 46.1, pp. 8–11.
- Olympia Terral and Aubrey Moore** (n.d.). “Coconut Rhinoceros Beetle Behavior and Biology”. In: (), pp. 1–3.
- Olympia Terral, Roland Quitugua, and Aubrey Moore** (2014). “Poster: Life Cycle of the Coconut Rhinoceros Beetle, *Oryctes Rhinoceros*”. In: URL: http://guaminsects.net/anr/sites/default/files/rhinofinal_0.pdf.
- “The Epizootiology of the Baculovirus of the Coconut Palm Rhinoceros Beetle (*Oryctes Rhinoceros*) in Tonga” (1981). In: *Journal of Invertebrate Pathology* 38.3, pp. 362–369.
- Sean Marshall Trevor Jackson** (2012). *Rhinoceros Beetle Management in the Pacific*.
- Francis Tsatsia et al.** (n.d.). “The Status of Coconut Rhinoceros Beetle, *Oryctes Rhinoceros* (L) Scarabaeidae : Dynastinae, in Solomon Islands.” en. In: (), p. 5.
- Aubrey Moore Ug** (n.d.). “Coconut Rhinoceros Beetle , *Oryctes Rhinoceros* Coleoptera : Scarabaeidae A Major Threat to Hawaii ’ s Coconut and Palm Trees”. In: ().
- United States Department of Agriculture** (2008). “New Pest Response Guidelines”. In: *Animal and Plant Health Inspection Service, Plant Protection and Quarantine* August, pp. 37–37.
- Miroslav Valan et al.** (Mar. 2019). “Automated Taxonomic Identification of Insects with Expert-Level Accuracy Using Effective Feature Transfer from Convolutional Networks”. en. In: *Systematic Biology*. Ed. by Thomas Buckley. ISSN: 1063-5157, 1076-836X. DOI: [10.1093/sysbio/syz014](https://doi.org/10.1093/sysbio/syz014). URL: <https://academic.oup.com/sysbio/advance-article/doi/10.1093/sysbio/syz014/5368535> (visited on 07/16/2019).
- Robert K Vander Meer** (1987). “Per Cent Emergent Weight: A Roadmap to Adult Rhinoceros Beetle, *Oryctes Rhinoceros*, Behaviour”. In: *Journal of Insect Physiology* 33.6, pp. 437–441. URL: <http://www.guaminsects.net/CRB/docs/VanderMeer1986.pdf>.

- Robert K Vander Meer, Usha R. Ghatak, et al.** (1979). “(+)-Des-N-Morphinan: A Unique Bridged Hydrocarbon Attractant for the Rhinoceros Beetle, *Oryctes Rhinoceros*, and Development of an Olfactometer”. In: *Environmental Entomology* 8.1, pp. 6–10.
- Robert K Vander Meer and J A Mclean** (1975). “Indirect Methods of Determining the Emergent Weight of *Oryctes Rhinoceros* (L.)” In: *Annals of the Entomological Society of America* 68.5, pp. 867–868.
- R K Vandermeer and T P McGovern** (1983). “Structure-Activity Correlations for Derivatives of Sigure-Attractants for *Oryctes Rhinoceros* L. (Coleoptera, Scarabaeidae)”. In: *Journal of Economic Entomology* 76.4, pp. 723–727.
- F. L. VANDERPLANK** (1958). “The Assassin Bug) *Platymerus Rhadamanthus* Gerst (Hemiptera: Reduviidae) a Useful Predator of the Rhinoceros Beetles *Oryctes Boas* (F.) and *Oryctes Monoceros* (Oliv.). (Coleoptera: Scarabaeidae).” In: *Journal Ent. Soc. S. Africa* 21.2.
- Vanuatu Moves to Combat Rhinoceros Beetle* (June 2019). en-nz. URL: <https://www.rnz.co.nz/international/pacific-news/392413/vanuatu-moves-to-combat-rhinoceros-beetle> (visited on 06/19/2019).
- Maclea Vaqalo et al.** (2015). “Pest Alert 51: An Emerging Biotype of Coconut Rhinoceros Beetle Discovered in the Pacific”. In: pp. 2–2.
- Agnes Vargo** (Jan. 2000). *Coconut Rhinoceros Beetle (Oryctes Rhinoceros)*. en-US. Report. Agricultural Development in the American Pacific Project. URL: <http://scholarspace.manoa.hawaii.edu/handle/10125/32711> (visited on 08/22/2019).
- Baode Wang et al.** (2005). “Toxicity of Four Systemic Neonicotinoids to Adults of *Anoplophora glabripennis* (Coleoptera: Cerambycidae)”. In: *Journal of Economic Entomology* 98.6, 2292–2300. URL: <http://www.guaminsects.net/doc/oryctes/wang>.
- S. Watanabe and M. J. Melzer** (Apr. 2017). “A Multiplex PCR Assay for Differentiating Coconut Rhinoceros Beetle (Coleoptera: Scarabaeidae) From Oriental Flower Beetle (Coleoptera: Scarabaeidae) in Early Life Stages and Excrement”. en. In: *Journal of Economic Entomology* 110.2, pp. 678–682. ISSN: 0022-0493. DOI: [10.1093/jee/tow299](https://doi.org/10.1093/jee/tow299). URL: <https://academic.oup.com/jee/article/110/2/678/2929445> (visited on 07/15/2018).
- Shizu Watanabe and Michael Melzer** (2016). *Survey for Oryctes Rhinoceros Nudivirus (OrNV) in a Hawaiian coconut Rhinoceros Beetle (Oryctes Rhinoceros) Population and genetic Diversity of Pacific isolates of OrNV*. Poster. Tours, France. URL: http://www.sipweb.org/docs/Abstract_book_SIP_2016.pdf (visited on 07/31/2018).
- Bregje Wertheim et al.** (2005). “Pheromone-Mediated Aggregation in Nonsocial Arthropods: An Evolutionary Ecological Perspective.” In: *Annual Review of Entomology* 50.94, pp. 321–346. URL: <http://www.ncbi.nlm.nih.gov/pubmed/15355243>.
- M. M. van Oers Y. Wang, J. M. Vlak A. M. Crawford, and J. A. Jehle** (2007). “Genomic Analysis of *Oryctes Rhinoceros* Virus Reveals Genetic Relatedness to Heliothis Zea Virus 1”. In: *Archives of Virology* 152, pp. 519–531.

- John P. Burand Yong-jie Wang and Johannes A. Jehle** (2007). “Nudivirus Genomics: Diversity and Classification”. In: *Virologica Sinica* 22.2, pp. 128–136.
- E C Young** (1986). “The Rhinoceros Beetle Project: History and Review of the Research Programme”. In: *Agriculture, Ecosystems and Environment* 15, pp. 149–166.
- E.C. YOUNG** (1986). “THE RHINOCEROS BEETLE PROJECT: HISTORY AND REVIEW OF THE RESEARCH PROGRAMME.” In: *Agriculture, Ecosystems and Environment* 15, pp. 149–166.
- G. R. Young** (1982). “Recent Work on Biological Control in Papua New Guinea and Some Suggestions for the Future*.”. In: *Tropical Pest Management* 28.2, pp. 107–114. DOI: [10.1080/09670878209370686](https://doi.org/10.1080/09670878209370686).
- Lee S Yudin and Aubrey Moore** (2012). “Our Island Without Coconut Trees, Could It Happen: Coconut Rhinoceros Beetle”. In: *Inspire Local Magazine*.
- B. Zelazny** (1977a). “Occurrence of the Baculovirus Disease of the Coconut Palm Rhinoceros Beetle in the Philippines and in Indonesia”. In: *FAO Plant Protection Bulletin* 25.2, pp. 73–77.
- (1977b). “Oryctes Rhinoceros Populations and Behavior Influenced by a Baculovirus”. In: *Journal of Invertebrate Pathology* 215, pp. 210–215.
- B. Zelazny and A. R. Alfiler** (1987). “Ecological Methods for Adult Populations of Oryctes Rhinoceros (Coleoptera, Scarabaeidae)”. In: *Ecological Entomology* 12, pp. 227–238.
- (1991). “Ecology of Baculovirus-Infected and Healthy Adults of Oryctes Rhinoceros (Coleoptera: Scarabaeidae) on Coconut Palms in the Philippines”. In: *Ecological Entomology* 16, pp. 253–259.
- B Zelazny and A Alfiler** (1986). “Oryctes Rhinoceros (Coleoptera: Scarabaeidae). Larva Abundance and Mortality Factors in the Philippines”. In: *Environmental Entomology* 15.1, pp. 84–87. URL: [://ZOOREC:Z00R12300013472](https://zoorec.zoor12300013472).
- B ZELAZNY and E PACUMBABA PCA** (1982). “Phytophagous Insects Associated with Cadang-Cadang Infected and Healthy Coconut Palms in South-Eastern Luzon, Philippines”. In: *Ecological Entomology* 7.1, pp. 113–120. DOI: [10.1111/j.1365-2311.1982.tb00649.x](https://doi.org/10.1111/j.1365-2311.1982.tb00649.x). URL: <http://dx.doi.org/10.1111/j.1365-2311.1982.tb00649.x>.
- Zotero / Groups > CRB* (2016). URL: <https://www.zotero.org/groups/511387> (visited on 04/17/2016).