Insects and other Arthropods from Kwajalein Atoll (Marshall Islands)

BERNARD B. SUGERMAN U. S. ARMY, HAWAII

Kwajalein Atoll is located in the Ralik (Sunset or Western) Chain of the Marshall Islands in the West Central Pacific Ocean. It is 2100 nautical miles southwest of San Francisco. Lying less than 700 miles north of the Equator, Kwajalein is in the latitude of Panama and the southern Philippines; it is in the longitude of New Zealand, 2300 miles south, and the Kamchatka Peninsula, USSR, 2600 miles north.

Kwajalein Atoll is of coral reef formation in the shape of a crescent loop enclosing a lagoon. Situated on the reef are approximately 100 small islands, with a total land area of only 5.6 square miles (3584 acres). The three largest islets, Kwajalein (1.2 square miles), Roi-Namur and Ebadon, at the extremities of the Atoll, account for nearly half the total land area. While the typical size of the remaining isles may be about 140 by 225 m, the smallest islands are no more than sand cays that merely break the water's surface at high tide. The lagoon enclosed by the reef is the world's largest lagoon, having a surface area of 902 square miles. The Atoll's longest dimension is 75 miles from Kwajalein to Ebadon, and its average width is about 15 miles. Kwajalein Islet at the Atoll's southern tip and Roi-Namur at its northern extremity are 50 miles apart. All islets are flat and few natural points exceed 15 feet above mean sea level; those which do are sand dunes. The average elevation of Kwajalein Atoll islets is 1.8 m.

The average monthly temperature is 29 °C, with a variation of only 1.1 °C during the year, while the daily temperature range is between 6 ° and 7 °C. The relative humidity averages from 83 percent (midnight) to 76 percent (noon). Precipitation has averaged 25.14 cm per year over the 22 year period of 1945–1966, with most rainfall from August to December.

Northeasterly trade winds are dominant most of the year. During the period from December through June, the wind blows mostly from the east-northeast at velocities averaging about 16 miles per hour. During the summer months, winds are generally weaker with occasional doldrums of almost no wind; the direction tends to be more easterly and sometimes southeasterly.

Kwajalein, Meck and Roi-Namur Islets are the only islets in the Atoll that have airports. At the time of writing all air service is either government operated or chartered. Most flights are from Hawaii or the mainland, but there are non-scheduled transient military flights from other parts of the Pacific. Ocean cargo service is provided by freighters averaging about five calls a month.

Historical Background

It is believed that Kwajalein Atoll was sighted by Captain Ruy Lopes de Villalobes in 1542 although other Spanish voyagers sighted or landed on the various Atolls of the Marshall Islands between 1526 and 1566. The islets were claimed for the Spanish crown, but nothing was done for the next 300 years. During this period, traders, whalers and missionaries reached the Marshall Islands. The traders introduced metal tools, cloth, guns and gadgets which were traded for coconut oil.

Germany took over the area in 1885 after negotiations with Spain which resulted in the sale of all Spanish interests in Micronesia. The German government immediately established law and order, a health and education program was started, and trade and commerce were developed.

Following the end of World War I, the responsibility for administering the Marshall, Caroline and Northern Marianas Islands formally was entrusted to Japan by mandate of the League of Nations in 1920. (See E. H. Bryan, Jr.'s excellent historical account.)

Kwajalein Atoll was captured by American Forces in February, 1944 after heavy bombardment and combat. It was used as an American sea and air base until the end of World War II, and then was retained as a U. S. Naval Station for 19 years until July, 1967, when it was transferred to the U. S. Army. During the Navy years, Kwajalein served as a base for communication, rescue services and MATS aircraft stopovers. During the construction of facilities in the Kwajalein Atoll by U. S. military administration, there has been a tendency to ignore vegetation. Areas larger than required were bulldozed by contractors, whereas German and Japanese administrations preserved or imported flowering plants and trees. At present a program of replanting vegetation is being carried out by the housekeeping contractor in all bare areas on all the islands of the Atoll.

The arthropod species listed below were either collected by the author during visits to Kwajalein Atoll in 1965, 1967 and 1969, or by Kwajalein Test Site Entomology Services personnel from from 1965 to the present. Other species listed are taken from "Insects of Micronesia" and from E. H. Bryan, Jr.'s "Life in Micronesia."

For assistance in determining and/or confirming identification of specimens, thanks are due to D. M. Anderson, R. H. Arnett, Jr., P. D. Ashlock, J. L. Barnard, J. W. Beardsley, O. L. Cartwright, E. A. Chapin, C. M. Clifford, D. R. Davis, D. C. Ferguson, S. Fluker, R. C. Froeschner, R. J. Gagné, W. C. Gagné, A. B. Gurney, D. E. Hardy, J. L. Herring, R. W. Hodges, P. D. Hurd, Jr., C. R. Joyce, J. M. Kingsolver, L. V.

Knutson, J. P. Kramer, K. V. Krombein, H. W. Levi, P. M. Marsh, A. S. Menke, D. R. Miller, E. L. Mockford, W. B. Peck, L. M. Russell, C. W. Sabrosky, T. Saigusa, K. Sakimura, G. A. Samuelson, D. R. Smith, R. V. Southcott, T. J. Spilman, W. A. Steffan, G. Steyskal, A. Stone, E. L. Todd, G. B. Vogt, R. E. Warner, D. M. Weisman, R. White, N. Wilson, W. W. Wirth, and C. M. Yoshimoto.

Special thanks are due to Mr. E. H. Bryan, Jr., the late Miss Setsuko Nakata and Dr. G. A. Samuelson for reading, correcting and editing this paper

The historical and geographical information was compiled from Mr. E. H. Bryan, Jr.'s "Life in Micronesia" and from a U. S. Army Information booklet, "Kwajalein Test Site." Species marked with an asterisk had been previously recorded from Kwajalein Atoll in "Insects of Micronesia," and those marked with a double asterisk from "Life in Micronesia." (The last name is the code name used by the U. S. Army during the invasion of the atoll in January, 1944. Because of the confusion and

TABLE 1. Islets on Kwajalein Atoll from which Insect
Specimens have been Collected
(Listed clockwise from the northernmost)

Sequence Number	Approved Name	Alternate Names and Varient Spellings
1–2	Roi-Namur	Ruotto, Rwuet, Burlesque The two Nimuru, Emuru, Nimwur, islets are Camouflage connected.
6	Ennubira	Enibuni, Ennubirr, Anebwin, Allen
14	Gagan	Gooakkan, Kowakkan, Arlington
16	Gellinam	Gereiyan, Gireniyan, Kidenen, Ashburry
17	Omelek	Komire, Konwle, August
18	Kwadack	Kuotoppu, Kuooteppu, Kwateb, Augustine
19	Eniwetak	Eniwetakku, Anewatak, Barney
20	Meck	Meiku, Meik, Mech, Bascome
21	Bigej	Pigeji, Bidedj, Bikeej, Bennett (*)
22	Gugegwe	Gugeegue, Benson
23	Ningi	Ngenge, Berlin (*)
25	Loi	Riiji, Roji, Blankenship
27	Ebeye	Ebigie, Ebijie, Ebja, Burton
28	Little Buster	Ebijerikku, Ebjadik, Buster
29	Big Buster	Grubebbe, Wirbab, Byron
30	Kwajalein	Kuejerin, Kuwzyerin, Kwadjelinn, Kwajleen, Porcelein
31	Enubuj	Enibujii, Eniibuaji, Anilwuij, Enubuj, Carlso
32	Ennylabegan	Ennierappukan, Enulabegan, Aneelabkan, Enelapkan, Ennulab, Carlos
41	Legan	Ambo, Amboo, Amwbwo, Clifford
46	Illeginni	Rikijjine, Rikitsujine, Illygain, Likijjine, Curtis
53	Enmat	Ennumet, Enemato, Enemaato, Ennumet, Anmwaat, Edgar
56	Eru	Era, Ero, Elton




FIG. 1. Map of Kwajalein Atoll. Numbers assigned to islets correspond to numbers in Table 1.

difficulty of spelling the indigenous islet names, many of these code names are in the present use.

The islets marked with an asterisk in Table 1 were not visited by the author. Records of species for these islets were taken from "Insects of Micronesia."

ARACHNIDA

ACARINA

Tetranychiidae

Tetranychus tumidus Banks—determined by N. Wilson—Kwajalein Islet

Ixodidae

Rhipicephalus sanguineus (Latreille)—verified by C. M. Clifford— Kwajalein Islet

Smaridiidae

Calorema sp.—determined by R. V. Southcott—Ennylabegan Islet

SCORPIONIDA

Buthidae

Isometrus maculatus (De Geer)*—Kwajalein Islet

ARANEIDA

Oonopidae

Gamasomorpha sp.—determined by W. B. Peck—Ennylabegan Islet

Tetragnathidae

Leucauge sp.—determined by W. B. Peck—Ennylabegan Islet

Argiopidae

Araneus (?) sp.—determined by W. B. Peck—Enubuj and Illeginni Islets

Neoscona sp.-determined by H. W. Levi-Ennylabegan Islet

CRUSTACEA

Амрнірода

Orchestidae

Talorchestia spinipalma (Chevreux)*—determined by J. L. Barnard— Kwajalein and Eniwetak Islets

DIPLOPODA

POLYDESMIDA

Strongylosomidae

Oxidus gracilis Koch*-Enubuj and Kwajalein Islets

INSECTA

ORTHOPTERA

Blattidae

Neostylopyga rhombifolia (Stoll)—Kwajalein Islet

Cutilia nitida (Brunner)—Ennylabegan Islet

Cutilia soror (Brunner)—Ennylabegan Islet

Periplaneta americana (Linnaeus)**—Kwajalein and Ebeye Islets

Blattella germanica (Linnaeus)—Kwajalein and Roi-Namur Islets

Blattella sp. apparently lituricollis (Walker)—verified by A. B. Gurney— Enubuj and Kwajalein Islets

Pycnoscelus surinamensis (Linnaeus)—Kwajalein and Roi-Namur Islets

Tettigoniidae—determined by A. B. Gurney

Phisis sp.—Kwajalein Islet

Phaneroptera furcifera Stål-Kwajalein, Eniwetak and Roi-Namur Islets

Acrididae—determined by A. B. Gurney

Locusta migratoria manilensis (Mayne)—Kwajalein, Roi-Namur and Gugeegue Islets

Aiolopus thalassinus tamulus (Fabricius)—Gugeegue, Eniwetak, Ennylabegan, Enubuj, Ennubira, Meck, and Legan Islets

ISOPTERA

Kalotermitidae

Cryptotermes brevis (Walker)**—Kwajalein Islet Glyptotermes sp.—determined by D. R. Smith—Roi-Namur Islet

Rhinotermitidae

Coptotermes sp.—determined by D. R. Smith—Kwajalein Islet Coptotermes formosanus Shiraki**—Kwajalein Islet Prorhinotermes sp.—determined by D. R. Smith—Kwajalein Islet

Odonata

Aeshnidae

Anax guttatus (Burmeister)**—Kwajalein Islet

Libellulidae

Diplacodes bipunctata (Brauer)—Kwajalein Islet Pantala flavescens (Fabricius)—Kwajalein Islet

Tramea transmarina propinqua Lieftinck*—Eniwetak, Kwajalein and Gugeegue Islets

PSOCOPTERA

Psocidae

Ptycta sp. (prob.)—determined by E. L. Mockford—Ennylabegan Islet

Ectopsocidae

Ectopoposocus sp.—determined by E. L. Mockford—Kwajalein Islet

DERMAPTERA

Labiduridae

Labidura riparia (Pallus)—determined by A. B. Gurney—Kwajalein Islet

THYSANOPTERA

Thripidae

Taeniothrips vitticornis Karny—determined by K. Sakimura—Ennylabegan Islet

HOMOPTERA

Cicadellidae

Exitianus capicola (Stål)*—determined by J. P. Kramer—Kwajalein,

Roi-Namur, Eniwetak, Ennylabegan, Enubuj, Meck, Legan, Gellinam, Big Buster, Ennubira, Little Buster, Loi and Bigej Islets

Exitianus plebeius (Kirkaldy)—determined by W. C. Gagné—Ennylabegan, Gugeegue, Eniwetak, Gagan, Gellinam, and Legan Islets

Exitianus fusconervosus (Motschulsky)—determined by W. C. Gagné—Gagan Islet

Balclutha incisa (Matsumura)*—determined by J. P. Kramer—Kwajalein Islet

Recilia sp.—determined by J. P. Kramer—Gugeegue and Eniwetak Islets

Empoasca sp.—determined by J. P. Kramer—Roi-Namur Islet

Delphacidae

Chloriona (Sogatella) paludum (Kirkaldy)*—Kwajalein and Loi Islets Chloriona (Sogatella) furcifera (Horvath)—determined by J. P. Kramer—Roi-Namur Islet

Chloriona (Sogatella) kolophon (Kirkaldy)—determined by W. C. Gagné— Eniwetak Islet

Tarophagus prosperina (Kirkaldy)**—Kwajalein Islet

Ugyops superciliata Fennah**—Kwajalein Islet

Ugyops sp.—determined by J. P. Kramer—Ennylabegan Islet

Derbidae

Lamenia caliginea charon Fennah*—Kwajalein, Eniwetak and Ennylabegan Islets

Swezeyia zephyrus Fennah*—Kwajalein, Gugeegue, Ennylabegan and Bigej Islets

Swezeyia sp.—determined by J. P. Kramer—Illeginni Islet

Aphididae

Aphis craccivora Koch—determined by L. M. Russell—Ennylabegan Islet

Aphis gossypii Glover*—Kwajalein Islet

Hysteroneura setariae (Thomas)—determined by L. M. Russell—Eniwetak, Ennylabegan, Meck and Omelek Islets

Margarodidae

Icerya aegyptiaca (Douglas)*—Kwajalein, Ebeye, and Eru Islets Icerya purchasi Maskell*—Kwajalein Islet

Pseudococcidae

Antonina graminis (Maskell)*—Kwajalein Islet

Dysmicoccus neobrevipes Beardsley—determined by D. R. Miller— Kwajalein Islet

Ferrisia virgata (Cockerell)*—Kwajalein Islet

Laminicoccus pandani (Cockerell)*—Kwajalein Islet

Palmicultor palmarum (Ehrhorn)—Ebeye Islet

Phenacoccus solani Ferris*—Kwajalein Islet

Planococcus citri (Risso)*—Kwajalein Islet

Pseudococcus microadonidum Beardsley*—Kwajalein Islet

Pseudococcus orchidicola Takahashi*--Kwajalein Islet

Coccidae

Ceroplastes cirripediformis Comstock*—Kwajalein Islet

Ceroplastes rubens Maskell—determined by J. W. Beardsley—Kwajalein Islet

Coccus elongatus (Signoret)*—Kwajalein Islet

Coccus hesperidum Linnaeus*—Kwajalein Islet

Saissetia coffeae (Walker)*—Kwajalein Islet

Saissetia nigra (Nietner)—determined by J. W. Beardsley—Kwajalein Islet

Diaspididae—determined by J. W. Beardsley

Anoidiella inornata McKenzie*-Kwajalein Islet

Aspidiella sacchari (Cockerell)*--Kwajalein Islet

Furcaspis oceanica Lindinger*—Kwajalein Islet

Hemiberlesia cyanophylli (Signoret)*—Kwajalein Islet

Hemiberlesia lataniae (Signoret)*—Kwajalein Islet

Lepidosaphes beckii (Newman)*—Kwajalein Islet

Lepidosaphes esakii Takahashi*—Kwajalein Islet

Phinnaspis strachani (Cooley)*—Kwajalein Islet

Psyllidae

Mesohomotoma hibisci (Froggatt)—determined by L. M. Russell— Kwajalein Islet

HEMIPTERA

Miridae

Campylomma lividicornis Reuter*—Kwajalein and Ebeye Islets
Halticus tibialis Reuter*—also determined by J. L. Herring—Kwajalein, Roi-Namur, Ebeye, Gugeegue, Ennylabegan, Enubuj,
Gellinam, Legan, Big Buster, and Little Buster Islets

Nabidae

Nabis capsiformis Germar—also determined by W. C. Gagné—Kwajalein, Ebeye, Eniwetak, Enubuj, Ennubira, Gagen and Legan Islets

Lygaeidae

Nysius caledoniae Distant. determined by W. C. Gagné—Kwajalein Islet

Nysius pulchellus Stål*—also determined by J. L. Herring. All Islets visited

Pachybrachius nigriceps (Dallas)*—Kwajalein Islet

Coreidae

Leptocoris isolata (Distant)*—Kwajalein and Gugeegue Islets

Leptocoris sp.—determined by J. L. Herring—Eniwetak Islet

Pentatomidae—determined by P. D. Ashlock

Oechalia schellenbergii (Guerin-Meneville)* also determined by R. C. Froeschner—Kwajalein and Legan Islets

Platynopus melacanthus (Boisduval)*—Kwajalein Islet

Cydnidae

Geotomus pygmaeus (Dallas)*—Kwajalein Islet

NEUROPTERA

Chrysopidae

Chrysopa ramburi Schneider*—Kwajalein and Gugeegue Islets

LEPIDOPTERA

Tineidae

Ereunetis prob. simulans (Butler)—determined by D. M. Weisman— Eniwetak Islet

Gelechiidae

Stoeberhinus testaceous Butler—determined by R. W. Hodges—Kwajalein Islet

Olethreutidae

Acroclita physalodes Meyrick—determined by R. W. Hodges—Kwajalein Islet

Pyralidae

prob. Diaphania sp.—determined by D. M. Weisman—Eniwetak Islet Hedylepta sp.—determined by D. C. Ferguson—Ennylabegan Islet Hedylepta sp. near diemenalis (Gueneé)—determined by D. C. Ferguson—Kwajalein and Enubuj Islets

Herpetogramma licarsisalis (Walker)-verified by D. C. Ferguson— Kwajalein Islet

Hymenia recurvalis (Fabricius)—determined by D. M. Weisman— Eniwetak Islet

Sphingidae

Agrius cingulatus (Fabricius)—Kwajalein and Meck Islets Chromis erotus eras (Boisduval)—Ennylabegan Islet Cephonodes sp.—Gugeegue Islet

Noctuidae

Achaea janata (Linnaeus)—Kwajalein Islet

Achaea sp.—determined by E. L. Todd—Kwajalein Islet

Anticarsia irrorata (Fabricius)—determined by E. L. Todd—Kwajalein and Enubuj Islets

prob. Bocana manifestalis Walker—determined by D. M. Weisman— Enubuj Islet

Chrysodeixis chalcites complex—determined by E. L. Todd—Kwajalein

and Meck Islets

Mocis sp.—determined by E. L. Todd—Ennylabegan Islet

Platysenta sp. (?) illecta (Walker)—determined by E. L. Todd— Kwajalein Islet

Spodoptera litura (Fabricius)—determined by E. L. Todd—Kwajalein and Meck Islets

Spodoptera mauritia (Boisduval)—Kwajalein Islet

Arctiidae

Utetheisa pulchelloides Hampson**—All islets visited Lithosine sp.—determined by D. M. Weisman—Legan Islet

Hesperiidae

Badamia exclamationis (Fabricus)—Omelek Islet

Nymphalidae

Hypolimnas bolina inconstans Fruhstorfer-All islets visited

COLEOPTERA

Carabidae

Egadroma smaragdula (Fabricius)—Kwajalein Islet

Hydrophilidae

Dactylosternum abdominale (Fabricius)—determined by G. A. Samuelson—Roi-Namur Islet.

Staphylinidae—determined by G. A. Samuelson

Lispinus impressicollis Motschulsky—Gugeegue Islet Medon sp. (?)—Kwadack Islet

Scarabaeidae—determined by O. L. Cartwright

Trichiorhyssemus sp.—Kwajalein Islet

Trichiorhyssemus esakii Nomura—Kwajalein Islet

Elateridae

Anchastus sp.—determined by T. J. Spilman—Kwajalein Islet

Conoderus sp.—determined by T. J. Splilman—Kwajalein Islet

Conoderus pallipes Eschscholtz*—determined by G. A. Samuelson— Kwajalein and Gugeegue Islets

Simodactylus fasciolatus Fairmaire*—Kwajalein Islet

Simodactylus tasmani Candeze*—Kwajalein and Loi Islets

Dermestidae

Dermestes ater De Geer*—Kwajalein and Ebeye Islets
Trogoderma anthrenoides (Sharp)—determined by J. M. Kingsolver—

Enubuj Islet

Anobiidae

Lasioderma serricorne (Fabricus)—determined by R. White—Kwajalein and Roi-Namur Islets

Bostrichidae

Dinoderus bifovelatus (Wollaston)—determined by G. A. Samuelson—

Kwajalein Islet

Tenebrionidae

Alphitobius diaperinus (Panzer)—Ebeye Islet

Chariotheca costata Kulzer—determined by G. A. Samuelson

Gonocephalum adpressiforme (Kaszab)—Kwajalein and Gugeegue Islets

Gonocephalum sp.—determined by T. J. Spilman—Eniwetak Islet

Platolenes hydrophiloides hydrophiloides (Fairmaire)* also determined by G. A. Samuelson—Kwajalein, Kwadack and Ebeye Islets

Tribolium castaneum (Herbst)—Kwajalein Islet

Tribolium confusum J. du Val-Kwajalein and Roi-Namur Islets

Oedemeridae—determined by R. H. Arnett

Eobia trukana Kono-Kwajalein, Ennylabegan and Enubuj Islet

Pselaphanca apicata (Fairmaire)—Enubuj Islet

Pseudohyperasclera—undescribed species—Kwajalein Islet

Sessinia livida (Fabricius)—Ennylabegan Islet

Anthicidae

Anthicus oceanicus LaFerté—Kwajalein and Gugeegue Islets

Nitidulidae

Carpophilus maculatus Murray*—Kwajalein and Gugeegue Islets Carpophilus dimidiatus (Fabricius)—determined by G. A. Samuelson—Kwajalein Islet

Urophorus humeralis (Fabricius)—determined by G. A. Samuelson— Kwajalein Islet

Cucujidae

Oryzaephilus surinamensis (Linnaeus)—Roi-Namur Islet

Coccinallidae

Coccinella repanda Thunberg*—Ebeye and Ningi Islets

Coelophora inaequslis (Fabricius)**—also determined by E. A. Chapin— Kwajalein, Roi-Namur, Ennylabegan and Gugeegue Islets

Harmonia arcuata (Fabricius)—determined by G. A. Samuelson— Kwajalein Islet

Nephus roepkei (Fluiter)*—also determined by G. A. Samuelson— Kwajalein Islet

Rodolia pumila Weise*—Kwajalein Islet

Scymnus nigrosuturalis H. Kamiya*—also determined by G. A. Samuelson—Kwajalein, Roi-Namur and Eniwetak Islets

Telsimia nitida Chapin-Kwajalein Islet

Cerambycidae

Ceresium adamsi adamsi Gressitt—determined by G. A. Samuelson— Legan Islet

Prosoplus atlanticus atlanticus Brenuing*—Gugeegue, Enmat, and Loi Islets

Prosoplus hibisci Gressitt—determined by G. A. Samuelson—Gugeegue Islet

Sybra sp.—determined by G. A. Samuelson—Kwajalein and Enubuj Islets

Sybra alternans (Wiedemann)—determined by G. B. Vogt—Kwajalein and Enubuj Islets

Chrysomelidae

Brontispa chalybeipennis (Zacher)—Enmat Islet

Pagria signata (Motschulsky)—collected and determined by J. L. Gressitt. Reported in Proc. Haw. Entomol. Soc. Vol. XVII: 10—Kwajalein Islet

Anthribidae

Araecerus sp.—determined by R. White—Roi-Namur Islet

Curculionidae

Trigonops hirsuta Zimmerman*—Gugeegue Islet

SIPHONAPTERA

Pulicidae

Ctenocephalides felis felis (Bouché)—Ebeye Islet

DIPTERA

Tipulidae

Limonia sp.—determined by A. Stone—Kwajalein, Ennylabegan and Legan Islets

Culicidae

Culex pipiens quinquefasciatus Say*—Kwajalein Islet

Aedes marshallensis Stone & Bohart*—Kwajalein, Roi-Namur, Gugeegue, Eniwetak, Ennylabegan, Enubuj, Illeginni, Kwadack and Legan Islets

Aedes aegypti (Linnaeus)*—Kwajalein Islet

Chironomidae

Chironomus crassiforceps Kieffer—determined by W. W. Wirth—Kwajalein Islet

Chironomus (Chironomus) javanus Kieffer*—Kwajalein Islet

Cricotopus sp. No. 1 Tokunaga*—Kwajalein Islet

Thalassomya maritima Wirth—determined by W. W. Wirth—Kwajalein Islet

Ceratopogonidae

Dasyhelea palauensis Tokunaga*—Kwajalein Islet

Sciaridae

Bradysia radicum (Brunetti)*—Kwajalein and Enubuj Islets

Bradysia tritici (Coquillett)—determined by W. A. Steffan—Kwajalein Islet

Bradysia sp.—determined by R. J. Gagné—Kwajalein and Ennylabegan Islets Plastosciara latipons Hardy*—Kwajalein Islet

Stratiomyiidae

Hermetia illucens (Linnaeus)*—Ebeye Islet

Dolichopodidae

Chrysosoma fraternum (Van Duzee)—Eniwetak Islet

Chrysosoma sp. probably undescribed—determined by G. Steyskal—Roi-Namur Islet

Asilidae

Clinopogon sp.—determined by L. V. Knutson—Kwajalein Islet

Phoridae

Megaselia scalaris (Loew)—Kwajalein Islet

Megaselia sp.—determined by W. W. Wirth—Kwajalein Islet

Syrphidae

Ischiondon scutellaris (Fabricius)*—Kwajalein Islet

Syritta orientalis Macquart—determined by W. W. Wirth—Kwajalein and Meck Islets

Otitidae

Pseudeuxesta prima (Osten-Sacken)—determined by G. Steyskal—Kwajalein Islet

Tephritidae

Dacus frauenfeldi Schiner-Legan Islet

Ensina sororcula (Wiedemann)—determined by G. Steyskal—Kwajalein Islet

Platystomatidae

Plagiostenopterina aenea (Wiedemann)—determined by G. Steyskal— Legan Islet

Scholastes carolinensis Enderlein—Gugeegue, Eniwetak, Ennylabegan, Illeginni and Legan Islets

Lonchaeidae

Lonchaea sp.—Eniwetak Islet

Lamprolonchaea sp.—determined by G. Steyskal—Enubuj, Meck, and Gellinam Islets

Lauxaniidae—determined by G. Steyskal

Hononeura sp.—Roi-Namur, Gugeegue, Eniwetak, Ennylabegan, Ennubira, Legan, and Enubuj Islets

Prosopomvia sp.—Enubuj, Legan, Roi-Namur, Gugeegue and Omelek Islets

Tethinidae

Dasyrhicnoessa sp. may be insularis (Aldrich)—determined by G. Steyskal—Kwajalein and Enubuj Islets

Ephydridae

Hostis guamensis Cresson—determined by G. Steyskal—Kwajalein and Enubuj Islets

Canaceidae

Nocticanace marshallensis Wirth—determined by W. W. Wirth— Kwajalein Islet

Drosophilidae

Gitonides perspicax Knab-determined by W. W. Wirth-Kwajalein Islet

Agromyzidae

Ophiomyia cornuta (de Meijere)*—Kwajalein and Ebeye Islets Ophiomyia sp.—determined by G. Steyskal

Pseudonapomyza spicata (Malloch)*—Kwajalein Islet

Milichiidae

Milichiella lacteipennis (Low)—determined by C. W. Sabrosky— Kwajalein Islet

Chloropidae—determined by C. W. Sabrosky

Cadrema sp.—Kwajalein Islet

Cadrema pallida (Loew)—Kwajalein, Gugeegue, Eniwetak, Enubuj, Illeginni, Meck, Gellinam and Omelek Islets

Eutropha noctilux (Walker)—Kwajalein Islet

Tachinidae—determined by C. W. Sabrosky

Exorista sp.-Kwajalein Islet

Lespesia archippivora (Riley)—Kwajalein Islet

Sarcophagidae

Phytosarcophaga gressitti (Hall & Bohart)*—Kwajalein and Ebeye Islet Parasarcophaga misera (Walker)*—also verified by R. J. Gagné— Kwajalein, Ebeye, Gellinam and Ennylabegan Islets

Calliphoridae

Chrysomya megacephala (Fabricius)—Kwajalein, Ebeye, Eniwetak, Legan, Meck, Illeginni, and Ennylabegan Islets

Phaenicia cuprina (Wiedemann)—verified by R. J. Gagné—Kwajalein, Ebeye and Ennylabegan Islets

Rhinia apicalis (Wiedemann)*—Boi-Namur and Ebeye Islets

Anthomyiidae

Atherigona exisa (Thomson)*—Ebeye and Gugeegue Islets
Atherigona flavipalpis Malloch*—Ebeye and Gugeegue Islets

Atherigona sp.—determined by R. J. Gagné—Enubuj Islet

Dichaetomyia rufa (Stein)*—also determined by R. J. Gagné—Kwajalein and Ennylabegan Islets

Muscidae

Musca domestica Linnaeus—determined by R. J. Gagné—Kwajalein, Roi-Namur, Ebeye, Eniwetak, Enubuj, Illeginni, Ennylabegan, Meck, Big Buster, Little Buster Islets

Musca sorbens Wiedemann*—also verified by R. J. Gagné—Kwajalein, Ebeye, Ennylabegan, Enubuj, Legan, Gugeegue, Ennubira, and Eru Islets

HYMENOPTERA

Evaniidae

Evania appendigaster (Linnaeus)*—also determined by K. V. Krombein—Kwajalein and Ebeye Islets

Eucharidae

Parachalcura maculata Watanabe—Gugeegue Islet

Braconidae

Microplitis sp.—determined by P. M. Marsh—Eniwetak and Ennylabegan Islets

Eulophidae

Sympiesis swezeyi Yoshimoto and Ishii*-Kwajalein Islet

Bethylidae

Sclerodema sp.—determined by A. S. Menke—Kwajalein Islet

Formicidae

Camponotus sp.—determined by D. R. Smith—Illeginni Islet

Camponotus variegatus (Fr. Smith)—Kwajalein Islet

Iridomyrmex anceps (Roger)—determined by D. R. Smith—Gugeegue, Illeginni and Legan Islets

Monomorium floricola (Jerdon)—determined by D. R. Smith—Ennylabegan Islet

Odontomachus simillimum Fr. Smith—determined by S. Flucker—Kwajalein, Ebeye, Gugeegue, Eniwetak, and Legan Islets

Paratrechina bourbonica (Forel)—determined by D. R. Smith—Kwajalein, Ennylabegan and Legan Islets

Paratrechina longicornis (Latreille)—determined by D. R. Smith—Illeginni Islet

Paratrechina (Nylanderia) sp.—determined by D. R. Smith—Ennylabegan Islet

Pheidole megacephala (Fabricius)—Kwajalein and Roi-Namur Islets Solenopsis geminata rufa (Jerdon)—Kwajalein and Legan Islets

Tapinoma melanocephalum (Fabricius)—determined by D. R. Smith— Ennylabegan Islet

Tetramorium guineense (Fabricius)—determined by D. R. Smith— Eniwetak, Enubuj, and legan Islets

Vespidae

Pachodynerus nasidens (Latreille)—determined by A. S. Menke— Legan, Gellinam, Gugeegue, Gagan and Eniwetak Islets

Polistes fuscatus aurifer Saussure—determined by C. M. Yoshimoto— Kwajalein Islet

Ropalidia marginata sundaica Van der Vecht—Kwajalein, Gugeegue, Ennylabegan, Illeginni, Kwadack, Ennubira, Legan and Meck Islets

Sphecidae

Liris opulenta (Lepeletier)—determined by K. V. Krombein—Kwaja-

lein Islet

Chalybion bengalense (Dahlbom)—determined by C. M. Yoshimoto—Roi-Namur Islet

Megachilidae

Megachile fullawayi Cockerell—Gugeegue Islet
Megachile diligens Smith—determined by P. D. Hurd, Jr.—Legan Islet