Guam as a Source of New Insects for Hawaii Pacific Entomology Conference

Aubrey Moore

University of Guam College of Natural and Applied Sciences Cooperative Extension Services / Western Pacific Research Center

February 23, 2012



Where is Guam?

Guam as a Source of New Insects for Hamaii

Aubrey

Introduction

Early Concerns

Suspects

Interception

Why is Guam Such a Good

Conclusions



Challenges

Guam as a Source of New Insects for Hawaii

> Aubrey Moore

Introduction

Early Concern

. .

Interception

Why is Guan Such a Good Source?

Conclusions

- Limited taxonomic expertise
 - only 6 active PhD level entomologists in all of Micronesia (4 on Guam; 2 in Palau)
- High endemism (~45%); many undescribed species
- Very high introduction rate for alien insects

Origin of New Insects on Guam

Guam as a Source of New Insects for Hawaii

> Aubrey Moore

Introduction

Early Concerns

Suspects

Interception

Why is Guan Such a Good Source?

Conclusions

References

New Insects on Guam (1945-89)

Schreiner, I. 1991. New insects in Guam. Micronesica Suppl. 3.

Source	1945-54	1955-69	1970-79	1980-89
Asia	7	2	9	8
Micronesia	1	1	4	2
Hawaii	0	2	2	8
Unknown	7	8	6	7
Total	15	13	21	25
No. per Year	1.5	0.9	2.1	2.5

Origin of New Insects on Guam (1945-1989)

Guam as a Source of New Insects for Hawaii

> Aubrey Moore

Introduction

Early Concerns


Suspects

Interception

Why is Guam Such a Good Source?

Conclusions

References



Data source: [Schreiner(1991)]

Current Invasions

Guam as a Source of New Insects for Hawaii

Aubrey

Introduction

Early Concern

Suspect

Interception

Why is Guan Such a Good Source?

Conclusions

- Asian cycad scale, Aulacaspis yasumatsui detected 2003; has killed 90% of Guam's endemic cycad which was Guam's most populous tree
- Coconut rhinoceros beetle, Oryctes rhinoceros detected 2007; is killing coconut palms, which was Guam's second most populous tree
- Little fire ant, Wasmania auropunctata detected 2011

15 new island records in 2010-2011

Guam as a Source of New Insects for Hawaii

> Aubrey Moore

Introduction

Early Concern

Sucpect

Interception

Why is Guan Such a Good Source?

Conclusions

- 4 bark beetles, Scolytidae, from a single CBB trap at a single location
- 2 biting flies: a black fly and an anopheline mosquito
- little fire ant
- 8 other species

New Island Record for 2012

Guam as a Source of New Insects for Hawaii

> Aubrey Moore

Introduction

Early Concern

Suspect

Interception

Such a Good Source?

Conclusions



- Dinurothrips hookeri Hood (Thysanoptera: Thripidae)
- Distribution: Caribbean, Florida, Brazil
- Hosts: leaves of banana, tomato, various Asteraceae, sweet potato, eggplant
- For more info, visit http://guaminsects.myspecies. info/thrips-attacking-young-banana-leaves

Early Concerns

Guam as a Source of New Insects for Hamaii

> Aubrey Moore

Introduction

Early Concerns

Suspect

nterceptions

Why is Guam Such a Good Source?

Conclusions



1936 Entomological Survey of Guam

Guam as a Source of New Insects for Hawaii

> Aubrey Moore

Introduction

Early Concerns

Suspect

nterception

Why is Guam Such a Good Source?

Conclusions

References

- Sponsored by the Hawaiian Sugar Planters Association
- Results reported in:
 - Sweezey, O. H. 1942. Insects of Guam 1. Bernice P. Bishop Museum Bulletin 172
 1–218.[Swezey and Association(1942)]
 - Sweezey, O. H. 1946. Insects of Guam 1. Bernice P. Bishop Museum Bulletin 172
 1–218.[Swezey and Association(1946)]
 - Gressitt, J.L. 1954 present. Insects of Micronesia series. http:

//hbs.bishopmuseum.org/pubs-online/iom.html

1936 Entomological Survey of Guam

Guam as a Source of New Insects

> Aubrey Moore

Introductio

Early Concerns

Suspect

Interceptio

Why is Guan Such a Good Source?

Conclusions

Reference

Justification for the Survey [Swezey and Association(1942)]:

"Guam is the most important station between the Philippines and Honolulu on the route of the Pan-American Airways across the Pacific, and as knowledge of the Guam insect fauna was meager, it was deemed important to acquire as complete a knowledge as possible of this fauna. Unknown insects were already being found in planes arriving at Pearl Harbor, Oahu, and, in spite of the system employed in the fumigation of the planes, an occasional insect was found which had not fully succumbed. There was some concern lest unknown pests might survive and succeed in becoming established, and, perhaps, destructive to sugar cane and other crops grown in Hawaii."

1936 Entomological Survey of Guam

Guam as a Source of New Insects for Hawaii

> Aubrey Moore

Introduction

Early Concerns

Suspect

Interception

Why is Guan Such a Good Source?

Conclusion:

- The 1936 survey identified 50 agricultural pests on Guam which were not present in Hawaii at the time.
- "No doubt there are many among them which would become serious crop pests if they should reach Hawaii and become established." [Swezey and Association(1942)]

Insects Suspected of being Introduced from Guam or Other Mariana Islands to Hawaii

Guam as a Source of New Insects for Hawaii

> Aubrey Moore

Introductio

Early Concern

Suspects

Interception

Why is Guan Such a Good Source?

Conclusions

References

Island Hoppers

- Oriental fruit fly
- Banana leaf roller
- Southern green stink bug
- Grass bagworm
- Oriental flower beetle

Endemics

- Hibiscus whitefly
- Ochrosia fruit fly
- Biting bug

Oriental fruit fly, Bactrocera dorsalis

Source of New Insects for Hawaii

> Aubrey Moore

ntroduction

Early Concerns

Suspects

Interception

Why is Guan Such a Good Source?

Conclusions

References

"As much troop and other military movement occurred about this time between Hawaii and Saipan, where the fly occurred, this new pest could have come from the latter island."

[Pemberton(1964)]



Photo by Scott Bauer

Banana leaf roller, Erionata thrax

Guam as a Source of New Insects for Hawaii

> Aubrey Moore

Introduction

Early Concern

Suspects

Interception

Why is Guan Such a Good Source?

Conclusions

- Oahu (Hickam AFB) Davis and Kawamura 1975
 - PHES 22(1): 21.



Photo by Forrest and Kim Starr

Southern green stink bug, Nezara viridula

Guam es a Source of New Insects for Hawaii

> Aubrey Moore

Introduction

Early Concern

Suspects

nterception

Why is Guan Such a Good Source?

Conclusions

References

"As this insect is known in Guam and Samoa but not in California, it possibly came from one of those islands."

[Pemberton(1964)]



Photo by Russ Ottens, University of Georgia, Bugwood.org

Grass bagworm

Guam as a Source of New Insects for Hamali

> Aubrey Moore

Introduction

Early Concerns

Suspects

Interception

Why is Guan Such a Good Source?

Conclusions

References

Brachycyttarus griseus

1976: first detected on Guam

1984: first detected on Oahu at Kaneohe Marine Base

Oriental flower beetle

Guam es a Source of New Insects for Manuali

> Aubrey Moore

Introduction

Early Concern

Suspects

Interception

Why is Guar Such a Good Source?

Conclusions

References



Protaetia orientalis

~1970: first detected on Guam

2002: first detected on Oahu at Hickam AFB golf course

Endemics

Guam as a Source of New Insects for Hawaii

> Aubrey Moore

Introduction

Early Concern

Suspects

Interception

Why is Guan Such a Good Source?

Conclusions

- Ochrosia fruit fly, Bactrocera ochrosiae (Malloch) 1942 (Diptera: Tephritidae)
 - Molokai 1972 Kjargaard, PHES 32: 5.
- Botocudo marianensis (Usinger) 1946 (Hemiptera: Lygaeidae)
 - Oahu 1974, Beardsley, PHES 22:160-161
 - Maui 1972, Gagne, PHES 22:167
 - Hawaii 1977, Beardsley, PHES 22: 410
 - Kauai 1977, Nakahara, PHES 23(2): 158

Interceptions

Guam as a Source of New Insects for Hawaii

> Aubrey Moore

ntroduction

Early Concerns

Suspects

Interceptions

Why is Guar Such a Good Source?

Conclusions

References

Armed Forces Pest Management Board Technical Guide No. 31

RETROGRADE WASHDOWNS:

Cleaning and Inspection Procedures

Published and Distributed by the
DEFENSE PEST MANAGEMENT INFORMATION ANALYSIS CENTER
Forest Glen Section
Walter Reed Army Medical Center
Washington, DC 20307-5001
March 2008

http://www.afpmb.org/sites/default/files/pubs/techguides/tg31.pdf

Appendix J - USDA APHIS History of Interceptions

http://www.afpmb.org/sites/default/files/pubs/techguides/tg31/appendix-j.xls



APHIS Interceptions on USAF Aircraft Arriving in Honolulu from Guam I

Guam as a Source of New Insects for Hawaii

> Aubrey Moore

Introduction

Early Concerns

Suspects

Interceptions

Why is Guan Such a Good Source?

Conclusions

References

COLEOPTERA

- Curculionidae
 - Myllocerus sp. (10/27/1987; 6/10/1986)
- Elateridae
 - *Conoderus* sp. (6/11/1989)
- Chrysomelidae
 - Altica sp. (10/11/1984)
 - Rhyparida sp. (10/18/1984)
- Scarabeidae
 - Adoretus sinicus (8/28/1987; 4/1/1990; 7/29/1990)
 - Anomola sp. (11/27/1986; 8/20/1987; 6/14/1985; 5/16/1990; 5/12/1989; 6/8/1992; 6/11/1990; 5/25/1991)
 - Popillia lewisi (7/22/1991; 8/2/1991; 6/8/1990)



APHIS Interceptions on USAF Aircraft Arriving in Honolulu from Guam II

Guam as a Source of New Insects

> Aubrey Moore

Introduction

Concern

Suspect

Interceptions

Why is Guan Such a Good Source?

Conclusions

References

- Protaetia orientalis (11/22/1984; 5/10/1993)
- Tenebrionidae
 - Caedius sp. (7/2/1990; 6/9/1990; 6/9/1990)
 - Gonocephalum sp. (4/8/1990; 6/15/1990; 6/15/1990)

LEPIDOPTERA

- Noctuidae
 - unidentified sp. (9/18/1987; 11/30/1984; 9/17/1989; 9/17/1989)
 - Chrysodeixis chalcites (11/11/1984) NKFG
 - Helicoverpa armigera (4/6/1986)
 - Leucania sp. (8/30/1987; 12/14/1985)
 - *Mocis frugalis* (9/18/1987; 7/6/1990)
 - Platysenta sp. (10/23/1986; 8/16/1987; 8/31/1987; 12/11/1984; 11/7/1984) NKFG
 - *Pseudaletia* sp. (9/4/1987; 3/31/1990)



APHIS Interceptions on USAF Aircraft Arriving in Honolulu from Guam III

Guam as a Source of New Insects for Hawaii

> Aubrey Moore

Introduction

Early Concern

Suspect

Interceptions

Such a Good Source?

Conclusions

- Spodoptera sp. (4/21/1987; 9/20/1987; 5/9/1987; 8/17/1987; 7/10/1987; 12/14/1985; 8/28/1993; 6/29/1989; 6/30/1990)
- Spodoptera litura (1/29/1985; 11/30/1984; 10/6/1984; 8/5/1986)
- Spodoptera mauritia (8/24/1987; 3/5/1986)
- Pyralidae
 - Unidentified sp. (9/2/1987; 9/14/1987)
 - Cnaphalocrocis medinalis (5/17/1987;9/20/1985; 9/15/1984; 10/6/1984; 10/23/1984) NKFG
 - Herpetogramma licarsisalis (8/22/1984)
 - Ostrinia furnacalis (9/15/1984)
 - Sameodes cancellalis (11/27/1984) NKFG
- Lyonetiidae
 - Unidentified sp. (7/30/1985) NKFG
- Sphingidae

APHIS Interceptions on USAF Aircraft Arriving in Honolulu from Guam IV

Guam as a Source of New Insects for Hawaii

> Aubrey Moore

Introductio

Early Concern

Suspects

Interceptions

Why is Guan Such a Good Source?

Conclusions

- Unidentified species (11/24/1987)
- HEMIPTERA
 - Cydnidae
 - Aethus indicus (7/13/1990) NKFG
 - Pentatomidae
 - *Plautia* sp. (7/2/1985) NKFG
 - Cicadellidae
 - Unidentified sp. (6/6/1987; 6/16/1990)
- ISOPTERA
 - Rhinotermitidae
 - Coptotermes sp. (5/24/1990)
- ORTHOPTERA
 - Tettigoniidae



APHIS Interceptions on USAF Aircraft Arriving in Honolulu from Guam V

Guam as a Source of New Insects for Hawaii

> Aubrey Moore

Introduction

Early Concern

Suspect

Interceptions

Why is Guan Such a Good Source?

Conclusion

- Euconocephalus sp.(11/22/1987; 11/30/1987; 10/30/1987; 9/11/1987; 10/16/1987; 12/15/1984; 1/15/1986)
- Gryllidae
 - Metioche vittaticollis (8/3/1986) (listed in MAD as Trigonidium vittaticolis)
 - Phyllopalpus sp. (8/30/1987) NKFG
- HYMENOPTERA
 - Torymidae
 - *Megastigmus pistaciae* (1/14/1985) NKFG

Interceptions of Insects on USAF Aircraft Arriving on Guam

Guam as a Source of New Insects for Hawaii

> Aubrey Moore

Introduction

Early Concerns

Suspects

Interceptions

Why is Guam Such a Good Source?

Conclusions

References

NO RECORDS AVAILABLE



Why is Guam Such a Good Source?

Guam as a Source of New Insects for Hawaii

> Aubrey Moore

Introductio

Early Concerns

Suspect

Interception

Why is Guam Such a Good Source?

Conclusion:

- Guam's biosecurity is weak
- Guam is hypersusceptable to pest invasions and outbreaks
- Agricultural pests may remain hidden on Guam
- Active military pathway for movement of invasive species between Guam and Hawaii

Why is Guam Such a Good Source? Guam's biosecurity is Weak

Guam as a Source of New Insects for Hawaii

> Aubrey Moore

Introduction

Concert

Suspect

Interception

Why is Guam Such a Good Source?

Conclusions

- 2003 USDA APHIS establishes the Guam Plant Inspection Station
 - 0 APHIS inspectors; 0 identifiers
- 2003 GovGuam PPQ inspectors moved from Agriculture to Customs
- Intercepted insects are usually identified only to taxonomic level of order or family
- Double standard for treatment
 - Infested plant material from US or trans-shipped through the US is "reconditioned" (washed with soapy water)
 - Infested plant material from elsewhere is destroyed

Why is Guam Such a Good Source? Guam is hypersusceptable to pest invasions and outbreaks

Guam as a Source of New Insects for Hawaii

> Aubrey Moore

Introduction

Early Concerns

interception

Why is Guam Such a Good Source?

Conclusions

References



All tropical islands are susceptible to biological invasions and outbreaks.

- Guam is hypersusceptable because:
 - the brown treesnake has exterminated birds and other vertebrate insectivores
 - large day-flying insects are extremely abundant
- Guam does not have a large guild of previously imported biocontrol agents, as does Hawaii

Why is Guam Such a Good Source?

Agricultural pests may remain hidden on Guam

Guam as a Source of New Insects for Hawaii

> Aubrey Moore

Introductio

Early Concern

Suspect

Interception

Why is Guam Such a Good Source?

Conclusions

- Guam has no large-scale commercial farming and limited variety of crops. Agricultural pests may be overlooked because their hosts are not grown as crops on Guam.
- Examples:
 - coffee berry borer, Hypothenemus hampei (Coleoptera: Scolytidae)
 - Saipan 1944 Dybas; Pohnpei 1953 Gressitt; Pohnpei 1950 Adams [Wood(1960)]
 - sugarcane leafmining buprestid, Aphanisticus cochinchinae seminulum Obenberger (Coleoptera: Buprestidae)
 - Guam 2007[Zack et al.(2009)Zack, Moore, and Miller]

Why is Guam Such a Good Source?

Active military pathway for movement of invasive species between Guam and Hawaii

Guam as a Source of New Insect

Aubrey

Introduction

Early

Suspect

Interception

Why is Guam Such a Good Source?

Conclusion

- There is ample historical evidence that several pest insects have moved from Guam to Hawaii in association with movements of military personnel and equipment.
- It is expected that traffic of invasion species on this "military pathway" will increase as the Guam military buildup gets underway.

Conclusions

Guam as a Source of New Insects for Hawaii

> Aubrey Moore

Introduction

Early Concerns

Suspect

Interception

Why is Guam Such a Good

Conclusions

References

 Evidence indicates that Guam has been and continues to be a high risk source of insects invading Hawaii.

References I

Guam as a Source of New Insects for Hawaii

> Aubrey Moore

Introduction

Early Concerns

Suspects

Interception

Why is Guam Such a Good Source?

Conclusions

References



C. E. Pemberton.

Highlights in the history of entomology in Hawaii 1778-1963.

Pacific Insects, 6(4):689-729, 1964.

URL http:

//hbs.bishopmuseum.org/pi/pdf/6%284%29-689.pdf.

Ilse Schreiner.

Sources of new insects established on Guam in the post World War II period.

Micronesica, Suppl. 3(2):5-13, 1991.

References II

Guam as a Source of New Insects for Hawaii

> Aubrey Moore

Introduction

Early Concern

Suspect

Interception

Why is Guan Such a Good Source?

Conclusions

References



O.H. Swezey and Hawaiian Sugar Planters' Association. *Insects of Guam I.*

Number no. 172 in Bernice P. Bishop Museum bulletin. Bernice P. Bishop Museum, 1942.

URL

http://books.google.com/books?id=ftcrAAAAMAAJ.



O.H. Swezey and Hawaiian Sugar Planters' Association. *Insects of Guam II.*

Number no. 189 in Bernice P. Bishop Museum bulletin. Bernice P. Bishop Museum, 1946.

URL

http://books.google.com/books?id=o-wrAAAAMAAJ.

References III

Guam as a Source of New Insects for Hawaii

> Aubrey Moore

Introduction

Concern

Suspect

Interception

Why is Guam Such a Good Source?

Conclusions

References

Stephen L. Wood.
Platypodidae and Scolytidae.
Insects of Micronesica, 18(1):74, 1960.
URL http://hbs.bishopmuseum.org/pubs-online/

R. S. Zack, A. Moore, and R. H. Miller.
First record of *Aphanisticus cochinchinae seminulum*Obenberger (Coleoptera: Buprestidae) from Micronesia.

Coleopterists Bulletin, 63:4, 2009.

pdf/iom18-1.pdf.