






Left accumbens; pointwise 95% CI
reference
censored
Coefficient vs implicit fitted baseline
0.1
0.0
−0.1
−0.2
−0.3
1
2
3
4
5
6
7
8
Run
N20 Ran
N20 Str1
N20 Str2
N22 Ran
N22 Str1
N22 Str2



Left caudate; pointwise 95% CI
reference
censored
Coefficient vs implicit fitted baseline
0.10
0.05
0.00
−0.05
−0.10
1
2
3
4
5
6
7
8
Run
N20 Ran
N20 Str1
N20 Str2
N22 Ran
N22 Str1
N22 Str2



Left cerebellar cortex; pointwise 95% CI
reference
censored
Coefficient vs implicit fitted baseline
0.10
0.05
0.00
−0.05
1
2
3
4
5
6
7
8
Run
N20 Ran
N20 Str1
N20 Str2
N22 Ran
N22 Str1
N22 Str2



Left hippocampus; pointwise 95% CI
reference
censored
Coefficient vs implicit fitted baseline
0.05
0.00
−0.05
−0.10
−0.15
1
2
3
4
5
6
7
8
Run
N20 Ran
N20 Str1
N20 Str2
N22 Ran
N22 Str1
N22 Str2



Left pallidum; pointwise 95% CI
reference
censored
Coefficient vs implicit fitted baseline
0.100
0.075
0.050
0.025
0.000
−0.025
−0.050
1
2
3
4
5
6
7
8
Run
N20 Ran
N20 Str1
N20 Str2
N22 Ran
N22 Str1
N22 Str2



Left precentral; pointwise 95% CI
reference
censored
Coefficient vs implicit fitted baseline
0.20
0.15
0.10
0.05
0.00
−0.05
1
2
3
4
5
6
7
8
Run
N20 Ran
N20 Str1
N20 Str2
N22 Ran
N22 Str1
N22 Str2



Left BA4; pointwise 95% CI
reference
censored
Coefficient vs implicit fitted baseline
0.20
0.15
0.10
0.05
0.00
−0.05
1
2
3
4
5
6
7
8
Run
N20 Ran
N20 Str1
N20 Str2
N22 Ran
N22 Str1
N22 Str2



Left putamen; pointwise 95% CI
reference
censored
Coefficient vs implicit fitted baseline
0.15
0.10
0.05
0.00
−0.05
1
2
3
4
5
6
7
8
Run
N20 Ran
N20 Str1
N20 Str2
N22 Ran
N22 Str1
N22 Str2



Left BA6; pointwise 95% CI
reference
censored
Coefficient vs implicit fitted baseline
0.25
0.20
0.15
0.10
0.05
0.00
1
2
3
4
5
6
7
8
Run
N20 Ran
N20 Str1
N20 Str2
N22 Ran
N22 Str1
N22 Str2



Right accumbens; pointwise 95% CI
reference
censored
Coefficient vs implicit fitted baseline
0.10
0.05
0.00
−0.05
−0.10
−0.15
−0.20
−0.25
1
2
3
4
5
6
7
8
Run
N20 Ran
N20 Str1
N20 Str2
N22 Ran
N22 Str1
N22 Str2



Right caudate; pointwise 95% CI
reference
censored
Coefficient vs implicit fitted baseline
0.05
0.00
−0.05
−0.10
1
2
3
4
5
6
7
8
Run
N20 Ran
N20 Str1
N20 Str2
N22 Ran
N22 Str1
N22 Str2



Right cerebellar cortex; pointwise 95% CI
reference
censored
Coefficient vs implicit fitted baseline
0.15
0.10
0.05
0.00
1
2
3
4
5
6
7
8
Run
N20 Ran
N20 Str1
N20 Str2
N22 Ran
N22 Str1
N22 Str2



Right hippocampus; pointwise 95% CI
reference
censored
Coefficient vs implicit fitted baseline
0.05
0.00
−0.05
−0.10
−0.15
1
2
3
4
5
6
7
8
Run
N20 Ran
N20 Str1
N20 Str2
N22 Ran
N22 Str1
N22 Str2


Right pallidum; pointwise 95% CI
reference
censored
Coefficient vs implicit fitted baseline
0.075
0.050
0.025
0.000
−0.025
−0.050
−0.075
−0.100
1
2
3
4
5
6
7
8
Run
N20 Ran
N20 Str1
N20 Str2
N22 Ran
N22 Str1
N22 Str2


Right precentral; pointwise 95% CI
reference
censored
Coefficient vs implicit fitted baseline
0.10
0.05
0.00
−0.05
−0.10
−0.15
−0.20
1
2
3
4
5
6
7
8
Run
N20 Ran
N20 Str1
N20 Str2
N22 Ran
N22 Str1
N22 Str2


Right BA4; pointwise 95% CI
reference
censored
Coefficient vs implicit fitted baseline
0.05
0.00
−0.05
−0.10
−0.15
−0.20
1
2
3
4
5
6
7
8
Run
N20 Ran
N20 Str1
N20 Str2
N22 Ran
N22 Str1
N22 Str2


Right putamen; pointwise 95% CI
reference
censored
Coefficient vs implicit fitted baseline
0.10
0.05
0.00
−0.05
1
2
3
4
5
6
7
8
Run
N20 Ran
N20 Str1
N20 Str2
N22 Ran
N22 Str1
N22 Str2


Right BA6; pointwise 95% CI
reference
censored
Coefficient vs implicit fitted baseline
0.15
0.10
0.05
0.00
−0.05
−0.10
1
2
3
4
5
6
7
8
Run
N20 Ran
N20 Str1
N20 Str2
N22 Ran
N22 Str1
N22 Str2