

Visualisation for bioacoustics and ecoacoustics

Ed Baker

2022-08-13

Contents

About	5
1 Introduction	7
2 History	9
2.1 Descriptive bioacoustics	9
3 Early visualisations - the analog years	11
3.1 CRTs	11
3.2 Print outs	11
4 Static digital images	13
5 Dynamic digital visualisations	15
5.1 Video spectrograms	15
5.2 zcjs-r	15
6 Representing Soundscapes	17
6.1 False Colour Index Spectrograms	17
7 Patterns of activity	19
8 The Future	21
9 Acknowledgements	23

About

Bioacoustics and ecoacoustics are rapidly advancing multi-disciplinary fields of study that focus on how organisms communicate using sound, and the overall sound of a landscape (the soundscape). Despite the focus on sound, much of the communication of ideas, and even sounds, between researchers is done using graphical representations.

This should not come as a surprise, the printing press came centuries before the radio as a means for long distance communication, and ink on paper has a permanence that sounds would not achieve for a long time after the invention of writing. The current flourishing of these disciplines is driven as much by the low cost and ease of use of products such as AudioMoth and the decreasing cost of digital storage and processing as by novel ideas.

Visualizations of acoustic data however are not going away - we are a predominantly visual species, and as ways of summarising acoustic data - or making the ultrasound tangible, they are powerful tools in the hands of the acoustician.

Chapter 1

Introduction

“...while we take it for granted that sounds may be described visually, the convention is recent, is by no means universal and, as I will show, is in many ways dangerous and inappropriate.”

— Schafer [1977]

While Murray Schafer’s *Tuning of the World* [Schafer, 1977] inspired many soundscape scientists, this view is of an earlier time, where the concept of multiple simultaneous streams of acoustic data being processed by a single individual was still an idea beyond the horizon. Individual sounds could be isolated and studied (as today they still are by bioacousticians interested in the behaviour of individual species). The scale of many contemporary ecoacoustics projects precludes an individual from listening to every minute that is recorded, the task no longer delegated to students but networks of machines.

Additionally, it is now useful to distinguish between two concepts that Schafer brought together under the concept of *notation*. Schafer used this term to bring together what is more typically known as notation – phonetics and musical notation – alongside visual representations of the physical properties of acoustic waves (amplitude, frequency, etc).

Historically both musical notation and phonemes have been used to describe the songs of various animals, however these methods do not scale to the entirety of the biological soundscape.

Chapter 2

History

2.1 Descriptive bioacoustics

2.1.1 Phonemes and onomatopoeia

2.1.2 Musical notation

Typical musical notation shows broad similarities with a typical audio visualisation familiar to all bioacousticians and ecoacousticians - the frequency against time plot. Time proceeds in a strictly linear fashion from left to right, and frequency is represented rising from bottom to top.

Chapter 3

Early visualisations - the analog years

3.1 CRTs

3.2 Print outs

Chapter 4

Static digital images

Chapter 5

Dynamic digital visualisations

5.1 Video spectrograms

5.2 `zcjs-r`

Chapter 6

Representing Soundscapes

6.1 False Colour Index Spectrograms

Chapter 7

Patterns of activity

Chapter 8

The Future

Chapter 9

Acknowledgements

For discussions around visualisation as part of the Urban Nature Project: Chris Raper, John Tweddle.

Bibliography

R. Murray Schafer. *Tuning of the World*. Random House, 1977.