

Open Independent Verification

Zero-custody, hash-only.

May 19, 2026

QMSAuditor_v5 Lite

auditlog.ai/qms-auditor-lite

Open access · offline · no login · no data collection



AuditLog.AI Research Initiative


Cardiovascular Diagnostic Audit & AI Pty Ltd · Melbourne, Australia

Contact: Fernando Telles, MD | Methodology Lead | fernando.telles@auditlog.ai

(US Provisional #63/826,381; AU Provisional #2025902482)

Open-access Download QMSAuditor_v5 Lite

Once installed, no login or internet connection is required (no data collection).



QMSAuditor Lite download page: <https://auditlog.ai/qms-auditor-lite>

When launched, you will see the QMSAuditor_v5 Lite home screen. In the Lite version, only Mode A (Compare Hash-only Export Packets) is available. Select Mode A to begin verification.

Mode A is the hash-only verification mode.

Run paired-comparisons (user selected)

Select a known, validated reference (**Tk**) by browsing to the folder containing the corresponding ZC packets. **ZC packets require hash-only proofs at the evidence and membership layers:**

02_AUDIT_HASHES and ZC_MANIFESTS

The screenshot shows the QMSAuditor_v5 Lite application window. The title bar reads "QMSAuditor_v5 Lite". The main header features the application logo and name "QMSAuditor_v5 Lite", with "Home" and "Help" buttons to the right. The main content area is titled "Mode A - Compare Hash-only Export Folders". It contains three numbered steps:

- 1 Select Reference Evidence-State folder (Tk)**
Reference export folder or parent folder.
A "Browse" button is present. Below it, a text box contains the path: `C:\Users\audit\Desktop\Mendley_TEST\Node02_source`.
- 2 Select Audit Target folder (Tn)**
Audit export folder or parent folder.
A "Browse" button is present. Below it, a text box contains the path: `C:\Users\audit\Desktop\Mendley_TEST\Node02_completed`.
- 3 Select output directory**
A fresh QMSv5 output folder is created inside this location.
A "Browse" button is present. Below it, a text box contains the path: `C:\Users\audit\Desktop\Mendley_TEST`. At the bottom of this section is a large blue button labeled "Run Comparison".

Run comparison to verify the integrity of any later corpus claiming equivalence (**Tn**).

Mode A: all three fields populated. Reference (Tk), Audit Target (Tn), and output directory are set. Click Run Comparison to proceed.

Verification output

PASS: byte-identical at the evidence and membership layers (**proof-of-unchanged**).

Divergence: Enumeration of one or more files and/or containers that are not byte-identical (divergence enumerated).

The screenshot displays the QMS Auditor v5 Lite application interface, which is split into two panels. The left panel shows the user interface, and the right panel shows the underlying JSON report data.

Top Panel (PASS):

- QMS Auditor v5 Lite** (Application Title)
- Home** (Button)
- Help** (Button)
- PASS** (Status)
- HASH PARITY PASS / ESF SET EQUIVALENT** (Message)
- Records compared:**
 - Hash rows (reference / target): **6,152 / 6,152**
 - Distinct hash pairs: **4,181**
 - ESF containers: **554 / 554**
 - (distinct): **535 / 535**
 - Fingerprint match: **Yes**
- Divergence:**
 - Missing hash pairs: **0**
 - Extra hash pairs: **0**
 - ESF divergence rows: **0**
- Compare duration: **00:00:30**

Bottom Panel (DIVERGENCE DETECTED):

- QMS Auditor v5 Lite** (Application Title)
- DIVERGENCE DETECTED** (Status)
- HASH PARITY FAIL / ESF SET NOT EQUIVALENT** (Message)
- Records compared:**
 - Hash rows (reference / target): **6,152 / 6,132**
 - Distinct hash pairs: **4,181**
 - ESF containers: **554 / 552**
 - (distinct): **535 / 534**
 - Fingerprint match: **No**
- Divergence:**
 - Missing hash pairs: **20**
 - Extra hash pairs: **0**
 - ESF divergence rows: **32**
 - Baseline-only: **17**
 - Audit-only: **15**
- Compare duration: **00:00:28**

Right Panel (JSON Report):

The right panel displays the JSON report data for the verification process. The report is titled "HVT-A Report - QMS v5 (Zero-Custody, Hash-Only)". It includes a "Machine compare summary" section with the following data:

```
{
  "ts_utc": "2026-05-19T20:23:13Z",
  "inputs": {
    "source_run_root": "C:\\Users\\audit\\Desktop\\IV_Verifications\\QMSv5_20260519T202233Z\\ZC\\02233Z\\ZC\\BASELINE",
    "windows_run_root": "C:\\Users\\audit\\Desktop\\IV_Verifications\\QMSv5_20260519T202233Z\\ZC\\AUDIT",
    "source_global_path": "C:\\Users\\audit\\Desktop\\IV_Verifications\\QMSv5_20260519T202233Z\\ZC\\BASELINE\\02_AUDIT_HASHES\\HASHES_GLOBAL.ndjson",
    "windows_global_path": "C:\\Users\\audit\\Desktop\\IV_Verifications\\QMSv5_20260519T202233Z\\ZC\\AUDIT\\02_AUDIT_HASHES\\HASHES_GLOBAL.ndjson"
  },
  "counts": {
    "source_total_rows_read": 6152,
    "windows_total_rows_read": 6152,
    "source_valid_rows": 6152,
    "windows_valid_rows": 6152,
    "source_invalid_rows": 0,
    "windows_invalid_rows": 0,
    "distinct_pairs_union": 4181,
    "missing_count": 0,
    "extras_count": 0
  }
}
```

Download the zero-custody verification packets

Mendeley Data repository. 02_AUDIT_HASHES and ZC_MANIFESTS contain no raw data, no filenames, and no patient identifiers: only cryptographic fingerprints of the evidence states at the time of anchoring by AuditLog.AI.

The screenshot shows the Mendeley Data repository page for the dataset "Ordinal 15 Zero-Custody Disclosure Integrity Verification Packets". The page includes the following information:

- Dataset Title:** Ordinal 15 Zero-Custody Disclosure Integrity Verification Packets
- Published:** 3 February 2026 | **Version 1** | DOI: 10.17632/wjj674twb4.1
- Contributor:** Fernando Telles
- Description:** This dataset contains the hash-only, zero-custody verification packets associated with Ordinal 15: Proof-of-Unchanged Zero-Custody Audit Reproducibility Trial. The packets enable independent, deterministic verification of post-export disclosure integrity without access to raw evidence, filenames, paths, or execution environments. The contents support a pre-registered falsification test comparing cryptographically frozen baseline evidence states with post-analysis, time-anchored datasets. Using these packets, third parties may reproduce QNTx's Auditor comparisons to obtain either (i) proof-of-unchanged or (ii) explicit byte-level enumeration of divergence. This release is intended solely for independent audit verification and reproducibility assessment and contains no clinical data, personal identifiers, or interpretive analysis.
- Download:** Download All 7.1 MB
- Files:** A list of files including Maps_Provenance, NODE02_SOURCE_VS_COMPLETED, NODE03_SOURCE_VS_COMPLETED, ZC_ESF_Node02_HVT_A_COMPLETED, ZC_ESF_Node02_HVT_A_SOURCE, ZC_ESF_Node03_HVT_A_COMPLETED, ZC_ESF_Node03_HVT_A_SOURCE, ZC_MANIFESTS_Node02_HVT_A_COMPLETED, ZC_MANIFESTS_Node02_HVT_A_SOURCE, ZC_MANIFESTS_Node03_HVT_A_COMPLETED, and ZC_MANIFESTS_Node03_HVT_A_SOURCE.
- Steps to reproduce:** Detailed instructions are contained within Ordinal 15. Telles F. Ordinal 15: Proof-of-Unchanged Zero-Custody Audit Reproducibility Trial. Zenodo; 2026. <https://doi.org/10.5281/zenodo.13452216>
- Usage:** A progress bar showing 30 views.
- Latest version:** Version 1, Published: 3 Feb 2026, DOI: 10.17632/wjj674twb4.1.
- Cite this dataset:** Telles, Fernando (2026), "Ordinal 15 Zero-Custody Disclosure Integrity Verification Packets", Mendeley Data, V1, doi: 10.17632/wjj674twb4.1. A "Copy to clipboard" button is available.
- Recent download history:** A sidebar on the right shows a list of recent downloads, including the current dataset and several "auditlog file hashes.csv" files.

Mendeley Data DOI: <https://doi.org/10.17632/wjj674twb4.1>

How to arrange Mendeley Stage IV folders

Each paired-comparison arm directory must contain the folder **02_AUDIT_HASHES** and **ZC_MANIFESTS**.

...	Ordinal 15 Zero-Custody Disclosure Integrity Verif	Search Ordinal 15 Zero-Custc	Q
) [Icons] Sort View Extract all ... Preview			
Name	Type	Compressed size	Password pr... Size
Maps_Provenance	File folder		
NODE02_SOURCE_VS_COMPLETED	File folder		
NODE03_SOURCE_VS_COMPLETED	File folder		
ZC_ESF_Node02_HVT_A_COMPLETED	File folder		
ZC_ESF_Node02_HVT_A_SOURCE	File folder		
ZC_ESF_Node03_HVT_A_COMPLETED	File folder		
ZC_ESF_Node03_HVT_A_SOURCE	File folder		
ZC_MANIFESTS_Node02_HVT_A_COMPL...	File folder		
ZC_MANIFESTS_Node02_HVT_A_SOURCE	File folder		
ZC_MANIFESTS_Node03_HVT_A_COMPL...	File folder		
ZC_MANIFESTS_Node03_HVT_A_SOURCE	File folder		
ZC_PACKET_Node02_HVT_A_COMPLETED	File folder		
ZC_PACKET_Node02_HVT_A_SOURCE	File folder		
ZC_PACKET_Node03_HVT_A_COMPLETED	File folder		
ZC_PACKET_Node03_HVT_A_SOURCE	File folder		
Ordinal 15 Proof-of-Unchanged Zero-Cu...	Adobe Acrobat Document	578 KB	No
Ordinal 15 Proof-of-Unchanged Zero-Cu...	ZHA File	1 KB	No
Ordinal 15 Proof-of-Unchanged Zero-Cu...	HASH File	1 KB	No
Ordinal 15 Proof-of-Unchanged Zero-Cu...	OpenDocument Spreadsheet ...	1 KB	No

Within the Mendeley download, **02_AUDIT_HASHES** are within ZC_PACKET_* for each node. Arrange the folders following the format below to enable paired-comparisons.

Node_02_SOURCE

Mendeley_TEST > Node_02_SOURCE

Search Node_02

New >

References

QMSAuditor Lite: download

Software: <https://auditlog.ai/qms-auditor-lite>

Preprint

Telles F. QMSAuditor v5: Zero-Custody Cryptographic Audit (SSRN preprint).

SSRN DOI: <https://dx.doi.org/10.2139/ssrn.6763500>

Mendeley: analysis dataset

Telles, Fernando (2026), "Stage IV Audit Reproducibility Dataset (HVT-A): Deterministic Hash-Based Verification and Human Verification Time Outputs", Mendeley Data, V1.

Mendeley DOI: <https://doi.org/10.17632/fzw4pzkd83.1>

Mendeley: zero-custody verification packets

Telles, Fernando (2026), "Ordinal 15 Zero-Custody Disclosure Integrity Verification Packets", Mendeley Data, V1.

Mendeley DOI: <https://doi.org/10.17632/wjj674twb4.1>

Zenodo: supplementary material

Telles F. Supplementary Materials for Stage IV Cryptographic Audit Validation: Methods, Protocols, and Reproducibility Outputs. Zenodo; 2026.

Zenodo DOI: <https://doi.org/10.5281/zenodo.18446261>

Zenodo: Ordinal 15 audit outputs

Telles F. Ordinal 15: Proof-of-Unchanged Zero-Custody Audit Reproducibility Trial. Zenodo; 2026.

Zenodo DOI: <https://doi.org/10.5281/zenodo.18452216>

AuditLog.AI

AuditLog.AI Research Initiative · Cardiovascular Diagnostic Audit & AI Pty Ltd · Melbourne, Australia.

Website: <https://auditlog.ai>

Open-access hash verifier (files & folders): <https://auditlog.ai/hash-verifier>

*If verification itself should not require trust in the verifier,
this is the first step.*