

## Profile Summary (Total time: 57.629 s)

Generated 18-Jul-2023 01:13:14 using performance time.

| Function Name   | Calls | Total Time (s) | Self Time* (s) | Total Time Plot<br>(dark band = self time)  |
|---|-------|----------------|----------------|---|
| <u>main</u>   | 1     | 57.350         | 0.002          |    |
| <u>run</u>  | 7     | 57.348         | 0.112          |    |
| <u>parallel_function</u>  | 3     | 53.528         | 0.033          |    |
| <u>parallel_function&gt;distributed_execution</u>                           | 3     | 53.357         | 0.045          |    |
| <u>remoteParfor&gt;remoteParfor.getCompleteIntervals</u>                    | 57    | 53.152         | 0.180          |    |
| <u>java.util.concurrent.LinkedBlockingQueue (Java method)</u>               | 253   | 52.786         | 52.786         |    |
| <u>YZProcessing08_3rdround</u>  | 1     | 33.660         | 0.176          |    |
| <u>YZProcessing04_tdoa</u>  | 1     | 12.218         | 0.080          |    |
| <u>YZProcessing06_2ndround</u>  | 1     | 9.187          | 0.157          |    |
| <u>YZProcessing05_statistics_remoultier</u>                                 | 1     | 1.032          | 0.162          |    |
| <u>readcell</u>   | 5     | 0.949          | 0.010          |    |
| <u>ExecutableFunction&gt;ExecutableFunction.validateAndExecute</u>          | 5     | 0.933          | 0.007          |    |
| <u>Statistics101_round3</u>   | 1     | 0.783          | 0.111          |    |
| <u>ReadCell&gt;ReadCell.execute</u>   | 5     | 0.722          | 0.014          |    |
| <u>ReadCellWithImportOptions&gt;ReadCellWithImportOptions.execute</u>       | 5     | 0.390          | 0.006          |    |
| <u>scatter</u>  | 4     | 0.357          | 0.038          |    |
| <u>DetectImportOptions&gt;DetectImportOptions.execute</u>                   | 5     | 0.315          | 0.010          |    |
| <u>DetectImportOptionsText&gt;DetectImportOptionsText.execute</u>           | 5     | 0.297          | 0.005          |  |
| <u>bar</u>  | 2     | 0.295          | 0.037          |  |
| <u>DetectImportOptionsText&gt;DetectImportOptionsText.getTextOpts</u>       | 5     | 0.285          | 0.006          |   |
| <u>ReadCellText&gt;ReadCellText.execute</u>                                 | 5     | 0.275          | 0.006          |   |
| <u>xyzline</u>  | 10    | 0.244          | 0.065          |   |
| <u>...importOptionsText&gt;DetectImportOptionsText.getOptsFromDetection</u> | 5     | 0.244          | 0.060          |   |
| <u>ylabel</u>   | 6     | 0.212          | 0.109          |   |
| <u>ReadCell&gt;ReadCell.validate</u>  | 5     | 0.199          | 0.004          |   |
| <u>DetectImportOptions&gt;DetectImportOptions.validate</u>                  | 5     | 0.194          | 0.007          |   |
| <u>hold</u>   | 5     | 0.191          | 0.039          |   |
| <u>TextDataReader&gt;TextDataReader.read</u>                                | 5     | 0.185          | 0.016          |   |
| <u>configureAxes</u>  | 16    | 0.183          | 0.015          |   |
| <u>YZProcessing09_3rdroundstatistics</u>                                    | 1     | 0.172          | 0.098          |   |
| <u>audioread</u>  | 2     | 0.165          | 0.005          |   |
| <u>CellBuilder&gt;CellBuilder.build</u>                                     | 5     | 0.162          | 0.008          |   |
| <u>audioread&gt;readaudio</u>   | 2     | 0.156          | 0.028          |   |
| <u>YZProcessing07_2ndroundstatistics</u>                                    | 1     | 0.152          | 0.086          |   |
| <u>categorical.categorical&gt;categorical.categorical</u>                   | 6     | 0.150          | 0.049          |   |
| <u>yline</u>  | 2     | 0.140          | 0.002          |   |
| <u>subplot</u>  | 2     | 0.134          | 0.056          |   |
| <u>ExecutableFunction&gt;ExecutableFunction.validate</u>                    | 5     | 0.129          | 0.003          |   |
| <u>ExecutableFunction&gt;ExecutableFunction.validateArguments</u>           | 5     | 0.126          | 0.017          |   |
| <u>tickCallback</u>   | 2     | 0.126          | 0.006          |   |

|  |      |       |       |  |
|--|------|-------|-------|--|
| <u>updateTicks</u>   | 2    | 0.118 | 0.040 |  |
| <u>CanvasPlugin.CanvasPlugin&gt;CanvasPlugin.createCanvas</u>                | 5    | 0.118 | 0.009 |  |
| <u>configureRuler</u>  | 30   | 0.112 | 0.021 |  |
| <u>xline</u>   | 8    | 0.108 | 0.001 |  |
| <u>remoteParfor&gt;remoteParfor.deserialize</u>                              | 216  | 0.102 | 0.030 |  |
| <u>isMember</u>  | 25   | 0.101 | 0.022 |  |
| <u>CellBuilder&gt;CellBuilder.convertCells</u>                               | 5    | 0.100 | 0.012 |  |
| <u>remoteParfor&gt;remoteParfor.addInterval</u>                              | 216  | 0.096 | 0.033 |  |
| <u>AbstractScatter.doUpdate</u>  | 4    | 0.095 | 0.062 |  |
| <u>ImportOptions.ImportOptions&gt;ImportOptions.setVarType</u>               | 5    | 0.086 | 0.006 |  |
| <u>rmOutliers</u>  | 4    | 0.086 | 0.003 |  |
| <u>str2double</u>  | 2214 | 0.084 | 0.084 |  |
| <u>rmMissingOutliers</u>   | 4    | 0.083 | 0.006 |  |
| <u>parallel_function&gt;@(initData,E)createEngine(M,initData,E)</u>          | 3    | 0.082 | 0.001 |  |
| <u>TextDataReader&gt;TextDataReader.TextDataReader</u>                       | 5    | 0.081 | 0.009 |  |
| <u>PoolOptions&gt;PoolOptions.createEngine</u>                               | 3    | 0.081 | 0.003 |  |
| <u>CanvasSetup&gt;CanvasSetup.createScribeLayers</u>                         | 5    | 0.080 | 0.004 |  |
| <u>isMember&gt;isMemberR2012a</u>  | 25   | 0.079 | 0.018 |  |
| <u>FastVarOpts&gt;FastVarOpts.setTypes</u>                                   | 15   | 0.078 | 0.014 |  |
| <u>...tackManager.ScribeStackManager&gt;ScribeStackManager.getLayer</u>      | 22   | 0.078 | 0.008 |  |
| <u>remoteParfor&gt;remoteParfor.remoteParfor</u>                             | 3    | 0.078 | 0.009 |  |
| <u>makeNumeric</u>   | 90   | 0.076 | 0.012 |  |
| <u>deserialize</u>   | 216  | 0.072 | 0.053 |  |
| <u>AcceptsReadableFilename&gt;AcceptsReadableFilename.setFilename</u>        | 5    | 0.069 | 0.003 |  |
| <u>...ckManager.ScribeStackManager&gt;ScribeStackManager.createLayer</u>     | 15   | 0.066 | 0.017 |  |
| <u>...tsReadableFilename&gt;AcceptsReadableFilename.validateFilename</u>     | 5    | 0.066 | 0.005 |  |
| <u>ConstantLine.ConstantLine&gt;ConstantLine.getXYZDataExtents</u>           | 74   | 0.064 | 0.012 |  |
| <u>remoteParfor&gt;remoteParfor.buildParforController</u>                    | 3    | 0.064 | 0.018 |  |
| <u>TextDataReader&gt;TextDataReader.initTextParser</u>                       | 5    | 0.064 | 0.009 |  |
| <u>remoteParfor&gt;remoteParfor.displayOutput</u>                            | 250  | 0.063 | 0.037 |  |
| <u>rmMissingOutliers&gt;applyFun</u>   | 4    | 0.063 | 0.003 |  |
| <u>Scatter.Scatter&gt;Scatter.Scatter</u>                                    | 4    | 0.062 | 0.002 |  |
| <u>isOutlier</u>   | 4    | 0.060 | 0.009 |  |
| <u>Bar.doUpdate</u>  | 2    | 0.059 | 0.027 |  |
| <u>AbstractScatter,AbstractScatter&gt;AbstractScatter,AbstractScatter</u>    | 4    | 0.055 | 0.016 |  |
| <u>unique</u>  | 21   | 0.055 | 0.025 |  |
| <u>CategoricalRuler&gt;CategoricalRuler.convertNumericLimits</u>             | 2    | 0.055 | 0.001 |  |
| <u>CategoricalRuler&gt;CategoricalRuler.makeNonNumericLimits</u>             | 2    | 0.054 | 0.003 |  |
| <u>configureAxes&gt;checkChildren</u>  | 16   | 0.054 | 0.010 |  |
| <u>cell.unique</u>   | 41   | 0.054 | 0.024 |  |
| <u>validateString</u>  | 23   | 0.053 | 0.009 |  |
| <u>Bar.getXYZDataExtents</u>   | 2    | 0.053 | 0.006 |  |
| <u>...rsManager.SubplotListenersManager&gt;@(o,e)subplotLayout(ax,e,fig)</u> | 1    | 0.052 | 0.014 |  |
| <u>getRulersForChild</u>   | 90   | 0.052 | 0.026 |  |
| <u>CategoricalRuler&gt;CategoricalRuler.makeNonNumeric</u>                   | 2    | 0.051 | 0.003 |  |

|  |     |       |       |  |
|--|-----|-------|-------|--|
| <u>cell.ismember</u>   | 10  | 0.050 | 0.019 |  |
| <u>remoteParfor&gt;remoteParfor.serialize</u>                                  | 219 | 0.049 | 0.006 |  |
| <u>CategoricalRuler&gt;CategoricalRuler.addData</u>                            | 6   | 0.049 | 0.003 |  |
| <u>validateFileName</u>  | 5   | 0.048 | 0.009 |  |
| <u>subplot&gt;addAxesToGrid</u>  | 2   | 0.047 | 0.014 |  |
| <u>ConstantLine.ConstantLine&gt;ConstantLine.doUpdate</u>                      | 10  | 0.046 | 0.031 |  |
| <u>CategoricalRuler&gt;CategoricalRuler.mergeDataCategories</u>                | 6   | 0.046 | 0.008 |  |
| <u>Bar.Bar&gt;Bar.Bar</u>  | 2   | 0.045 | 0.009 |  |
| <u>ismember&gt;ismemberClassTypes</u>  | 6   | 0.045 | 0.017 |  |
| <u>serialize</u>   | 219 | 0.044 | 0.011 |  |
| <u>...xesInteractions&gt;UnifiedAxesInteractions.createDefaultInteractions</u> | 21  | 0.041 | 0.014 |  |
| <u>gobjects</u>  | 296 | 0.041 | 0.037 |  |
| <u>validateString&gt;checkString</u>   | 23  | 0.041 | 0.012 |  |
| <u>AcceptsFileType&gt;AcceptsFileType.setFileType</u>                          | 5   | 0.040 | 0.004 |  |
| <u>fullfile</u>  | 15  | 0.040 | 0.015 |  |
| <u>hgGetBehavior</u>   | 8   | 0.039 | 0.003 |  |
| <u>DelimitedTextImportOptions&gt;DelimitedTextImportOptions.getParser</u>      | 5   | 0.039 | 0.014 |  |
| <u>ScribeLayer.ScribeLayer&gt;ScribeLayer.ScribeLayer</u>                      | 15  | 0.038 | 0.015 |  |
| <u>configureAxes&gt;checkDim</u>   | 32  | 0.037 | 0.018 |  |
| <u>InputStream&gt;InputStream.read</u>   | 2   | 0.037 | 0.016 |  |
| <u>hgGetBehavior&gt;localGet</u>   | 8   | 0.037 | 0.010 |  |
| <u>newplot</u>   | 6   | 0.037 | 0.006 |  |
| <u>AbstractScatter.getXYZDataExtents</u>                                       | 4   | 0.036 | 0.011 |  |
| <u>categorical.removecats</u>  | 4   | 0.035 | 0.007 |  |
| <u>DelimitedTextInputs&gt;DelimitedTextInputs.setDelimiter</u>                 | 10  | 0.035 | 0.005 |  |
| <u>DetectImportOptionsText&gt;DetectImportOptionsText.removeBOM</u>            | 5   | 0.034 | 0.034 |  |
| <u>unescape</u>  | 30  | 0.034 | 0.018 |  |
| <u>detectTypes</u>   | 5   | 0.033 | 0.015 |  |
| <u>Channel&gt;Channel.Channel</u>  | 2   | 0.033 | 0.015 |  |
| <u>arraytolimits</u>   | 82  | 0.031 | 0.008 |  |
| <u>datafun\private\locateoutliers</u>  | 4   | 0.031 | 0.011 |  |
| <u>unique&gt;uniqueR2012a</u>  | 21  | 0.030 | 0.030 |  |
| <u>...toolbox.distcomp.pmode.parfor.ParforControllerImpl (Java method)</u>     | 297 | 0.030 | 0.030 |  |
| <u>ConstantLine.ConstantLine&gt;ConstantLine.ConstantLine</u>                  | 10  | 0.030 | 0.025 |  |
| <u>cell.setdiff</u>  | 5   | 0.029 | 0.003 |  |
| <u>...rtOptions&gt;DelimitedTextImportOptions.DelimitedTextImportOptions</u>   | 5   | 0.029 | 0.005 |  |
| <u>parsePlotAPI</u>  | 6   | 0.029 | 0.006 |  |
| <u>attributes</u>  | 6   | 0.028 | 0.004 |  |
| <u>cell.unique&gt;celluniqueR2012a</u>   | 41  | 0.028 | 0.028 |  |
| <u>ctorHelper</u>  | 24  | 0.028 | 0.013 |  |
| <u>axesCheck</u>   | 21  | 0.027 | 0.018 |  |
| <u>ExecutableFunction&gt;ExecutableFunction,obj2struct</u>                     | 5   | 0.027 | 0.012 |  |
| <u>cell.setdiff&gt;cellsetdiffR2012a</u>                                       | 5   | 0.026 | 0.008 |  |
| <u>ImportOptions.ImportOptions&gt;ImportOptions.get.VariableNames</u>          | 10  | 0.026 | 0.002 |  |

|  |     |       |       |  |
|--|-----|-------|-------|--|
| FastVarOpts>FastVarOpts.get.Names  | 15  | 0.026 | 0.004 |  |
| <u>setxor</u>  | 2   | 0.025 | 0.002 |  |
| <u>newplot&gt;ObserveAxesNextPlot</u>  | 6   | 0.025 | 0.005 |  |
| <u>getJavaFutureInterruptibly</u>  | 3   | 0.024 | 0.012 |  |
| <u>Scatter.Scatter&gt;Scatter.doSetup</u>                                      | 8   | 0.024 | 0.013 |  |
| <u>ToolbarFactory&gt;ToolbarFactory.getToolbar</u>                             | 5   | 0.024 | 0.001 |  |
| <u>Bar.computeLayout</u>   | 2   | 0.024 | 0.012 |  |
| <u>validateAndEscapeCellStrings</u>  | 25  | 0.023 | 0.011 |  |
| <u>setxor&gt;setxorR2012a</u>  | 2   | 0.023 | 0.006 |  |
| <u>arraytolimits&gt;localGetLimits</u>   | 238 | 0.023 | 0.023 |  |
| <u>hgbehaviorfactory</u>   | 8   | 0.023 | 0.002 |  |
| <u>... er/DesktopToolbarController&gt;DesktopToolbarController.getInstance</u> | 5   | 0.022 | 0.002 |  |
| <u>xlabel</u>  | 1   | 0.022 | 0.014 |  |
| <u>... ubplotListenersManager&gt;SubplotListenersManager.addToListeners</u>    | 2   | 0.022 | 0.016 |  |
| <u>FastVarOpts&gt;FastVarOpts.getVarOptsStruct</u>                             | 10  | 0.021 | 0.012 |  |
| <u>hgbehaviorfactory&gt;localCreate</u>  | 8   | 0.021 | 0.008 |  |
| <u>isoutlier&gt;parseinput</u>   | 4   | 0.021 | 0.011 |  |
| <u>... lbarController&gt;DesktopToolbarController,DesktopToolbarController</u> | 5   | 0.020 | 0.003 |  |
| <u>cla</u>   | 2   | 0.020 | 0.006 |  |
| <u>parforOptions</u>   | 3   | 0.020 | 0.002 |  |
| <u>InputStream&gt;InputStream.readPackets</u>                                  | 6   | 0.020 | 0.020 |  |
| <u>scatter&gt;parseargs</u>  | 4   | 0.019 | 0.007 |  |
| <u>fileparts</u>   | 33  | 0.019 | 0.009 |  |
| <u>getChildrenForRuler</u>   | 30  | 0.019 | 0.019 |  |
| <u>AnnotationPane.AnnotationPane&gt;AnnotationPane.AnnotationPane</u>          | 10  | 0.019 | 0.004 |  |
| <u>strcat</u>  | 14  | 0.019 | 0.017 |  |
| <u>remoteParfor&gt;iDisplayStringArray</u>                                     | 63  | 0.018 | 0.009 |  |
| <u>ismember&gt;ismemberBuiltinTypes</u>  | 25  | 0.018 | 0.018 |  |
| <u>DelimitedTextInputs&gt;DelimitedTextInputs.get.Delimiter</u>                | 10  | 0.018 | 0.003 |  |
| <u>parallel_function&gt;distributed_execution/consume_reduce</u>               | 216 | 0.018 | 0.009 |  |
| <u>...s&gt;UnifiedAxesInteractions.queueCreateDefaultInteractionsOnAxes</u>    | 21  | 0.018 | 0.008 |  |
| <u>PoolOptions&gt;PoolOptions.build</u>  | 3   | 0.018 | 0.003 |  |
| <u>distcompserialize64 (MEX-file)</u>  | 219 | 0.018 | 0.018 |  |
| <u>ArrayBuilder&gt;ArrayBuilder.build</u>                                      | 5   | 0.018 | 0.007 |  |
| <u>makeUniqueStrings</u>   | 15  | 0.017 | 0.007 |  |
| <u>repmat</u>  | 62  | 0.017 | 0.015 |  |
| <u>...mode,parfor,ParforControllerImpl\$IntervalResultImpl (Java method)</u>   | 648 | 0.017 | 0.017 |  |
| <u>absolutePathForReading</u>  | 2   | 0.017 | 0.005 |  |
| <u>scatter&gt;localGetAxesInfo</u>   | 4   | 0.016 | 0.002 |  |
| <u>mean</u>  | 90  | 0.016 | 0.013 |  |
| <u>TextInputs&gt;TextInputs.getLineEnding</u>                                  | 10  | 0.016 | 0.003 |  |
| <u>AcceptsFileType&gt;AcceptsFileType.getFileTypeFirst</u>                     | 5   | 0.015 | 0.004 |  |
| <u>distcompMakeByteBufferHandles (MEX-file)</u>                                | 219 | 0.015 | 0.015 |  |
| <u>FastVarOpts&gt;FastVarOpts.FastVarOpts</u>                                  | 5   | 0.015 | 0.010 |  |
| <u>AnnotationPane.AnnotationPane&gt;AnnotationPane.doSetup</u>                 | 10  | 0.015 | 0.013 |  |

|   |     |       |       |  |
|---|-----|-------|-------|--|
| <u>remoteParfor&gt;remoteParfor.complete</u>  | 3   | 0.014 | 0.005 |  |
| <u>HasPropertiesAsNVPairs&gt;HasPropertiesAsNVPairs.parseInputs</u>                 | 5   | 0.014 | 0.011 |  |
| <u>cell.strcat</u>  | 5   | 0.014 | 0.011 |  |
| <u>view</u>   | 2   | 0.014 | 0.007 |  |
| <u>PoolOptions&gt;PoolOptions.PoolOptions</u>                                       | 3   | 0.014 | 0.008 |  |
| <u>mode</u>   | 10  | 0.013 | 0.013 |  |
| <u>ArgumentParser&gt;ArgumentParser.canonicalizeNames</u>                           | 10  | 0.013 | 0.009 |  |
| <u>DetectImportOptionsText&gt;DetectImportOptionsText.setHexType</u>                | 5   | 0.013 | 0.008 |  |
| <u>Engine&gt;Engine.divideRangeIntervals</u>  | 3   | 0.013 | 0.003 |  |
| <u>rmMissingOutliers&gt;parseInputs</u>   | 4   | 0.012 | 0.006 |  |
| <u>Bar.getSingleBarExtentsArray</u>   | 2   | 0.012 | 0.008 |  |
| <u>datafun\private\datafuniqr</u>   | 1   | 0.012 | 0.003 |  |
| <u>...tackManager.ScribeStackManager&gt;ScribeStackManager.findLayer</u>            | 97  | 0.012 | 0.012 |  |
| <u>ismissing</u>  | 7   | 0.012 | 0.003 |  |
| <u>makeNumeric&gt;numericDim</u>  | 180 | 0.012 | 0.008 |  |
| <u>PostUpdatePlugin&gt;@(sourceObj,evtData)obj.cacheLoad(sourceObj)</u>             | 5   | 0.012 | 0.001 |  |
| <u>...lbarController.ToolbarController&gt;ToolbarController.ToolbarController</u>   | 5   | 0.012 | 0.009 |  |
| <u>parseArgs</u>  | 6   | 0.012 | 0.012 |  |
| <u>attributes&gt;checkAttrs</u>   | 6   | 0.011 | 0.005 |  |
| <u>validateAndEscapeCellStrings&gt;escape</u>                                       | 30  | 0.011 | 0.003 |  |
| <u>audioread&gt;@()delete(durationListener)</u>                                     | 2   | 0.011 | 0.002 |  |
| <u>AbstractScatter.cacheLegendIconColors</u>  | 4   | 0.011 | 0.010 |  |
| <u>pctTryCreatePoolIfNecessary</u>  | 3   | 0.011 | 0.003 |  |
| <u>graphics\private\clo</u>   | 2   | 0.011 | 0.010 |  |
| <u>Bar.getLayoutHints</u>   | 27  | 0.011 | 0.008 |  |
| <u>...nager.SubplotListenersManager&gt;SubplotListenersManager.disable</u>          | 1   | 0.010 | 0.010 |  |
| <u>PostUpdatePlugin&gt;PostUpdatePlugin.cacheLoad</u>                               | 5   | 0.010 | 0.005 |  |
| <u>fileparts&gt;legacyPCExecution</u>   | 33  | 0.010 | 0.010 |  |
| <u>replace</u>  | 35  | 0.010 | 0.007 |  |
| <u>AbstractScatter.getColorAlphaDataExtents</u>                                     | 10  | 0.010 | 0.008 |  |
| <u>parseparams</u>  | 4   | 0.010 | 0.006 |  |
| <u>CategoricalRuler&gt;CategoricalRuler.computeLabels</u>                           | 14  | 0.010 | 0.008 |  |
| <u>...ctScatter.AbstractScatter&gt;AbstractScatter.set.CurrentIconColorInfo</u>     | 8   | 0.010 | 0.005 |  |
| <u>attributes&gt;checkInputs</u>  | 6   | 0.010 | 0.003 |  |
| <u>...dAxesInteractions&gt;UnifiedAxesInteractions.queuedAxesOperations</u>         | 28  | 0.010 | 0.010 |  |
| <u>YZProcessing04_tdoa&gt;(parfor supply)</u>                                       | 72  | 0.010 | 0.008 |  |
| <u>Channel&gt;Channel.delete</u>  | 2   | 0.010 | 0.006 |  |
| <u>hgbehaviorfactory&gt;localGetBehaviorInfo</u>                                    | 8   | 0.010 | 0.010 |  |
| <u>YZProcessing08_3rdround&gt;(parfor supply)</u>                                   | 72  | 0.009 | 0.009 |  |
| <u>axescheck&gt;@(x)(isStringScalar(x)  ischar(x))&amp;&amp;strcmpi('parent',x)</u> | 61  | 0.009 | 0.005 |  |
| <u>Bar.Bar&gt;Bar.doPostSetup</u>   | 2   | 0.009 | 0.003 |  |
| <u>objArrayDispatch</u>   | 13  | 0.009 | 0.006 |  |
| <u>findall</u>  | 2   | 0.009 | 0.006 |  |
| <u>ScribeLayer,ScribeLayer&gt;@(src,event)hObj.childAdded(src,event)</u>            | 7   | 0.009 | 0.001 |  |
| <u>Bar.getColorAlphaDataExtents</u>   | 27  | 0.009 | 0.006 |  |

|  |     |       |       |  |
|--|-----|-------|-------|--|
| <u>datafun\private\datafunigr&gt;iqrImpl</u>                                     | 1   | 0.009 | 0.002 |  |
| <u>Bar.Bar&gt;Bar.set.Edge_I</u>   | 2   | 0.009 | 0.001 |  |
| <u>ismissingKernel</u>   | 7   | 0.009 | 0.006 |  |
| <u>...rtOptions.TextImportOptions&gt;TextImportOptions.TextImportOptions</u>     | 5   | 0.009 | 0.002 |  |
| <u>remoteparfor&gt;@(msg)fprintf(1,'%s',char(msg))</u>                           | 37  | 0.009 | 0.009 |  |
| <u>ArgumentParser&gt;ArgumentParser.extractArgs</u>                              | 5   | 0.009 | 0.009 |  |
| <u>...nager.SubplotListenersManager&gt;SubplotListenersManager.enable</u>        | 1   | 0.008 | 0.008 |  |
| <u>remoteparfor&gt;remoteparfor.awaitCompletionDisplayingOutput</u>              | 3   | 0.008 | 0.006 |  |
| <u>PoolArrayManager&gt;PoolArrayManager.getOrAutoCreateWithCleanup</u>           | 3   | 0.008 | 0.002 |  |
| <u>AbstractScatter.AbstractScatter&gt;AbstractScatter.set.MarkerHandle</u>       | 4   | 0.008 | 0.001 |  |
| <u>Engine&gt;divide_biharmonic</u>   | 3   | 0.008 | 0.007 |  |
| <u>@categorical\private\checkCategoryNames</u>                                   | 7   | 0.008 | 0.008 |  |
| <u>categorical.reordercats</u>   | 1   | 0.008 | 0.005 |  |
| <u>getJavaFutureResult</u>   | 3   | 0.008 | 0.002 |  |
| <u>std</u>   | 54  | 0.008 | 0.002 |  |
| <u>distcompByteBufferHandles2MxArray (MEX-file)</u>                              | 216 | 0.008 | 0.008 |  |
| <u>getRealData</u>   | 6   | 0.008 | 0.008 |  |
| <u>makeUniqueStrings&gt;makeUnique</u>   | 15  | 0.008 | 0.008 |  |
| <u>CategoricalRuler&gt;CategoricalRuler.doChooseMajorTickValues</u>              | 19  | 0.008 | 0.006 |  |
| <u>ScribeLayer.ScribeLayer&gt;ScribeLayer.childAdded</u>                         | 7   | 0.008 | 0.005 |  |
| <u>Stream&gt;Stream.Stream</u>   | 4   | 0.008 | 0.006 |  |
| <u>InputStream&gt;InputStream.InputStream</u>                                    | 2   | 0.008 | 0.002 |  |
| <u>graph2d\private\subplot_parseargs</u>   | 2   | 0.008 | 0.007 |  |
| <u>...tesianAxesInteractionContainer.CartesianAxesInteractionContainer</u>       | 7   | 0.008 | 0.001 |  |
| <u>DetectImportOptionsText&gt;DetectImportOptionsText.setBinaryType</u>          | 5   | 0.008 | 0.007 |  |
| <u>Bar.Bar&gt;Bar.setEdge_IFanoutProps</u>                                       | 2   | 0.008 | 0.006 |  |
| <u>isValidInLogScale</u>   | 28  | 0.007 | 0.005 |  |
| <u>Bar.Bar&gt;Bar.get.Horizontal</u>   | 66  | 0.007 | 0.005 |  |
| <u>validateBarRectangleData</u>  | 2   | 0.007 | 0.005 |  |
| <u>...itedTextInputs&gt;DelimitedTextInputs.set.ConsecutiveDelimitersRule</u>    | 5   | 0.007 | 0.001 |  |
| <u>isCellOfCharVectors</u>   | 45  | 0.007 | 0.007 |  |
| <u>usev6plotapi</u>  | 6   | 0.007 | 0.007 |  |
| <u>..bstractScatter.AbstractScatter&gt;AbstractScatter.set.MarkerEdgeColor</u>   | 4   | 0.007 | 0.003 |  |
| <u>configureAxes&gt;classcheck</u>   | 32  | 0.007 | 0.007 |  |
| <u>Bar.Bar&gt;Bar doGetBaselineAxis</u>  | 27  | 0.007 | 0.005 |  |
| <u>...tter.AbstractScatter&gt;AbstractScatter.setMarkerHandleFanoutProps</u>     | 4   | 0.007 | 0.006 |  |
| <u>Bar.Bar&gt;Bar.set.BarWidth</u>   | 2   | 0.007 | 0.004 |  |
| <u>...stractScatter.AbstractScatter&gt;AbstractScatter.set.MarkerEdgeAlpha</u>   | 4   | 0.007 | 0.003 |  |
| <u>PluginManager&gt;PluginManager.getPluginForRead</u>                           | 2   | 0.007 | 0.002 |  |
| <u>SerializationNotifier&gt;SerializationNotifier.createAccumulatingListener</u> | 3   | 0.007 | 0.004 |  |
| <u>colon_range_check</u>   | 3   | 0.007 | 0.005 |  |
| <u>Channel&gt;Channel.open</u>   | 2   | 0.007 | 0.003 |  |
| <u>PoolArrayManager&gt;iManipulatePoolArray</u>                                  | 3   | 0.007 | 0.004 |  |
| <u>fullfile&gt;refinePath</u>  | 15  | 0.007 | 0.005 |  |

|   |     |       |       |  |
|---|-----|-------|-------|--|
| <u>audioread&gt;@()\channel.close()</u>   | 2   | 0.007 | 0.001 |  |
| <u>generateArgumentDescriptor</u>   | 6   | 0.007 | 0.006 |  |
| <u>...andardAxesInteractionContainer.StandardAxesInteractionContainer</u>       | 7   | 0.007 | 0.001 |  |
| <u>rmMissingOutliersVarargin</u>  | 4   | 0.007 | 0.005 |  |
| <u>java.util.concurrent.FutureTask</u> (Java method)                            | 6   | 0.007 | 0.007 |  |
| <u>calculateEdgeVertexData</u>  | 10  | 0.006 | 0.003 |  |
| <u>unescape&gt;unescapestring</u>   | 45  | 0.006 | 0.006 |  |
| <u>DetectImportOptions&gt;DetectImportOptions.setVariableProps</u>              | 5   | 0.006 | 0.004 |  |
| <u>YZProcessing06_2ndround&gt;(parfor supply.)</u>                              | 72  | 0.006 | 0.006 |  |
| <u>interp1q</u>   | 1   | 0.006 | 0.005 |  |
| <u>..stractScatter.AbstractScatter&gt;AbstractScatter.set.MarkerHandleNaN</u>   | 4   | 0.006 | 0.001 |  |
| <u>Builder&gt;Builder.getBuilder</u>  | 5   | 0.006 | 0.002 |  |
| <u>nextstyle</u>  | 6   | 0.006 | 0.006 |  |
| <u>graph2d\private\labelcheck</u>   | 7   | 0.006 | 0.005 |  |
| <u>distcompdeserialize (MEX-file)</u>   | 216 | 0.006 | 0.006 |  |
| <u>var</u>  | 54  | 0.006 | 0.005 |  |
| <u>setPrimitiveColors</u>   | 4   | 0.006 | 0.006 |  |
| <u>...ackManager.ScribeStackManager&gt;ScribeStackManager.hasLayers</u>         | 15  | 0.006 | 0.003 |  |
| <u>Bar.Bar&gt;Bar.set.NumPeers</u>  | 2   | 0.006 | 0.003 |  |
| <u>Bar.Bar&gt;Bar.addBarListeners</u>   | 2   | 0.006 | 0.006 |  |
| <u>Bar.calculateBarRectangleData</u>  | 2   | 0.006 | 0.005 |  |
| <u>TextInputs&gt;TextInputs.set.DataLines</u>                                   | 10  | 0.006 | 0.002 |  |
| <u>...iner&gt;BaseAxesInteractionContainer.BaseAxesInteractionContainer</u>     | 7   | 0.006 | 0.001 |  |
| <u>remotebar&gt;remotebar.delete</u>  | 3   | 0.006 | 0.003 |  |
| <u>Scatter.Scatter&gt;@(~,~)set(hObj,'JitterDirty_I','on')</u>                  | 16  | 0.006 | 0.005 |  |
| <u>Channel&gt;Channel.close</u>   | 2   | 0.006 | 0.003 |  |
| <u>Bar.Bar&gt;Bar.set.Face_I</u>  | 2   | 0.005 | 0.001 |  |
| <u>collectSeriesData</u>  | 2   | 0.005 | 0.005 |  |
| <u>ImportOptions.ImportOptions&gt;ImportOptions.Import_Options</u>              | 5   | 0.005 | 0.003 |  |
| <u>..stractScatter.AbstractScatter&gt;AbstractScatter.set.SelectionHandle_I</u> | 4   | 0.005 | 0.001 |  |
| <u>...terPool.AbstractClusterPool&gt;AbstractClusterPool.get.NumWorkers</u>     | 3   | 0.005 | 0.003 |  |
| <u>scatter&gt;Lxychk</u>  | 4   | 0.005 | 0.004 |  |
| <u>audioread&gt;validateDataType</u>  | 2   | 0.005 | 0.001 |  |
| <u>FilePath&gt;FilePath.FilePath</u>  | 2   | 0.005 | 0.003 |  |
| <u>subplot&gt;datasiblings</u>  | 2   | 0.005 | 0.003 |  |
| <u>FastVarOpts&gt;getOptsStructWithDefaults</u>                                 | 13  | 0.005 | 0.005 |  |
| <u>...works.toolbox.distcomp.pmode.DrainableOutputImpl</u> (Java method)        | 63  | 0.005 | 0.005 |  |
| <u>view&gt;ViewCore</u>   | 2   | 0.005 | 0.004 |  |
| <u>...esInput&gt;PreserveVariableNamesInput.set.PreserveVariableNames</u>       | 5   | 0.005 | 0.002 |  |
| <u>...AbstractScatter&gt;AbstractScatter.setMarkerHandleNaNFanoutProps</u>      | 4   | 0.005 | 0.005 |  |
| <u>categorical.parenAssign</u>  | 4   | 0.005 | 0.004 |  |
| <u>PostUpdatePlugin&gt;PostUpdatePlugin.PostUpdatePlugin</u>                    | 5   | 0.005 | 0.004 |  |
| <u>median</u>   | 6   | 0.005 | 0.005 |  |
| <u>DetectImportOptionsText&gt;checkWrongParamsWrongType</u>                     | 5   | 0.005 | 0.001 |  |
| <u>TextInputs&gt;TextInputs.get.CommentStyle</u>                                | 5   | 0.005 | 0.001 |  |

|   |     |       |       |  |
|---|-----|-------|-------|--|
| <u>cellstr</u>  | 23  | 0.005 | 0.005 |  |
| ...m.mathworks.toolbox.distcomp.util.ByteBufferHandle (Java method)       | 216 | 0.005 | 0.005 |  |
| <u>markFigure</u>   | 8   | 0.004 | 0.004 |  |
| <u>InteractionContainer&gt;InteractionContainer.InteractionContainer</u>  | 7   | 0.004 | 0.004 |  |
| ...tImportOptionsText>DetectImportOptionsText.setTextFileProperties       | 5   | 0.004 | 0.003 |  |
| <u>EncodingInput&gt;EncodingInput.set.Encoding</u>                        | 10  | 0.004 | 0.004 |  |
| <u>isCharOrString</u>   | 61  | 0.004 | 0.004 |  |
| <u>CellBuilder&gt;CellBuilder.CellBuilder</u>                             | 5   | 0.004 | 0.002 |  |
| <u>compose</u>  | 15  | 0.004 | 0.003 |  |
| <u>UnifiedAxesInteractions&gt;UnifiedAxesInteractions.getCanvas</u>       | 21  | 0.004 | 0.004 |  |
| <u>Bar.Bar&gt;Bar.setFace_IFanoutProps</u>                                | 2   | 0.004 | 0.003 |  |
| <u>dctSchedulerMessage</u>  | 9   | 0.004 | 0.003 |  |
| <u>validateAndEscapeStrings</u>   | 5   | 0.004 | 0.001 |  |
| ...lusterPool.AbstractClusterPool>AbstractClusterPool.hGetIsUsable        | 9   | 0.004 | 0.004 |  |
| <u>CategoricalRuler&gt;CategoricalRuler.roundNumeric</u>                  | 35  | 0.004 | 0.004 |  |
| <u>box</u>  | 1   | 0.004 | 0.004 |  |
| <u>TextInputs&gt;TextInputs.get.Whitespace</u>                            | 5   | 0.004 | 0.001 |  |
| <u>OutputStream&gt;OutputStream.OutputStream</u>                          | 2   | 0.004 | 0.001 |  |
| <u>EncodingInput&gt;EncodingInput.detectEncodingFromFilename</u>          | 5   | 0.004 | 0.004 |  |
| <u>remoteParfor&gt;iTimeUnitSeconds</u>                                   | 60  | 0.004 | 0.004 |  |
| ...),A,'scalartext',fname,'expectedScalartext',msgId,argname,argpos)      | 6   | 0.004 | 0.001 |  |
| <u>isStringScalar</u>   | 61  | 0.004 | 0.004 |  |
| <u>isCharVector</u>   | 62  | 0.004 | 0.004 |  |
| <u>num2cell</u>   | 5   | 0.004 | 0.004 |  |
| ...AbstractScatter>AbstractScatter.setSelectionHandle_IFanoutProps        | 4   | 0.004 | 0.003 |  |
| <u>PointerMixin&gt;PointerMixin.setPointerStrategy</u>                    | 5   | 0.004 | 0.002 |  |
| <u>PluginManager&gt;PluginManager.errorIfUnsupportedFile</u>              | 2   | 0.004 | 0.003 |  |
| <u>validateNVPairs</u>  | 5   | 0.004 | 0.003 |  |
| <u>Bar.Bar&gt;Bar.get.CData</u>   | 29  | 0.004 | 0.003 |  |
| <u>FastVarOpts&gt;FastVarOpts.fixSelection</u>                            | 10  | 0.004 | 0.004 |  |
| <u>YZProcessing04_tdoa&gt;(parfor consume)</u>                            | 72  | 0.004 | 0.004 |  |
| <u>assertUnsupportedParamsForFileType</u>                                 | 10  | 0.004 | 0.004 |  |
| <u>parseCData</u>   | 6   | 0.003 | 0.003 |  |
| <u>validatestring&gt;checkInputs</u>                                      | 23  | 0.003 | 0.003 |  |
| <u>ReadCell&gt;ReadCell.getExtensions</u>                                 | 5   | 0.003 | 0.001 |  |
| <u>validateLineIntervals</u>  | 10  | 0.003 | 0.003 |  |
| <u>SubplotListenersManager.SubplotListenersManager&gt;find3emptycells</u> | 1   | 0.003 | 0.003 |  |
| <u>detectTypes&gt;getDominantType</u>                                     | 5   | 0.003 | 0.003 |  |
| <u>CategoricalRuler&gt;CategoricalRuler.CategoricalRuler</u>              | 4   | 0.003 | 0.002 |  |
| <u>FunctionStore&gt;FunctionStore.getFunctionByName</u>                   | 5   | 0.003 | 0.001 |  |
| <u>CategoricalRuler&gt;CategoricalRuler.makeNumeric</u>                   | 4   | 0.003 | 0.002 |  |
| <u>TextInteractions&gt;TextInteractions.createAndRegisterTextControl</u>  | 17  | 0.003 | 0.002 |  |
| <u>fullfile&gt;ensureTrailingFilesep</u>                                  | 15  | 0.003 | 0.001 |  |
| <u>graphics\private\claNotify</u>   | 2   | 0.003 | 0.003 |  |
| ...tter.AbstractScatter>AbstractScatter.set.CurrentIconColorInfoMode      | 8   | 0.003 | 0.003 |  |

|   |    |       |       |  |
|---|----|-------|-------|--|
| <u>HasPropertiesAsNVPairs&gt;getParserByClass</u>                                 | 5  | 0.003 | 0.003 |  |
| <u>preprocessextents</u>  | 4  | 0.003 | 0.003 |  |
| <u>AnnotationPane.AnnotationPane&gt;AnnotationPane.setParentImpl</u>              | 10 | 0.003 | 0.003 |  |
| <u>Bar.createBarVertexData</u>  | 2  | 0.003 | 0.003 |  |
| <u>remoteparfor&gt;remoteparfor.allIntervalsAdded</u>                             | 3  | 0.003 | 0.002 |  |
| <u>ArgumentParser&gt;ArgumentParser.checkAlias</u>                                | 10 | 0.003 | 0.003 |  |
| <u>...tOptions.ImportOptions&gt;ImportOptions.get.SelectedVariableNames</u>       | 5  | 0.003 | 0.002 |  |
| <u>AnnotationPane.AnnotationPane&gt;AnnotationPane.getParentImpl</u>              | 38 | 0.003 | 0.003 |  |
| <u>computeBars</u>  | 2  | 0.003 | 0.003 |  |
| <u>audioread&gt;validateRange</u>   | 2  | 0.003 | 0.002 |  |
| <u>remoteparfor&gt;remoteparfor.drainIntervals</u>                                | 3  | 0.003 | 0.003 |  |
| <u>Channel&gt;Channel.postInit</u>  | 2  | 0.003 | 0.003 |  |
| <u>PostUpdatePlugin&gt;isAxesToolbarExcluded</u>                                  | 5  | 0.003 | 0.003 |  |
| <u>DetectImportOptionsText&gt;DetectImportOptionsText.setFileProps</u>            | 5  | 0.003 | 0.003 |  |
| <u>remoteparfor&gt;remoteparfor.getDispatchSizes</u>                              | 3  | 0.003 | 0.002 |  |
| <u>ismissingKernel&gt;arraySwitch</u>   | 7  | 0.003 | 0.003 |  |
| <u>convertStringToCharArgs</u>  | 15 | 0.003 | 0.003 |  |
| <u>Scatter.getCleanData</u>   | 4  | 0.003 | 0.003 |  |
| <u>...taFromDetection&gt;TableMetaDataFromDetection.setMetaLocations</u>          | 5  | 0.003 | 0.003 |  |
| <u>attributes&gt;checkClass</u>   | 6  | 0.003 | 0.003 |  |
| <u>YZProcessing06_2ndround&gt;(parfor consume)</u>                                | 72 | 0.003 | 0.003 |  |
| <u>clearNotify</u>  | 1  | 0.003 | 0.003 |  |
| <u>SerializationNotifier&gt;SerializationNotifier.createSerializationListener</u> | 3  | 0.003 | 0.002 |  |
| <u>...amesInput&gt;PreserveVariableNamesInput.set.VariableNamingRule</u>          | 5  | 0.003 | 0.002 |  |
| <u>...Scatter.AbstractScatter&gt;AbstractScatter.set.MarkerEdgeColorMode</u>      | 4  | 0.003 | 0.002 |  |
| <u>setRulerLayerTop</u>   | 2  | 0.003 | 0.003 |  |
| <u>...catter.AbstractScatter&gt;AbstractScatter.set.MarkerEdgeAlphaMode</u>       | 4  | 0.003 | 0.002 |  |
| <u>AcceptsFileType&gt;AcceptsFileType.getExtensions</u>                           | 5  | 0.003 | 0.001 |  |
| <u>updateSelectionHandle</u>  | 4  | 0.003 | 0.003 |  |
| <u>...ScribeLayer&gt;@(src,event)hObj.childRemovedOrDeleted(src,event)</u>        | 1  | 0.003 | 0.001 |  |
| <u>partialMatchString</u>   | 32 | 0.003 | 0.003 |  |
| <u>attributes&gt;valueAttributor</u>  | 6  | 0.002 | 0.002 |  |
| <u>DetectImportOptions&gt;getSuppliedProperties</u>                               | 10 | 0.002 | 0.002 |  |
| <u>Scatter.Scatter&gt;Scatter.set.MarkerFaceColor</u>                             | 4  | 0.002 | 0.002 |  |
| <u>mean&gt;mysize</u>   | 90 | 0.002 | 0.002 |  |
| <u>DetectImportOptions&gt;DetectImportOptions.set.NumHeaderLines</u>              | 5  | 0.002 | 0.002 |  |
| <u>FilePath&gt;FilePath.get.Exists</u>  | 6  | 0.002 | 0.002 |  |
| <u>FilePath&gt;FilePath.get.Readable</u>  | 2  | 0.002 | 0.002 |  |
| <u>Scatter.Scatter&gt;Scatter.set.MarkerFaceAlpha</u>                             | 4  | 0.002 | 0.002 |  |
| <u>strfun\private\isTextStrict</u>  | 50 | 0.002 | 0.002 |  |
| <u>hggetbehavior&gt;localPeek</u>   | 8  | 0.002 | 0.002 |  |
| <u>FilePath&gt;FilePath.get.Absolute</u>  | 2  | 0.002 | 0.002 |  |
| <u>validateFileName&gt;localUnique</u>  | 10 | 0.002 | 0.002 |  |
| <u>YZProcessing08_3rdround&gt;(parfor consume)</u>                                | 72 | 0.002 | 0.002 |  |
| <u>datachk</u>  | 8  | 0.002 | 0.002 |  |

|  |     |       |       |  |
|--|-----|-------|-------|--|
| <u>Bar.Bar&gt;Bar.getHorizontalImpl</u>  | 66  | 0.002 | 0.002 |  |
| <u>TextInputs&gt;TextInputs.set.VariableNamesLine</u>                          | 5   | 0.002 | 0.002 |  |
| <u>ImportOptions.ImportOptions&gt;ImportOptions.useGeneratedNames</u>          | 10  | 0.002 | 0.002 |  |
| <u>Channel&gt;Channel.postClose</u>  | 2   | 0.002 | 0.002 |  |
| <u>readcell&gt;@()func.WorkSheet.clear()</u>                                   | 5   | 0.002 | 0.001 |  |
| <u>Bar.Bar&gt;Bar.set.NumPeersMode</u>   | 2   | 0.002 | 0.002 |  |
| <u>sliced_fcnhdl_check</u>   | 5   | 0.002 | 0.002 |  |
| <u>AbstractScatter,AbstractScatter&gt;AbstractScatter.get.XJitter</u>          | 8   | 0.002 | 0.002 |  |
| <u>Bar.Bar&gt;Bar.set.BarWidthMode</u>   | 2   | 0.002 | 0.002 |  |
| <u>categorical.parenReference</u>  | 2   | 0.002 | 0.002 |  |
| <u>Channel&gt;Channel.preOpen</u>  | 2   | 0.002 | 0.002 |  |
| <u>FigureUtils&gt;FigureUtils.isEditorSnapshotFigure</u>                       | 21  | 0.002 | 0.002 |  |
| <u>FunctionStore&gt;accessMap</u>  | 5   | 0.002 | 0.002 |  |
| <u>AbstractScatter,AbstractScatter&gt;AbstractScatter.get.YJitter</u>          | 8   | 0.002 | 0.002 |  |
| <u>ArrayBuilder&gt;ArrayBuilder.shapedata</u>                                  | 5   | 0.002 | 0.002 |  |
| <u>Channel&gt;Channel.lock</u>   | 2   | 0.002 | 0.001 |  |
| <u>parallel_function&gt;results</u>  | 3   | 0.002 | 0.002 |  |
| <u>AbstractScatter,AbstractScatter&gt;AbstractScatter.get.ZJitter</u>          | 8   | 0.002 | 0.002 |  |
| <u>RemoteToLocal&gt;RemoteToLocal.RemoteToLocal</u>                            | 2   | 0.002 | 0.002 |  |
| <u>...ger.SubplotListenersManager&gt;@(o,e)subplotlayout invalid(ax,e,fig)</u> | 9   | 0.002 | 0.002 |  |
| <u>makeUniqueStrings&gt;validateExclStrOrElemToChk</u>                         | 15  | 0.002 | 0.002 |  |
| <u>AbstractScatter,AbstractScatter&gt;AbstractScatter.get,Jitter</u>           | 4   | 0.002 | 0.001 |  |
| <u>istable</u>   | 293 | 0.002 | 0.002 |  |
| <u>...stractScatter,AbstractScatter&gt;AbstractScatter.get.MarkerEdgeAlpha</u> | 18  | 0.002 | 0.002 |  |
| <u>fullfile&gt;addTrailingFileSep</u>  | 15  | 0.002 | 0.002 |  |
| <u>...ns&gt;DetectImportOptionsFileExtensions.getFileTypeFromExtension</u>     | 5   | 0.002 | 0.002 |  |
| <u>attributes&gt;findSupportedAttr</u>   | 6   | 0.002 | 0.002 |  |
| <u>strfun\private\convertStringToOriginalTextType</u>                          | 35  | 0.002 | 0.002 |  |
| <u>fullfile&gt;fixIRI</u>  | 10  | 0.002 | 0.002 |  |
| <u>Bar.Bar&gt;Bar.get.BarLayout</u>  | 4   | 0.002 | 0.001 |  |
| <u>FilePath&gt;FilePath.set.Extension</u>                                      | 2   | 0.002 | 0.002 |  |
| <u>categorical.categorical&gt;isNVpair</u>                                     | 8   | 0.002 | 0.002 |  |
| <u>.bstractScatter,AbstractScatter&gt;AbstractScatter.get.MarkerEdgeColor</u>  | 8   | 0.002 | 0.002 |  |
| <u>isCharString</u>  | 37  | 0.002 | 0.002 |  |
| <u>ImportOptions.ImportOptions&gt;ImportOptions.setUnboundedSelection</u>      | 5   | 0.002 | 0.002 |  |
| <u>AnnotationPane.AnnotationPane&gt;AnnotationPane.addChild</u>                | 10  | 0.002 | 0.002 |  |
| <u>Stream&gt;Stream.isSupported</u>  | 4   | 0.002 | 0.002 |  |
| <u>...escriptorBehavior&gt;DataDescriptorBehavior,DataDescriptorBehavior</u>   | 4   | 0.002 | 0.001 |  |
| <u>...lusterPool.AbstractClusterPool&gt;AbstractClusterPool.get.Connected</u>  | 6   | 0.002 | 0.001 |  |
| <u>TextDataReader&gt;TextDataReader.initRowNames</u>                           | 5   | 0.002 | 0.002 |  |
| <u>ArrayBuilder&gt;ArrayBuilder,ArrayBuilder</u>                               | 5   | 0.002 | 0.001 |  |
| <u>CategoricalRuler&gt;CategoricalRuler,doStretchLimits</u>                    | 9   | 0.002 | 0.002 |  |
| <u>SubplotListenersManager.SubplotListenersManager&gt;findemptycell</u>        | 1   | 0.002 | 0.002 |  |
| <u>ReadCellText&gt;checkWrongParamsWrongType</u>                               | 5   | 0.002 | 0.001 |  |

|   |     |       |       |  |
|---|-----|-------|-------|--|
| com.mathworks.toolbox.distcomp.pmode.Session (Java method)            | 49  | 0.002 | 0.002 |  |
| Bar.Bar>Bar.get.EdgeColor   | 4   | 0.002 | 0.001 |  |
| istabular   | 25  | 0.002 | 0.002 |  |
| RemoteToLocal>RemoteToLocal.delete                                    | 2   | 0.002 | 0.001 |  |
| ExecutableFunction>ExecutableFunction.get.NumRequired                 | 10  | 0.002 | 0.001 |  |
| findall>showHiddenHandlesToFindAllHandles                             | 2   | 0.002 | 0.002 |  |
| interp1q>linformula   | 1   | 0.002 | 0.002 |  |
| isValidInLogScale>basicImpl   | 18  | 0.002 | 0.002 |  |
| checkInputName  | 1   | 0.002 | 0.002 |  |
| ...deStrategy>FigureBasedModeStrategy.FigureBasedModeStrategy         | 5   | 0.002 | 0.001 |  |
| ruler2num   | 2   | 0.002 | 0.002 |  |
| ...eStrategy>FigurePointerModeStrategy.FigurePointerModeStrategy      | 5   | 0.002 | 0.001 |  |
| PrintBehavior>PrintBehavior.PrintBehavior                             | 4   | 0.002 | 0.001 |  |
| Stream>Stream.addFilter   | 2   | 0.002 | 0.002 |  |
| ...ctScatter.AbstractScatter>AbstractScatter.get.CurrentIconColorInfo | 8   | 0.002 | 0.002 |  |
| remoteparfor>iErrorCheckPool  | 3   | 0.002 | 0.001 |  |
| Builder>Builder.removeOmittedRowsAndVars                              | 10  | 0.002 | 0.002 |  |
| ScribeLayer.ScribeLayer>ScribeLayer.childRemovedOrDeleted             | 1   | 0.002 | 0.001 |  |
| InputStream>InputStream.readPartialPacket                             | 2   | 0.002 | 0.002 |  |
| ImportOptions.ImportOptions>ImportOptions.get.selectedIDs             | 5   | 0.002 | 0.001 |  |
| view>isAxesHandle   | 2   | 0.002 | 0.002 |  |
| DelimitedTextInputs>DelimitedTextInputs.set.TrailingDelimitersRule    | 5   | 0.002 | 0.001 |  |
| com.mathworks.hg.util.DeferToldleState.execute (Java method)          | 5   | 0.001 | 0.001 |  |
| ChildEventData>ChildEventData.ChildEventData                          | 7   | 0.001 | 0.001 |  |
| AbstractScatter.AbstractScatter>AbstractScatter.get.BrushHandles      | 4   | 0.001 | 0.001 |  |
| newplot>ObserveFigureNextPlot   | 6   | 0.001 | 0.001 |  |
| parallel_function>PCTInstalled  | 3   | 0.001 | 0.001 |  |
| Bar.Bar>Bar.get.FaceAlpha   | 2   | 0.001 | 0.001 |  |
| serializationProfiling  | 3   | 0.001 | 0.001 |  |
| Bar.Bar>Bar.get.EdgeAlpha   | 2   | 0.001 | 0.001 |  |
| Stream>Stream.delete  | 4   | 0.001 | 0.001 |  |
| parallel\private\dctSchedulerMessageHandler                           | 9   | 0.001 | 0.001 |  |
| DisarmableOncleanup>DisarmableOncleanup.DisarmableOncleanup           | 6   | 0.001 | 0.001 |  |
| scatter>Lcchk   | 4   | 0.001 | 0.001 |  |
| TextInputs>TextInputs.TextInputs                                      | 5   | 0.001 | 0.001 |  |
| incrementParallelFunctionDepth  | 6   | 0.001 | 0.001 |  |
| Channel>Channel.isOpen  | 6   | 0.001 | 0.001 |  |
| TextInteractions>TextInteractions.getCanvas                           | 17  | 0.001 | 0.001 |  |
| repmat>checkSizesType   | 118 | 0.001 | 0.001 |  |
| categorical.countcats   | 1   | 0.001 | 0.001 |  |
| InteractionContainer>InteractionContainer.get.Enabled                 | 21  | 0.001 | 0.001 |  |
| Bar.Bar>Bar.get.NumPeers  | 2   | 0.001 | 0.001 |  |
| Scatter.Scatter>@(obj,evd)(hObj,sendDataChangedEvent)                 | 16  | 0.001 | 0.001 |  |
| deal  | 4   | 0.001 | 0.001 |  |
| audioread>validateRangeWithTotalSamples                               | 2   | 0.001 | 0.001 |  |

|   |     |       |       |  |
|---|-----|-------|-------|--|
| <u>Bar.Bar&gt;Bar.get.WidthScaleFactor</u>  | 31  | 0.001 | 0.001 |  |
| <u>PrintBehavior&gt;PrintBehavior.dosupport</u>   | 4   | 0.001 | 0.001 |  |
| <u>Engine&gt;Engine.Engine</u>  | 3   | 0.001 | 0.001 |  |
| <u>DetectImportOptionsText&gt;DetectImportOptionsText.setVarNames</u>                                     | 5   | 0.001 | 0.001 |  |
| <u>FileExtensions&gt;FileExtensions.getExtensionsFromType</u>   | 5   | 0.001 | 0.001 |  |
| <u>Bar.Bar&gt;Bar.get.CData_I</u>   | 31  | 0.001 | 0.001 |  |
| <u>FastVarOpts&gt;FastVarOpts.numVars</u>   | 20  | 0.001 | 0.001 |  |
| <u>subplot&gt;isSubplotCandidate</u>  | 2   | 0.001 | 0.001 |  |
| <u>isPublishingTest</u>   | 31  | 0.001 | 0.001 |  |
| <u>Channel&gt;Channel.preTerm</u>   | 2   | 0.001 | 0.001 |  |
| <u>categorical.categorical&gt;categorical.castCodes</u>   | 10  | 0.001 | 0.001 |  |
| <u>usejava</u>  | 10  | 0.001 | 0.001 |  |
| <u>assertNoTableInputs</u>  | 5   | 0.001 | 0.001 |  |
| <u>...nersManager&gt;SubplotListenersManager.SubplotListenersManager</u>                                  | 1   | 0.001 | 0.001 |  |
| <u>incrementPeerID</u>  | 2   | 0.001 | 0.001 |  |
| <u>istimetable</u>  | 292 | 0.001 | 0.001 |  |
| <u>ToolbarFactory&gt;ToolbarFactory.getInstance</u>   | 5   | 0.001 | 0.001 |  |
| <u>...istenersManager&gt;SubplotDeleteListenersManager.addToListeners</u>                                 | 2   | 0.001 | 0.001 |  |
| <u>AbstractScatter,AbstractScatter&gt;AbstractScatter.get.CData_I</u>                                     | 12  | 0.001 | 0.001 |  |
| <u>blanks</u>   | 14  | 0.001 | 0.001 |  |
| <u>isValidInLogScale&gt;providerImpl</u>  | 10  | 0.001 | 0.001 |  |
| <u>Scatter.Scatter&gt;Scatter.getSizeData</u>   | 4   | 0.001 | 0.001 |  |
| <u>FastVarOpts&gt;FastVarOpts.get.Types</u>   | 20  | 0.001 | 0.001 |  |
| <u>ScribeLayer,ScribeLayer&gt;ScribeLayer.checkValidity</u>   | 7   | 0.001 | 0.001 |  |
| <u>remoteparfor&gt;remoteparfor.rangeDivided</u>  | 3   | 0.001 | 0.001 |  |
| <u>Channel&gt;Channel.updateAndFetchLockCount</u>   | 4   | 0.001 | 0.001 |  |
| <u>...bleNamesInput&gt;PreserveVariableNamesInput.validateNamingRule</u>                                  | 5   | 0.001 | 0.001 |  |
| <u>...el_function&gt;@()matlab.internal.incrementParallelFunctionDepth(-1)</u>                            | 3   | 0.001 | 0.001 |  |
| <u>PluginManager&gt;PluginManager.getInstance</u>   | 6   | 0.001 | 0.001 |  |
| <u>fullfile&gt;@(x)~iscell(x)&amp;&amp;isempty(x)</u>   | 10  | 0.001 | 0.001 |  |
| <u>DetectImportOptionsText&gt;checkDelimitedFixedWidthWrongParams</u>                                     | 5   | 0.001 | 0.001 |  |
| <u>AbstractScatter,AbstractScatter&gt;AbstractScatter.get.JitterDirty_I</u>                               | 16  | 0.001 | 0.001 |  |
| <u>checkpvpairs</u>   | 4   | 0.001 | 0.001 |  |
| <u>SerializationNotifier&gt;SerializationNotifier.getInstance</u>   | 3   | 0.001 | 0.001 |  |
| <u>PostUpdatePlugin&gt;localGetCanvasContainingAncestor</u>   | 5   | 0.001 | 0.001 |  |
| <u>...(x,'string')&amp;&amp;isscalar(x)&amp;&amp;~ismissing(x)  ((ischar(x)&amp;&amp;size(x,1)&lt;=1)</u> | 6   | 0.001 | 0.001 |  |
| <u>Bar.Bar&gt;Bar.get.FaceColor_I</u>   | 14  | 0.001 | 0.001 |  |
| <u>...ractScatter,AbstractScatter&gt;AbstractScatter.get.MarkerEdgeColor_I</u>                            | 12  | 0.001 | 0.001 |  |
| <u>var&gt;mysize</u>  | 54  | 0.001 | 0.001 |  |
| <u>...Scatter,AbstractScatter&gt;AbstractScatter.get.CurrentIconColorInfo_I</u>                           | 16  | 0.001 | 0.001 |  |
| <u>findall&gt;@()set(rootobj,'ShowHiddenHandles',Temp)</u>  | 2   | 0.001 | 0.001 |  |
| <u>categoricalisempty</u>   | 16  | 0.001 | 0.001 |  |
| <u>getJavaFutureInterruptibly&gt;@()future.cancel(true)</u>   | 3   | 0.001 | 0.001 |  |
| <u>CanvasPlugin,CanvasPlugin&gt;CanvasPlugin.getInstance</u>  | 5   | 0.001 | 0.001 |  |
| <u>xyline&gt;parseLineStyle</u>   | 2   | 0.001 | 0.001 |  |

|   |    |       |       |  |
|---|----|-------|-------|--|
| <u>categorical.double</u>   | 4  | 0.001 | 0.001 |  |
| <u>FigureUtils&gt;FigureUtils.isEditorEmbeddedFigure</u>                          | 21 | 0.001 | 0.001 |  |
| <u>colon_range_check&gt;integer_range_overflow_check</u>                          | 3  | 0.001 | 0.001 |  |
| <u>Bar.Bar&gt;Bar.get.BarWidth</u>  | 4  | 0.001 | 0.001 |  |
| <u>Scatter.Scatter&gt;Scatter.get.MarkerFaceAlpha</u>                             | 18 | 0.001 | 0.001 |  |
| <u>Bar.Bar&gt;Bar.get.XOffset</u>   | 4  | 0.001 | 0.001 |  |
| <u>Engine&gt;Engine.numIntervalsFactor</u>  | 3  | 0.001 | 0.001 |  |
| <u>Bar.Bar&gt;Bar.get.YOffset</u>   | 4  | 0.001 | 0.001 |  |
| <u>remoteParfor&gt;remoteParfor.maxBacklog</u>                                    | 3  | 0.001 | 0.001 |  |
| <u>validateNVPairs&gt;isNonEmptyScalarText</u>                                    | 5  | 0.001 | 0.001 |  |
| <u>DataDescriptorBehavior&gt;DataDescriptorBehavior.dosupport</u>                 | 4  | 0.001 | 0.001 |  |
| <u>AbstractScatter,AbstractScatter&gt;AbstractScatter.get.Clipping_I</u>          | 12 | 0.001 | 0.001 |  |
| <u>mustBeValidGraphicsObject</u>  | 7  | 0.001 | 0.001 |  |
| <u>...ckManager.ScribeStackManager&gt;ScribeStackManager.getInstance</u>          | 5  | 0.001 | 0.001 |  |
| <u>remoteParfor&gt;remoteParfor.initialDispatchFactor</u>                         | 3  | 0.001 | 0.001 |  |
| <u>ScribeLayer.ScribeLayer&gt;ScribeLayer.findCanvas</u>                          | 8  | 0.001 | 0.001 |  |
| <u>...ntLine.ConstantLine&gt;mustBeFiniteNumericDateTimeOrCategorical</u>         | 10 | 0.001 | 0.001 |  |
| <u>rmMissingOutliers&gt;reduceSize</u>  | 4  | 0.001 | 0.001 |  |
| <u>PoolOptions&gt;isValidMaxNumWorkers</u>  | 3  | 0.001 | 0.001 |  |
| <u>TextInputs&gt;TextInputs.setUnescapedWhitespace</u>                            | 5  | 0.001 | 0.001 |  |
| <u>...ClusterPool.AbstractClusterPool&gt;AbstractClusterPool.hGetSession</u>      | 6  | 0.001 | 0.001 |  |
| <u>Bar.Bar&gt;Bar.doSetup</u>   | 2  | 0.001 | 0.001 |  |
| <u>categorical.numel</u>  | 4  | 0.001 | 0.001 |  |
| <u>UsesWorksheet&gt;UsesWorksheet.clear</u>                                       | 5  | 0.001 | 0.001 |  |
| <u>rmMissingOutliers&gt;cumputeIndex</u>  | 4  | 0.001 | 0.001 |  |
| <u>...actScatter,AbstractScatter&gt;AbstractScatter.get.MarkerEdgeAlpha_I</u>     | 22 | 0.001 | 0.001 |  |
| <u>pwd</u>  | 22 | 0.001 | 0.001 |  |
| <u>FastVarOpts&gt;FastVarOpts.setVarOpts</u>                                      | 20 | 0.001 | 0.001 |  |
| <u>HGBehavior&gt;HGBehavior.HGBehavior</u>  | 8  | 0.001 | 0.001 |  |
| <u>Scatter.Scatter&gt;Scatter.get.MarkerFaceColor</u>                             | 8  | 0.001 | 0.001 |  |
| <u>AbstractScatter,AbstractScatter&gt;AbstractScatter.get.SelectionHandle</u>     | 20 | 0.001 | 0.001 |  |
| <u>Bar.getSingleBarExtentsArray&gt;applyConstraints</u>                           | 2  | 0.001 | 0.001 |  |
| <u>AbstractScatter,AbstractScatter&gt;AbstractScatter.get.CDataMode</u>           | 14 | 0.001 | 0.001 |  |
| <u>...eslInput&gt;PreserveVariableNamesInput.get.PreserveVariableNames</u>        | 5  | 0.001 | 0.001 |  |
| <u>graph2d\private\labelcheck&gt;local_validlabelobj</u>                          | 3  | 0.001 | 0.001 |  |
| <u>ArgumentParser&gt;matchPartial</u>   | 10 | 0.001 | 0.001 |  |
| <u>Bar.Bar&gt;Bar.get.Edge</u>  | 16 | 0.001 | 0.001 |  |
| <u>Channel&gt;Channel.unlock</u>  | 2  | 0.001 | 0.001 |  |
| <u>DetectImportOptions&gt;validateScalarInt</u>                                   | 5  | 0.001 | 0.001 |  |
| <u>CategoricalRuler&gt;categoriesInRealOrder</u>                                  | 4  | 0.001 | 0.001 |  |
| <u>isPCTInstalled</u>   | 3  | 0.001 | 0.001 |  |
| <u>...b.graphics.illustration.ColorBar')  isa(obj,'matlab.ui.control.UIAxes')</u> | 80 | 0.001 | 0.001 |  |
| <u>TextDataReader&gt;updateDatalines</u>  | 5  | 0.001 | 0.001 |  |
| <u>InputStream&gt;InputStream.clearPartialPacket</u>                              | 2  | 0.001 | 0.001 |  |
| <u>mustBeNonnegative</u>  | 5  | 0.001 | 0.001 |  |

|   |    |       |       |  |
|---|----|-------|-------|--|
| <u>isScalarText</u>   | 4  | 0.001 | 0.001 |  |
| <u>AcceptsReadableFilename&gt;AcceptsReadableFilename.get.Filename</u>          | 25 | 0.001 | 0.001 |  |
| <u>endpoint_check</u>   | 6  | 0.001 | 0.001 |  |
| <u>Scatter.mapSize</u>  | 4  | 0.001 | 0.001 |  |
| <u>validateLogical</u>  | 12 | 0.001 | 0.001 |  |
| <u>Bar.Bar&gt;Bar.get.WidthScaleFactor_I</u>                                    | 33 | 0.001 | 0.001 |  |
| <u>RemoteToLocal&gt;RemoteToLocal.deleteIfLocalCopy</u>                         | 2  | 0.001 | 0.001 |  |
| <u>TextInputs&gt;validateLineNumber</u>   | 5  | 0.001 | 0.001 |  |
| <u>Bar.Bar&gt;Bar.get.Face</u>  | 10 | 0.001 | 0.001 |  |
| <u>categorical.categories</u>   | 15 | 0.001 | 0.001 |  |
| <u>MessageHandler&gt;MessageHandler.MessageHandler</u>                          | 2  | 0.001 | 0.001 |  |
| <u>DelimitedTextInputs&gt;DelimitedTextInputs.getUnescapedDelimiter</u>         | 5  | 0.001 | 0.001 |  |
| <u>xyzline&gt;validateData</u>  | 10 | 0.001 | 0.001 |  |
| <u>range_step_check</u>   | 3  | 0.001 | 0.001 |  |
| <u>AbstractScatter,AbstractScatter&gt;AbstractScatter.get.Jitter_I</u>          | 4  | 0.001 | 0.001 |  |
| <u>Options&gt;Options.Options</u>   | 3  | 0.001 | 0.001 |  |
| <u>...tter,AbstractScatter&gt;AbstractScatter.get.CurrentIconColorInfoMode</u>  | 8  | 0.001 | 0.001 |  |
| <u>categorical.length</u>   | 8  | 0.001 | 0.001 |  |
| <u>AbstractScatter,AbstractScatter&gt;AbstractScatter.set.MarkerOrder</u>       | 4  | 0.001 | 0.001 |  |
| <u>AbstractScatter,AbstractScatter&gt;AbstractScatter.get.XJitter_I</u>         | 8  | 0.001 | 0.001 |  |
| <u>Bar.Bar&gt;Bar.get.YOffset_I</u>   | 6  | 0.001 | 0.001 |  |
| <u>Bar.Bar&gt;Bar.get.XOffset_I</u>   | 6  | 0.001 | 0.001 |  |
| <u>TextInputs&gt;TextInputs.getUnescapedWhitespace</u>                          | 5  | 0.001 | 0.001 |  |
| <u>iscategorical</u>  | 31 | 0.001 | 0.001 |  |
| <u>DisarmableOncleanup&gt;DisarmableOncleanup.delete</u>                        | 6  | 0.001 | 0.001 |  |
| <u>Bar.Bar&gt;Bar.get.Clipping_I</u>  | 4  | 0.001 | 0.001 |  |
| <u>Bar.Bar&gt;Bar.get.BarLayout_I</u>   | 4  | 0.001 | 0.001 |  |
| <u>remoteparfor&gt;remoteparfor.getNumWorkers</u>                               | 3  | 0.001 | 0.001 |  |
| <u>AbstractScatter,AbstractScatter&gt;AbstractScatter.get.LineWidth_I</u>       | 8  | 0.001 | 0.001 |  |
| <u>categorical.categorical&gt;categorical.isordinal</u>                         | 8  | 0.001 | 0.001 |  |
| <u>AbstractScatter,AbstractScatter&gt;AbstractScatter.get.YJitter_I</u>         | 8  | 0.001 | 0.001 |  |
| <u>AbstractScatter,AbstractScatter&gt;AbstractScatter.get.ZJitter_I</u>         | 8  | 0.001 | 0.001 |  |
| <u>AbstractScatter,AbstractScatter&gt;AbstractScatter.get.BrushHandles_I</u>    | 4  | 0.001 | 0.001 |  |
| <u>Scatter.Scatter&gt;Scatter.set.MarkerFaceColorMode</u>                       | 4  | 0.001 | 0.001 |  |
| <u>...Scatter,AbstractScatter&gt;AbstractScatter.set.CurrentIconColorInfo_I</u> | 4  | 0.001 | 0.001 |  |
| <u>..seAxesInteractionContainer&gt;BaseAxesInteractionContainer.set.is2d</u>    | 2  | 0.001 | 0.001 |  |
| <u>PluginManager&gt;PluginManager.handlePluginError</u>                         | 2  | 0.001 | 0.001 |  |
| <u>Scatter.Scatter&gt;Scatter.set.MarkerFaceAlphaMode</u>                       | 4  | 0.001 | 0.001 |  |
| <u>PluginManager&gt;PluginManager.errorIfFile</u>                               | 6  | 0.001 | 0.001 |  |
| <u>Bar.Bar&gt;Bar.get.BarWidth_I</u>  | 6  | 0.001 | 0.001 |  |
| <u>AbstractScatter,AbstractScatter&gt;AbstractScatter.set.CData_I</u>           | 4  | 0.001 | 0.001 |  |
| <u>Bar.Bar&gt;Bar.get.NumPeers_I</u>  | 4  | 0.001 | 0.001 |  |
| <u>Bar.Bar&gt;Bar.get.SelectionHandle</u>                                       | 2  | 0.001 | 0.001 |  |
| <u>Bar.Bar&gt;Bar.get.BrushHandles</u>  | 2  | 0.001 | 0.001 |  |

|  |    |       |       |  |
|--|----|-------|-------|--|
| <u>...ractScatter,AbstractScatter&gt;AbstractScatter.set.MarkerEdgeColor_I</u>   | 4  | 0.001 | 0.001 |  |
| <u>Bar,Bar&gt;Bar.get.EdgeColor_I</u>  | 4  | 0.001 | 0.001 |  |
| <u>...actScatter,AbstractScatter&gt;AbstractScatter.set.MarkerEdgeAlpha_I</u>    | 4  | 0.001 | 0.001 |  |
| <u>parenReference_1D</u>   | 2  | 0.001 | 0.001 |  |
| <u>...catter,AbstractScatter&gt;AbstractScatter.get.MarkerEdgeColorMode</u>      | 4  | 0.001 | 0.001 |  |
| <u>...catter,AbstractScatter&gt;AbstractScatter.get.MarkerEdgeAlphaMode</u>      | 4  | 0.001 | 0.001 |  |
| <u>+file\private\mexAudioPluginManager (MEX-file)</u>                            | 2  | 0.001 | 0.001 |  |
| <u>Bar,Bar&gt;Bar.get.FaceColorMode</u>  | 2  | 0.000 | 0.000 |  |
| <u>Engine&gt;iClamp</u>  | 15 | 0.000 | 0.000 |  |
| <u>DisarmableOncleanup&gt;DisarmableOncleanup.disarm</u>                         | 6  | 0.000 | 0.000 |  |
| <u>Bar,Bar&gt;Bar.get.CDataMode</u>  | 2  | 0.000 | 0.000 |  |
| <u>Bar,Bar&gt;Bar.get.BarWidthMode</u>   | 2  | 0.000 | 0.000 |  |
| <u>Bar,Bar&gt;Bar.get.NumPeersMode</u>   | 2  | 0.000 | 0.000 |  |
| <u>Bar,Bar&gt;Bar.set.BarOrder</u>   | 2  | 0.000 | 0.000 |  |
| <u>Bar,Bar&gt;Bar.get.LineStyle_I</u>  | 2  | 0.000 | 0.000 |  |
| <u>Bar,Bar&gt;Bar.set.CData_I</u>  | 2  | 0.000 | 0.000 |  |
| <u>generateArgumentDescriptor&gt;isCharOrString</u>                              | 18 | 0.000 | 0.000 |  |
| <u>isFigureShowEnabled</u>   | 10 | 0.000 | 0.000 |  |
| <u>Bar,Bar&gt;Bar.set.FaceColor_I</u>  | 2  | 0.000 | 0.000 |  |
| <u>mustBeNumericOrLogical</u>  | 5  | 0.000 | 0.000 |  |
| <u>Bar,Bar&gt;Bar.get.LineWidth_I</u>  | 2  | 0.000 | 0.000 |  |
| <u>Bar,Bar&gt;Bar.get.FaceAlpha_I</u>  | 2  | 0.000 | 0.000 |  |
| <u>Bar,Bar&gt;Bar.set.PrepWasAlreadyRun</u>                                      | 2  | 0.000 | 0.000 |  |
| <u>Bar,Bar&gt;Bar.get.EdgeAlpha_I</u>  | 2  | 0.000 | 0.000 |  |
| <u>...tiesAsNVPairs&gt;HasPropertiesAsNVPairs.HasPropertiesAsNVPairs</u>         | 5  | 0.000 | 0.000 |  |
| <u>Bar,Bar&gt;Bar.set.BarPeerID</u>  | 2  | 0.000 | 0.000 |  |
| <u>Bar,Bar&gt;Bar.set.BarWidth_I</u>   | 2  | 0.000 | 0.000 |  |
| <u>hasDisplay</u>  | 10 | 0.000 | 0.000 |  |
| <u>...sNVPairs&gt;HasPropertiesAsNVPairs.assertNoAdditionalParameters</u>        | 5  | 0.000 | 0.000 |  |
| <u>DelimitedTextInputs&gt;DelimitedTextInputs.DelimitedTextInputs</u>            | 5  | 0.000 | 0.000 |  |
| <u>Saveable&gt;Saveable.Saveable</u>   | 5  | 0.000 | 0.000 |  |
| <u>EncodingInput&gt;EncodingInput.EncodingInput</u>                              | 5  | 0.000 | 0.000 |  |
| <u>IconColorInfoCache&gt;IconColorInfoCache.IconColorInfoCache</u>               | 8  | 0.000 | 0.000 |  |
| <u>...rrorRulesInputs&gt;MissingErrorRulesInputs.MissingErrorRulesInputs</u>     | 5  | 0.000 | 0.000 |  |
| <u>remoteparfor&gt;iClamp</u>  | 3  | 0.000 | 0.000 |  |
| <u>...sInput&gt;PreserveVariableNamesInput.PreserveVariableNamesInput</u>        | 5  | 0.000 | 0.000 |  |
| <u>Builder&gt;Builder.Builder</u>  | 5  | 0.000 | 0.000 |  |
| <u>missing&gt;missing.missing</u>  | 5  | 0.000 | 0.000 |  |
| <u>DataReader&gt;DataReader.DataReader</u>                                       | 5  | 0.000 | 0.000 |  |
| <u>...r&gt;SubplotDeleteListenersManager.SubplotDeleteListenersManager</u>       | 2  | 0.000 | 0.000 |  |
| <u>...nNotifier&gt;SerializationNotifier.createAccumulatingListener/nGetList</u> | 3  | 0.000 | 0.000 |  |
| <u>PointerMixin&gt;PointerMixin.PointerMixin</u>                                 | 5  | 0.000 | 0.000 |  |
| <u>PointerModeStrategy&gt;PointerModeStrategy.PointerModeStrategy</u>            | 5  | 0.000 | 0.000 |  |
| <u>AbstractModeStrategy&gt;AbstractModeStrategy.AbstractModeStrategy</u>         | 5  | 0.000 | 0.000 |  |
| <u>isdatetime</u>  | 4  | 0.000 | 0.000 |  |

|  |    |       |       |  |
|--|----|-------|-------|--|
| <u>supportedTypeNames</u>  | 10 | 0.000 | 0.000 |  |
| <u>isduration</u>  | 4  | 0.000 | 0.000 |  |
| <u>ReadCell&gt;ReadCell.usingRequired</u>                          | 15 | 0.000 | 0.000 |  |
| <u>run&gt;@()()</u>  | 7  | 0.000 | 0.000 |  |
| <u>CategoricalRuler&gt;CategoricalRuler.allowTickLabelThinning</u> | 14 | 0.000 | 0.000 |  |

\***Self time** is the time spent in a function excluding any time spent in child functions. The time includes any overhead time resulting from the profiling process.