
Audrey Baliao

Personal Portfolio Website

User & Technical Manual

Generated on May 07, 2026 at 7:49 AM

Confidential. This document contains deployment credentials in Part 2, Section 8. If this PDF leaves the owner's and developer's hands, rotate the GitHub Personal Access Token immediately at <https://github.com/settings/personal-access-tokens>.

Contents

Part 1 — User Manual

- 1.1 What this website is
- 1.2 Where to find it
- 1.3 The six sections, page by page
- 1.4 How a client books an edit
- 1.5 Receiving an inquiry
- 1.6 Asking for changes
- 1.7 Common questions
- 1.8 Latest QA results

Part 2 — Technical Manual

- 2.1 Stack overview
- 2.2 Project file structure
- 2.3 Running locally

-
- 2.4 Where each piece of content lives
 - 2.5 The pricing engine
 - 2.6 The Stories feed
 - 2.7 Deployment pipeline
 - 2.8 Credentials
 - 2.9 Asset and image handling
 - 2.10 Maintenance recipes
 - 2.11 Mobile responsiveness
 - 2.12 Security posture & latest audit
 - 2.13 Future enhancements

Part 1 — User Manual

This part is written for Audrey and anyone helping her run the site day-to-day. No coding required. It explains what each part of the site does, what visitors and clients see, and what to do when an inquiry arrives.

1.1 What this website is

A one-page editorial portfolio for Audrey “Dhey” Baliao — working student, daily-life storyteller, and video editor based in the Philippines. It does three things:

- **Tells her story** — bio, mission and vision, dreams (travel, flight attendant or cruise ship), and a travel wishlist.
- **Showcases her work** — a featured row (music-video edit + news/project edit) plus a 7-card vlog gallery, all linking out to YouTube and Facebook.
- **Lets clients hire her** — a static rate sheet with per-project starting prices, a per-minute breakdown, monthly retainer plans, a discount ladder, and downloadable intake form + service contract.

1.2 Where to find it

Live URL: filled in after the first Vercel deploy (typically *audrey-baliao-portfolio.vercel.app*, or a custom domain once configured).

Source code: github.com/audrey-baliao-portfolio (set after first push)

Local preview during development: <http://localhost:3013>

1.3 The six sections, page by page

I. Hello (the hero)

The first thing visitors see. Includes a “Currently creating” pulsing dot, the headline “Everyday moments, turned into stories,” a portrait frame, role / based / on-platform meta, two paragraphs of bio, and a *Mission / Vision* pair.

II. Stories

The work feed, split into three blocks:

- **Featured edits** — 2 cards: one music-video edit (YouTube) and one news/project edit (Facebook).
- **Vlog edits** — a 3-column gallery of 7 vlog edits, all on YouTube. Thumbnails come from i.ytimg.com automatically.
- **I also edit** — a 6-format list (vlog, news, music video, cinematic, travel, photo dump).

III. Dreams & Goals

Three numbered steps: *01 Travel everywhere*, *02 Wings or waves* (the gold-bordered duo card — flight attendant vs. cruise ship), *03 Turn it all into content*.

IV. Travel Map

Six rotated passport-stamp cards (Tokyo, Paris, Santorini, Maldives, Iceland, Bali) with gold seals, paired with an editorial wishlist on the right and a press-kit download.

V. Rate sheet

Three blocks. *Per-project tiers*: vlog edit, music video edit, news/project edit, each with starting prices and included items. *Per-minute build*: clean cuts, intro / outro, thumbnail, cover frame, YouTube kit, extra exports, and the rush surcharge. *Monthly retainer*: 4 to 7 videos per month with a 50/50 payment table. *Discounts*: 5 / 10 / 15 / 20% ladder. Plus two document downloads (intake form, service contract).

VI. Connect

Headline (“Let’s tell a story together”), a short collaboration invitation, then a prominent **email block** for projects and bookings (Email Audrey + Open in Gmail buttons pointing at audreybaliao022@gmail.com), followed by four social cards for casual hellos: **Instagram** @ur.dhey, **Facebook** audrey.baliao.2024, **TikTok** @.dtb8, and **TikTok · edits** @adryrzb1. Closes with the footer crediting the developer.

1.4 How a client books an edit

Audrey’s site doesn’t use a live calculator. The booking flow is intentionally simple:

- Client lands on Section **V (Rate sheet)** and reads the per-project starting prices, retainer table, and discount ladder.
- Client downloads **audrey-baliao-intake-form.docx** from the “Documents” block at the bottom of Section V.
- Client fills it in and sends it back via the channel of their choice (Instagram DM @ur.dhey is fastest).
- Audrey reviews the brief, quotes against it, and, when it’s a go, sends back **audrey-baliao-service-contract.docx** for signature.
- 50% prepayment locks the slot; the remaining 50% is due before the midpoint (or full delivery for one-off projects).

1.5 Receiving an inquiry

Inquiries arrive on whichever channel the client uses. The site directs them at three:

- **Email** — audreybaliao022@gmail.com. The right channel for paid projects and bookings; the “Email Audrey” and “Open in Gmail” buttons in Section VI both prefill the subject as “Project inquiry.”
- **Instagram DM** — @ur.dhey. The site notes “replies fastest on Instagram.” Best for casual hellos and quick questions.
- **Facebook Messenger** — audrey.baliao.2024.
- **TikTok DM** — @.dtb8 (personal) and @adryrzb1 (edits). Use as a fallback.

When an inquiry comes in, the standard reply pattern is: (1) thank them, (2) link the intake form, (3) ask which platform the edit is for, and (4) ask for the raw footage Drive link with sharing set to *Anyone with the link can view*.

1.6 Asking for changes

The site is hosted on Vercel and rebuilds automatically every time the developer pushes a change to GitHub. To request an update (new vlog edit, blurb tweak, rate change, etc.), send the request to the developer (Erick Cabal). They'll edit, push, and the live site updates within ~90 seconds.

Common requests that take under a minute to ship:

- Adding a new vlog edit (needs: YouTube video ID, title, blurb).
- Updating a price constant in `src/lib/pricing.ts` (base rate per minute, intro/outro fees, rush %, etc.).
- Toggling the "Currently creating" pulse on or off.
- Updating the bio, mission, vision, or social handles.

1.7 Common questions

Can I change my rates without touching code?

Almost. Edit one file: `src/lib/pricing.ts`. The rate sheet section, intake form (after a `generate-forms.py` run), and contract (same) all read the same constants.

What if a client's Drive link returns "request access"?

They forgot to set sharing to *Anyone with the link can view*. Reply asking them to fix the share setting; the intake form has a hint reminding them but it's easy to miss.

Can I temporarily hide a vlog from the gallery?

Yes. Tell the developer; they comment out the corresponding entry in `src/components/sections/Stories.tsx` (VLOGS array). Bringing it back is just uncommenting.

Can I take the site offline?

Yes. In the Vercel dashboard, pause the project. The URL starts returning 503 until you unpause. The repo and code remain intact.

Where does the YouTube thumbnail come from?

It's pulled from `i.ytimg.com` at runtime — the `videoid` is the only thing stored in the codebase. No thumbnail files are uploaded to the repo for YouTube videos.

1.8 Latest QA results

Last checked: 2026-05-07 07:49:53 PDT

■ **Safe to ship, with a few small warnings.** The most recent automated check found some non-blocking items worth reviewing — listed below.

What was flagged:

- Some copy uses long dashes that can read like AI-generated writing.

Part 2 — Technical Manual

Written for the developer maintaining this codebase. Includes credentials. **Treat this part as confidential.**

2.1 Stack overview

Framework	Next.js ^16.2.5
UI runtime	React ^19.0.0
Styling	Tailwind CSS ^3.4.16
Icons	lucide-react ^0.468.0
Language	TypeScript ^5.7.2
Hosting	Vercel (auto-deploys from GitHub main)
Source	GitHub (push to main = redeploy)
Node target	Node 20+ (Vercel default)
Dev port	3013

All app routes live under the App Router (*src/app/*). Pages are React Server Components by default; the only client-side component is the navigation (*Nav.tsx*) for scrollspy. No backend, no database, no API routes — inquiries land via Instagram / Facebook / TikTok DMs and the intake form is a downloadable Word document.

2.2 Project file structure

```
audrey-baliao-portfolio/
├── docs/
│   ├── Audrey Baliao Portfolio - Manual.pdf
│   └── audit-latest.txt
├── public/
│   ├── audrey-portrait.png
│   ├── stories/
│   ├── audrey-baliao-intake-form.docx
│   └── audrey-baliao-service-contract.docx
├── scripts/
│   ├── audit
│   ├── _check_pat.py
│   ├── generate-forms.py
│   └── generate-manuals.py
└── src/
    ├── app/
    │   ├── globals.css
    │   ├── icon.svg
    │   ├── layout.tsx
    │   ├── not-found.tsx
    │   ├── opengraph-image.tsx
    │   └── page.tsx
    └──
```

← this PDF lives here

← static assets (served at /)

← drop in real photo

← optional override thumbs

← downloadable form

← downloadable contract

← pre-deploy audit gate (bash)

← PAT scanner used by audit

← regenerates the .docx forms

← regenerates this PDF

← Tailwind + section-rise

← favicon (emerald + gold)

← root layout, fonts, metadata

← 404 page

← dynamic OG image

← home (mounts all sections)

■ ■ ■■ robots.ts	
■ ■ ■■ sitemap.ts	
■ ■■ components/	
■ ■ ■■ Nav.tsx	← sticky header, scrollspy
■ ■ ■■ sections/	
■ ■ ■■ About.tsx	← I. Hello
■ ■ ■■ Stories.tsx	← II. Stories
■ ■ ■■ Dreams.tsx	← III. Dreams & Goals
■ ■ ■■ Travel.tsx	← IV. Travel Map
■ ■ ■■ Rates.tsx	← V. Rate sheet
■ ■ ■■ Connect.tsx	← VI. Connect
■ ■■ lib/	
■ ■■ pricing.ts	← single source of truth
■ Deploy.command	← double-click → deploy
■ eslint.config.mjs	
■ next.config.ts	← strict CSP + security headers
■ package.json	
■ postcss.config.mjs	
■ tailwind.config.ts	← emerald + gold palette
■ tsconfig.json	

2.3 Running locally

First-time setup:

```
npm install
```

Day-to-day:

```
npm run dev      # http://localhost:3013 with HMR
npm run build    # production build
npm run start    # serve the built output on 3013
npm run lint     # eslint (next/core-web-vitals + typescript)
npx tsc --noEmit # standalone type check
```

Regenerate the contracts and the manual any time:

```
python3 scripts/generate-forms.py
python3 scripts/generate-manuals.py
```

Run the audit alone (Deploy.command runs it automatically):

```
bash scripts/audit
```

2.4 Where each piece of content lives

Headline / hero	src/components/sections/About.tsx
Bio paragraphs	src/components/sections/About.tsx (story block)
Mission / Vision pair	src/components/sections/About.tsx (mission/vision dl)
Stories — featured edits	src/components/sections/Stories.tsx (FEATURED array)
Stories — vlog gallery	src/components/sections/Stories.tsx (VLOGS array)
Stories — formats list	src/components/sections/Stories.tsx (FORMATS array)

Dreams numbered steps	src/components/sections/Dreams.tsx (STEPS array)
Travel passport stamps	src/components/sections/Travel.tsx (STAMPS + PICKS)
Rate tiers (per-project)	src/components/sections/Rates.tsx (TIERS)
Pricing constants	src/lib/pricing.ts (PRICING, RETAINER_PLANS, DISCOUNTS)
Social cards	src/components/sections/Connect.tsx (SOCIALS)
Form templates (.docx source)	scripts/generate-forms.py
Page metadata / OG	src/app/layout.tsx (metadata export)
Color palette	tailwind.config.ts (emerald, gold, ivory)
Fonts	src/app/layout.tsx (Italianno + Merriweather + Sofia Sans)
Favicon	src/app/icon.svg
OG image	src/app/opengraph-image.tsx

2.5 The pricing engine

All rate logic is in *src/lib/pricing.ts*. The site uses a static rate sheet (no live calculator), but the constants are typed and centralized so the intake form, the service contract, and the rate-sheet display all stay in lockstep:

```
export const PRICING = {
  /** Base "clean cuts" rate per minute of raw footage. */
  baseRatePerMin: 20,
  /** Per-element flat fees added on top of the base rate. */
  introFee: 250,
  outroFee: 250,
  thumbnailFee: 250,
  coverFrameFee: 250,
  youtubeKitFee: 100,
  /** Each additional export aspect (9:16 vertical, 1:1 square, etc.). */
  extraExportFee: 100,
  /** Rush surcharge as a fraction of the running subtotal. */
  rushFeePct: 0.25,
  /** Cliffhanger opener — multiplier × baseRate × rawMinutes. */
  cliffhangerMultiplier: 0.5,
} as const;
```

How a quote is computed (mirrors the intake form):

- **Clean cuts** — $\text{rawMinutes} \times \text{baseRatePerMin}$ (■20/min). Always charged.
- **Music / Effects / Captions** — each: $\text{rawMinutes} \times \text{complexity} \times \text{baseRatePerMin}$. Complexity is 0.3 (Light), 0.5 (Standard), 0.7 (Detailed), or 1.0 (Heavy).

- **Cliffhanger opener** — $\text{rawMinutes} \times 0.5 \times \text{baseRatePerMin}$.
- **Flat fees** — intro ■250, outro ■250, thumbnail ■250, cover frame ■250, YouTube kit ■100 (timestamps + title + description, all-in).
- **Extra exports** — ■100 each.
- **Rush** — $\text{subtotal} \times 0.25$ surcharge added to the running total.
- **Retainer** — ■2,500 per video, 4 to 7 videos / month, 50/50 split.

2.6 The Stories feed


Stories has three layered blocks driven by typed arrays in *src/components/sections/Stories.tsx*:

- **FEATURED** — 2 hero cards in a 2-column grid. Currently: one music-video edit (YouTube) + one news/project edit (Facebook).
- **VLOGS** — 7 compact cards in a 3-column grid. All YouTube. Thumbnails resolve to <https://i.ytimg.com/vi/<ID>/hqdefault.jpg> automatically.
- **FORMATS** — a static 6-item list (vlog, news, music video, cinematic, travel, photo dump).

Adding an edit takes one append to the right array. Facebook shares don't expose a public thumbnail, so those cards fall back to a branded gradient placeholder.

2.7 Deployment pipeline

Push to main = live in ~90 seconds. Flow:



2.8 Credentials

These are required to push deploys. Treat as secrets. Anyone with the GitHub PAT can push code, which triggers a Vercel rebuild. Rotation steps are at the end of this section.

GitHub username	(set after first push)
Owner contact	Audrey Baliao

Repository	(set after first push)
Repository URL	(filled in after first push)
Default branch	main
Personal Access Token	(stored locally in <code>.git/config</code> – never committed; rotate at github.com/settings/personal-access-tokens)
Token scope	Contents: Read and write (single-repo)
Storage on disk	<code>.git/config</code> (embedded in remote URL)
Vercel project	(set in Vercel dashboard after first deploy)
Owner email	<code>audreybaliao022@gmail.com</code>
Inquiry channels	Email <code>audreybaliao022@gmail.com</code> · Instagram <code>@ur.dhey</code> · Facebook <code>audrey.baliao.2024</code> · TikTok <code>@.dtb8</code> + <code>@adryrzb1</code>

Rotating the GitHub Personal Access Token

- Sign in to GitHub as the repo owner.
- Visit <https://github.com/settings/personal-access-tokens>, delete the current token.
- Generate a new fine-grained PAT scoped to this repo with **Contents: Read and write**.
- Update the URL in `.git/config`: replace the old token in the `https://USER:TOKEN@github.com/...` remote URL with the new one.
- Test with `git push`. Done.

2.9 Asset and image handling

Hero portrait — `public/audrey-portrait.png`. Until the file exists, the frame in `About.tsx` renders a “Dhey” script placeholder. Drop the JPG in and uncomment the `<img>` block in `About.tsx`.

Vlog & featured-edit thumbnails — resolve automatically:

- **YouTube videos** — `https://i.ytimg.com/vi/<ID>/hqdefault.jpg`, allowed by the CSP `img-src` in `next.config.ts`. No upload needed.
- **Facebook share/vl** — no public thumbnail exists; the card uses an emerald-gradient placeholder with a `News · project` badge.
- **Optional override** — drop a JPG into `public/stories/` and add a `thumb` field to the matching entry in `Stories.tsx`.

2.10 Maintenance recipes

Add a new vlog edit

```
// in src/components/sections/Stories.tsx, VLOGS array:
{
```

```
id: "v08",
source: "youtube",
category: "vlog",
videoId: "<11-char-youtube-id>",
url: "https://youtu.be/<id>",
title: "Vlog · 08",
blurb: "Daily-life cut.",
},
```

Change a price

Edit the corresponding constant in *src/lib/pricing.ts* (*baseRatePerMin*, *introFee*, *rushFeePct*, *RETAINER_PER_VIDEO*, etc.). The Rate sheet section re-renders the new total on the next page load. Re-run *python3 scripts/generate-forms.py* if you want the intake form to reflect new helper text.

Toggle the “Currently creating” pulse

In *About.tsx*, find the eyebrow with the green pinging dot and either remove or comment out that block. To add it back, uncomment.

Update the bio

Headline, body paragraphs, and the Mission / Vision pair are all in *About.tsx*. Use *’* for apostrophes inside JSX text to avoid React entity warnings, e.g. *I’m*.

Edit the intake form or service contract

Open *scripts/generate-forms.py* and edit the relevant *build_intake_form()* or *build_service_contract()* function. Re-run *python3 scripts/generate-forms.py* to regenerate the .docx files in *public/*. Commit and push as usual — the new versions are served at */audrey-baliao-intake-form.docx* and */audrey-baliao-service-contract.docx*. The download links in *Rates.tsx* point at those paths.

2.11 Mobile responsiveness

All breakpoints use Tailwind defaults: *sm*=640px, *md*=768px, *lg*=1024px. Key responsive decisions:

- **Nav** — on <sm only the Roman numerals show; the labels appear from sm up. The wordmark (“Audrey Dhey”) is always visible.
- **About hero** — H1 scales *clamp(3.25rem, 9vw, 7.5rem)*. Portrait + meta stack on mobile, 5/7 split on lg.
- **Stories** — featured cards: 1 col on mobile, 2 on md+. Vlog gallery: 1 / 2 / 3 cols at sm / md / lg.
- **Dreams** — the duo card stays 1-col on mobile and splits Wings / Waves on md+.
- **Travel** — stamp grid is 2-col on mobile and above. Editorial side stacks below the stamps on <lg.
- **Rate sheet** — 1 / 3 col tiers, retainer table is horizontally scrollable in narrow viewports.
- **Connect** — social cards 1 / 3 col.

2.12 Security posture & latest audit

Every push runs *scripts/audit* before *Deploy.command* regenerates this PDF. The audit covers two tracks:

- **Security** — committed PATs, committed .env files, *npm audit* (critical/high blocks the deploy; moderate/low warns), and use of *dangerouslySetInnerHTML* / *eval* / *new Function*.
- **Quality (grammar / a11y / leftovers)** — em-dashes in JSX (the AI-tell), images missing alt text, leftover *console.** calls, and TODO/FIXME markers.

Findings emit one line each in the form *LEVEL code: message*. Any **FAIL** blocks the deploy with a non-zero exit; **WARN** does not.

Beyond the audit, the runtime is hardened in *next.config.ts* with: HSTS, X-Frame-Options DENY, X-Content-Type-Options nosniff, a strict Content Security Policy, a restrictive Permissions-Policy (camera/microphone/geolocation/interest-cohort all denied), and a strict Referrer-Policy.

Latest QA run (verbatim)

Date: 2026-05-07 07:49:53 PDT

Status: warnings

Findings: 0 failing, 25 warning

2026-05-07 07:49:53 PDT

=== Audrey Baliao Portfolio – System Audit ===

SECURITY

```
OK pat-leak: no PATs in tracked files
OK env-committed: no .env files tracked
OK npm-audit: 0 vulnerabilities
OK dangerous-api: none in source
```

QUALITY

```
WARN em-dash: src/app/opengraph-image.tsx:4:export const alt = "Audrey Baliao – Stories, dreams, everyday m
WARN em-dash: src/app/opengraph-image.tsx:74:          {/* Boarding-pass strip – hairline + two dots */}
WARN em-dash: src/app/layout.tsx:26:// loader (e.g. localFont) and keep `variable: "--font-sans"` – nothing
WARN em-dash: src/app/layout.tsx:38:      default: "Audrey Baliao – Stories, dreams, everyday moments",
WARN em-dash: src/app/layout.tsx:59:      title: "Audrey Baliao – Stories, dreams, everyday moments",
WARN em-dash: src/app/layout.tsx:66:      title: "Audrey Baliao – Stories, dreams, everyday moments",
WARN em-dash: src/app/not-found.tsx:21:      Maybe a future stamp, maybe a typo. Either way – let's get
WARN em-dash: src/components/Nav.tsx:41:      // Mid-viewport band – section becomes "active" once its top
WARN em-dash: src/components/Nav.tsx:58:      aria-label="Audrey Baliao – back to top"
WARN em-dash: src/components/sections/Travel.tsx:88:      in-between moments I keep filming – they
WARN em-dash: src/components/sections/Travel.tsx:93:      a week, some I'd live in for a month, a
WARN em-dash: src/components/sections/Travel.tsx:94:      fall right – I'd see from a cabin window
WARN em-dash: src/components/sections/Dreams.tsx:21:      body: "To travel and experience everything – every
WARN em-dash: src/components/sections/Dreams.tsx:35:      footnote: "Either way – passport stamps and stori
WARN em-dash: src/components/sections/Dreams.tsx:42:      body: "Document the chase. Edit the moments. Build
WARN em-dash: src/components/sections/Connect.tsx:10:// Inline TikTok glyph – lucide doesn't ship one, so w
WARN em-dash: src/components/sections/Connect.tsx:86:      {/* EMAIL – primary CTA for hiring inquiries */}
WARN em-dash: src/components/sections/Connect.tsx:132:      {/* SOCIALS – for casual hellos */}
WARN em-dash: src/components/sections/Rates.tsx:22: * Static rate sheet – no calculator. Three blocks:
WARN em-dash: src/components/sections/Rates.tsx:164:      raw footage with element-by-element compl
WARN em-dash: src/components/sections/Rates.tsx:398:      These four are starting points – counter-of
WARN em-dash: src/components/sections/Rates.tsx:434:      Fill in what you know – the rest we c
WARN em-dash: src/components/sections/Rates.tsx:466:      ownership – everything in one signabl
WARN em-dash: src/components/sections/Stories.tsx:11: * YouTube thumbnails resolve automatically from the v
WARN em-dash: src/components/sections/Stories.tsx:46:      "A full music-video edit – pacing, color, and bea
OK missing-alt: all images have alt
OK console-leftover: no console.* in source
OK todo-marker: no TODO/FIXME
```

STATUS: warnings (0 failing, 25 warning)

2.13 Future enhancements

Ideas the codebase is structured to absorb without major rework:

- **Custom domain** — add via Vercel dashboard (Project → Settings → Domains).
- **Analytics** — Vercel Web Analytics is a one-click toggle in the dashboard.
- **Live rate calculator** — the pricing model in *src/lib/pricing.ts* is already shaped for it. Drop in a *RateCalculator.tsx* client component that reads PRICING and emits a brief via mailto: or a Gmail compose URL. The intake form already mirrors the structure the calculator would expose.
- **Real Sofia Pro** — replace the Sofia Sans Google Fonts loader in *layout.tsx* with *next/font/local*. Keep *variable: --font-sans* — nothing else needs to change.
- **Server-side inquiry capture** — if Audrey wants inquiries to skip DMS, add an API route at *src/app/api/inquiry/route.ts* + a small contact form on Section VI. Resend or Nodemailer + Gmail SMTP both work.
- **i18n (Tagalog/English toggle)** — *next-intl* drops in cleanly with the App Router.

End of manual. Regenerate by running `python3 scripts/generate-manuals.py`. Auto-runs on every `Deploy.command push`.