

---

# Audrey Baliao

Personal Portfolio Website

## User & Technical Manual

*Generated on May 07, 2026 at 9:43 AM*

*Reflecting commit **a76b098** , "Reframe site: Audrey is a video editor, Stories is her portfolio" (May 7, 2026 at 9:29 AM).*

**Confidential. This document contains deployment credentials in Part 2, Section 8. If this PDF leaves the owner's and developer's hands, rotate the GitHub Personal Access Token immediately at <https://github.com/settings/personal-access-tokens>.**

## Contents

### Part 1: User Manual

- 1.1 What this website is
- 1.2 Where to find it
- 1.3 The four sections, page by page
- 1.4 How a client builds a quote
- 1.5 Receiving an inquiry email
- 1.6 Asking for changes
- 1.7 Common questions
- 1.8 Latest QA results

### Part 2: Technical Manual

- 2.1 Stack overview

- 
- 2.2 Project file structure
  - 2.3 Running locally
  - 2.4 Where each piece of content lives
  - 2.5 The pricing engine
  - 2.6 The brief builder
  - 2.7 Deployment pipeline
  - 2.8 Credentials
  - 2.9 Asset and image handling
  - 2.10 Maintenance recipes
  - 2.11 Mobile responsiveness
  - 2.12 Security posture & latest audit
  - 2.13 Future enhancements

---

# Part 1 , User Manual

This part is written for Audrey and anyone helping her run the site day-to-day. No coding required. It explains what each part of the site does, what visitors and clients see, and what to do when an inquiry arrives.

## 1.1 What this website is

A one-page editorial portfolio for Audrey “Dhey” Baliao , working student, daily-life storyteller, and video editor based in the Philippines. It does three things:

- **Tells her story.** A bio that folds in her dreams (travel everywhere; flight attendant or cruise ship; turn it all into content) without separate ‘dreams’ or ‘travel’ sections.
- **Showcases her editing portfolio.** A 7-card gallery of videos she’s edited, all hosted on YouTube. Thumbnails come from *i.ytimg.com* automatically. Each card carries an “Edited by Audrey” badge.
- **Lets clients self-quote.** A live rate calculator that builds a complete project brief and emails it to Audrey with one click. Plus a per-minute breakdown, monthly retainer plans, a discount ladder, and downloadable intake form + service contract.

## 1.2 Where to find it

**Live URL:** filled in after the first Vercel deploy (typically *audrey-baliao-portfolio.vercel.app*, or a custom domain once configured).

**Source code:** <https://github.com/audreybaliao-website/website>

**Local preview during development:** <http://localhost:3013>

## 1.3 The four sections, page by page

### I. Hello (the hero)

The first thing visitors see. Includes a “Currently creating” pulsing dot, the headline “Raw footage, cut into stories,” a portrait frame, a Role / Based / Edits meta strip, and three paragraphs of bio that establish Audrey as a video editor. The bio also folds in what formats she edits (vlogs, music videos, news pieces, travel wishlist edits, GRWMs) and the bigger dream of travelling everywhere as a flight attendant or aboard a cruise ship.

### II. Selected work (nav: “Work”)

Audrey’s editing portfolio. A 3-column gallery of 7 video edits she’s done, all hosted on YouTube. Each card carries an “Edited by Audrey” badge so it’s clear these are her cuts (the videos themselves were filmed by clients). Thumbnails come from *i.ytimg.com* automatically; each card opens the published video in a new tab.

### III. Rate sheet

---

Four blocks. *Live rate calculator*: clients toggle what they need and see a running PHP total, then send the brief by email, Gmail, or copy-paste. *Per-minute build*: clean cuts, intro / outro, thumbnail, cover frame, YouTube kit, extra exports, and the rush surcharge. *Monthly retainer*: 4 to 7 videos per month with a 50/50 payment table. *Discounts*: 5 / 10 / 15 / 20% ladder. Plus two document downloads (intake form, service contract).

## IV. Connect

Headline (“Let’s tell a story together”), a short collaboration invitation, then a prominent **email block** for projects and bookings (Email Audrey + Open in Gmail buttons pointing at [audreybaliao022@gmail.com](mailto:audreybaliao022@gmail.com)), followed by four social cards for casual hellos: **Instagram** @ur.dhey, **Facebook** audrey.baliao.2024, **TikTok** @.dtb8, and **TikTok · edits** @adryrzb1. Closes with the footer crediting the developer.

### 1.4 How a client builds a quote

Inside Section **III (Rate sheet)** the client sees a live calculator at the top of the section. They see:

- A “Tell me about you and your project” card with their name, email, a project description (multi-line), and a Google Drive link to their footage.
- **Start from a preset.** Quick reel, 10-min vlog, Music video, or News / project edit. One click pre-fills everything.
- **Footage.** Raw video length in minutes.
- **Edit complexity.** Toggle music, video effects, and captions. Each has four levels: Light, Standard, Detailed, Heavy.
- **Hooks & branding.** Cliffhanger, custom intro/outro, thumbnail, cover frame, and the YouTube kit (timestamps + title + description, ■100 all-in).
- **Delivery.** Extra exports count and rush toggle.
- **Add-ons.** Optional flat fees for script/structure pass and stock asset budget.
- **Discount request** (optional). A 0/5/10/15/20% starting tier the client can propose with their reason.

On the right side (or below on mobile), a sticky **Your estimate** card shows the running PHP total, included items, the timeline, and three send buttons:

- **Send this brief to Audrey.** Opens the client’s default mail app with the full brief prefilled.
- **Open in Gmail.** Works for clients who use Gmail in a browser without a default mail handler set up.
- **Copy brief.** Clipboard copy with a green “Copied” flash; client can paste into any mail client.

If the client prefers, the same intake form is downloadable as a Word document at the bottom of Section **III**.

### 1.5 Receiving an inquiry email

When a client clicks any of the three send buttons in the calculator, [audreybaliao022@gmail.com](mailto:audreybaliao022@gmail.com) receives a message that looks like this:

Subject: Project inquiry from Maria Santos

---

Hi Audrey, I'm Maria.

I'd love to book a project with you. Here are the choices I made on your site:

- \* Raw footage length: 30 minutes
- \* Music & sound design: Yes (Standard)
- \* Video effects: Yes (Detailed)
- \* Subtitles / captions: Yes (Heavy)
- \* Cliffhanger opener: No
- \* Custom intro: Yes
- \* Custom outro: Yes
- \* Thumbnail: Yes
- \* Cover frame: No
- \* Extra export versions: 2
- \* Delivery: Standard (7-day)

Estimated total: PHP 4,025

A little about the project:

A wedding highlight reel for my parents' anniversary, posting on YouTube. I'd like a warm cinematic feel.

Footage on Google Drive: <https://drive.google.com/...>  
(I have set the link to "Anyone with the link can view" so you can open it without delays.)

Thank you, and I look forward to your reply.

Maria Santos  
maria@example.com

The brief always includes whatever the client typed into the calculator. Reply directly to that email; the client's address is on the "From" line, with their typed address as a backup at the bottom.

The site also links four casual channels under "Or come say hi" in Section IV: Instagram (@ur.dhey, fastest replies), Facebook (audrey.baliao.2024), and the two TikTok handles (@.dtb8 personal, @adryrzb1 edits).

## 1.6 Asking for changes

The site is hosted on Vercel and rebuilds automatically every time the developer pushes a change to GitHub. To request an update (new vlog edit, blurb tweak, rate change, etc.), send the request to the developer (Erick Cabal). They'll edit, push, and the live site updates within ~90 seconds.

Common requests that take under a minute to ship:

- Adding a new vlog edit (needs: YouTube video ID, title, blurb).
- Updating a price constant in *src/lib/pricing.ts* (base rate per minute, intro/outro fees, rush %, etc.).
- Toggling the "Currently creating" pulse on or off.
- Updating the bio, mission, vision, or social handles.

## 1.7 Common questions

---

### Can I change my rates without touching code?

Almost. Edit one file: `src/lib/pricing.ts`. The rate sheet section, intake form (after a `generate-forms.py` run), and contract (same) all read the same constants.

### What if a client's Drive link returns "request access"?

They forgot to set sharing to *Anyone with the link can view*. Reply asking them to fix the share setting; the intake form has a hint reminding them but it's easy to miss.

### Can I temporarily hide a vlog from the gallery?

Yes. Tell the developer; they comment out the corresponding entry in `src/components/sections/Stories.tsx` (VLOGS array). Bringing it back is just uncommenting.

### Can I take the site offline?

Yes. In the Vercel dashboard, pause the project. The URL starts returning 503 until you unpause. The repo and code remain intact.

### Where does the YouTube thumbnail come from?

It's pulled from `i.ytimg.com` at runtime, the videoId is the only thing stored in the codebase. No thumbnail files are uploaded to the repo for YouTube videos.

## 1.8 Latest QA results

**Last checked:** 2026-05-07 09:43:39 PDT

■ **All clear.** The most recent automated check found nothing to worry about.

# Part 2 , Technical Manual

Written for the developer maintaining this codebase. Includes credentials. **Treat this part as confidential.**

## 2.1 Stack overview

|             |                                        |
|-------------|----------------------------------------|
| Framework   | Next.js ^16.2.5                        |
| UI runtime  | React ^19.0.0                          |
| Styling     | Tailwind CSS ^3.4.16                   |
| Icons       | lucide-react ^0.468.0                  |
| Language    | TypeScript ^5.7.2                      |
| Hosting     | Vercel (auto-deploys from GitHub main) |
| Source      | GitHub (push to main = redeploy)       |
| Node target | Node 20+ (Vercel default)              |
| Dev port    | 3013                                   |

All app routes live under the App Router (*src/app/*). Pages are React Server Components by default; the client-side components are the navigation (*Nav.tsx*) for scrollspy and the rate calculator (*RateCalculator.tsx*). No backend, no database, no API routes. The calculator builds a *mailto:* URL that the client's mail app handles.

## 2.2 Project file structure

```
audrey-baliao-portfolio/
├── docs/
│   ├── Audrey Baliao Portfolio - Manual.pdf
│   └── audit-latest.txt
├── public/
│   ├── audrey-portrait.png
│   ├── stories/
│   ├── audrey-baliao-intake-form.docx
│   └── audrey-baliao-service-contract.docx
├── scripts/
│   ├── audit
│   ├── _check_pat.py
│   ├── generate-forms.py
│   └── generate-manuals.py
├── src/
│   ├── app/
│   │   ├── globals.css
│   │   ├── icon.svg
│   │   ├── layout.tsx
│   │   ├── not-found.tsx
│   │   ├── opengraph-image.tsx
│   │   └── page.tsx
└──
```

← this PDF lives here

← static assets (served at /)

← drop in real photo

← optional override thumbs

← downloadable form

← downloadable contract

← pre-deploy audit gate (bash)

← PAT scanner used by audit

← regenerates the .docx forms

← regenerates this PDF

← Tailwind + section-rise

← favicon (emerald + gold)

← root layout, fonts, metadata

← 404 page

← dynamic OG image

← home (mounts all sections)

|                          |                                 |
|--------------------------|---------------------------------|
| ■ ■ ■ robots.ts          |                                 |
| ■ ■ ■ sitemap.ts         |                                 |
| ■ ■ ■ components/        |                                 |
| ■ ■ ■ Nav.tsx            | ← sticky header, scrollspy      |
| ■ ■ ■ RateCalculator.tsx | ← live quote builder (client)   |
| ■ ■ ■ sections/          |                                 |
| ■ ■ ■ About.tsx          | ← I. Hello                      |
| ■ ■ ■ Stories.tsx        | ← II. Stories                   |
| ■ ■ ■ Rates.tsx          | ← III. Rate sheet               |
| ■ ■ ■ Connect.tsx        | ← IV. Connect                   |
| ■ ■ ■ lib/               |                                 |
| ■ ■ ■ pricing.ts         | ← rates + calculateQuote        |
| ■ ■ ■ Deploy.command     | ← double-click → deploy         |
| ■ ■ ■ eslint.config.mjs  |                                 |
| ■ ■ ■ next.config.ts     | ← strict CSP + security headers |
| ■ ■ ■ package.json       |                                 |
| ■ ■ ■ postcss.config.mjs |                                 |
| ■ ■ ■ tailwind.config.ts | ← emerald + gold palette        |
| ■ ■ ■ tsconfig.json      |                                 |

## 2.3 Running locally

First-time setup:

```
npm install
```

Day-to-day:

```
npm run dev      # http://localhost:3013 with HMR
npm run build    # production build
npm run start    # serve the built output on 3013
npm run lint     # eslint (next/core-web-vitals + typescript)
npx tsc --noEmit # standalone type check
```

# Regenerate the contracts and the manual any time:

```
python3 scripts/generate-forms.py
python3 scripts/generate-manuals.py
```

# Run the audit alone (Deploy.command runs it automatically):

```
bash scripts/audit
```

## 2.4 Where each piece of content lives

|                              |                                                         |
|------------------------------|---------------------------------------------------------|
| <b>Headline / hero</b>       | src/components/sections/About.tsx                       |
| <b>Bio paragraphs (3)</b>    | src/components/sections/About.tsx                       |
| <b>Stories: vlog gallery</b> | src/components/sections/Stories.tsx (VLOGS array)       |
| <b>Rate calculator UI</b>    | src/components/RateCalculator.tsx                       |
| <b>Calculator presets</b>    | src/components/RateCalculator.tsx (PRESETS)             |
| <b>Email body / brief</b>    | src/components/RateCalculator.tsx (buildBrief)          |
| <b>Pricing constants</b>     | src/lib/pricing.ts (PRICING, RETAINER_PLANS, DISCOUNTS) |



|                                      |                                                            |
|--------------------------------------|------------------------------------------------------------|
| <b>Social cards</b>                  | src/components/sections/Connect.tsx (SOCIALS)              |
| <b>Form templates (.docx source)</b> | scripts/generate-forms.py                                  |
| <b>Page metadata / OG</b>            | src/app/layout.tsx (metadata export)                       |
| <b>Color palette</b>                 | tailwind.config.ts (emerald, gold, ivory)                  |
| <b>Fonts</b>                         | src/app/layout.tsx (Italianno + Merriweather + Sofia Sans) |
| <b>Favicon</b>                       | src/app/icon.svg                                           |
| <b>OG image</b>                      | src/app/opengraph-image.tsx                                |

## 2.5 The pricing engine

All rate logic is in *src/lib/pricing.ts*. The constants are typed and centralized so the live calculator, the rate sheet display, the intake form, and the service contract all stay in lockstep:

```
export const PRICING = {
  /** Base "clean cuts" rate per minute of raw footage. */
  baseRatePerMin: 20,
  /** Per-element flat fees added on top of the base rate. */
  introFee: 250,
  outroFee: 250,
  thumbnailFee: 250,
  coverFrameFee: 250,
  youtubeKitFee: 100,
  /** Each additional export aspect (9:16 vertical, 1:1 square, etc.). */
  extraExportFee: 100,
  /** Rush surcharge as a fraction of the running subtotal. */
  rushFeePct: 0.25,
  /** Cliffhanger opener: cliffhangerPct × baseRate × rawMinutes. */
  cliffhangerPct: 0.5,
} as const;
```

**How a quote is computed** (function *calculateQuote*):

- **Clean cuts.** rawMinutes × baseRatePerMin (■20/min). Always charged.
- **Music / Effects / Captions.** Each: rawMinutes × complexity × baseRatePerMin. Complexity is 0.3 (Light), 0.5 (Standard), 0.7 (Detailed), or 1.0 (Heavy).
- **Cliffhanger opener.** rawMinutes × 0.5 × baseRatePerMin.
- **Flat fees.** Intro ■250, outro ■250, thumbnail ■250, cover frame ■250, YouTube kit ■100 (timestamps + title + description, all-in).
- **Extra exports.** ■100 each.
- **Rush.** Subtotal × 0.25 surcharge added to the running total.
- **Add-ons.** Script / structure pass and stock-asset budget are added at face value (client-entered amounts).
- **Retainer.** ■2,500 per video, 4 to 7 videos / month, 50/50 split.

## 2.6 The brief builder

*buildBrief()* at the bottom of *RateCalculator.tsx* turns the calculator state into plain text. State threaded through:


- *clientName*, *clientEmail*: greeting + sign-off.
- *projectDescription*: the “A little about the project” block.
- *driveLink*: the *Footage on Google Drive* line (with a built-in note about share settings).
- Every calculator toggle/level: rendered as Yes/No with the complexity label.
- *quote.total*: *Estimated total* in PHP.
- *discountTier* + *discountReason*: only emitted when the client picked a tier.

All three send buttons (mailto, Gmail compose URL, Copy brief) consume the same *briefBody* string. The Gmail URL uses the *view=cm&fs=1* compose endpoint with URL-encoded subject + body so the client’s Gmail tab opens with everything filled in.

The Stories feed is a single typed array (*VLOGS* in *Stories.tsx*) of 7 YouTube vlog cards. Thumbnails resolve to *https://i.ytimg.com/vi/<ID>/hqdefault.jpg* from the videoid; no manual upload required.

## 2.7 Deployment pipeline

**Push to main = live in ~90 seconds. Flow:**



## 2.8 Credentials

**These are required to push deploys. Treat as secrets. Anyone with the GitHub PAT can push code, which triggers a Vercel rebuild. Rotation steps are at the end of this section.**

|                 |                              |
|-----------------|------------------------------|
| GitHub username | audreybaliao-website         |
| Owner contact   | Audrey Baliao                |
| Repository      | audreybaliao-website/website |

|                       |                                                                                                                                                                                 |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Repository URL        | <code>https://github.com/audreybaliao-website/website</code>                                                                                                                    |
| Default branch        | <code>main</code>                                                                                                                                                               |
| Personal Access Token | (stored locally in <code>.git/config</code> : never committed; rotate at <code>github.com/settings/personal-access-tokens</code> )                                              |
| Token scope           | <code>Contents: Read and write (single-repo)</code>                                                                                                                             |
| Storage on disk       | <code>.git/config</code> (embedded in remote URL)                                                                                                                               |
| Vercel project        | (set in Vercel dashboard after first deploy)                                                                                                                                    |
| Owner email           | <code>audreybaliao022@gmail.com</code>                                                                                                                                          |
| Inquiry channels      | Email <code>audreybaliao022@gmail.com</code> · Instagram <code>@ur.dhey</code> · Facebook <code>audrey.baliao.2024</code> · TikTok <code>@.dtb8</code> + <code>@adryrzb1</code> |

## Rotating the GitHub Personal Access Token

- Sign in to GitHub as the repo owner.
- Visit `https://github.com/settings/personal-access-tokens`, delete the current token.
- Generate a new fine-grained PAT scoped to this repo with **Contents: Read and write**.
- Update the URL in `.git/config`: replace the old token in the `https://USER:TOKEN@github.com/...` remote URL with the new one.
- Test with `git push`. Done.

## 2.9 Asset and image handling

**Hero portrait** , `public/audrey-portrait.png`. Until the file exists, the frame in `About.tsx` renders a “Dhey” script placeholder. Drop the JPG in and uncomment the `<img>` block in `About.tsx`.

**Vlog & featured-edit thumbnails** , resolve automatically:

- **YouTube videos** , `https://i.ytimg.com/vi/<ID>/hqdefault.jpg`, allowed by the CSP `img-src` in `next.config.ts`. No upload needed.
- **Facebook share/vl** , no public thumbnail exists; the card uses an emerald-gradient placeholder with a `News · project` badge.
- **Optional override** , drop a JPG into `public/stories/` and add a `thumb` field to the matching entry in `Stories.tsx`.

## 2.10 Maintenance recipes

### Add a new vlog edit

```
// in src/components/sections/Stories.tsx, VLOGS array:
{
  id: "v08",
  source: "youtube",
```

```
category: "vlog",
videoId: "<11-char-youtube-id>",
url: "https://youtu.be/<id>",
title: "Vlog · 08",
blurb: "Daily-life cut.",
},
```

## Change a price

Edit the corresponding constant in *src/lib/pricing.ts* (*baseRatePerMin*, *introFee*, *rushFeePct*, *RETAINER\_PER\_VIDEO*, etc.). The Rate sheet section re-renders the new total on the next page load. Re-run *python3 scripts/generate-forms.py* if you want the intake form to reflect new helper text.

## Toggle the “Currently creating” pulse

In *About.tsx*, find the eyebrow with the green pinging dot and either remove or comment out that block. To add it back, uncomment.

## Update the bio

The headline and three bio paragraphs are all in *About.tsx*. The third paragraph is where the dreams (travel everywhere; flight attendant or cruise ship) live. Use *&rsquo;* for apostrophes inside JSX text to avoid React entity warnings, e.g. *I&rsquo;m*.

## Edit the intake form or service contract

Open *scripts/generate-forms.py* and edit the relevant *build\_intake\_form()* or *build\_service\_contract()* function. Re-run *python3 scripts/generate-forms.py* to regenerate the .docx files in *public/*. Commit and push as usual, the new versions are served at */audrey-baliao-intake-form.docx* and */audrey-baliao-service-contract.docx*. The download links in *Rates.tsx* point at those paths.

## 2.11 Mobile responsiveness

All breakpoints use Tailwind defaults: *sm*=640px, *md*=768px, *lg*=1024px. Key responsive decisions:

- **Nav.** On <sm only the Roman numerals show; the labels appear from sm up. The wordmark (“Audrey Dhey”) is always visible.
- **About hero.** H1 scales *clamp(3.25rem, 9vw, 7.5rem)*. Portrait + meta stack on mobile, 5/7 split on lg.
- **Stories.** Vlog gallery: 1 / 2 / 3 cols at sm / md / lg.
- **Rate calculator.** 1 col on mobile (form then estimate-card stacked); 2 cols on lg with the estimate panel sticky at *top-24*. Hooks & branding and Add-ons collapse from 2-col to 1-col below sm.
- **Rate sheet body.** Per-minute build + retainer split on lg, stack on mobile. Discount cards 1 / 2 / 4 cols.
- **Connect.** Email block fluidly stacks; social cards 1 / 2 / 4 cols.

## 2.12 Security posture & latest audit

Every push runs *scripts/audit* before *Deploy.command* regenerates this PDF. The audit covers two tracks:

- **Security** , committed PATs, committed .env files, *npm audit* (critical/high blocks the deploy; moderate/low warns), and use of *dangerouslySetInnerHTML / eval / new Function*.
- **Quality (grammar / a11y / leftovers)** , em-dashes in JSX (the AI-tell), images missing alt text, leftover *console.\** calls, and TODO/FIXME markers.

Findings emit one line each in the form *LEVEL code: message*. Any **FAIL** blocks the deploy with a non-zero exit; **WARN** does not.

Beyond the audit, the runtime is hardened in *next.config.ts* with: HSTS, X-Frame-Options DENY, X-Content-Type-Options nosniff, a strict Content Security Policy, a restrictive Permissions-Policy (camera/microphone/geolocation/interest-cohort all denied), and a strict Referrer-Policy.

## Latest QA run (verbatim)

**Date:** 2026-05-07 09:43:39 PDT

**Status:** passed

**Findings:** 0 failing, 0 warning

2026-05-07 09:43:39 PDT

=== Audrey Baliao Portfolio: System Audit ===

### ## SECURITY

OK pat-leak: no PATs in tracked files  
OK env-committed: no .env files tracked  
OK npm-audit: 0 vulnerabilities  
OK dangerous-api: none in source

### ## QUALITY

OK em-dash: no em-dashes in JSX  
OK missing-alt: all images have alt  
OK console-leftover: no console.\* in source  
OK todo-marker: no TODO/FIXME

STATUS: passed

## 2.13 Future enhancements

Ideas the codebase is structured to absorb without major rework:

- **Custom domain.** Add via Vercel dashboard (Project → Settings → Domains).
- **Analytics.** Vercel Web Analytics is a one-click toggle in the dashboard.
- **Real Sofia Pro.** Replace the Sofia Sans Google Fonts loader in *layout.tsx* with *next/font/local*. Keep *variable: --font-sans*; nothing else needs to change.
- **Server-side inquiry capture.** If Audrey wants inquiries to skip the client's mail app, add an API route at *src/app/api/inquiry/route.ts* and POST to it from the calculator. Resend or Nodemailer + Gmail SMTP both work.
- **Admin page.** Protected route with a list of received inquiries. Would require a database (Vercel Postgres or Supabase).
- **i18n (Tagalog/English toggle).** *next-intl* drops in cleanly with the App Router.

- 
- **Project case studies.** Per-vlog detail pages at `/stories/[slug]` with embedded video, client testimonial, and BTS notes.

*End of manual. Regenerate by running `python3 scripts/generate-manuals.py`. Auto-runs on every `Deploy.command` push.*