```
!DOCTYPE html>

<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=no">
<title>Maternal Infant Nursing Resource for Audrey</title>
<link rel="preconnect" href="https://fonts.googleapis.com">
<link href="https://fonts.googleapis.com/css2?family=Nunito:ital,wght@0,400;0,600;0,700;0,800;0,900;1,700&family=Quicksand:wght@500;600;700&display=swap" rel="stylesheet">
<style>
:root {
  /* Pastel palette — all checked for WCAG AA contrast against dark text */
  --pink:       #fce4ec;
  --pink-mid:    #f8bbd0;
  --pink-dark:   #ad1457;   /* text on pink: 7.5:1 ✓ */
  --pink-med:    #c2185b;

–mint:       #e0f7ef;
–mint-mid:    #b2dfdb;
–mint-dark:   #00695c;   /* text on mint: 6.1:1 ✓ */

–lavender:    #ede7f6;
–lav-mid:     #d1c4e9;
–lav-dark:    #4527a0;   /* text on lav: 8.2:1 ✓ */

–peach:       #fff3e0;
–peach-mid:   #ffe0b2;
–peach-dark:  #e65100;

–sky:         #e3f2fd;
–sky-dark:    #0d47a1;

–cream:       #fffdf8;
–white:       #ffffff;
–text-main:   #2d2235;   /* near-black, rich warm purple-black */
–text-sub:    #5a4a6a;
–text-muted:  #8a7a9a;
–border:      rgba(0,0,0,0.08);
–shadow:      rgba(180,140,180,0.18);

–tab-h: 74px;
–font-head: ‘Nunito’, sans-serif;
–font-body: ‘Quicksand’, sans-serif;
–r: 16px;
–r-sm: 10px;
}
```

```
*, *::before, *::after { box-sizing: border-box; margin:0; padding:0; }

html { height: 100%; background: #e8d5e8; }

body {
min-height: 100%;
display: flex; justify-content: center; align-items: flex-start;
padding: 24px 16px 40px;
background:
radial-gradient(ellipse at 20% 0%, #fce4ec 0%, transparent 55%),
radial-gradient(ellipse at 80% 10%, #e0f7ef 0%, transparent 50%),
radial-gradient(ellipse at 50% 100%, #ede7f6 0%, transparent 60%),
#f5eaf5;
font-family: var(–font-body);
color: var(–text-main);
}

/* ── Phone shell ── */
.phone {
width: 100%;
max-width: 420px;
min-height: 860px;
background: var(–cream);
border-radius: 36px;
overflow: hidden;
display: flex;
flex-direction: column;
box-shadow:
0 0 0 1px rgba(200,160,210,0.4),
0 24px 80px rgba(160,100,180,0.25),
0 8px 24px rgba(0,0,0,0.08);
position: relative;
}

/* ── App header ── */
.app-header {
background: linear-gradient(135deg, #fce4ec 0%, #ede7f6 50%, #e0f7ef 100%);
border-bottom: 2px solid var(–pink-mid);
padding: 18px 20px 14px;
display: flex;
align-items: center;
gap: 14px;
flex-shrink: 0;
}
.header-cat { flex-shrink: 0; }
.header-text {}
.header-title {
font-family: var(–font-head);
```

```
font-size: 14px;
font-weight: 900;
color: var(–pink-dark);
line-height: 1.2;
letter-spacing: -0.2px;
}
.header-subtitle {
font-size: 11px;
color: var(–text-sub);
font-weight: 600;
margin-top: 2px;
letter-spacing: 0.3px;
}

/* ── Content ── */
.content {
flex: 1;
overflow-y: auto;
overflow-x: hidden;
scrollbar-width: thin;
scrollbar-color: var(–pink-mid) transparent;
position: relative;
}
.content::-webkit-scrollbar { width: 4px; }
.content::-webkit-scrollbar-thumb { background: var(–pink-mid); border-radius: 4px; }

.tab-panel { display: none; padding: 16px 16px 24px; }
.tab-panel.active { display: block; animation: fadeUp 0.28s cubic-bezier(.22,.68,0,1.2); }

@keyframes fadeUp {
from { opacity:0; transform: translateY(14px); }
to   { opacity:1; transform: translateY(0); }
}

/* ── Tab bar ── */
.tab-bar {
height: var(–tab-h);
background: var(–white);
border-top: 2px solid var(–pink-mid);
display: flex;
flex-shrink: 0;
padding: 0 4px;
}
.tab-btn {
flex: 1;
display: flex; flex-direction: column;
align-items: center; justify-content: center;
gap: 4px;
background: none; border: none; cursor: pointer;
```

```
font-family: var(–font-body);
color: var(–text-muted);
transition: color 0.2s;
padding: 6px 2px;
position: relative;
border-radius: var(–r-sm);
min-height: 44px;
}
.tab-btn:focus-visible {
outline: 3px solid var(–pink-dark);
outline-offset: 2px;
}
.tab-btn.active { color: var(–pink-dark); }
.tab-btn.active.mint-tab { color: var(–mint-dark); }
.tab-btn.active.lav-tab  { color: var(–lav-dark); }
.tab-btn.active::after {
content: ‘’;
position: absolute;
bottom: 4px; left: 50%;
transform: translateX(-50%);
width: 28px; height: 3px;
border-radius: 2px;
background: var(–pink-dark);
}
.tab-btn.active.mint-tab::after { background: var(–mint-dark); }
.tab-btn.active.lav-tab::after  { background: var(–lav-dark); }
.tab-icon-wrap { width: 28px; height: 28px; display: flex; align-items: center; justify-content: center; }
.tab-label { font-size: 10px; font-weight: 700; letter-spacing: 0.3px; line-height: 1; }

/* ── Section headers ── */
.section-cat-header {
display: flex;
align-items: center;
gap: 10px;
margin-bottom: 14px;
}
.section-cat-header h2 {
font-family: var(–font-head);
font-size: 18px;
font-weight: 900;
color: var(–text-main);
letter-spacing: -0.3px;
}
.section-cat-header .cat-badge {
font-size: 10px; font-weight: 700;
padding: 3px 9px;
border-radius: 20px;
letter-spacing: 0.5px;
text-transform: uppercase;
```

```
}

/* ── Accordion cards ── */
.accordion {
background: var(–white);
border: 1.5px solid var(–border);
border-radius: var(–r);
margin-bottom: 12px;
overflow: hidden;
box-shadow: 0 2px 12px var(–shadow);
}
.accordion-header {
width: 100%;
background: none;
border: none;
cursor: pointer;
display: flex;
align-items: center;
gap: 12px;
padding: 14px 16px;
font-family: var(–font-head);
font-size: 15px;
font-weight: 800;
color: var(–text-main);
text-align: left;
transition: background 0.15s;
min-height: 56px;
}
.accordion-header:focus-visible {
outline: 3px solid var(–pink-dark);
outline-offset: -3px;
}
.accordion-header:hover { background: var(–pink); }
.accordion-header.mint:hover { background: var(–mint); }
.accordion-header.lav:hover  { background: var(–lavender); }

.acc-icon {
width: 36px; height: 36px;
border-radius: 10px;
display: flex; align-items: center; justify-content: center;
flex-shrink: 0;
font-size: 18px;
}
.acc-chevron {
margin-left: auto;
width: 20px; height: 20px;
transition: transform 0.25s;
color: var(–text-muted);
flex-shrink: 0;
```

```
}
.accordion.open .acc-chevron { transform: rotate(180deg); }

.accordion-body {
display: none;
padding: 0 16px 16px;
border-top: 1.5px solid var(–border);
}
.accordion.open .accordion-body { display: block; }

/* ── Content elements ── */
.info-block {
margin-top: 12px;
}
.info-block h3 {
font-family: var(–font-head);
font-size: 13px; font-weight: 800;
color: var(–text-sub);
text-transform: uppercase;
letter-spacing: 0.8px;
margin-bottom: 6px;
display: flex; align-items: center; gap: 6px;
}
.info-block h3 .dot {
width: 8px; height: 8px; border-radius: 50%; flex-shrink: 0;
}

.checklist { list-style: none; }
.checklist li {
display: flex; align-items: flex-start; gap: 8px;
font-size: 13px; color: var(–text-main);
line-height: 1.5;
padding: 5px 0;
border-bottom: 1px solid var(–border);
font-weight: 600;
}
.checklist li:last-child { border-bottom: none; }
.checklist li::before {
content: ‘’;
width: 16px; height: 16px;
border-radius: 50%;
flex-shrink: 0;
margin-top: 2px;
border: 2px solid currentColor;
}

.tag-list { display: flex; flex-wrap: wrap; gap: 6px; margin-top: 6px; }
.tag {
font-size: 12px; font-weight: 700;
```

```
padding: 4px 10px; border-radius: 20px;
display: inline-flex; align-items: center; gap: 4px;
}

.normal-range {
background: var(–mint);
border: 1.5px solid var(–mint-mid);
border-radius: var(–r-sm);
padding: 10px 12px;
margin-top: 6px;
}
.normal-range-label {
font-size: 10px; font-weight: 700; text-transform: uppercase;
letter-spacing: 0.8px; color: var(–mint-dark);
margin-bottom: 4px;
}
.normal-range-value {
font-size: 13px; font-weight: 600; color: var(–text-main);
font-family: var(–font-head);
}

.lab-table { width: 100%; border-collapse: collapse; margin-top: 8px; }
.lab-table th {
font-size: 11px; font-weight: 800; text-transform: uppercase;
letter-spacing: 0.6px; color: var(–text-sub);
text-align: left; padding: 6px 8px;
background: var(–peach);
border-radius: 0;
}
.lab-table th:first-child { border-radius: 8px 0 0 0; }
.lab-table th:last-child  { border-radius: 0 8px 0 0; }
.lab-table td {
font-size: 12px; font-weight: 600; color: var(–text-main);
padding: 7px 8px;
border-bottom: 1px solid var(–border);
vertical-align: top;
}
.lab-table tr:last-child td { border-bottom: none; }
.lab-table tr:nth-child(even) td { background: #fff9f0; }

.tip-box {
background: var(–sky);
border-left: 4px solid var(–sky-dark);
border-radius: 0 var(–r-sm) var(–r-sm) 0;
padding: 10px 12px;
margin-top: 10px;
font-size: 12px; font-weight: 600; color: var(–sky-dark);
line-height: 1.5;
}
```

```
.tip-box strong { font-weight: 800; }

.alert-box {
background: #fff3e0;
border-left: 4px solid var(–peach-dark);
border-radius: 0 var(–r-sm) var(–r-sm) 0;
padding: 10px 12px;
margin-top: 10px;
font-size: 12px; font-weight: 600; color: #bf360c;
line-height: 1.5;
}
.alert-box strong { font-weight: 800; }

/* ── Directory ── */
.dir-intro {
background: var(–lavender);
border: 1.5px solid var(–lav-mid);
border-radius: var(–r);
padding: 14px 16px;
margin-bottom: 16px;
display: flex; align-items: center; gap: 12px;
}
.dir-intro-text {
font-size: 13px; font-weight: 600; color: var(–lav-dark);
line-height: 1.5;
}

.dir-card {
background: var(–white);
border: 1.5px solid var(–border);
border-radius: var(–r);
margin-bottom: 10px;
overflow: hidden;
box-shadow: 0 2px 10px var(–shadow);
}
.dir-card-head {
background: var(–lavender);
padding: 10px 14px;
display: flex; align-items: center; gap: 8px;
}
.dir-card-head-title {
font-family: var(–font-head);
font-size: 13px; font-weight: 800;
color: var(–lav-dark);
text-transform: uppercase; letter-spacing: 0.5px;
}
.dir-entry {
display: flex; justify-content: space-between; align-items: center;
padding: 11px 14px;
```

```
border-bottom: 1px solid var(–border);
gap: 12px;
}
.dir-entry:last-child { border-bottom: none; }
.dir-entry-name { font-size: 13px; font-weight: 700; color: var(–text-main); }
.dir-entry-role { font-size: 11px; color: var(–text-muted); font-weight: 600; margin-top: 1px; }
.dir-entry-num {
font-family: var(–font-head);
font-size: 14px; font-weight: 800;
color: var(–lav-dark);
background: var(–lavender);
padding: 5px 12px; border-radius: 20px;
flex-shrink: 0;
letter-spacing: 0.5px;
}
.dir-placeholder {
font-size: 12px; font-weight: 600; color: var(–text-muted);
font-style: italic;
}

/* ── Cat SVG wrapper ── */
.cat-float {
display: flex; justify-content: center;
margin-bottom: 10px;
}

/* ── Cute cat art ── */
svg.cat { overflow: visible; }
</style>

</head>
<body>
<div class="phone" role="application" aria-label="Maternal Infant Nursing Resource for Audrey">

  <!-- Header -->

  <header class="app-header">
    <div class="header-cat" aria-hidden="true">
      <!-- Tiny nurse cat in header -->
      <svg width="52" height="52" viewBox="0 0 52 52" fill="none" class="cat" aria-hidden="true">
        <!-- Body -->
        <ellipse cx="26" cy="36" rx="14" ry="12" fill="#fce4ec"/>
        <!-- Scrubs top -->
        <ellipse cx="26" cy="36" rx="12" ry="10" fill="#b2dfdb"/>
        <!-- Red cross on scrubs -->
        <rect x="23.5" y="32" width="5" height="2" rx="1" fill="#c62828"/>
        <rect x="24.5" y="31" width="3" height="4" rx="1" fill="#c62828"/>
        <!-- Head -->
        <ellipse cx="26" cy="22" rx="11" ry="10" fill="#fce4ec"/>
```

```
        <!-- Ears -->
        <polygon points="15,14 18,7 22,14" fill="#fce4ec"/>
        <polygon points="16.5,13 18.5,8.5 21,13" fill="#f8bbd0"/>
        <polygon points="30,14 34,7 37,14" fill="#fce4ec"/>
        <polygon points="31,13 33.5,8.5 36,13" fill="#f8bbd0"/>
        <!-- Nurse cap -->
        <rect x="19" y="13" width="14" height="6" rx="3" fill="white"/>
        <rect x="24.5" y="12" width="3" height="2" rx="1" fill="white"/>
        <rect x="23" y="15" width="6" height="2" rx="0" fill="#e53935"/>
        <rect x="25.5" y="14" width="1" height="4" rx="0" fill="#e53935"/>
        <!-- Eyes -->
        <ellipse cx="22.5" cy="23" rx="2.5" ry="2.5" fill="white"/>
        <ellipse cx="29.5" cy="23" rx="2.5" ry="2.5" fill="white"/>
        <circle cx="23" cy="23.2" r="1.5" fill="#4a2c6a"/>
        <circle cx="30" cy="23.2" r="1.5" fill="#4a2c6a"/>
        <circle cx="23.5" cy="22.8" r="0.5" fill="white"/>
        <circle cx="30.5" cy="22.8" r="0.5" fill="white"/>
        <!-- Nose -->
        <ellipse cx="26" cy="26.5" rx="1.5" ry="1" fill="#f48fb1"/>
        <!-- Mouth -->
        <path d="M24 28 Q26 30 28 28" stroke="#f48fb1" stroke-width="1" fill="none" stroke-
linecap="round"/>
        <!-- Whiskers -->
        <line x1="15" y1="25" x2="21" y2="26" stroke="#c0a0b0" stroke-width="0.8"/>
        <line x1="15" y1="27" x2="21" y2="27" stroke="#c0a0b0" stroke-width="0.8"/>
        <line x1="31" y1="26" x2="37" y2="25" stroke="#c0a0b0" stroke-width="0.8"/>
        <line x1="31" y1="27" x2="37" y2="27" stroke="#c0a0b0" stroke-width="0.8"/>
        <!-- Stethoscope -->
        <path d="M20 38 Q18 42 20 45 Q22 47 26 47 Q30 47 32 45 Q34 42 32 38" stroke="#80cbc4"
stroke-width="2.5" fill="none" stroke-linecap="round"/>
        <circle cx="26" cy="47.5" r="3" fill="#80cbc4"/>
        <circle cx="26" cy="47.5" r="1.5" fill="#4db6ac"/>
        <!-- Paws -->
        <ellipse cx="14" cy="40" rx="4" ry="3" fill="#fce4ec"/>
        <ellipse cx="38" cy="40" rx="4" ry="3" fill="#fce4ec"/>
        <!-- Tail -->
        <path d="M38 43 Q46 40 44 34 Q43 30 40 31" stroke="#f8bbd0" stroke-width="3.5" fill="none"
stroke-linecap="round"/>
      </svg>
    </div>
    <div class="header-text">
      <div class="header-title">Maternal Infant Nursing<br>Resource for Audrey 🌸</div>
      <div class="header-subtitle">Your clinical companion · L&D / Mother-Baby</div>
    </div>
  </header>

  <!-- CONTENT -->

  <main class="content" id="main-content" tabindex="-1">
```

```
<!-- ═══════════ MATERNAL HEALTH TAB ═══════════ -->
<section class="tab-panel active" id="panel-maternal" role="tabpanel" aria-labelledby="tab-maternal">

  <!-- Decorative cat -->
  <div class="cat-float" aria-hidden="true">
    <svg width="110" height="110" viewBox="0 0 110 110" fill="none" class="cat">
      <!-- Lab coat body -->
      <ellipse cx="55" cy="78" rx="28" ry="24" fill="#fafafa"/>
      <ellipse cx="55" cy="78" rx="24" ry="20" fill="#e8f5e9"/>
      <!-- Lab coat lapels -->
      <path d="M42 60 L55 70 L68 60 L65 58 L55 68 L45 58 Z" fill="white"/>
      <!-- Breast pocket -->
      <rect x="59" y="65" width="8" height="6" rx="2" fill="white" stroke="#c8e6c9" stroke-
width="1"/>
      <line x1="60" y1="67" x2="66" y2="67" stroke="#4caf50" stroke-width="0.8"/>
      <line x1="60" y1="69" x2="66" y2="69" stroke="#4caf50" stroke-width="0.8"/>
      <!-- Pen in pocket -->
      <rect x="62" y="63" width="1.5" height="5" rx="0.75" fill="#ff8a65"/>
      <!-- Head -->
      <ellipse cx="55" cy="46" rx="22" ry="20" fill="#fce4ec"/>
      <!-- Ears -->
      <polygon points="34,30 38,18 44,30" fill="#fce4ec"/>
      <polygon points="35.5,29 38.5,20 43,29" fill="#f8bbd0"/>
      <polygon points="66,30 72,18 76,30" fill="#fce4ec"/>
      <polygon points="67,29 72,20 74.5,29" fill="#f8bbd0"/>
      <!-- Nurse cap -->
      <rect x="43" y="30" width="24" height="10" rx="5" fill="white"/>
      <rect x="43" y="37" width="24" height="3" rx="1" fill="#ef9a9a"/>
      <rect x="53" y="29" width="4" height="4" rx="1" fill="white"/>
      <!-- Eyes -->
      <ellipse cx="47" cy="48" rx="4.5" ry="4.5" fill="white"/>
      <ellipse cx="63" cy="48" rx="4.5" ry="4.5" fill="white"/>
      <circle cx="47.8" cy="48.5" r="2.8" fill="#5c3d8f"/>
      <circle cx="63.8" cy="48.5" r="2.8" fill="#5c3d8f"/>
      <circle cx="48.5" cy="47.5" r="1" fill="white"/>
      <circle cx="64.5" cy="47.5" r="1" fill="white"/>
      <!-- Blush -->
      <ellipse cx="41" cy="53" rx="4" ry="2.5" fill="#f8bbd0" opacity="0.7"/>
      <ellipse cx="69" cy="53" rx="4" ry="2.5" fill="#f8bbd0" opacity="0.7"/>
      <!-- Nose -->
      <ellipse cx="55" cy="54" rx="2.5" ry="1.6" fill="#f48fb1"/>
      <!-- Mouth smile -->
      <path d="M51 57 Q55 61 59 57" stroke="#f48fb1" stroke-width="1.5" fill="none" stroke-
linecap="round"/>
      <!-- Whiskers -->
      <line x1="30" y1="52" x2="44" y2="53.5" stroke="#d0b0c0" stroke-width="1"/>
      <line x1="30" y1="55" x2="44" y2="55" stroke="#d0b0c0" stroke-width="1"/>
```

```
      <line x1="66" y1="53.5" x2="80" y2="52" stroke="#d0b0c0" stroke-width="1"/>
      <line x1="66" y1="55" x2="80" y2="55" stroke="#d0b0c0" stroke-width="1"/>
      <!-- Clipboard -->
      <rect x="26" y="70" width="18" height="22" rx="3" fill="#fff9c4" stroke="#f9a825" stroke-
width="1.5"/>
      <rect x="31" y="66" width="8" height="5" rx="2" fill="#f9a825"/>
      <line x1="29" y1="77" x2="41" y2="77" stroke="#f9a825" stroke-width="1"/>
      <line x1="29" y1="80" x2="41" y2="80" stroke="#f9a825" stroke-width="1"/>
      <line x1="29" y1="83" x2="37" y2="83" stroke="#f9a825" stroke-width="1"/>
      <!-- Stethoscope -->
      <path d="M65 65 Q60 72 62 80 Q64 87 70 87 Q76 87 78 80 Q80 73 75 65" stroke="#a5d6a7"
stroke-width="3" fill="none" stroke-linecap="round"/>
      <circle cx="70" cy="88" r="5" fill="#66bb6a"/>
      <circle cx="70" cy="88" r="2.5" fill="#43a047"/>
      <!-- Paws -->
      <ellipse cx="28" cy="86" rx="8" ry="6" fill="#fce4ec"/>
      <ellipse cx="82" cy="86" rx="8" ry="6" fill="#fce4ec"/>
      <!-- Tail -->
      <path d="M80 90 Q96 84 94 72 Q92 62 86 64" stroke="#f8bbd0" stroke-width="5" fill="none"
stroke-linecap="round"/>
      <ellipse cx="86" cy="64" rx="3.5" ry="3" fill="#f8bbd0"/>
    </svg>
  </div>

  <div class="section-cat-header">
    <h2>Maternal Health</h2>
    <span class="cat-badge" style="background:var(--pink-mid);color:var(--pink-dark);">🌸
Mom</span>
  </div>

  <!-- 1. Assessment -->
  <div class="accordion" id="acc-maternal-assess">
    <button class="accordion-header" onclick="toggleAcc('acc-maternal-assess')" aria-expanded="false"
aria-controls="acc-maternal-assess-body">
      <span class="acc-icon" style="background:var(--pink);">🩺</span>
      <span>Maternal Assessment (BUBBLE-HE)</span>
      <svg class="acc-chevron" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-
width="2.5" aria-hidden="true"><polyline points="6 9 12 15 18 9"/></svg>
    </button>
    <div class="accordion-body" id="acc-maternal-assess-body" role="region">
      <div class="tip-box"><strong>Mnemonic:</strong> B-U-B-B-L-E-H-E — systematic head-to-toe
postpartum assessment</div>
      <div class="info-block">
        <h3><span class="dot" style="background:var(--pink-dark)"></span>B — Breasts</h3>
        <ul class="checklist" style="color:var(--pink-dark)">
          <li>Softness, engorgement, symmetry</li>
          <li>Nipple condition: cracks, flat, inverted</li>
          <li>Colostrum/milk presence</li>
          <li>Breast/latching education offered</li>
```

```
    </ul>
  </div>
  <div class="info-block">
    <h3><span class="dot" style="background:var(--peach-dark)"></span>U — Uterus</h3>
    <ul class="checklist" style="color:var(--peach-dark)">
      <li>Fundal height (fingerbreadths below umbilicus)</li>
      <li>Firmness: boggy → massage needed</li>
      <li>Midline position</li>
      <li>Day 1: at umbilicus; involutes ~1 cm/day</li>
    </ul>
    <div class="alert-box"><strong>⚠ Alert:</strong> Boggy uterus → assess bladder, then fundal massage. Report excessive bleeding immediately.</div>
  </div>
  <div class="info-block">
    <h3><span class="dot" style="background:var(--mint-dark)"></span>B — Bowel</h3>
    <ul class="checklist" style="color:var(--mint-dark)">
      <li>Bowel sounds in all 4 quadrants</li>
      <li>Last BM documented</li>
      <li>Stool softeners ordered/given?</li>
      <li>Passing flatus; no distension</li>
    </ul>
  </div>
  <div class="info-block">
    <h3><span class="dot" style="background:var(--sky-dark)"></span>B — Bladder</h3>
    <ul class="checklist" style="color:var(--sky-dark)">
      <li>Voiding adequately (≥150 mL per void)</li>
      <li>Bladder not distended above symphysis</li>
      <li>U/O ≥30 mL/hr (post-Foley)</li>
      <li>Pain/burning with urination</li>
    </ul>
  </div>
  <div class="info-block">
    <h3><span class="dot" style="background:var(--lav-dark)"></span>L — Lochia</h3>
    <ul class="checklist" style="color:var(--lav-dark)">
      <li>Color: Rubra (red, 1–3d) → Serosa (pink/brown, 4–10d) → Alba (cream, 10–14d)</li>
      <li>Amount: scant / light / moderate / heavy / excessive</li>
      <li>Odor: foul odor = infection concern</li>
      <li>Clots: &gt;golf ball size = report</li>
    </ul>
  </div>
  <div class="info-block">
    <h3><span class="dot" style="background:#e65100)"></span>E — Episiotomy / Perineum</h3>
    <ul class="checklist" style="color:#e65100">
      <li>REEDA: Redness, Edema, Ecchymosis, Discharge, Approximation</li>
      <li>Ice pack first 24 hrs, sitz bath after</li>
      <li>Intact sutures (if present)</li>
      <li>Hemorrhoids noted</li>
    </ul>
  </div>
```

```
      <div class="info-block">
        <h3><span class="dot" style="background:var(--pink-dark)"></span>H — Homans / Lower
Extremities</h3>
        <ul class="checklist" style="color:var(--pink-dark)">
          <li>Calf pain on dorsiflexion (Homans sign — limited sensitivity)</li>
          <li>Leg edema, warmth, erythema</li>
          <li>DVT risk: early ambulation, SCDs</li>
        </ul>
      </div>
      <div class="info-block">
        <h3><span class="dot" style="background:var(--mint-dark)"></span>E — Emotional /
Education</h3>
        <ul class="checklist" style="color:var(--mint-dark)">
          <li>Edinburgh Postnatal Depression Scale (EPDS) if applicable</li>
          <li>Baby blues vs. PPD distinction</li>
          <li>Support system, bonding observed</li>
          <li>Discharge education completed</li>
        </ul>
      </div>
    </div>
  </div>

  <!-- 2. Postpartum Care -->
  <div class="accordion" id="acc-pp-care">
    <button class="accordion-header" onclick="toggleAcc('acc-pp-care')" aria-expanded="false" aria-
controls="acc-pp-care-body">
      <span class="acc-icon" style="background:var(--peach);">💊</span>
      <span>Postpartum Care</span>
      <svg class="acc-chevron" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-
width="2.5" aria-hidden="true"><polyline points="6 9 12 15 18 9"/></svg>
    </button>
    <div class="accordion-body" id="acc-pp-care-body" role="region">
      <div class="info-block">
        <h3><span class="dot" style="background:var(--peach-dark)"></span>Pain Management</h3>
        <ul class="checklist" style="color:var(--peach-dark)">
          <li>Ibuprofen 600 mg PO q6h (preferred — anti-inflammatory)</li>
          <li>Acetaminophen 650–1000 mg PO q6h PRN</li>
          <li>Ice perineum first 24h; sitz bath after</li>
          <li>Tucks pads / Dermoplast spray for perineal comfort</li>
          <li>Afterpains: worse with multiparas + breastfeeding; reassure</li>
        </ul>
      </div>
      <div class="info-block">
        <h3><span class="dot" style="background:var(--mint-dark)"></span>Routine Medications</h3>
        <div class="tag-list">
          <span class="tag" style="background:var(--mint);color:var(--mint-dark);">💊 Prenatal
vitamin</span>
          <span class="tag" style="background:var(--pink);color:var(--pink-dark);">🩸 Iron
supplement</span>
```

💉 Pitocin IV (if ordered)
🟡 Stool softener
🛡️ Rhogam (Rh neg only)
💉 Rubella vaccine (if non-immune)

<h3>Hemorrhage Prevention</h3>
<ul class="checklist" style="color:var(--sky-dark)">
<li>Fundal massage if boggy</li>
<li>Oxytocin (Pitocin) — standard uterotonic</li>
<li>Methergine (ergotamine) — NOT with HTN</li>
<li>Hemabate — NOT with asthma</li>
<li>Monitor CBC, report Hgb < 8 g/dL</li>
</ul>

<h3>Early Discharge Teaching</h3>
<ul class="checklist" style="color:var(--lav-dark)">
<li>Pelvic rest × 6 weeks</li>
<li>No heavy lifting (>10 lb) × 4–6 weeks</li>
<li>Signs of infection: fever >100.4°F, foul lochia, wound opening</li>
<li>Signs of PPD; 24/7 support line provided</li>
<li>OB follow-up: 3 weeks C/S or 6 weeks vaginal</li>
<li>Contraception counseling</li>
</ul>
Tip: Teach back the warning signs — lochia changes, fever, chest pain, SOB, and call-when-to-worry.

<!-- 3. Frequent Labs -->

<button class="accordion-header" onclick="toggleAcc('acc-labs')" aria-expanded="false" aria-controls="acc-labs-body">
🧪
Frequent Labs
<svg class="acc-chevron" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2.5" aria-hidden="true"><polyline points="6 9 12 15 18 9"/></svg>
</button>

<table class="lab-table" aria-label="Common postpartum laboratory values and normal ranges">

```
      <thead>
        <tr>
          <th scope="col">Lab</th>
          <th scope="col">Normal Range</th>
          <th scope="col">Note</th>
        </tr>
      </thead>
      <tbody>
        <tr><td>Hemoglobin</td><td>12–16 g/dL</td><td>↓ expected postpartum; &lt;8 = transfusion discuss</td></tr>
        <tr><td>Hematocrit</td><td>37–47%</td><td>Drops ~3–4 pts per 500 mL blood loss</td></tr>
        <tr><td>WBC</td><td>5–15 K/µL (PP up to 30)</td><td>Physiologically elevated post-delivery — not always infxn</td></tr>
        <tr><td>Platelets</td><td>150–400 K/µL</td><td>Monitor in PIH/HELLP</td></tr>
        <tr><td>Blood type / Rh</td><td>—</td><td>Rhogam if Rh(-) within 72h of delivery</td></tr>
        <tr><td>Rubella titer</td><td>≥1:8 immune</td><td>Vaccinate non-immune before discharge</td></tr>
        <tr><td>GBS status</td><td>—</td><td>Collected at 35–37 wks; guides intrapartum ABX</td></tr>
        <tr><td>BMP (Cr, BUN)</td><td>Cr 0.5–1.1</td><td>Especially post-preeclampsia or epidural</td></tr>
        <tr><td>Urine culture</td><td>—</td><td>If sx of UTI; ASB tx in pregnancy</td></tr>
        <tr><td>Mag level</td><td>4–7 mEq/L (therapeutic)</td><td>Monitor resp rate, DTRs, UO if on MgSO4</td></tr>
        <tr><td>LFTs / LDH</td><td>ALT 7–45; AST 10–40</td><td>HELLP syndrome surveillance</td></tr>
      </tbody>
    </table>
    <div class="alert-box"><strong>⚠ MgSO4 Toxicity Watch:</strong> RR &lt;12, UO &lt;25 mL/hr, absent DTRs, O2 sat dropping → hold Mag, give Calcium gluconate antidote.</div>
  </div>
</div>

<!-- 4. Breastfeeding Resources -->
<div class="accordion" id="acc-bf">
  <button class="accordion-header" onclick="toggleAcc('acc-bf')" aligned="false" aria-controls="acc-bf-body">
    <span class="acc-icon" style="background:var(--lavender);">🤱</span>
    <span>Breastfeeding Resources</span>
    <svg class="acc-chevron" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2.5" aria-hidden="true"><polyline points="6 9 12 15 18 9"/></svg>
  </button>
  <div class="accordion-body" id="acc-bf-body" role="region">
    <div class="info-block">
      <h3><span class="dot" style="background:var(--lav-dark)"></span>Latch Assessment (LATCH Score)</h3>
      <table class="lab-table" aria-label="LATCH breastfeeding scoring tool">
```

```
        <thead>
          <tr><th scope="col">Letter</th><th scope="col">Criteria</th><th scope="col">Score
0–2</th></tr>
        </thead>
        <tbody>
          <tr><td><strong>L</strong></td><td>Latch</td><td>0=too sleepy; 1=tries w/help; 2=latches
& sucks</td></tr>
          <tr><td><strong>A</strong></td><td>Audible swallowing</td><td>0=none; 1=a few;
2=spontaneous</td></tr>
          <tr><td><strong>T</strong></td><td>Type of nipple</td><td>0=inverted; 1=flat;
2=protruding</td></tr>
          <tr><td><strong>C</strong></td><td>Comfort</td><td>0=engorged; 1=cracked;
2=comfortable</td></tr>
          <tr><td><strong>H</strong></td><td>Hold/positioning</td><td>0=full assist; 1=min assist;
2=no assist</td></tr>
        </tbody>
      </table>
      <div class="normal-range"><div class="normal-range-label">Target LATCH Score</div><div
class="normal-range-value">≥ 7/10 — Good latch; &lt;5 = consult lactation</div></div>
    </div>
    <div class="info-block">
      <h3><span class="dot" style="background:var(--pink-dark)"></span>Key Teaching Points</h3>
      <ul class="checklist" style="color:var(--pink-dark)">
        <li>Feed every 1.5–3 hours, 8–12x/day newborn</li>
        <li>Alternate breasts; fully empty one side first</li>
        <li>Signs of effective feeding: audible swallowing, satisfied infant, weight gain</li>
        <li>Nipple pain is NOT normal; reassess latch</li>
        <li>Engorgement: nurse frequently, warm compress before, cool after</li>
        <li>Mastitis signs: flu-like symptoms + unilateral breast warmth/redness</li>
      </ul>
    </div>
    <div class="info-block">
      <h3><span class="dot" style="background:var(--mint-dark)"></span>Colostrum → Milk
Transition</h3>
      <div class="tag-list">
        <span class="tag" style="background:#fff3e0;color:#e65100;">Day 1–3: Colostrum 🟡</span>
        <span class="tag" style="background:var(--mint);color:var(--mint-dark);">Day 3–5: Transitional
milk</span>
        <span class="tag" style="background:var(--sky);color:var(--sky-dark);">Day 7–10: Mature
milk 🍼 </span>
      </div>
    </div>
    <div class="info-block">
      <h3><span class="dot" style="background:var(--sky-dark)"></span>Resources to Refer</h3>
      <ul class="checklist" style="color:var(--sky-dark)">
        <li>Lactation consultant (IBCLC) — inpatient consult</li>
        <li>WIC breastfeeding support program</li>
        <li>La Leche League: lllusa.org</li>
        <li>CDC breastfeeding resources: cdc.gov/breastfeeding</li>
```

```
        <li>KellyMom.com — evidence-based BF support</li>
      </ul>
    </div>
    <div class="tip-box"><strong>Tip:</strong> Document LATCH score each shift. Refer to lactation if score &lt;5 or mother requests.</div>
  </div>
 </div>

</section>

<!-- ═══════════ INFANT HEALTH TAB ═══════════ -->
<section class="tab-panel" id="panel-infant" role="tabpanel" aria-labelledby="tab-infant">

 <!-- Decorative baby cat -->
 <div class="cat-float" aria-hidden="true">
  <svg width="110" height="100" viewBox="0 0 110 100" fill="none" class="cat">
    <!-- Swaddle blanket -->
    <ellipse cx="55" cy="78" rx="30" ry="18" fill="#b2dfdb"/>
    <path d="M28 70 Q55 58 82 70 L82 90 Q55 98 28 90 Z" fill="#e0f2f1"/>
    <!-- Blanket fold -->
    <path d="M35 68 Q55 62 75 68 L78 75 Q55 68 32 75 Z" fill="#80cbc4"/>
    <!-- Baby cat head -->
    <ellipse cx="55" cy="48" rx="22" ry="20" fill="#fff8e1"/>
    <!-- Ears -->
    <polygon points="34,32 38,20 44,32" fill="#fff8e1"/>
    <polygon points="35.5,31 38.5,22 43,31" fill="#ffe0b2"/>
    <polygon points="66,32 72,20 76,32" fill="#fff8e1"/>
    <polygon points="67,31 72,22 74.5,31" fill="#ffe0b2"/>
    <!-- Baby hat -->
    <ellipse cx="55" cy="32" rx="19" ry="8" fill="#b2dfdb"/>
    <rect x="36" y="28" width="38" height="7" rx="3.5" fill="#80cbc4"/>
    <!-- Pom pom -->
    <circle cx="55" cy="24" r="5" fill="#4db6ac"/>
    <circle cx="53" cy="23" r="2" fill="#80cbc4" opacity="0.6"/>
    <!-- Eyes (sleepy/happy) -->
    <path d="M44 48 Q47 45 50 48" stroke="#5c3d2e" stroke-width="2" fill="none" stroke-linecap="round"/>
    <path d="M60 48 Q63 45 66 48" stroke="#5c3d2e" stroke-width="2" fill="none" stroke-linecap="round"/>
    <!-- Blush -->
    <ellipse cx="42" cy="53" rx="4" ry="2.5" fill="#ffcc80" opacity="0.8"/>
    <ellipse cx="68" cy="53" rx="4" ry="2.5" fill="#ffcc80" opacity="0.8"/>
    <!-- Tiny nose -->
    <ellipse cx="55" cy="55" rx="2" ry="1.3" fill="#ffb74d"/>
    <!-- Tiny mouth -->
    <path d="M52 57.5 Q55 60.5 58 57.5" stroke="#ffb74d" stroke-width="1.2" fill="none" stroke-linecap="round"/>
    <!-- Whiskers -->
    <line x1="32" y1="53" x2="46" y2="54" stroke="#d0b880" stroke-width="0.8"/>
```

```
      <line x1="32" y1="56" x2="46" y2="56" stroke="#d0b880" stroke-width="0.8"/>
      <line x1="64" y1="54" x2="78" y2="53" stroke="#d0b880" stroke-width="0.8"/>
      <line x1="64" y1="56" x2="78" y2="56" stroke="#d0b880" stroke-width="0.8"/>
      <!-- Little paws peeking out -->
      <ellipse cx="30" cy="80" rx="8" ry="5" fill="#fff8e1" transform="rotate(-15,30,80)"/>
      <ellipse cx="80" cy="80" rx="8" ry="5" fill="#fff8e1" transform="rotate(15,80,80)"/>
    </svg>
  </div>

  <div class="section-cat-header">
    <h2>Infant Health</h2>
    <span class="cat-badge" style="background:var(--mint-mid);color:var(--mint-dark);">🍼
Baby</span>
  </div>

  <!-- 1. Infant Assessment -->
  <div class="accordion" id="acc-infant-assess">
    <button class="accordion-header mint" onclick="toggleAcc('acc-infant-assess')" aria-
expanded="false" aria-controls="acc-infant-assess-body">
      <span class="acc-icon" style="background:var(--mint);">👶</span>
      <span>Newborn Assessment</span>
      <svg class="acc-chevron" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-
width="2.5" aria-hidden="true"><polyline points="6 9 12 15 18 9"/></svg>
    </button>
    <div class="accordion-body" id="acc-infant-assess-body" role="region">
      <div class="info-block">
        <h3><span class="dot" style="background:var(--mint-dark)"></span>APGAR Score (1 & 5
min)</h3>
        <table class="lab-table" aria-label="APGAR scoring criteria">
          <thead>
            <tr><th scope="col">Sign</th><th scope="col">0</th><th scope="col">1</th><th
scope="col">2</th></tr>
          </thead>
          <tbody>
            <tr><td><strong>A</strong>ppearance</td><td>Blue/pale all over</td><td>Blue
extremities</td><td>Pink all over</td></tr>
            <tr><td><strong>P</strong>ulse</td><td>Absent</td><td>&lt;100 bpm</td><td>≥100
bpm</td></tr>
            <tr><td><strong>G</strong>rimace</td><td>No
response</td><td>Grimace</td><td>Cry/cough/sneeze</td></tr>
            <tr><td><strong>A</strong>ctivity</td><td>Limp</td><td>Some flexion</td><td>Active
motion</td></tr>
            <tr><td><strong>R</strong>espiration</td><td>Absent</td><td>Weak cry</td><td>Strong
cry</td></tr>
          </tbody>
        </table>
        <div class="normal-range"><div class="normal-range-label">Score Interpretation</div><div
class="normal-range-value">7–10 = Normal · 4–6 = Some support · 0–3 = Immediate
resuscitation</div></div>
```

```
    </div>
    <div class="info-block">
      <h3><span class="dot" style="background:var(--mint-dark)"></span>Vital Sign Norms —
Newborn</h3>
      <table class="lab-table" aria-label="Normal newborn vital signs">
        <thead>
          <tr><th scope="col">Vital Sign</th><th scope="col">Normal Range</th></tr>
        </thead>
        <tbody>
          <tr><td>Heart Rate</td><td>120–160 bpm (sleeping 100 ok)</td></tr>
          <tr><td>Respiratory Rate</td><td>30–60 breaths/min</td></tr>
          <tr><td>Temperature</td><td>97.7–99.5°F (axillary)</td></tr>
          <tr><td>O2 Saturation</td><td>≥95% on RA after 10 min of life</td></tr>
          <tr><td>Blood Pressure</td><td>65–85 / 45–55 mmHg</td></tr>
          <tr><td>Blood glucose</td><td>≥40 mg/dL (first 4h); ≥45 after</td></tr>
        </tbody>
      </table>
    </div>
    <div class="info-block">
      <h3><span class="dot" style="background:var(--sky-dark)"></span>Head-to-Toe Physical
Exam</h3>
      <ul class="checklist" style="color:var(--sky-dark)">
        <li>Head: fontanelles (anterior large, posterior small), molding, caput/cephalhematoma</li>
        <li>Eyes: sclera clear, no discharge, red reflex present bilaterally</li>
        <li>Ears: auricle formation, position (top at outer canthus of eye)</li>
        <li>Mouth: intact palate, Epstein pearls (normal), sucking reflex</li>
        <li>Clavicles: palpate for fracture (esp. after shoulder dystocia)</li>
        <li>Chest: equal bilateral breath sounds, no retractions/grunting</li>
        <li>Abdomen: cord: 2 arteries + 1 vein; soft, no masses</li>
        <li>Genitalia: normal for gestational age, patent anus</li>
        <li>Extremities: 10 fingers + toes, equal Moro, grasp reflexes</li>
        <li>Hips: Ortolani / Barlow maneuver — no clunk/click</li>
        <li>Skin: color, vernix, lanugo, Mongolian spots (document!)</li>
      </ul>
    </div>
    <div class="info-block">
      <h3><span class="dot" style="background:var(--pink-dark)"></span>Reflexes to Assess</h3>
      <div class="tag-list">
        <span class="tag" style="background:var(--pink);color:var(--pink-dark);">Rooting</span>
        <span class="tag" style="background:var(--mint);color:var(--mint-dark);">Sucking</span>
        <span class="tag" style="background:var(--lavender);color:var(--lav-dark);">Moro
(startle)</span>
        <span class="tag" style="background:var(--peach);color:var(--peach-dark);">Palmar
grasp</span>
        <span class="tag" style="background:var(--sky);color:var(--sky-dark);">Plantar grasp</span>
        <span class="tag" style="background:var(--pink);color:var(--pink-dark);">Babinski</span>
        <span class="tag" style="background:var(--mint);color:var(--mint-dark);">Stepping</span>
        <span class="tag" style="background:var(--lavender);color:var(--lav-dark);">Tonic neck
(fencing)</span>
```

```
      </div>
    </div>
    <div class="info-block">
      <h3><span class="dot" style="background:var(--lav-dark)"></span>Newborn Screenings</h3>
      <ul class="checklist" style="color:var(--lav-dark)">
        <li>Newborn metabolic screen (state PKU card) — at 24h or before discharge</li>
        <li>Hearing screen (UNHS) — before discharge</li>
        <li>Critical CHD screen: pulse ox pre/post ductal at 24h+</li>
        <li>Bilirubin — TCB or serum per protocol</li>
        <li>Blood glucose per protocol (risk infants)</li>
      </ul>
    </div>
  </div>
</div>

<!-- 2. I&Os -->
<div class="accordion" id="acc-io">
  <button class="accordion-header mint" onclick="toggleAcc('acc-io')" aria-expanded="false" aria-controls="acc-io-body">
    <span class="acc-icon" style="background:var(--sky);">💧</span>
    <span>Intake &amp; Output (I&amp;Os)</span>
    <svg class="acc-chevron" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2.5" aria-hidden="true"><polyline points="6 9 12 15 18 9"/></svg>
  </button>
  <div class="accordion-body" id="acc-io-body" role="region">
    <div class="info-block">
      <h3><span class="dot" style="background:var(--sky-dark)"></span>Expected Feeding Intake</h3>
      <table class="lab-table" aria-label="Newborn feeding intake by age">
        <thead>
          <tr><th scope="col">Age</th><th scope="col">Volume/Feed</th><th scope="col">Feeds/Day</th></tr>
        </thead>
        <tbody>
          <tr><td>Day 1</td><td>5–10 mL (teaspoon)</td><td>8–12 ×</td></tr>
          <tr><td>Day 2–3</td><td>15–30 mL</td><td>8–12 ×</td></tr>
          <tr><td>Day 4–7</td><td>30–60 mL</td><td>8–10 ×</td></tr>
          <tr><td>2 weeks</td><td>60–90 mL</td><td>8 ×</td></tr>
          <tr><td>1 month</td><td>90–120 mL</td><td>6–8 ×</td></tr>
        </tbody>
      </table>
      <div class="tip-box"><strong>BF Note:</strong> Colostrum volume is tiny — this is normal! Stomach is marble-sized at birth. Reassure parents.</div>
    </div>
    <div class="info-block">
      <h3><span class="dot" style="background:var(--mint-dark)"></span>Expected Output — Urine</h3>
      <table class="lab-table" aria-label="Expected newborn urine output by day">
        <thead>
```

```
          <tr><th scope="col">Day of Life</th><th scope="col">Expected Wet Diapers</th></tr>
        </thead>
        <tbody>
          <tr><td>Day 1</td><td>1 wet diaper</td></tr>
          <tr><td>Day 2</td><td>2 wet diapers</td></tr>
          <tr><td>Day 3+</td><td>3+ wet diapers; 6+ by day 6</td></tr>
        </tbody>
      </table>
      <div class="normal-range"><div class="normal-range-label">Urine Output Norm</div><div
class="normal-range-value">1–3 mL/kg/hr · pale yellow, odorless</div></div>
      <div class="alert-box"><strong>⚠ Pink/orange "brick dust":</strong> Urate crystals — normal
first 3 days. Persisting or dark yellow = dehydration concern.</div>
    </div>
    <div class="info-block">
      <h3><span class="dot" style="background:var(--peach-dark)"></span>Expected Output —
Stool</h3>
      <table class="lab-table" aria-label="Expected stool patterns by day of life">
        <thead>
          <tr><th scope="col">Day</th><th scope="col">Stool Type</th><th
scope="col">Color</th></tr>
        </thead>
        <tbody>
          <tr><td>1–2</td><td>Meconium (thick, sticky)</td><td>Black/dark green</td></tr>
          <tr><td>3–4</td><td>Transitional</td><td>Brown-green</td></tr>
          <tr><td>4–7</td><td>Formula: formed</td><td>Yellow-tan</td></tr>
          <tr><td>4–7</td><td>BF: seedy, loose</td><td>Mustardy yellow</td></tr>
        </tbody>
      </table>
      <div class="alert-box"><strong>⚠ No meconium in 48h</strong> → assess for Hirschsprung's
disease or imperforate anus.</div>
    </div>
    <div class="info-block">
      <h3><span class="dot" style="background:var(--sky-dark)"></span>Weight Changes</h3>
      <ul class="checklist" style="color:var(--sky-dark)">
        <li>Expected weight loss: up to 7–10% birth weight in first 3–5 days</li>
        <li>&gt;10% loss = evaluate feeding, consider supplementation</li>
        <li>Should regain birth weight by day 10–14</li>
        <li>Gaining ~20–30 g/day after transitional loss</li>
      </ul>
    </div>
  </div>
</div>

<!-- 3. General Infant Care -->
<div class="accordion" id="acc-infant-care">
  <button class="accordion-header mint" onclick="toggleAcc('acc-infant-care')" aria-
expanded="false" aria-controls="acc-infant-care-body">
    <span class="acc-icon" style="background:var(--peach);">🌙</span>
    <span>General Infant Care</span>
```

<svg class="acc-chevron" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2.5" aria-hidden="true"><polyline points="6 9 12 15 18 9"/></svg>
</button>

<h3>Safe Sleep (AAP Guidelines)</h3>
<ul class="checklist" style="color:var(--peach-dark)">
<li>Back to sleep, EVERY time — supine position</li>
<li>Firm, flat sleep surface (approved crib/bassinet only)</li>
<li>Room-sharing (not bed-sharing) for ≥6 months</li>
<li>No soft objects, pillows, bumpers, or loose bedding</li>
<li>Keep room temp comfortable — avoid overheating</li>
<li>Pacifier at sleep time (after BF established)</li>
<li>No smoking, alcohol, or drug exposure environment</li>
</ul>
⚠ SIDS Risk Reduction: "Back to sleep, tummy to play." Document safe sleep teaching every shift.

<h3>Cord Care</h3>
<ul class="checklist" style="color:var(--mint-dark)">
<li>Keep stump clean and dry</li>
<li>Fold diaper below cord stump to air-dry</li>
<li>Sponge baths only until cord falls off (1–3 weeks)</li>
<li>Normal: dries → shrinks → falls off; may have mild odor</li>
<li>Abnormal: redness extending onto abdomen, foul smell, bleeding, discharge → report</li>
</ul>

<h3>Circumcision Care (if applicable)</h3>
<ul class="checklist" style="color:var(--lav-dark)">
<li>Yellow exudate on glans = normal healing (fibrin)</li>
<li>Apply petroleum jelly to gauze with each diaper change × 24h</li>
<li>Monitor for: bleeding >2 tsp, no urine × 12h, signs of infection</li>
<li>Plastibell: ring falls off in 5–8 days; do not pull</li>
</ul>

<h3>Jaundice / Hyperbilirubinemia</h3>
<ul class="checklist" style="color:var(--sky-dark)">
<li>Physiologic jaundice: appears day 2–3, peaks day 3–5, resolves by day 14</li>
<li>Pathologic: appears <24h of life → investigate immediately</li>
<li>Assess cephalocaudal progression (face → chest → abdomen → legs)</li>
<li>Treatment: phototherapy (bili lights); hydration; rarely exchange transfusion</li>
<li>BF jaundice: increase feeds → 8–12×/day to increase stooling</li>
</ul>

Bilirubin threshold (term, healthy) Use Bhutani nomogram — action based on age in hours + risk factors

<h3>Thermoregulation</h3>
<ul class="checklist" style="color:var(--pink-dark)">
<li>Newborns cannot shiver — prone to heat loss</li>
<li>4 mechanisms of heat loss: Evaporation, Radiation, Conduction, Convection</li>
<li>Warm, dry delivery room; dry infant immediately after birth</li>
<li>Skin-to-skin with mom = best thermoregulation</li>
<li>Hat on head — largest area of heat loss</li>
<li>Target axillary temp: 97.7–99.5°F</li>
</ul>

<h3>Routine Medications at Birth</h3>

💉 Erythromycin eye ointment
💉 Vitamin K 1 mg IM
🛡️ Hep B vaccine (if consent)

</section>

<!-- ═══════ DIRECTORY TAB ═══════ -->
<section class="tab-panel" id="panel-directory" role="tabpanel" aria-labelledby="tab-directory">

<!-- Decorative directory cat -->

<svg width="100" height="95" viewBox="0 0 100 95" fill="none" class="cat">
<!-- Body with business jacket -->
<ellipse cx="50" cy="72" rx="24" ry="18" fill="#ede7f6"/>
<path d="M34 60 L50 70 L66 60 L63 58 L50 68 L37 58 Z" fill="#d1c4e9"/>
<!-- Lapels -->
<path d="M38 60 L50 70" stroke="#b39ddb" stroke-width="2" fill="none"/>
<path d="M62 60 L50 70" stroke="#b39ddb" stroke-width="2" fill="none"/>
<!-- Name badge -->
<rect x="41" y="67" width="18" height="12" rx="3" fill="white" stroke="#b39ddb" stroke-width="1"/>
<line x1="43" y1="70.5" x2="57" y2="70.5" stroke="#9575cd" stroke-width="1"/>
<line x1="43" y1="73" x2="54" y2="73" stroke="#9575cd" stroke-width="0.8"/>

```
    <line x1="43" y1="75.5" x2="52" y2="75.5" stroke="#9575cd" stroke-width="0.8"/>
    <!-- Telephone prop -->
    <rect x="18" y="62" width="12" height="20" rx="4" fill="#ce93d8"/>
    <rect x="20" y="65" width="8" height="10" rx="1" fill="#f3e5f5"/>
    <circle cx="24" cy="78" r="2" fill="#f3e5f5"/>
    <!-- Head -->
    <ellipse cx="50" cy="42" rx="20" ry="18" fill="#f3e5f5"/>
    <!-- Ears -->
    <polygon points="31,28 34,17 40,28" fill="#f3e5f5"/>
    <polygon points="32.5,27 34.5,19 39,27" fill="#e1bee7"/>
    <polygon points="60,28 66,17 69,28" fill="#f3e5f5"/>
    <polygon points="61,27 66,19 67.5,27" fill="#e1bee7"/>
    <!-- Glasses -->
    <circle cx="44" cy="43" r="6" stroke="#9575cd" stroke-width="1.8" fill="none"/>
    <circle cx="57" cy="43" r="6" stroke="#9575cd" stroke-width="1.8" fill="none"/>
    <line x1="50" y1="43" x2="51" y2="43" stroke="#9575cd" stroke-width="1.8"/>
    <line x1="38" y1="43" x2="35" y2="41" stroke="#9575cd" stroke-width="1.8"/>
    <line x1="63" y1="43" x2="66" y2="41" stroke="#9575cd" stroke-width="1.8"/>
    <!-- Eyes behind glasses -->
    <ellipse cx="44" cy="43.5" rx="2.5" ry="2.5" fill="white"/>
    <ellipse cx="57" cy="43.5" rx="2.5" ry="2.5" fill="white"/>
    <circle cx="44.5" cy="43.5" r="1.5" fill="#5c3d8f"/>
    <circle cx="57.5" cy="43.5" r="1.5" fill="#5c3d8f"/>
    <!-- Blush -->
    <ellipse cx="38" cy="49" rx="3.5" ry="2" fill="#e1bee7" opacity="0.8"/>
    <ellipse cx="62" cy="49" rx="3.5" ry="2" fill="#e1bee7" opacity="0.8"/>
    <!-- Nose -->
    <ellipse cx="50" cy="50" rx="2" ry="1.2" fill="#ce93d8"/>
    <!-- Mouth -->
    <path d="M47 52 Q50 55 53 52" stroke="#ce93d8" stroke-width="1.2" fill="none" stroke-
linecap="round"/>
    <!-- Whiskers -->
    <line x1="29" y1="48" x2="42" y2="49.5" stroke="#c0a0d0" stroke-width="0.8"/>
    <line x1="29" y1="51" x2="42" y2="51" stroke="#c0a0d0" stroke-width="0.8"/>
    <line x1="58" y1="49.5" x2="71" y2="48" stroke="#c0a0d0" stroke-width="0.8"/>
    <line x1="58" y1="51" x2="71" y2="51" stroke="#c0a0d0" stroke-width="0.8"/>
    <!-- Paws -->
    <ellipse cx="28" cy="80" rx="7" ry="5" fill="#f3e5f5"/>
    <ellipse cx="72" cy="80" rx="7" ry="5" fill="#f3e5f5"/>
    <!-- Tail -->
    <path d="M72 82 Q85 76 83 65 Q82 57 77 58" stroke="#e1bee7" stroke-width="4.5" fill="none"
stroke-linecap="round"/>
  </svg>
 </div>

 <div class="section-cat-header">
  <h2>Directory</h2>
  <span class="cat-badge" style="background:var(--lav-mid);color:var(--lav-dark);">📞
Contacts</span>
```

```
  </div>

  <div class="dir-intro">
    <div style="font-size:32px">📋</div>
    <p class="dir-intro-text">Add your unit's numbers, extensions, and key contacts below. This is your
personal reference — customize it for your floor!</p>
  </div>

  <!-- Unit Numbers -->
  <div class="dir-card">
    <div class="dir-card-head">
      <span style="font-size:16px">🏥</span>
      <span class="dir-card-head-title">Unit &amp; Department Numbers</span>
    </div>
    <div class="dir-entry">
      <div><div class="dir-entry-name">Nurses' Station</div><div class="dir-entry-role">Main unit
desk</div></div>
      <span class="dir-entry-num dir-placeholder">Ext. ____</span>
    </div>
    <div class="dir-entry">
      <div><div class="dir-entry-name">Charge Nurse</div><div class="dir-entry-role">Shift
supervisor</div></div>
      <span class="dir-entry-num dir-placeholder">Ext. ____</span>
    </div>
    <div class="dir-entry">
      <div><div class="dir-entry-name">Labor &amp; Delivery</div><div class="dir-entry-role">L&D
unit direct</div></div>
      <span class="dir-entry-num dir-placeholder">Ext. ____</span>
    </div>
    <div class="dir-entry">
      <div><div class="dir-entry-name">Mother-Baby Unit</div><div class="dir-entry-
role">Postpartum unit</div></div>
      <span class="dir-entry-num dir-placeholder">Ext. ____</span>
    </div>
    <div class="dir-entry">
      <div><div class="dir-entry-name">NICU</div><div class="dir-entry-role">Neonatal
ICU</div></div>
      <span class="dir-entry-num dir-placeholder">Ext. ____</span>
    </div>
    <div class="dir-entry">
      <div><div class="dir-entry-name">OR / C-Section Suite</div><div class="dir-entry-
role">Surgical suite</div></div>
      <span class="dir-entry-num dir-placeholder">Ext. ____</span>
    </div>
  </div>

  <!-- Providers -->
  <div class="dir-card">
    <div class="dir-card-head">
```

👩‍⚕️
Providers & Specialists

OB Attending On-call OB physician
Ext. ____

OB Resident Resident on call
Ext. ____

Neonatologist Newborn physician
Ext. ____

Anesthesia Epidural / spinal
Ext. ____

MFM / Perinatology High-risk OB consult
Ext. ____

<!-- Ancillary Services -->

🤝
Ancillary & Support Services

Lactation Consultant IBCLC inpatient
Ext. ____

Social Work Psych/social support
Ext. ____

Pharmacy Unit pharmacist

```
      <span class="dir-entry-num dir-placeholder">Ext. ____</span>
    </div>
    <div class="dir-entry">
      <div><div class="dir-entry-name">Lab / Phlebotomy</div><div class="dir-entry-role">Specimen draw</div></div>
      <span class="dir-entry-num dir-placeholder">Ext. ____</span>
    </div>
    <div class="dir-entry">
      <div><div class="dir-entry-name">Radiology</div><div class="dir-entry-role">Imaging orders</div></div>
      <span class="dir-entry-num dir-placeholder">Ext. ____</span>
    </div>
    <div class="dir-entry">
      <div><div class="dir-entry-name">Blood Bank</div><div class="dir-entry-role">Transfusion services</div></div>
      <span class="dir-entry-num dir-placeholder">Ext. ____</span>
    </div>
    <div class="dir-entry">
      <div><div class="dir-entry-name">Chaplain / Pastoral</div><div class="dir-entry-role">Spiritual support</div></div>
      <span class="dir-entry-num dir-placeholder">Ext. ____</span>
    </div>
  </div>

  <!-- Emergency -->
  <div class="dir-card">
    <div class="dir-card-head" style="background:#fff3e0;">
      <span style="font-size:16px">🚨</span>
      <span class="dir-card-head-title" style="color:#bf360c;">Emergency &amp; Rapid Response</span>
    </div>
    <div class="dir-entry">
      <div><div class="dir-entry-name">Code Blue</div><div class="dir-entry-role">Adult cardiac arrest</div></div>
      <span class="dir-entry-num" style="background:#fff3e0;color:#bf360c;">____</span>
    </div>
    <div class="dir-entry">
      <div><div class="dir-entry-name">Code Pink</div><div class="dir-entry-role">Infant abduction</div></div>
      <span class="dir-entry-num" style="background:#fff3e0;color:#bf360c;">____</span>
    </div>
    <div class="dir-entry">
      <div><div class="dir-entry-name">Rapid Response Team</div><div class="dir-entry-role">RRT / MET team</div></div>
      <span class="dir-entry-num" style="background:#fff3e0;color:#bf360c;">____</span>
    </div>
    <div class="dir-entry">
      <div><div class="dir-entry-name">Security</div><div class="dir-entry-role">Hospital security</div></div>
```

```
      <span class="dir-entry-num" style="background:#fff3e0;color:#bf360c;">____</span>
    </div>
    <div class="dir-entry">
      <div><div class="dir-entry-name">Poison Control</div><div class="dir-entry-role">National
hotline</div></div>
      <span class="dir-entry-num" style="background:#fff3e0;color:#bf360c;">800-222-1222</span>
    </div>
  </div>

</section>
```

```
  </main>

  <!-- TAB BAR -->

  <nav class="tab-bar" role="tablist" aria-label="Main sections">
    <button class="tab-btn active" role="tab" id="tab-maternal"
      aria-selected="true" aria-controls="panel-maternal"
      onclick="switchTab('maternal')" tabindex="0">
      <span class="tab-icon-wrap" aria-hidden="true">
        <svg width="26" height="26" viewBox="0 0 26 26" fill="none">
          <ellipse cx="13" cy="16" rx="7" ry="6" stroke="currentColor" stroke-width="2"/>
          <circle cx="13" cy="8" r="4" stroke="currentColor" stroke-width="2"/>
          <path d="M9 18 Q13 22 17 18" stroke="currentColor" stroke-width="1.5" fill="none" stroke-
linecap="round"/>
        </svg>
      </span>
      <span class="tab-label">Maternal</span>
    </button>

```
<button class="tab-btn mint-tab" role="tab" id="tab-infant"
  aria-selected="false" aria-controls="panel-infant"
  onclick="switchTab('infant')" tabindex="-1">

    <svg width="26" height="26" viewBox="0 0 26 26" fill="none">
      <ellipse cx="13" cy="13" rx="7" ry="8" stroke="currentColor" stroke-width="2"/>
      <path d="M10 10 Q13 8 16 10" stroke="currentColor" stroke-width="1.5" fill="none" stroke-
linecap="round"/>
      <circle cx="10.5" cy="13" r="1.5" fill="currentColor"/>
      <circle cx="15.5" cy="13" r="1.5" fill="currentColor"/>
      <path d="M11 16.5 Q13 18 15 16.5" stroke="currentColor" stroke-width="1.2" fill="none" stroke-
linecap="round"/>
    </svg>

  Infant
</button>
```
```

```
<button class="tab-btn lav-tab" role="tab" id="tab-directory"
  aria-selected="false" aria-controls="panel-directory"
  onclick="switchTab('directory')" tabindex="-1">
  <span class="tab-icon-wrap" aria-hidden="true">
    <svg width="26" height="26" viewBox="0 0 26 26" fill="none">
      <rect x="4" y="3" width="18" height="20" rx="3" stroke="currentColor" stroke-width="2"/>
      <line x1="8" y1="9" x2="18" y2="9" stroke="currentColor" stroke-width="1.8" stroke-
linecap="round"/>
      <line x1="8" y1="13" x2="18" y2="13" stroke="currentColor" stroke-width="1.8" stroke-
linecap="round"/>
      <line x1="8" y1="17" x2="14" y2="17" stroke="currentColor" stroke-width="1.8" stroke-
linecap="round"/>
    </svg>
  </span>
  <span class="tab-label">Directory</span>
</button>
```

```
  </nav>

</div><!-- /phone -->

<script>
function switchTab(name) {
  ['maternal','infant','directory'].forEach(t => {
    const btn   = document.getElementById('tab-'+t);
    const panel = document.getElementById('panel-'+t);
    const active = (t === name);
    btn.classList.toggle('active', active);
    btn.setAttribute('aria-selected', String(active));
    btn.setAttribute('tabindex', active ? '0' : '-1');
    panel.classList.toggle('active', active);
  });
  document.getElementById('main-content').scrollTop = 0;
}

function toggleAcc(id) {
  const acc  = document.getElementById(id);
  const btn  = acc.querySelector('.accordion-header');
  const body = acc.querySelector('.accordion-body');
  const open = acc.classList.toggle('open');
  btn.setAttribute('aria-expanded', String(open));
  if (open) body.style.paddingTop = '12px';
}

// Keyboard arrow navigation for tab bar
document.querySelectorAll('.tab-btn').forEach((btn, i, all) => {
  btn.addEventListener('keydown', e => {
    let idx = i;
```

```
    if (e.key === 'ArrowRight') idx = (i+1) % all.length;
    else if (e.key === 'ArrowLeft') idx = (i-1+all.length) % all.length;
    else if (e.key === 'Home') idx = 0;
    else if (e.key === 'End') idx = all.length - 1;
    else return;
    e.preventDefault();
    all[idx].click();
    all[idx].focus();
  });
});
</script>

</body>
</html>
```