



Report Writer Guide

Daniel Fraser

January 2026

1 Introduction


Welcome to Report Writer! Report writer is a program to help generate consistent lab reports for motors, compressors, coils, and four-way valves. This guide will help you learn the program, how it works, and the limits of what you can do. If you need to download the latest version of the program, just click on the .exe file here: <https://github.com/audvelt>

Contents

1	Introduction	2
2	Header Table Generation	3
3	Components	4
3.1	Adding Components	4
3.2	Rearranging Components	5
3.3	Removing Components	5
4	Saving	6
5	Loading	8
5.1	Method 1	8
5.1.1	Setting default program	9
5.2	Method 2	10
6	Selecting Issue Observations	11
6.1	Uploading Pictures	14
7	Generating Reports	15
8	Uploading Reports to SharePoint	16
9	Common Issues	21
9.1	Adding trusted certificates	21
10	Thank you!	26


2 Header Table Generation

All of the sharepoint information needs to be copy pasted directly into the table at the top of the program. The RMA number is required and will be used to automatically name your report file.



The screenshot shows the 'Report Generator' window. At the top, there is a form with fields for RMA, Unit Model, Part Number, Customer and Email, Install Date, Lab Technician, Inspection Date, Unit Serial, Warranty Claim Number, Total, Failure Date, and Manager. Below the form are four buttons: '+ Add Motor' (blue), '+ Add Compressor' (orange), '+ Add Coil' (purple), and '+ Add Valve' (teal). At the bottom are 'Save Progress' (blue), 'Load Progress' (orange), and 'Generate Report' (green) buttons. A cartoon character wearing a red cap, yellow shirt, and blue pants is positioned in the center. A red arrow points from the character's head to the 'RMA' input field. A speech bubble from the character says 'Enter the RMA # here!'.

Your report will turn this table into the first page of your report, so do your best to fill in each field.




This screenshot is identical to the one above, showing the 'Report Generator' window. However, the cartoon character is now pointing with two red arrows to the 'RMA' field and the 'Warranty Claim Number' field. A speech bubble from the character says 'Paste all of the RMA information into these!'.


3 Components

3.1 Adding Components

Add a component by clicking one of the buttons on the left. You can add more by clicking the button again.




The screenshot shows the 'Report Generator' window. On the left, there are four buttons: '+ Add Motor' (blue), '+ Add Compressor' (orange), '+ Add Coil' (purple), and '+ Add Valve' (teal). Four red arrows point from these buttons to a cartoon character wearing a red cap and a yellow shirt. A speech bubble from the character says 'Add components using these buttons.' The main area of the window is empty, and the bottom bar contains 'Save Progress', 'Load Progress', and 'Generate Report' buttons.



The screenshot shows the 'Report Generator' window with the 'Motor Housing' section selected. The top bar shows 'Motor 1 X', 'Compressor 1 X', 'Coil 1 X', and 'Valve 1 X'. Below this, there are tabs for 'Motor Housing / Shaft', 'Test Results', 'Drive End Bearing', and 'Non-Drive End Bearing'. The 'Motor Housing' tab is active, showing a 'Motor Housing' section with 'Status: OK' and 'Status: NOT OK' options. Below this is an 'Additional Notes' section with a text area. At the bottom, there is a 'General Section Images' section with an 'Upload Images for Motor Housing' button and a 'Clear All' button. The bottom bar contains 'Save Progress', 'Load Progress', and 'Generate Report' buttons.


3.2 Rearranging Components

Once you have some component tabs open you can drag them to change the order they are generated in the report. Components are generated based on the order from LEFT to RIGHT.




3.3 Removing Components

To remove a tab, simply click the X and approve the deletion.





You should be prompted on whether you are sure you want to remove the component. Click yes to delete or no to cancel. **Once you click 'Yes', this CANNOT be undone.**

The main window of the "Report Generator" application. It features a sidebar on the left with buttons: "+ Add Motor" (blue), "+ Add Compressor" (orange), "+ Add Coil" (purple), and "+ Add Valve" (teal). The main area has a top section for form fields: RMA, Unit Model, Part Number, Customer and Email, Install Date, Lab Technician, Inspection Date, Unit Serial, Warranty Claim Number, Total, Failure Date, and Manager. Below this is a tabbed interface with tabs for "Motor Housing / Shaft", "Test Results", "Drive End Bearing", and "Non-Drive End Bearing". The "Motor Housing / Shaft" tab is active, showing sub-tabs for "Motor Housing", "Motor Shaft", and "Electrical Connection". The "Motor Housing" sub-tab is selected, displaying a "Motor Housing" section with "Status: OK" and "Status: NOT OK" radio buttons, an "Additional Notes" text area, and a "General Section Images" section with an "Upload Images for Motor Housing" button and a "Clear All" button. At the bottom of the window are three buttons: "Save Progress" (blue), "Load Progress" (orange), and "Generate Report" (green).

4 Saving

Once you have an RMA number entered, you can save the program by clicking the "Save Progress" button in the bottom left. **It's important to save as early as possible after creating your RMA number.** Pick a folder to save to, preferably one organized for the report you are working on (**Please see the uploads section of this guide for why this is important**). After the save is created, it will autosave every minute or whenever you close out of the program.

The same "Report Generator" main window as above, but with annotations. A red arrow points from the "Save Progress" button at the bottom left to a cartoon character of a person with a red cap and a wide smile. A speech bubble from the character says "Create a save file by clicking here!". The form fields are now populated: RMA is "RMA 2025-12-20-178" and Inspection Date is "2026-01-15". The "Motor Housing" section shows "Status: OK" selected. The "General Section Images" section shows "No images uploaded (or drag and drop images here)".




NOTE: The folder with your save data will be hidden by default. If you have not setup windows explorer to see hidden files it will not be visible to you. If you are noticing space being taken up it might be the copies of images stored in your save data.

5 Loading

Loading your save file can be done with two methods. The first method is by simply clicking the .rpt file and selecting Report Writer as the default program. The second method is by launching the program, clicking the load progress button, and selecting the .rpt file.



5.1 Method 1


If you can see the save file icon, simply click the file and it will open with Report Writer. If you cannot see the icon, follow the steps in section 5.1.1 on setting the default program.



5.1.1 Setting default program


If you see a blank document icon that means your computer doesn't know which program to open the file with. Simply click the blank document and a menu will pop up asking which program to use. Navigate to whichever folder you have your **ReportWriter.exe** file and select it. **Do not look for the save file when setting the default program, look for the program file itself.**






5.2 Method 2


Open the program, click load progress in the bottom left, select your save file, and click open.





6 Selecting Issue Observations

Inside of each component tab you have several subtabs, the checkboxes within these will allow you to select what observations will appear in the report. When you select certain checkboxes, upload boxes will appear to put photos inside the report (see the subsection on uploading pictures for more information)



Report Generator

RMA:

Unit Model:

Part Number:

Customer and Email:

Install Date:

Lab Technician:

+ Add Motor

+ Add Compressor

+ Add Coil

+ Add Valve

Motor 1 X Compressor 1 X Coil 1 X Valve 1 X

Motor Housing / Shaft Test Results Drive End Bearing Non

Motor Housing Motor Shaft Electrical Connection

Motor Housing

Select Observed Wear Patterns:

☒ **Status: OK**

Upload Images for Motor Housing - Status: OK

Clear All

No images uploaded
(or drag and drop images here)

☐ **Status: NOT OK**

Additional Notes:
Enter any additional observations or notes here...

General Section Images:

Save Progress Load Progress Generate Report

Clicking the Status: OK box opens up an upload area and generates a sentence in the report.

Report Generator

RMA:

Unit Model:

Part Number:

Customer and Email:

Install Date:

Lab Technician:

+ Add Motor

+ Add Compressor

+ Add Coil

+ Add Valve

Motor 1 X Compressor 1 X Coil 1 X Valve 1 X

Motor Housing / Shaft Test Results Drive End Bearing Non

Motor Housing Motor Shaft Electrical Connection

Motor Housing

Select Observed Wear Patterns:

☐ **Status: NOT OK**

Additional Notes:
Enter any additional observations or notes here...

General Section Images:

Upload Images for Motor Housing

Clear All

No images uploaded
(or drag and drop images here)

Save Progress Load Progress Generate Report

Additional notes and general section images are optional and just give you an area to enter extra information or pictures.

Report Generator

RMA: Inspection Date:

Unit Model: Unit Serial:

Part Number: Warranty Claim Number:

Customer and Email: Total:

Install Date: Failure Date:

Lab Technician: Manager:

+ Add Motor
+ Add Compressor
+ Add Coil
+ Add Valve

Motor 1 X Compressor 1 X Coil 1 X Valve 1 X

Motor Housing / Shaft Test Results Drive End Bearing Non-Drive End Bearing

Motor Housing Motor Shaft Electrical Connection

Motor Housing

Select Observed Wear Patterns:

☐ Status: OK

☒ Status: NOT OK

Specific Issues:

☒ Scratches visible on bore surfaces.

☐ Grooves present on mounting surfaces.

☐ Material removal evident in bearing seat.

☐ Out-of-round condition observed.

☐ Scoring marks visible on bore.

☐ Loss of surface finish noted.

☐ Wear marks at mounting interfaces.

☐ Corrosion and rust deposits evident on housing surfaces.

☐ Moisture staining evident in housing cavity.

☐ Seal groove damage observed.

Save Progress Load Progress Generate Report

Checking Status: NOT OK opens up other checkboxes to select observed issues. Each checkbox generates a sentence in the report.

Report Generator

RMA: Inspection Date:

Unit Model: Unit Serial:

Part Number: Warranty Claim Number:

Customer and Email: Total:

Install Date: Failure Date:

Lab Technician: Manager:

+ Add Motor
+ Add Compressor
+ Add Coil
+ Add Valve

Motor 1 X Compressor 1 X Coil 1 X Valve 1 X

Motor Housing / Shaft Test Results Drive End Bearing Non-Drive End Bearing

Test Results

Audio Testing

Limit: 72 dB (values over 72 are NOT OK)

Result Value (dB): Enter audio test result in dB...

Upload Images for Audio Testing

No images uploaded (or drag and drop images here)

Vibration Testing

Enter RPM and vibration value to determine status per ISO 10816

RPM (r/min): Enter RPM...

Vibration Value (mm/s): Enter vibration value in mm/s...

Upload Images for Vibration Testing


No images uploaded (or drag and drop images here)

Save Progress Load Progress Generate Report

In testing sections you need to enter values into these boxes and upload files below. For vibration testing enter the RPM and the vibration value so it can calculate the smoothness.

6.1 Uploading Pictures


Pictures can be uploaded in multiple sections and areas around the program depending on how you want to them to appear in the report. **Only pictures can be uploaded (jpegs and pngs) NO VIDEOS OR AUDIO. IMPORTANT:** When you upload images they will become stored in your save file. **DO NOT move or delete the original image from its location.** The save file works by remembering where those images are and reuploading them when you load the save. If any image you used is moved or deleted, your save will not contain those images. Avoid this by creating a folder for each RMA project, put every photo into that folder for the report. Then create your save file and choose that RMA folder you just created. This insures no issues where the program can't find your uploads.



The screenshot shows the 'Report Generator' application window. On the left is a sidebar with buttons: '+ Add Motor' (blue), '+ Add Compressor' (orange), '+ Add Coil' (purple), and '+ Add Valve' (teal). The main area has a top section for form fields (RMA, Unit Model, Part Number, Customer and Email, Install Date, Lab Technician) and an 'Inspection Date' field. Below these are tabs for 'Motor 1', 'Compressor 1', 'Coil 1', and 'Valve 1'. The 'Motor 1' tab is active, showing sub-tabs for 'Motor Housing / Shaft', 'Test Results', 'Drive End Bearing', and 'Non-Drive End Bearing'. The 'Motor Housing / Shaft' sub-tab is selected, displaying the 'Motor Housing' section. It includes a 'Status' section with 'Status: OK' (unchecked) and 'Status: NOT OK' (checked). Under 'Specific Issues', 'Scratches visible on bore surfaces.' is checked, with a green 'Hide Images' button next to it. Below this is an 'Upload Images for Motor Housing - Scratches visible on bore surf...' section with a 'Clear All' button. A dashed box indicates 'No images uploaded (or drag and drop images here)'. At the bottom are 'Save Progress' (blue), 'Load Progress' (orange), and 'Generate Report' (green) buttons. A cartoon character with a red cap and a speech bubble is overlaid on the interface. The speech bubble contains the text: 'Some tabs allow you to upload individual images for each observation by clicking the green upload images button. This is optional, uploading in the Status: NOT OK box at the bottom is considered the default.' Two red arrows point from the character towards the 'Hide Images' button and the 'Upload Images' section.

7 Generating Reports

Hopefully you've successfully selected each issue and uploaded your images to the program. You are now ready to generate the report.



Report Generator

RMA: Inspection Date:

Unit Model: Unit Serial:

Part Number: Warrant:

Customer and Email:

Install Date:

Lab Technician:

+ Add Motor

+ Add Compressor

+ Add Coil

+ Add Valve

Motor 1 X Compressor 1 X

External Inspection

Select Observation

☐ Status

☐ Status: NOT OK

Additional Notes:

Enter any additional notes here.

General Section Images:


Upload Images for External Inspection

Clear All

No images uploaded (or drag and drop images here)

Save Progress Load Progress

Generate Report



Save Report

Desktop

Search Desktop

Organize New folder

Name	Date modified	Type	Size
RMA Photos	1/26/2026 1:19 PM	File folder	



File name: 123456789.docx



Save as type: Word Documents (*.docx)

Save Cancel

8 Uploading Reports to SharePoint

Once you have a report saved as a word file we need to convert it to a pdf and then upload it to sharepoint.





Technical Services/Training/Warranty (TSTW)

Samsung HVAC IT Support

<https://www.samsunghvac.com/>

Innovative and Trusted HVAC Solutions | Samsung HVAC
www.samsunghvac.com

We bring HVAC solutions for any of your needs: Residential or Commercial. Learn how our professionals will help you find the best HVAC system for your home or business.

Quick Links

- Bulletin Folder
- D100 Projects
- Employee Resource
- Knowledge Repository
- SOP & Documents
- Team Project List

Tech Service Forms

- Part Removal Form
- Rework or Testing...
- Warranty Concessions...
- Return Materials...
- Refrigerant Testing...

Lists & Records

EASY BUTTON TO FILES & FOLDERS

Documents

All Documents | In channels | Add view

Name	Modified	Modified By	Approved	Comments	Author	Add column
00 Meeting Presentations	July 16, 2024	Chee Bong				
01 Training	July 16, 2024	Chee Bong				
02 Quality Lab	August 14, 2024	Chee Bong				
04 Tech Services	July 16, 2024	Chee Bong				
05 Knowledge Repository	August 6, 2024	Chee Bong				
06 Operating Procedures	August 13, 2024	Chee Bong				
07 Samsung Lennox	August 21, 2024	Chee Bong				
08 Bulletins	August 29, 2024	Chee Bong				
09 Pictures	July 16, 2024	Chee Bong				
10 Rework or Testing	August 30, 2024	Chee Bong				
11 Parts List	December 20, 2024	Chee Bong				
12 Digital Tools	January 10, 2025	Chee Bong				

Tech Department Private group 46 members

Documents > 02 Quality Lab

Share Copy link Add shortcut to OneDrive Forms + Create or upload

All Documents + Add view

Name	Modified	Modified By	Approved	Comments	Author	+ Add column
00-Problem Solving Tools	July 23, 2024	Chee Song				
01 Quality Lab Standards & Templates	August 6, 2024	Chee Song				
02 Quality Issues	August 11, 2024	Chee Song				
03 Testing Procedures	August 16, 2024	Chee Song				
04 Lab Buildout	December 27, 2024	Hussein Mhaini				
05 Distributor Notes	August 22, 2024	Chee Song				
06 HQ Meetings	August 22, 2024	Michael Wertsberger				
97 RMA Report	October 11, 2024	Chee Song				
98 RMA Ticket	August 29, 2024	Chee Song				
99-Old	October 3, 2025	Hussein Mhaini				
DVMS UPDATE	December 12, 2025	Hussein Mhaini				
Inventory	6 days ago	Daniel Fraser				

Return to classic SharePoint

SharePoint Tech Department Private group 46 members




Documents > 02 Quality Lab > 97 RMA Report

Share Copy link Add shortcut to OneDrive Forms + Create or upload

Unsaved changes All Documents + Add view

Name	Modified	Modified By	Approved	Comments	Author	+ Add column
4-way valve stuck in middle,2 valves RMA2...	Tuesday at 12:10 PM	Hussein Mhaini				
RMA 2025-11-17-181.pdf	Tuesday at 9:57 AM	Hussein Mhaini				
RMA 2025-11-21-182.pdf		Daniel Fraser				
RMA 2025-02-26-70 Two four-way valves...	6 days ago	Hussein Mhaini				
RMA 2025-12-11-185.pdf	6 days ago	Walter Bradford				
RMA 2025-10-29-178 (11) Motors.pptx	January 22	Brian Ehlers				
RMA 2026-01-07-189.docx	January 22	Hussein Mhaini				
RMA 2025-07-10-121-way valve.pptx	January 21	Hussein Mhaini				
RMA 10-14-170 FINAL REPORT.pdf	January 15	Walter Bradford				
RMA 2025-10-03-168 2Motors.pptx	January 15	Hussein Mhaini				
RMA 2026-01-09-190.pdf	January 13	Hussein Mhaini				
RMA 2025-10-22-173.pdf	January 12	Walter Bradford				

Return to classic SharePoint







9 Common Issues



- Sometimes you may open the program multiple times in an effort to work on multiple monitors. Unfortunately, each instance is its own save. If you open multiple windows, they will work independently. This does allow multiple reports at the same time, but if you fill out a report in one window make sure it's the one you saved through. To avoid this, keep track of which window you're using or opt not to open the program multiple times at all.
- Missing file uploads: If for whatever reason, a picture you uploaded is missing from the report, delete it from the program and reupload it again. This can happen for multiple reasons usually stemming from the file being moved or deleted from the computer.
- Not responding error: If your report has a lot of components sometimes it can take awhile to generate. If you get a "not responding" error just wait, eventually the report will generate. This is the same when converting it to a pdf through Microsoft Word. It just takes some time, be patient!
- Security or crashing errors: If the program crashes whenever you try to save something it's most likely windows security stopping it from running. To fix this follow the steps to trust the certificate on the program in section 9.1. I recommend doing this regardless of whether you're experiencing problems or not.



9.1 Adding trusted certificates


1. Find where you installed the program.
2. Right click the program.
3. Go to Properties.
4. Go to Digital Signatures.
5. Click on the first signature in the list and then click "Details".
6. Click "View Certificate"
7. Click "Install Certificate"
8. Select "Local Machine" then click "Next".
9. Select "Place certificates in the following store. Then click browse. Then find "Trusted Root Certification Authorities and click it."
10. Click "OK" and then "Next".
11. Click "Finish"











10 Thank you!

I hope my program stays useful to you and makes the job easier!

If you decide to change the program in the future, I only ask that you don't change the splash art or remove my name from the code.