ARTEFACT

PROJECT README & TECHNICAL DOCUMENTATION

Empório da Música - AI Agent & Evaluation Harness

Consolidated Project README, Architecture Decisions, Automated Evaluation Harness & Complete Documentation

CANDIDATE NAME
Augusto Sousa

POSITION / CAREER
AI Engineer - Full-Stack para Aplicações com IA Generativa

PUBLIC GITHUB REPOSITORY
https://github.com/augdev1/artefact_ai_fullstack

CANDIDATE CONTACT / EMAIL
augustosousa1798@gmail.com

LangChain & LangGraph ReAct | Google Gemini 3.5 Flash Lite + OpenAI Fallback | SQLite & ETL Normalization | Zero-Token Scope Guardrails | React 18 & TypeScript SPA | 39 / 39 Pytest Passing | 100% Evaluation Benchmark

Executive Summary

This document constitutes the official technical delivery for the **AI Engineer Full Stack** selection process at **Artefact**. The project delivers an end-to-end conversational customer support system for *Empório da Música*, a musical instrument retail store in Campo Grande, MS, Brazil. The solution relieves human attendants from high-frequency inquiries (business hours, address, order shipment tracking, catalog search with budget filters, installment rules, and return policies) through a resilient, auditable AI architecture.

Application Interface Showcase




Figure 1: Full-stack responsive web application with Artefact brand styling, collapsible chat history sidebar, and active session status.




Figure 2: Real-time ReAct catalog execution with Markdown typography rendering table pricing, 5% cash PIX discounts, and 12x installment terms.

1. Architecture and Technical Decisions

The project was engineered around six fundamental software and AI engineering decisions to ensure high reliability, low operational costs, deterministic business policy compliance, and exceptional user experience:

1.1. Agent Orchestration: LangChain ReAct Pattern (LangGraph)

- **Implementation**: Built with `langgraph.prebuilt.create_react_agent`, the established standard for agentic architectures in LangChain.
- **Architectural Rationale**: The ReAct (Reasoning + Acting) loop alternates between Thought, Action, and Observation phases. Bound to typed Pydantic tools (`@tool`), it enables multi-step tool composition (e.g., cross-referencing store return policies and relational customer order records within a single user turn) while providing full auditable introspection into intermediate reasoning.

1.2. LLM Provider Strategy and Resilience

- **Primary Model**: Google Gemini (`gemini-3.5-flash-lite`) via `langchain-google-genai`.
- **Fallback Model**: OpenAI (`gpt-4o-mini`), configurable via environment variables without code modification.
- **Deterministic Offline Engine**: High-speed mock provider for continuous integration (CI/CD) and automated unit testing without API costs or rate-limiting.
- **Architectural Rationale**: Gemini 3.5 Flash Lite achieves sub-second response times, excellent native Portuguese tool calling, and high cost efficiency for transaction-dense conversational workloads. The decoupled provider layer applies dependency inversion: switching providers requires editing only the `.env` file.

1.3. Data Engineering (ETL) and Relational Persistence Layer

- **ETL Data Processing (`app/db/etl.py`)**:
  - **Unicode Normalization**: NFKC text standardization and whitespace stripping across all operational datasets.
  - **Monetary Precision**: Strict floating-point decimal casting and 2-decimal rounding for prices, discounts, and order amounts.
  - **Inventory Constraints**: Enforcement of non-negative stock invariants (`stock_quantity >= 0`).
  - **Specification Parsing**: Robust parsing of raw JSON strings into typed technical specification dictionaries (tonewoods, fret count, pickups, electronics).
  - **Campaign Segmentation**: Strict binary partitioning between active promotions (`is_active = 1`) and expired promotions (`is_active = 0`), ensuring expired discounts are never applied.
- **Relational Database Design**:
  - SQLite backend (`data/emporio.db`) with enforced foreign key integrity (`PRAGMA foreign_keys = ON;`) and composite indexes (`idx_products_name`, `idx_products_category`, `idx_products_price`, `idx_orders_customer`, `idx_orders_tracking`).
  - **Session Persistence**: Dedicated `conversation_history` table indexed by `session_id`, maintaining full client context across browser refreshes and server reboots.
  - **Roadmap to Dockerized PostgreSQL**: The data access layer is cleanly abstracted, enabling immediate migration to containerized PostgreSQL (`docker-compose.yml`) without touching route handlers.

1.4. Policy Retrieval Architecture (RAG)

- **Knowledge Source**: Store Policies and Customer Service Manual (`data/políticas_da_loja.pdf`, Version 2.1).

- **Retrieval Strategy**: Semantic domain retrieval categorizing operational hours, physical address, statutory 7-day right of withdrawal (CDC Art. 49), 90-day warranty procedures, local shipping thresholds, and non-cumulativity of the 5% PIX discount over active promotions.
- **Architectural Rationale**: Prevents hallucination of critical legal deadlines and financial conditions by retrieving exact policy clauses directly into the agent prompt context.

1.5. Deterministic Scope Guardrails

- **Store Mandate**: Empório da Música **exclusively sells complete musical instruments** and **does not stock standalone accessories or amplification** (loose strings, picks, cables, pedals, amplifiers, or standalone cases).
- **Implementation (`app/agent/guardrails.py`)**: Fast deterministic pre-LLM filter intercepting accessory queries and non-domain topics (programming, cooking recipes, politics) prior to model invocation. Emits polite refusals and redirects clients to regional partner shops.
- **Production Impact**: 0 ms API latency, zero token consumption on invalid requests, and 100% deterministic scope adherence.

1.6. Frontend Architecture and Technology Stack

- **React 18 SPA**: Functional component architecture with hooks (`useState`, `useEffect`, `useRef`, `useMemo`) for reactive message synchronization, active thread switching, and optimistic UI updates.
- **TypeScript**: Formal interface contracts (`Message`, `ChatSession`, `ChatResponse`, `HealthResponse`) providing strict compile-time verification across client and server.
- **Tailwind CSS**: Mobile-first utility design system featuring custom Artefact corporate accents (`#E60067`), collapsible animated sidebar (`w-72` / `w-0` with `overflow-hidden`), and high-contrast dark theme.
- **Marked.js**: Real-time Markdown parser and compiler ensuring catalog pricing, installment schedules, and bulleted specs render with clean visual alignment.
- **HTML5 LocalStorage API**: Preserves session identifiers and thread lists across page reloads (F5), reconciled with backend SQLite history.
- **Vector Branding & SVGs**: Exact geometric reproduction of Artefact's chevron logo glyph (`/\`) and custom avatars for customer and AI assistant.

2. Setup and Execution Instructions

2.1. Prerequisites

Python 3.11 or higher (developed and verified on Python 3.12). Package management via `uv` (recommended) or `pip`.

2.2. Installation Commands

```
# 1. Clone repository
git clone https://github.com/augdev1/artefact_ai_fullstack.git
cd artefact_ai_fullstack

# 2. Setup virtual environment with uv (recommended)
uv venv .venv
uv pip install -e ".[dev]"

# Alternative using standard pip
python -m venv .venv
# On Windows: .venv\Scripts\activate | On Linux/macOS: source .venv/bin/activate
pip install -e ".[dev]"
```

2.3. Environment Configuration (`.env`)

```
LLM_PROVIDER=gemini
GEMINI_API_KEY=your_api_key_here
GEMINI_MODEL=gemini-3.5-flash-lite

# Optional Fallback Settings
OPENAI_API_KEY=your_openai_key_here
OPENAI_MODEL=gpt-4o-mini
DATABASE_PATH=data/emporio.db
HOST=0.0.0.0
PORT=8000
```

2.4. Server Execution

```
# Start the full-stack FastAPI + React application
python -m app.main
```

SERVICE COMPONENT	ENDPOINT URL	DESCRIPTION
Conversational Web SPA	`http://localhost:8000`	Interactive React chat UI with session history & Artefact branding
Interactive API Docs	`http://localhost:8000/docs`	FastAPI Swagger UI for testing REST endpoints
System Healthcheck	`http://localhost:8000/api/health`	Liveness and component readiness check

3. Evaluation Harness and Automated Testing Suite

Quality assurance is maintained through a dual testing harness: **39 automated unit and integration tests** via `pytest` and an automated **Evaluation Harness Benchmark Runner** over a ground-truth dataset (*Golden Dataset*).

3.1. Pytest Test Suite Breakdown (39 / 39 Passed)

TEST MODULE	TEST COUNT	VERIFICATION SCOPE	RESULT
`tests/test_database.py`	3	ETL row count invariants, schema types, and foreign key relational joins	PASSED
`tests/test_tools.py`	7	Catalog filters, price boundaries, PIX discounts, active promos, order tracking	PASSED
`tests/test_guardrails.py`	16	Parametric blocking of accessories & off-topic; passage of valid instruments	PASSED
`tests/test_agent.py`	6	ReAct reasoning cycle, multi-turn memory preservation, and tool dispatching	PASSED
`tests/test_api.py`	5	FastAPI endpoints: healthcheck, chat completion, history retrieval & deletion	PASSED
`tests/test_frontend.py`	1	React SPA HTML serving, Artefact chevron branding, and LocalStorage keys	PASSED
`tests/harness/test_harness.py`	1	Automated assertion runner verifying ground-truth evaluations	PASSED

3.2. Evaluation Harness Benchmark Runner (`python tests/harness/run_eval.py`)

The evaluation harness evaluates 10 non-trivial customer scenarios covering catalog filtering, pricing, order tracking, store policies, active discounts, and guardrails:

METRIC CATEGORY	TARGET INVARIANT	OBSERVED SCORE	STATUS
Total Evaluation Test Cases	10 Comprehensive Scenarios	**10 / 10**	100.0% PASS
Guardrail Precision	Zero-token rejection of accessories & off-topic	**3 / 3**	100.0% PRECISION
Tool Routing Accuracy	Deterministic selection of correct business tools	**7 / 7**	100.0% ACCURACY
Total Benchmark Execution Time	Sub-second automated suite execution	**0.29s**	OPTIMAL

4. Representative Customer Interactions & Case Studies

The repository documents five representative interaction scenarios demonstrating the ReAct loop, RAG retrieval, relational joins, and scope guardrails:

Scenario 1: Catalog Search with Price Ceiling

Tool: search_products

> **Customer (PT-BR):** "Olá, tudo bem? Quais opções de violões disponíveis vocês têm custando até R$1000?"

```
Invoked: search_products(category_name='Violões', max_price=1000.0)
```

Agent Response:
Temos ótimas opções de violões disponíveis em estoque por até R$ 1.000,00!

• **Tagima Memphis AC-39 Nylon Natural** — Preço: R$ 429,90 (ou R$ 408,40 à vista no PIX com 5% de desconto) | Estoque: 15 unidades | Violão clássico de nylon confortável para iniciantes.
• **Rozini RC-104 Nylon Estudante** — Preço: R$ 459,90 (ou R$ 436,90 no PIX) | Estoque: 10 unidades | Clássico nacional com ótima sonoridade.
• **Shelby SN-100 Folk Aço Preto** — Preço: R$ 549,00 (ou R$ 521,55 no PIX) | Estoque: 5 unidades | Estilo Folk com cordas de aço e visual moderno.
• **Yamaha C40 Nylon Natural** — Preço: R$ 599,90 (ou R$ 569,91 no PIX) | Estoque: 12 unidades | Referência para estudantes com excelente projeção.

Todos os modelos contam com parcelamento em até **12x sem juros** no cartão (parcela mínima de R$ 100,00) ou 5% no PIX. Para Campo Grande acima de R$ 500,00 a entrega é gratuita via motoboy.

Technical Verification: Correctly extracted budget constraint (`max_price=1000.0`) and filtered category; returned only in-stock items with exact PIX 5% calculations and installment rules.

Scenario 2: Specific Instrument Details & Payment Terms

Multi-Tool: get_product_details + get_store_policies

> **Customer (PT-BR):** "Quanto custa o Takamine GD20? Como funciona o pagamento parcelado e no PIX?"

```
Invoked: get_product_details(name_or_id='Takamine GD20') & get_store_policies(topic_or_query='pagamento pix parcelamento')
```

Agent Response:
O **Takamine GD20** (modelo Folk Dreadnought com tampo sólido em Cedar) está disponível em estoque por **R$ 2.199,00** (temos 5 unidades em estoque).

Condições de pagamento:
• **À vista no PIX**: 5% de desconto direto, saindo por **R$ 2.089,05** (economia de R$ 109,95).
• **Cartão de Crédito**: Parcelamento em até **12x de R$ 183,25 sem juros** (respeitando a parcela mínima de R$ 100,00).
• **Condição Especial de Alto Valor**: Por ser acima de R$ 2.000,00, é permitida a divisão de formas de pagamento (ex.: entrada no PIX com saldo parcelado no cartão).

Technical Verification: Synthesized database product records and policy manual rules into a single coherent response without hallucination.

Scenario 3: Store Return Policy & Consumer Rights (CDC)

Tool: get_store_policies

> **Customer (PT-BR):** "Comprei um teclado pelo site mas me arrependi da minha compra, chegou ontem. Posso devolver meu pedido?"

```
Invoked: get_store_policies(topic_or_query='devolucao arrependimento compra')
```

Agent Response:
Sim, a devolução é perfeitamente assegurada pelo Código de Defesa do Consumidor (Artigo 49) e pelas políticas da Empório da Música.

Para compras digitais, você tem até **7 (sete) dias corridos** após a entrega para solicitar devolução por arrependimento com estorno integral.
1. O instrumento deve estar na embalagem original, com manuais, cabos e sem marcas de mau uso.
2. O frete de logística reversa é integralmente coberto pela loja via código dos Correios.
3. O estorno financeiro é processado na mesma forma original em até 10 dias úteis após a conferência técnica.

Technical Verification: RAG retrieved exact CDC statutory rules, packaging conditions, reverse postage coverage, and refund SLA.

Scenario 4: Scope Guardrail Activation (Accessory Rejection)

Zero-Token Pre-LLM Guardrail

> **Customer (PT-BR):** "Vocês vendem encordoamento de guitarra 0.10, palhetas Fender e amplificador de 50W?"

```
Invoked: None (Deterministic Pre-LLM Guardrail Interception)
```

Agent Response:
A Empório da Música é especializada exclusivamente na venda de instrumentos musicais completos (violões, guitarras, contrabaixos, baterias, teclados, pianos e instrumentos de sopro).

Não comercializamos acessórios avulsos, encordoamentos, palhetas, cabos, pedais de efeito, amplificadores ou cases avulsos.

Recomendamos buscar esses insumos em lojas especializadas em áudio e acessórios no centro de Campo Grande. Estamos à disposição para auxiliá-lo na escolha de instrumentos musicais completos de nosso catálogo.

Technical Verification: Executed in 0 ms API latency with zero token consumption. Firm, polite, and brand-aligned refusal.

Scenario 5: Relational Order Status Tracking

Tool: check_order_status

> **Customer (PT-BR):** "Gostaria de saber o status do meu pedido 1. Quando chega?"

```
Invoked: check_order_status(order_id=1)
```

Agent Response:
Seguem os dados atualizados do pedido consultado em nosso sistema:
• **Pedido**: #1 | **Cliente**: Lucas Mendes da Silva
• **Data da Compra**: 15/10/2025 | **Status Atual**: Entregue ao destinatário
• **Item**: 1x Roland FP-30X Piano Digital Preto | **Valor Total**: R$ 11.499,00 (PIX)
• **Rastreamento**: BRAB1234567BR | **Data de Entrega**: 25/10/2025

O pedido consta como entregue. Se precisar de assistência técnica coberta pela garantia de 90 dias, estamos à disposição.

Technical Verification: Relational SQL join across `orders`, `order_items`, and `customers`; accurate delivery status reported.

5. Known Limitations and Production Roadmap

1. **PostgreSQL Migration via Docker**: Complete the containerization of the persistence layer using official PostgreSQL images (`postgres:16-alpine`) in `docker-compose.yml` to provide connection pooling and concurrent write scaling.
2. **Dense Vector Embeddings (Hybrid Search)**: Integrate a vector database (`pgvector` or Qdrant) to enable acoustic timbre and musical style searches (e.g., "warm acoustic guitar for fingerstyle jazz").
3. **Production Observability & Tracing**: Instrument the agent with OpenTelemetry or LangSmith for latency tracking, per-session token cost attribution, and prompt drift detection.
4. **Omnichannel Messaging & Audio Processing**: Integrate the Meta WhatsApp Cloud API and deploy Whisper speech-to-text models to process customer voice notes.

6. Engineering Transparency Statement

In alignment with the challenge guidelines regarding modern engineering workflows:

- **Tool Employed**: Antigravity AI Engineer (DeepMind / Gemini 3.8).
- **Workflow Methodology**: Used as a technical pair programmer to accelerate development velocity. Assisted in structuring Pydantic schemas, drafting initial ETL transformation routines, generating unit test fixtures, and setting up the evaluation benchmark harness.
- **Core Architecture**: All architectural decisions (LangChain ReAct with LangGraph, deterministic pre-LLM scope guardrails, structured policy RAG, and relational database design) were designed, reviewed, and validated against the challenge criteria.

7. Repository Directory Structure

```
artefact_ai_fullstack/
├── app/
│   ├── agent/
│   │   ├── guardrails.py       # Deterministic pre-LLM scope guardrails
│   │   ├── langchain_agent.py  # LangChain ReAct agent (LangGraph)
│   │   ├── memory.py           # Multi-turn conversation persistence
│   │   └── persona.py          # Store persona and prompt instructions
│   ├── api/
│   │   ├── routes.py           # FastAPI REST endpoints
│   │   └── server.py           # FastAPI application and static asset server
│   ├── db/
│   │   ├── database.py         # Relational database manager (SQLite)
│   │   └── etl.py              # ETL pipeline for raw operational CSV files
│   ├── knowledge/
│   │   └── policies.py         # RAG knowledge base extracted from policy PDF
│   ├── static/
│   │   └── index.html          # Responsive React SPA with Artefact visual identity
│   ├── tools/
│   │   ├── catalog_tools.py    # Catalog queries, price filters, and promotions
│   │   ├── langchain_tools.py  # LangChain tool definitions (@tool)
│   │   ├── order_tools.py      # Order tracking and customer purchase joins
│   │   └── policy_tools.py     # RAG policy retrieval tool
│   ├── config.py               # Environment configuration and settings
│   └── main.py                 # Uvicorn entry point
├── data/
│   ├── *.csv                   # Operational CSV files provided for the challenge
│   ├── políticas_da_loja.pdf   # Internal store policies and procedures manual
│   └── emporio.db              # Relational SQLite database generated by ETL
├── docs/
│   └── images/                 # High-resolution screenshots of the UI
├── examples/
│   └── conversations.md        # Five documented interaction scenarios
├── frontend/                   # React TypeScript source files
│   ├── src/
│   └── package.json
├── tests/
│   ├── harness/
│   │   ├── golden_dataset.json # Ground-truth evaluation dataset
│   │   ├── run_eval.py         # Standalone benchmark runner
│   │   └── test_harness.py     # Automated evaluation harness test suite
│   ├── test_agent.py           # Agent and memory tests
│   ├── test_api.py             # API route integration tests
│   ├── test_database.py        # Database integrity and ETL tests
│   ├── test_frontend.py        # Frontend integration and branding tests
│   ├── test_guardrails.py      # Guardrail unit and parametric tests
│   └── test_tools.py           # Business tools tests
├── .env.example
├── pyproject.toml
└── README.md
```