List of reference

- 1. Aitchison J. The Statistical Analysis of Compositional Data. J R Stat Soc Ser B. 1982;44(2):136-177.
- Dumuid D, Pedišić Ž, Palarea-Albaladejo J, Martín-Fernández JA, Hron K, Olds T. Compositional Data Analysis in Time-Use Epidemiology: What, Why, How. Int J Environ Res Public Health. 2020;17(7):2220. doi:10.3390/ijerph17072220
- Gupta N, Rasmussen CL, Holtermann A, Mathiassen SE. Time-Based Data in Occupational Studies: The Whys, the Hows, and Some Remaining Challenges in Compositional Data Analysis (CoDA). Ann Work Expo Heal. 2020;64(8):778-785. doi:10.1093/annweh/wxaa056
- 4. Chastin SFM, Palarea-Albaladejo J, Dontje ML, Skelton DA. Combined effects of time spent in physical activity, sedentary behaviors and sleep on obesity and cardio-metabolic health markers: A novel compositional data analysis approach. PLoS One. 2015;10(10). doi:10.1371/journal.pone.0139984
- 5. Pedišić Ž, Dumuid D, Olds TS. Integrating sleep, sedentary behaviour, and physical activity research in the emerging field of time-use epidemiology: Definitions, concepts, statistical methods, theoretical framework, and future directions. Kinesiology. 2017;49(2):252-269.
- 6. von Rosen P. Analysing time-use composition as dependent variables in physical activity and sedentary behaviour research: different compositional data analysis approaches. J Act Sedentary Sleep Behav. 2023;2(1):23. doi:10.1186/s44167-023-00033-5
- Dumuid D, Stanford TE, Martin-Fernández JA, et al. Compositional data analysis for physical activity, sedentary time and sleep research. Stat Methods Med Res. 2018;27(12):3726-3738. doi:10.1177/0962280217710835
- 8. Dumuid D, Pedišić Ž, Stanford TE, et al. The compositional isotemporal substitution model: A method for estimating changes in a health outcome for reallocation of time between sleep, physical activity and sedentary behaviour. Stat Methods Med Res. 2019;28(3):846-857. doi:10.1177/0962280217737805
- Migueles JH, Aadland E, Andersen LB, et al. GRANADA consensus on analytical approaches to assess associations with accelerometer-determined physical behaviours (physical activity, sedentary behaviour and sleep) in epidemiological studies. Br J Sports Med. Published online April 12, 2021:bjsports-2020-103604. doi:10.1136/bjsports-2020-103604

- Dumuid D, Wake M, Burgner D, et al. Balancing time use for children's fitness and adiposity: Evidence to inform 24-hour guidelines for sleep, sedentary time and physical activity. Bergman P, ed. PLoS One. 2021;16(1):e0245501. doi:10.1371/journal.pone.0245501
- 11. Rollo S, Antsygina O, Tremblay MS. The whole day matters: Under- standing 24-hour movement guideline adherence and relationships with health indicators across the lifespan. JSport Health Sci 2020;9:493–510.
- 12. Arvidsson D, Fridolfsson J, Börjesson M. Measurement of physical activity in clinical practice using accelerometers. J Intern Med. 2019;286:joim.12908.
- 13. Atkin AJ, Gorely T, Clemes SA, Yates T, Edwardson C, Brage S, et al. Methods of Measurement in epidemiology: Sedentary Behaviour. Int J Epidemiol. 2012;41:1460–71.
- 14. Burchartz A, Anedda B, Auerswald T, Giurgiu M, Hill H, Ketelhut S, et al. Assessing physical behavior through accelerometry State of the science, best practices and future directions. Psychol Sport Exerc. 2020;49 November 2019:101703.
- 15. Cain KL, Sallis JF, Conway TL, Van Dyck D, Calhoon L. Using accelerometers in youth physical activity studies: a review of methods. J Phys Act Health. 2013;10:437–50.
- 16. Edwardson CL, Winkler EAH, Bodicoat DH, Yates T, Davies MJ, Dunstan DW, et al. Considerations when using the activPAL monitor in field-based research with adult populations. J Sport Heal Sci. 2017;6:162–78.
- 17. Gorman E, Hanson HM, Yang PH, Khan KM, Liu-Ambrose T, Ashe MC. Accelerometry analysis of physical activity and sedentary behavior in older adults: a systematic review and data analysis. Eur Rev Aging Phys Act. 2014;11:35–49.
- 18. Matthews CE, Hagströmer M, Pober DM, Bowles HR. Best Practices for Using Physical Activity Monitors in Population-Based Research. Med Sci Sport Exerc. 2012;44:S68–76.
- 19. Migueles JH, Cadenas-Sanchez C, Ekelund U, Delisle Nyström C, Mora-Gonzalez J, Löf M, et al. Accelerometer Data Collection and Processing Criteria to Assess Physical Activity and Other Outcomes: A Systematic Review and Practical Considerations. Sport Med. 2017;47:1821–45.
- 20. Montoye AHK, Moore RW, Bowles HR, Korycinski R, Pfeiffer KA. Reporting accelerometer methods in physical activity intervention studies: a systematic review and recommendations for authors. Br J Sports Med. 2018;52:1507–16.
- 21. Peddle-Mcintyre CJ, Cavalheri V, Boyle T, McVeigh JA, Jeffery E, Lynch BM, et al. A Review of Accelerometer-based Activity Monitoring in Cancer Survivorship Research. Med Sci Sport Exerc. 2018;50:1790–801.

- 22. Pedišić Ž, Bauman A. Accelerometer-based measures in physical activity surveillance: current practices and issues. Br J Sports Med. 2015;49:219–23.
- 23. Rich C, Griffiths LJ, Dezateux C. Seasonal variation in accelerometer-determined sedentary behaviour and physical activity in children: a review. Int J Behav Nutr Phys Act. 2012;9:49.
- 24. Skender S, Ose J, Chang-Claude J, Paskow M, Brühmann B, Siegel EM, et al. Accelerometry and physical activity questionnaires - a systematic review. BMC Public Health. 2016;16:515.
- 25. Tudor-Locke C, Camhi S, Troiano R. A Catalog of Rules, Variables, and Definitions Applied to Accelerometer Data in the National Health and Nutrition Examination Survey, 2003–2006. Prev Chronic Dis. 2012;9:1–16.
- 26. Vetrovsky T, Clark CCT, Bisi MC, Siranec M, Linhart A, Tufano JJ, et al. Advances in accelerometry for cardiovascular patients: a systematic review with practical recommendations. ESC Hear Fail. 2020;7:2021–31.
- 27. Ward DS, Evenson KR, Vaughn A, Rodgers AB, Troiano RP. Accelerometer Use in Physical Activity: Best Practices and Research Recommendations. Med Sci Sport Exerc. 2005;37:S582–8.