










		
Nº Cil		Código Clevite								
MOTOR A3300	6	B111100	2BB-1325-C	P	STD/ 0,25/ 0,50/ 0,75/ 1,00		37,97/38,23	3,126/3,138		
		B11423 CB619AL (4W5739)	2BB-1321-C	P	STD/ 0,25/ 0,50/ 0,75/ 1,00		37,97/38,23	3,126/3,138		
		M111208	1BC-1486-I	P	STD/ 0,25/ 0,50/ 0,75/ 1,00		28,45/28,71	3,972/3,988		
			1BC-1486-S	P	STD/ 0,25/ 0,50/ 0,75/ 1,00		28,45/28,71	3,972/3,988		
		M11195 MS958AL (4W5738)	1BC-1483-I	P	STD/ 0,25/ 0,50/ 0,75/ 1,00		28,45/28,71	3,972/3,988		
			1BC-1483-S	P	STD/ 0,25/ 0,50/ 0,75/ 1,00		28,45/28,71	3,972/3,988		
		G11948	1BG-1164-U	-	STD-S		40,42/40,92	1,780/1,910		
MOTOR A4300	6	M111204	1BC-1485-I	P	STD		41,52/41,78	4,564/4,580		
		(4W5492)								
			1BC-1485-S	P	STD		41,52/41,78	4,564/4,580		
PA CARREG. 930-960 TRATOR D2/D4	6	G11058	1BG-1147-U	C	STD		18,50/19,50	1,544/1,570		
		(8S6511)								
TRATOR D6C	6	G11938	1BG-1155-U	-	STD	34,925/34,950				
		(5M3320)								
TRATOR D60	6	G11939	1BG-1156-U	-	STD	22,212/22,222	25,387/25,413	25,15/25,65	1,549/1,575	0,015/0,103
		(2S7931)								
D6/40	6	G11947	1BG-1163-U	S	STD-S		35,00/35,50	1,750/1,950		
3176	6	G11949	1BG-1165-U	-	STD-S	50,790/50,800	55,422/44,448	49,09/49,59	2,620/2,770	0,022/0,048
		(9Y0198)								
7N2155	6	G11951	1BG-1166-U	C	STD		23,58/24,08	2,327/2,353		
		(4N5341)								
7N2156	6	G11952	1BG-1167-U	C	STD		31,91/32,41	2,327/2,353		
		(7N2156)								
7N2213	6	G11954	1BG-1169-U	C	STD		18,75/19,25	1,547/1,573		
		(4N5274)								
8N8258	6	G11955	1BG-1170-U	-	STD		48,45/48,95	3,116/3,142		
		(8N8258)								
C-12 3176(L)	6	G11958	1BG-1172-U	-	STD-S	53,165/53,175	57,797/57,823	51,00/51,50	2,650/2,800	0,022/0,048
		(115-2972)								
CAMINHÃO FORA DE ESTRADA 769B	6	H11461	1EC-525-U	-	STD		79,350/79,400	18,05/18,55	3,086/3,112	
		(5M3560)								
SH1245	6	H11462 SH1245S (9N5246)	1EC-526-U	C	STD		18,55/19,05	1,879/1,905		
3126/C7/C9	6	H11463	1EC-527-U	-	STD		18,75/19,25	1,876/1,902		
		(2W7213)								
Motoniveladora 120B - 140B/ Bomba de Óleo	6	G11940	1BG-1157-U	C	STD/ STD-S		22,200/22,225	24,10/25,10	1,651/1,677	
		G11941 (8S6513)	1BG-1158-U	C	STD/ STD-S		22,200/22,225	18,55/19,05	1,651/1,677	

* Itens sob consulta








											
Nº Cil		Código Clevite									
Motoniveladora 120B - 140B/ Bomba de Óleo	6		G11942 (8S6515)	1BG-1159-U	C	STD/ STD-S	22,200/22,225	22,15/22,65	1,651/1,677		
			G11943 (8S6517)	1BG-1160-U	C	STD/ STD-S		16,25/16,75	1,87/2,05		
			G11946 (7C7852)	1BG-1162-U	C	STD/ STD-S		35,25/35,75	2,487/2,513		
3306	6		G11944 (4H9640)	1BG-1161-U	B	STD	73,000/73,025	29,91/30,41	3,175/3,200		
MOTOR 3406	6		G11953 (4N0343)	1BG-1168-U	-	STD	63,487/63,513	69,837/69,863	44,20/44,70	3,116/3,142	0,065/0,160
PART NUMBER: 119-3776	6		G11957 (7C7848)	1BG-1171-U	C	STD/ STD-S	69,313/69,329	74,437/74,467	42,50/43,50	2,72/2,90	0,043/0,085
MOTOR 3406 E	6		G11959 (131-7123)	1BG-1173-U	-	STD/ STD-S	63,487/63,513	69,837/69,863	44,20/44,70	3,350/3,610	0,046/0,141
C10 / C12	6		G11960 (133-7084)	1BG-1174-U	-	STD-S	69,133/69,149	74,437/74,467	57,75/58,25	2,890/3,070	0,043/0,085
C15 / C18	6		G11975 (229-6259)	6BG-975-U Trapezoidal		STD-S			52,66/53,16	2,60/2,86	
C9	6		H11464 (203-5805)	1EC-528-U	-	STD	65,113/36,139	69,975	23,80/24,20	2,376/2,402	0,032/0,100
			H11465 (203-6090)	1EC-529-U	-	STD	65,113/36,139	69,975	18,80/19,20	2,376/2,402	0,032/0,160

* Itens sob consulta

	Nº Cil		 Código Clevite								
V6-114/155/186/210	6		B21105 CB1631T (3012360)	1BB-1314-C	SP	STD/ 0,25/ 0,50/ 0,75	63,475/63,500	68,351/63,377	29,590/29,830	2,394/2,406	0,040/0,117
			B21106 (157620)	1BB-1315-C	SP	STD/ .010/ .0 20/ .030/ .040			29,590/29,830	2,394/2,406	
SÉRIE N	6		B21107 CB625P (203660)	12BB-1316-C	SP	STD/ 0,25/ 0,50/ 0,75	79,350/79,375	83,122/83,134	43,690/43,940	1,842/1,855	0,038/0,114
			B21109 CB296P (203670)	1BB-1318-C	SP	STD/ .010/ .0 20/ .030	79,350/79,375	83,122/83,134	50,165	1,839/1,852	0,038/0,114
			B21110 CB1616P (3055145)	1BB-1319-C	SP	STD/ .010/ .0 20/ .030/ .040	88,862/88,900	93,751/93,764	48,415	2,47/2,51	0,037/0,114
			G21223	1BG-1148-U	S	STD	33,312/33,325	36,728/36,754	31,500/32,000	1,626/1,651	0,101/0,190
			G21851 (187420)	1BG-1151-U	-	STD-S	57,125/57,163	55,63/56,13		3,35/3,56	
SÉRIE NH/NT	6		B21108 CB1226P (214950)	12BB-1317-C	SP	STD/ .010/ .0 20/ .030/ .040	79,350/79,375	84,226/84,239	43,970/44,200	2,394/2,407	0,038/0,114
			M21067 MS1687P (3801260)	3BC-1479-S	SP	STD/ 0,25/ 0,50/ 0,75	114,275/114,300	120,625/120,650	37,790/38,040	3,127/3,139	0,041/0,127
				1BC-1480-I	SP	STD/ 0,25/ 0,50/ 0,75	114,275/114,300	120,625/120,650	55,570/55,810	3,127/3,139	0,041/0,127
				3BC-1479-I	SP	STD/ 0,25/ 0,50/ 0,75	114,275/114,300	120,625/120,650	37,790/38,040	3,127/3,139	0,041/0,127
				1BC-1480-S	SP	STD/ 0,25/ 0,50/ 0,75	114,275/114,300	120,625/120,650	55,570/55,810	3,127/3,139	0,041/0,127
				3BC-1478-S	SP	STD/ 0,25/ 0,50/ 0,75	114,275/114,300	120,625/120,650	50,490/50,730	3,127/3,139	0,041/0,127
				3BC-1478-I	SP	STD/ 0,25/ 0,50/ 0,75	114,275/114,300	120,625/120,650	50,490/50,730	3,127/3,139	0,041/0,127
L-10 OHV	6		B21371 CB1382P (3016760)	12BB-1320-C	P	STD/ .010/ .0 20/ .030/ .040	78,987/79,013	83,983/84,017	41,83/42,21	2,448/2,454	0,024/0,108
			M21569 MS1716P (3801150)	7BC-1484-I	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	114,015/114,055	121,990/122,010	36,370/36,630	3,932/3,944	0,048/0,130
				7BC-1484-S	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	114,015/114,055	121,990/122,010	36,370/36,630	3,932/3,944	0,048/0,130
ISC/ISL/QSC/QLS C8.3, ISC CM2150, 6L8.9, ISC8.3 CM2250, ISL G CM2180, QSL9 CM2250, QSC8.3 CM554, ISL9 CM2250, QSL9 CM554, 6C, QSL9 CM850, C Gas Plus CM556, C8.3G, G8.3, L Gas Plus CM556, ISC CM554, QSC8.3 CM2250, QSL9 G CM558, ISC CM850, ISL CM554, QSC8.3 CM850,	6		B21518 3950661	12BB-1084-C	P	STD	76,000/76,026	80,987/81,013	35,870/36,130	2,457/2,469	0,024/0,100
TRAPEZOIDAL	6		G21594	1BG-1149-U	S	STD-S	50,825/50,838	57,125/57,163	55,630/56,130	2,460/2,820	
132770	6		G21853 (132770)	1BG-1153-U	S	STD	41,154/41,308	43,078/43,104	37,850/38,350	1,770/1,950	
SÉRIE 504 (TRAPEZOIDAL)	6		G21854 (3277332)	1BG-1175-U	S	STD-S			38,110/38,610	2,510/2,660	
MOTOR K	6		H21426	1EC-515-U	S	STD	76,225/76,287	82,639/82,665	38,100/38,600	3,189/3,207	
MOTOR K6	6		H21438 SH1250S (3002834)	1EC-521-U	S	STD	76,225/76,287	82,639/82,665	38,100/38,600	3,189/3,207	







* Itens sob consulta



	Nº Cil		 Código Clevite								
SH1394	6		H21440 SH1394S (3278345)	1EC-522-U	S	STD			48,010/48,510	2,362/2,382	
N-927 / NT-855	6		H21002 SH568S (BM-27253)	1EC-516-U	S	STD	50,724/50,749	54,064/54,089	56,640/57,400	1,619/1,638	0,025/0,113
				6EC-517-U	S	STD	50,724/50,749	54,064/54,089	42,550/43,310	1,619/1,638	
			H21434 (157870)	1EC-517-U	S	STD	50,808/50,851	54,084/54,089	42,550/43,310	1,619/1,638	
BIG CAM	6		H21008 SH1529S (3801106)	4EC-519-U	S	STD	63,477/63,543	68,237/68,275	42,550/43,310	2,366/2,380	
				1EC-518-U	S	STD	63,477/63,543	68,237/68,275	42,550/43,310	2,366/2,380	
				2EC-520-U	S	STD	63,477/63,531	68,237/68,275	55,250/56,010	2,366/2,380	
			H21120	1EC-512-U	S	STD	63,477/63,543	68,237/68,275	42,550/43,310	2,366/2,380	
				2EC-514-U	S	STD	63,477/63,543	68,237/68,275	55,250/56,010	2,366/2,380	
				4EC-513-U	S	STD	63,477/63,543	68,237/68,275	42,550/43,310	2,366/2,380	
			H21435 (3011951)	1EC-518-U	S	STD	63,477/63,543	68,237/68,275	42,550/43,310	2,366/2,380	
			H21436 (3028075)	1EC-519-U	S	STD	63,477/63,543	68,237/68,275	42,550/43,310	2,366/2,380	
			H21437 (3028269)	1EC-520-U	S	STD	63,477/63,531	68,237/68,263	55,250/56,010	2,366/2,380	
V8	8		M21064 MS1061P (BM-99820)	2AE-304-C	C	STD/ .010/ .020/ .030	96,520/97,020	113,920/114,170	56,850/57,120	3,780/3,840	
				2BC-1476-I	SP	STD/ .010/ .020/ .030	95,326	96,430/97,030	26,360/26,620	3,169/3,181	
				2BC-1476-S	SP	STD/ .010/ .020/ .030	95,326	96,430/97,030	26,360/26,620	3,169/3,181	
				3BC-1477-I	SP	STD/ .010/ .020/ .030	95,326	96,430/97,030	28,720/28,980	3,169/3,181	
				3BC-1477-S	SP	STD/ .010/ .020/ .030	95,326	96,430/97,030	28,720/28,980	3,169/3,181	
				2AE-305-C	C	STD/ .010/ .020/ .030	96,520/97,020	113,920/114,170	56,850/57,120	3,780/3,840	
			M21137	1BC-1477-S	SP	STD/ .010/ .020/ .030	95,326	96,430/97,030	28,720/28,980	3,169/3,181	
				1BC-1477-I	SP	STD/ .010/ .020/ .030	95,326	96,430/97,030	28,720/28,980	3,169/3,181	
MOTOR V352 5.8L / V378 6.2L / V6-140 5.8L / V6-140B 5.8L / V6-155 6.2L	6		M21061 MS1060P (BM-99830)	2AE-304-C	C	STD/ .010/ .020/ .030/ .040	96,520/97,020	113,920/114,170	56,850/57,120	3,780/3,840	
				2BC-1477-I	SP	STD/ .010/ .020/ .030/ .040	95,326	96,430/97,030	28,720/28,980	3,169/3,181	
				2BC-1476-I	SP	STD/ .010/ .020/ .030/ .040	95,326	96,430/97,030	26,360/26,620	3,169/3,181	
				2BC-1476-S	SP	STD/ .010/ .020/ .030/ .040	95,326	96,430/97,030	26,360/26,620	3,169/3,181	
				2BC-1477-S	SP	STD/ .010/ .020/ .030/ .040	95,326	96,430/97,030	28,720/28,980	3,169/3,181	
				2AE-305-C	C	STD/ .010/ .020/ .030/ .040	96,520/97,020	113,920/114,170	56,850/57,120	3,780/3,840	
ISBE 5.9L	6	102,00 4,015"	B21505	6BB-1322-C Biela Fraturada	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	68,987/69,013	72,987/73,013	30,87/31,13	1,955/1,968	0,038/0,116
				6BB-1324-I Biela Fraturada	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	68,987/69,013	72,987/73,013	30,87/31,13	1,955/1,968	0,042/0,110
			M21666	1BC-280-I	C	STD/ 0,25/ 0,50	82,987/83,103	87,982/88,018	37,58	2,456/2,464	0,041/0,119



* Itens sob consulta



	Nº Cil		 Código Clevite									
ISBE 5.9L	6	102,00 4.015"	M21666	1BC-280-S	C	STD/ 0,25/ 0,50	82,987/83,103	87,982/88,018	37,58	2,456/2,464	0,041/0,119	
				6BC-186-S	C	STD/ 0,25/ 0,50	82,993/83,013	87,982/88,008	29,03	2,570/2,610	0,041/0,103	
				6BC-186-I	C	STD/ 0,25/ 0,50	82,993/83,013	87,982/88,008	29,03	2,570/2,610	0,041/0,103	
ISBE 3.9L	4	102,00 4.015"	H21125 B21466	1EC-4125-U	S	STD	54,107/54,113	57,222/57,248	25,150/15,650	1,670/1,550	0,046/0,118	
				4BB-1322-C Biela Fraturada	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	68,987/69,013	72,987/73,013	30,87/31,13	1,955/1,968	0,038/0,116	
				4BB-1324-I Biela Fraturada	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	68,987/69,013	72,987/73,013	30,87/31,13	1,955/1,968	0,042/0,110	
B, BT, BTA	4	102,00x120,00 4.015"x4.724"	M21667	1BC-280-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	82,987/83,103	87,982/88,018	37,58	2,456/2,464	0,041/0,119	
				1BC-280-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	82,987/83,103	87,982/88,018	37,58	2,456/2,464	0,041/0,119	
				4BC-186-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	82,993/83,013	87,982/88,008	29,03	2,570/2,610	0,041/0,103	
				4BC-186-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	82,993/83,013	87,982/88,008	29,03	2,570/2,610	0,041/0,103	
				8BB-1322-C Biela Convencional	P	STD/ 0,25/ 0,50/ 0,75	68,987/69,013	72,987/73,013	30,87/31,13	1,955/1,968	0,038/0,116	
				4BB-1324-I Biela Fraturada	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	68,987/69,013	72,987/73,013	30,87/31,13	1,955/1,968	0,042/0,110	
				4BB-1322-C Biela Fraturada	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	68,987/69,013	72,987/73,013	30,87/31,13	1,955/1,968	0,038/0,116	
				M21502 MS1718P (3802010)	1BC-1487-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	82,987/83,013	87,982/88,018	37,900/38,100	2,456/2,464	0,041/0,119
				4BC-1481-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	82,993/83,013	87,982/88,008	28,770/29,030	2,456/2,464	0,041/0,103	
				5BC-1481-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	82,993/83,013	87,982/88,008	28,770/29,030	2,456/2,464	0,041/0,103	
				H21450 SH1404 (3901306)	1EC-524-U (->12/99)		STD	54,107/54,113	57,222/57,248	25,150/25,650	1,567/1,559	0,046/0,118
				H21531	1EC-531-U (01/00->)	S	STD	54,089/54,153	59,222/59,258	25,150/25,650	2,921/3,023	
B, BT, BTA.	6	102,00x120,00 4.015"x4.724"	(3941476) B21426 CB1413P (3901170) B21505 6BB-1324-I Biela Fraturada 6BB-1322-C Biela Fraturada M21503 MS1717P (3802070) 7BC-1481-I 1BC-1487-S H21450 SH1404 (3901306)	1BG-1146-U	S	STD-S	40,019/40,033	42,987/43,013	37,850/38,350	1,630/1,760		
				12BB-1322-C Biela Convencional	P	STD/ 0,25/ 0,50/ 0,75	68,987/69,013	72,987/73,013	30,87/31,13	1,955/1,968	0,038/0,116	
				6BB-1324-I Biela Fraturada	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	68,987/69,013	72,987/73,013	30,87/31,13	1,955/1,968	0,042/0,110	
				6BB-1322-C Biela Fraturada	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	68,987/69,013	72,987/73,013	30,87/31,13	1,955/1,968	0,038/0,116	
				6BC-1481-S	C	STD/ 0,25/ 0,50/ 0,75	82,993/83,013	87,982/88,008	28,770/29,030	2,456/2,464	0,041/0,103	
				7BC-1481-I	C	STD/ 0,25/ 0,50/ 0,75	82,993/83,013	87,982/88,008	28,770/29,030	2,456/2,464	0,041/0,103	
				1BC-1487-S	C	STD/ 0,25/ 0,50/ 0,75	82,987/83,013	87,982/88,018	37,900/38,100	2,456/2,464	0,041/0,119	
				1EC-524-U (->12/99)		STD	54,107/54,113	57,222/57,248	25,150/25,650	1,567/1,559	0,046/0,118	

* Itens sob consulta



										
	Nº Cil	Código Clevite								
B, BT, BTA.	6	102,00x120,00 4.015"x4.724"	H21531	1EC-531-U (01/00->)	S	STD	54,089/54,153	59,222/59,258	25,150/25,650	2,921/3,023
			G21051 (3941476)	1BG-1146-U	S	STD-S	40,019/40,033	42,987/43,013	37,850/38,350	1,630/1,760
ISC/ISL Pegasus 8.3/8.8L	4/6	114,00x135,00 4.488"x5.315"	B21518	12BB-1084-C 3950661	P	STD	76,000/76,026	80,987/81,013	35,870/36,130	2,457/2,469
			H21094 SH1402 (3901685)	7EC-523-U	S	STD	59,987/60,013	63,987/64,013	24,750/25,250	1,40/1,70
			G211093	6BG-1093-U	-	STD-S	44,997/45,003	48,998/49,012	42,750/43,250	2,120/2,250
SÉRIE C	6	114,00x135,00 4.488"x5.315"	G21997	1BG-997-U	-	STD-S	44,997/45,003	48,998/49,012	42,750/43,250	2,120/2,250
			B21425 CB1409P (3901430)	12BB-1323-C	C	STD/ 0,25/ 0,50/ 0,75	75,987/76,013	80,987/81,013	37,87/38,13	2,455/2,470
			M21188	1BC-1482-S	C	STD/ 0,25	97,987/98,013	104,982/105,018	31,870/32,130	3,446/3,454
				1BC-1482-I	C	STD/ 0,25	97,987/98,013	104,982/105,018	31,870/32,130	3,446/3,454
			M21281	1BC-1482-I	C	STD/ 0,25	97,987/98,013	104,982/105,018	31,870/32,130	3,446/3,454
				1BC-1488-S(F)	C	STD/ 0,25	97,987/98,013	104,982/105,018	42,82/42,92	3,446/3,454
			M21504 MS1740P (3802210)	7BC-1482-I	C	STD/ 0,25/ 0,50/ 0,75	97,987/98,013	104,982/105,018	31,870/32,130	3,446/3,454
				6BC-1482-S	C	STD/ 0,25/ 0,50/ 0,75	97,987/98,013	104,982/105,018	31,870/32,130	3,446/3,454
				1BC-1488-S(F)	C	STD/ 0,25/ 0,50/ 0,75	97,987/98,013	104,982/105,018	42,82/42,92	3,446/3,454
			L21208	1AE-306-U	-	STD		69,750/70,050		1,950/2,030
			G21812	1BG-1150-U	S	STD	47,549/47,574	50,889/50,914	20,570/21,080	1,608/1,628
			G21852 (147610)	1BG-1152-U	S	STD	47,549/47,574	50,889/50,914	20,570/21,080	1,608/1,628
			G21880 (3913990)	1BG-1154-U TRAPEZOIDAL	S	STD-S	44,997/45,003	48,998/49,012	44,750/45,250	2,130/2,260

* Itens sob consulta