



Estrutura da página e decodificação dos códigos das peças de bronzinas


Page structure and decoding of bearings part numbers



- 1 Aplicação/Motor/Modelo
 - 2 Número de cilindros
 - 3 Diâmetro do cilindro e curso do pistão
 - 4 Número MAHLE Original e Metal Leve/Tipo
- A letra inicial indica a peça:
- B = Bronzina de biela MAHLE Original
 - SB = Bronzina de biela SPA MAHLE Original
 - BB = Bronzina de biela Metal Leve
 - SBB = Bronzina de biela SPA Metal Leve
 - M = Bronzina central MAHLE Original
 - SM = Bronzina central SPA MAHLE Original
 - BC = Bronzina central Metal Leve
 - SBC = Bronzina central SPA Metal Leve
 - L = Arruela de encosto MAHLE Original
 - SL = Arruela de encosto SPA MAHLE Original
 - AE = Arruela de encosto Metal Leve
 - SAE = Arruela de encosto SPA Metal Leve
 - H = Bucha de eixo de comando MAHLE Original
 - SH = Bucha de eixo de comando SPA MAHLE Original
 - EC = Bucha de eixo de comando Metal Leve
 - SEC = Bucha de eixo de comando SPA Metal Leve
 - G = Bucha de biela e/ou outras MAHLE Original
 - SG = Bucha de biela e/ou outras SPA MAHLE Original
 - BG = Bucha de biela e/ou outras Metal Leve
 - SBG = Bucha de biela e/ou outras SPA Metal Leve

Os três primeiros algarismos indicam a marca. Os quatro algarismos subsequentes identificam exatamente a peça/jogo.

Exemplo:




Obs.: Quando não houver o código da MAHLE Original e Metal Leve em negrito, significa que não há disponibilidade temporária desse item.

- 5 Composição: Pares/Peças/Tipo
- 6 Medidas
- 7 Diâmetro standard do eixo
- 8 Diâmetro standard do alojamento
- 9 Largura da bronzina
- 10 Espessura da bronzina standard
- 11 Folga vertical

- 1 Application/Engine/Model
 - 2 Number of cylinders
 - 3 Cylinder diameter and piston stroke
 - 4 MAHLE Original and Metal Leve part number/Type
- The initial letter indicates the part:
- B = Connecting rod bearing MAHLE Original
 - SB = Connecting rod bearing SPA MAHLE Original
 - BB = Connecting rod bearing Metal Leve
 - SBB = SPA Connecting rod bearing Metal Leve
 - M = Main bearing MAHLE Original
 - SM = SPA Main bearing MAHLE Original
 - BC = Main bearing Metal Leve
 - SBC = SPA Main bearing Metal Leve
 - L = Thrust washer MAHLE Original
 - SL = SPA Thrust washer MAHLE Original
 - AE = Thrust washer Metal Leve
 - SAE = SPA Thrust washer Metal Leve
 - H = Camshaft bushing MAHLE Original
 - SH = SPA Camshaft bushing MAHLE Original
 - EC = Camshaft bushing Metal Leve
 - SEC = SPA Camshaft bushing Metal Leve
 - G = Connecting rod bushings and/or others MAHLE Original
 - SG = Connecting rod bushings and/or SPA others MAHLE Original
 - BG = Connecting rod bushings and/or others Metal Leve
 - SBG = Connecting rod bushings and/or SPA others Metal Leve

The next three digits identify the engine manufacturer. As the next four digits identify exactly the part/set.


Example:



Note: Should there exist no MAHLE Original and Metal Leve codes in bold type, this means that the part is temporarily not available.

- 5 Composition: Pairs/Pieces/Type
- 6 Measurements
- 7 Axle standard diameter
- 8 Housing standard diameter
- 9 Bearing width
- 10 Standard bearing thickness
- 11 Oil clearance

Configuración de las páginas y claves de los números de artículos de cojinetes



- 1

Aplicación/Motor/Modelo
- 2

Número de cilindros
- 3

Diámetro del cilindro y curso del pistón
- 4

Número MAHLE Original y Metal Leve/Tipo

La letra inicial indica la pieza:

B

= Cojinete de biela MAHLE Original

SB

= Cojinete de biela SPA MAHLE Original

BB

= Cojinete de biela Metal Leve

SBB

= Cojinete de biela SPA Metal Leve

M

= Cojinete de bancada MAHLE Original

SM

= Cojinete de bancada SPA MAHLE Original

BC

= Cojinete de bancada Metal Leve

SBC

= Cojinete de bancada SPA Metal Leve

L

= Arandela de empuje MAHLE Original

SL

= Arandela de empuje SPA MAHLE Original

AE

= Arandela de empuje Metal Leve

SAE

= Arandela de empuje SPA Metal Leve

H

= Casquillo para el árbol de levas MAHLE Original

SH

= Casquillo para el árbol de levas SPA MAHLE Original

EC

= Casquillo para el árbol de levas Metal Leve

SEC

= Casquillo para el árbol de levas SPA Metal Leve

G

= Bujes de biela/otros MAHLE Original

SG

= Bujes de biela/otros SPA MAHLE Original

BG

= Bujes de biela/otros Metal Leve

SBG

= Bujes de biela/otros SPA Metal Leve

Los tres primeros algarismos indican la marca. Los cuatro algarismos subsecuentes identifican la pieza/juego. Ejemplo:

B

25

255

Biela

Fiat

B 25255 ou BB 255

Obs.: Cuando no existir el código da MAHLE Original y Metal Leve significa que no hay disponibilidad temporal del item.

- 5

Composición: Par/Pieza/Modelo
- 6

Medidas
- 7

Diámetro standard del eje
- 8

Diámetro standard del alojamiento
- 9


Ancho del cojinete
- 10




Espesor del cojinete
- 11


Holgura de aceite



		 Códigos Metal Leve MAHLE									
Nº Cil	2	90,00x100,00	BB-201-J*	2BB-201-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,930/50,940	53,990/54,009	31,000	1,496/1,508	0,034/0,087
MOTOR M 790 1279CC 18,0:1 INJECAO DIRETA - CAMI- NHAO TX-1100)	2	90,00x100,00		2BB-201-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,930/50,940	53,990/54,009	31,000	1,496/1,508	0,034/0,087
MOTOR M 93 1270CC 18,0:1	2	90,00x100,00		2BB-201-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,930/50,940	53,990/54,009	31,000	1,496/1,508	0,034/0,087
MOTOR Z 790 1272CC 19,0:1 TRATOR T-440)	2	90,00x100,00		2BB-201-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,930/50,940	53,990/54,009	31,000	1,496/1,508	0,034/0,087





* Itens sob consulta



											
Nº Cil		Códigos Metal Leve MAHLE									
MOTOR 8140.61 2445CC 22:1 DIESEL 10 AR6.13 AR 6 VANS / 30 AR 8.32 AR 8 / 35 AR VANS / 35 AR 8 TURBO VAN / 40 AR8 VAN 1978 EM DIANTE	4	93,00x90,00 3.6614x3.5433	BB-313-J B25313	4BB-1004-I	P	STD	56,520/56,535	60,333/60,345	24,70	1,870	0,028/0,075
				4BB-1004-S	P	STD	56,520/56,535	60,333/60,345	24,70	1,900	0,028/0,075



	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR 199 C.I.D. 258CC 1965-1970(U.S.A.)	6	95,25x76,20 3.750x3.000	BB-612-J B09612	6BB-612-P	SP	STD/ 0.256/ 0.508/ 0.762/ 1,016	53,208/53,226 2.0948/2.0955	56,083/56,096 2.2080/2.2085	21,260 0.8370	1,407/1,420 0.0554/0.0559	0.030/0,086 0.0012/0.0034
MOTOR 232 C.I.D. 801CC 1964-1979(U.S.A.)	6	95,25x88,90 3.750x3.500	BC-315-J M09315	6BC-844-P	SP	0,254/ 0,508/ 0,762	63,470/63,487 2.4988/2.4995	68,351/68,377 2.6910/2.6920	25,040 0.986	2,408/2,421 0.0948/0.0953	0,022/0,081 0.0009/0.0032
MOTOR 290/4.8L AMC (AMX,JAVELIN,REBEL,V-8 1966-1969)	8	95,25 3.750	BB-632-J B09632	8BB-612-P	SP	STD / .010 / .020 / .030	53,208/53,226 2.0948/2.0955	56,083/56,096 2.2080/2.2085	21,26 0.837	1,407/1,420 0.0554/0.0559	0,030/0,086 0.0012/0.0034
MOTOR 304/5.0L AMC (AMX,JAVELIN,JEEP,GREM LIN, V-8, 1970-1979)	8	95,25 3.750		8BB-612-P	SP	STD / .010 / .020 / .030	53,208/53,226 2.0948/2.0955	56,083/56,096 2.2080/2.2085	21,26 0.837	1,407/1,420 0.0554/0.0559	0,030/0,086 0.0012/0.0034
MOTOR AMC OHV-4 JEEP 1983-1992	4	98,43 3.875	BB-592-J B09592	4BB-612-P	SP	STD / .010 / .020 / .030	53,208/53,226 2.0948/2.0955	56,083/56,096 2.2080/2.2085	21,26 0.837	1,407/1,420 0.0554/0.0559	0,030/0,086 0.0012/0.0034
MOTOR 360/5.9L AMC CAR & JEEP V-8, (1970-1991)	8	103,63 4.080	BB-632-J B09632	8BB-612-P	SP	STD / .010 / .020 / .030	53,208/53,226 2.0948/2.0955	56,083/56,096 2.2080/2.2085	21,26 0.837	1,407/1,420 0.0554/0.0559	0,030/0,086 0.0012/0.0034

											
Nº Cil		Códigos Metal Leve MAHLE									
TOPIC 2.7L	4	92,00	AE-045-J L72045	2AE-212-I	C	STD/ 0,12/ 0,25	78,40/78,65	95,00/95,25		2,25/2,30	
				2AE-212-S	C	STD/ 0,12/ 0,25	78,40/78,65	95,00/95,25		2,25/2,30	
			BB-363-J B72363	8BB-433-C	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,112/57,125	60,817/60,830	28,65	1,823/1,835	0,022/0,072
			BC-540-J M72540	1BC-185-I	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	69,812/69,825	74,079/74,105	28,70	2,077/2,089	0,076/0,139
				9BC-185-S	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	69,812/69,825	74,079/74,105	28,70	2,077/2,089	0,076/0,139
			BG-004-J G57004	4BG-003-U	S	STD-S	31,745/31,750	34,919/34,955	26,87	1,75/1,83	0,013/0,043



											
Nº Cil		Códigos Metal Leve MAHLE									
MOTOR 100 GB-146A A112 903CC 9,5:1	4	65,00x68,00 2.5591x2.6772	BB-312-J B25312	8BB-1003-C	C	STD/ 0,25/ 0,50	39,988/40,008 1.5743/1.5751	43,657/43,670 1.7188/1.7193	16,55 0.6516	1,810 0.071	0,023/0,068 0.0009/0.0027
MOTOR 100GBC/GBS/GF A 112 II)	4	65,00x68,00 2.5591x2.6772		8BB-1003-C	C	STD/ 0,25/ 0,50	39,988/40,008	43,657/43,670	16,55	1,810	0,023/0,068
MOTOR 110 479CC 6,55:1 (BIANCHINA 110 / DBA BERLINA 110 / DBA SPECIAL) 1957 EM DIANTE	2	66,00x70,00 2.5984x2.7559	BB-277-J*	2BB-1006-P	SP	STD / .010 / .020 / .030 / .040	44,013/44,033 1.7328/1.7336	47,130/47,142 1.8555/1.8560	19,20 0.7559	1,540 0.061	0,011/0,061 0.0004/0.0024
MOTOR 70 HP 1048CC (A112 ABARTH / 70HP) 1975 ATE 85	4	67,20x74,00 2.6457x2.9134	BB-312-J B25312	8BB-1003-C	C	STD/ 0,25/ 0,50	39,988/40,008 1.5743/1.5751	43,657/43,670 1.7188/1.7193	16,55 0.6516	1,810 0.071	0,023/0,068 0.0009/0.0027
MOTOR A 112B1.054 965CC (A 112 ELEGART 1978 ATE 85 / A 112 ELITE 1979 ATE 85 / A 112 JUNIOR 1979 ATE 83)	4	67,20x68,00 2.6457x2.6772	BC-489-J	1BC-1032-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,790/50,810	54,507/54,520	22,78	1,840	0,021/0,070
				2BC-1031-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,790/50,810	54,507/54,520	20,62	1,840	0,021/0,070

											
Nº Cil		Códigos Metal Leve MAHLE									
COMPRESSOR TU-FLO 400	1		BB-264-P B45264	2BB-264-C	B	STD / .010 / .020 / .030	28,555/28,575	31,229/31,242	18,75	1,308/1,316	0,006/0,055
COMPRESSOR TU-FLO 500	2	63,50	BB-164-J B45164	1BB-164-P	B	STD/ 0,25/ 0,50/ 0,75	28,555/28,575 1.1242/1.1250	31,229/31,242 1.2295/1.2300	23,500 0.925	1,316/1,324 0.0518/0.0521	0,005/0,055 0.0020/0.0022
COMPRESSOR TU-FLO 700	2										
COMPRESSOR... BX-2150 (FORD CARGO)	1	85,725 3.375	AE-102-U	1AE-102-U	SP	STD					
			BG-079-U	BG-079-U	S	STD-S	13,487/13,491 0.5310/0.5311	16,624/16,662 0.6545/0.6560	21,600 0.850	1,830/1,910 0.0720/0.0752	0,007/0,018 0.0003/0.0007
			BG-400-U	BG-400-U	S	STD	35,000/35,010 1.3780/1.3783	38,113/38,138 1.5005/1.5015	25,000 0.984	1,525/1,540 0.0600/0.0606	0,042/0,103 0.0017/0.0041



											
Nº Cil		Códigos Metal Leve MAHLE									
MOTOR 196 C.I.D. 3216CC 1977 - 1980 (U.S.A.)	6	88,90x86,36 3.500x3.400	BB-605-J B02605	6BB-605-P	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	57,117/57,137 2.2487/2.2495	60,295/60,312 2.3738/2.3745	16,740 0.659	1,559/1,572 0.0614/0.0619	0,025/0,089 0.0010/0.0035
				3BC-812-S	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	63,475/63,500 2.4990/2.5000	68,250/68,275 2.6870/2.6880	22,070 0.869	2,361/2,374 0.0930/0.0935	0,013/0,086 0.0005/0.0034
				2BC-812-I	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	63,475/63,500 2.4990/2.5000	68,250/68,275 2.6870/2.6880	22,070 0.869	2,361/2,374 0.0930/0.0935	0,013/0,086 0.0005/0.0034
				1BC-813-P(F)	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	63,475/63,500 2.4990/2.5000	68,250/68,275 2.6870/2.6880	26,870 1.058	2,361/2,374 0.0930/0.0935	0,013/0,086 0.0005/0.0034
				1BC-814-I	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	63,475/63,500 2.4990/2.5000	68,250/68,275 2.6870/2.6880	22,070 0.869	2,361/2,374 0.0930/0.0935	0,013/0,086 0.0005/0.0034
MOTOR 225 C.I.D. 3692CC 1964 - 1967 (U.S.A.)	6	95,25x86,36 3.750x3.400	BB-601-J	6BB-600-P	SP	STD/ 0,254/ 0,508	50,787/50,813 1.9995/2.0005	53,967/53,980 2.1247/2.1252	18,820 0.741	1,562/1,575 0.0615/0.0620	0,018/0,081 0.0007/0.0032
				2BC-812-I	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	63,475/63,500 2.4990/2.5000	68,250/68,275 2.6870/2.6880	22,070 0.869	2,361/2,374 0.0930/0.0935	0,013/0,086 0.0005/0.0034
				1BC-813-P(F)	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	63,475/63,500 2.4990/2.5000	68,250/68,275 2.6870/2.6880	26,870 1.058	2,361/2,374 0.0930/0.0935	0,013/0,086 0.0005/0.0034
				3BC-812-S	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	63,475/63,500 2.4990/2.5000	68,250/68,275 2.6870/2.6880	22,070 0.869	2,361/2,374 0.0930/0.0935	0,013/0,086 0.0005/0.0034
				1BC-814-I	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	63,475/63,500 2.4990/2.5000	68,250/68,275 2.6870/2.6880	22,070 0.869	2,361/2,374 0.0930/0.0935	0,013/0,086 0.0005/0.0034
MOTOR 340 C.I.D. 5574CC 1966 - 1967 (U.S.A.)	8	95,25x97,79 3.750x3.850	BB-602-J B02602	8BB-600-P	SP	STD/ 0,25/ 0,50	50,787/50,813 1.9995/2.0005	53,967/53,980 2.1247/2.1252	18,820 0.741	1,562/1,575 0.0615/0.0620	0,018/0,081 0.0007/0.0032
MOTOR 181 C.I.D. 1982 - 1988 (U.S.A.)	6	96,52x67,57 3.800x2.660	BB-605-J B02605	6BB-605-P	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	57,117/57,137 2.2487/2.2495	60,295/60,312 2.3738/2.3745	16,740 0.659	1,559/1,572 0.0614/0.0619	0,025/0,089 0.0010/0.0035
				3BC-812-S	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	63,475/63,500 2.4990/2.5000	68,250/68,275 2.6870/2.6880	22,070 0.869	2,361/2,374 0.0930/0.0935	0,013/0,086 0.0005/0.0034
				1BC-814-I	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	63,475/63,500 2.4990/2.5000	68,250/68,275 2.6870/2.6880	22,070 0.869	2,361/2,374 0.0930/0.0935	0,013/0,086 0.0005/0.0034
				2BC-812-I	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	63,475/63,500 2.4990/2.5000	68,250/68,275 2.6870/2.6880	22,070 0.869	2,361/2,374 0.0930/0.0935	0,013/0,086 0.0005/0.0034
				1BC-813-P(F)	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	63,475/63,500 2.4990/2.5000	68,250/68,275 2.6870/2.6880	26,870 1.058	2,361/2,374 0.0930/0.0935	0,013/0,086 0.0005/0.0034
MOTOR 231 A 3791CC 1978 - 1987 (U.S.A.)	6	96,52x86,36 3.800x3.400	BB-605-J B02605	6BB-605-P	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	57,117/57,137 2.2487/2.2495	60,295/60,312 2.3738/2.3745	16,740 0.659	1,559/1,572 0.0614/0.0619	0,025/0,089 0.0010/0.0035
				1BC-814-I	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	63,475/63,500 2.4990/2.5000	68,250/68,275 2.6870/2.6880	22,070 0.869	2,361/2,374 0.0930/0.0935	0,013/0,086 0.0005/0.0034
				3BC-812-S	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	63,475/63,500 2.4990/2.5000	68,250/68,275 2.6870/2.6880	22,070 0.869	2,361/2,374 0.0930/0.0935	0,013/0,086 0.0005/0.0034
				1BC-813-P(F)	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	63,475/63,500 2.4990/2.5000	68,250/68,275 2.6870/2.6880	26,870 1.058	2,361/2,374 0.0930/0.0935	0,013/0,086 0.0005/0.0034
				2BC-812-I	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	63,475/63,500 2.4990/2.5000	68,250/68,275 2.6870/2.6880	22,070 0.869	2,361/2,374 0.0930/0.0935	0,013/0,086 0.0005/0.0034
MOTOR 231 C.I.D. 3791CC 1975 - 1977 (U.S.A.)	6	96,52x86,36 3.800x3.400	BB-601-J	6BB-600-P	SP	STD/ 0,254/ 0,508	50,787/50,813 1.9995/2.0005	53,967/53,980 2.1247/2.1252	18,820 0.741	1,562/1,575 0.0615/0.0620	0,018/0,081 0.0007/0.0032
				3BC-812-S	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	63,475/63,500 2.4990/2.5000	68,250/68,275 2.6870/2.6880	22,070 0.869	2,361/2,374 0.0930/0.0935	0,013/0,086 0.0005/0.0034
				1BC-813-P(F)	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	63,475/63,500 2.4990/2.5000	68,250/68,275 2.6870/2.6880	26,870 1.058	2,361/2,374 0.0930/0.0935	0,013/0,086 0.0005/0.0034

											
Nº Cil		Códigos Metal Leve MAHLE									
MOTOR 231 C.I.D. 3791CC 1975 - 1977 (U.S.A.)	6	96,52x86,36 3.800x3.400	BC-302-J M02302	2BC-812-I	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	63,475/63,500 2.4990/2.5000	68,250/68,275 2.6870/2.6880	22,070 0.869	2,361/2,374 0.0930/0.0935	0,013/0,086 0.0005/0.0034
				1BC-814-I	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	63,475/63,500 2.4990/2.5000	68,250/68,275 2.6870/2.6880	22,070 0.869	2,361/2,374 0.0930/0.0935	0,013/0,086 0.0005/0.0034
MOTOR 350 X 5724CC 1968 - 1980 (U.S.A.)	8	96,52x97,79 3.800x3.850	BB-602-J B02602	8BB-600-P	SP	STD/ 0,25/ 0,50	50,787/50,813 1.9995/2.0005	53,967/53,980 2.1247/2.1252	18,820 0.741	1,562/1,575 0.0615/0.0620	0,018/0,081 0.0007/0.0032
				1BC-808-P(F)	SP	STD	76,187/76,213 2.9995/3.0005	80,975/81,001 3.1880/3.1890	26,870 1.058	2,362/2,375 0.0930/0.0935	0,020/0,096 0.0008/0.0038
				2BC-807-P	SP	STD	76,187/76,213 2.9995/3.0005	80,975/81,001 3.1880/3.1890	22,100 0.870	2,362/2,375 0.0930/0.0935	0,020/0,096 0.0008/0.0038
				1BC-811-P	SP	STD	76,187/76,213 2.9995/3.0005	80,975/81,001 3.1880/3.1890	22,100 0.870	2,362/2,375 0.0930/0.0935	0,020/0,096 0.0008/0.0038
				1BC-810-P	SP	STD	76,187/76,213 2.9995/3.0005	80,975/81,001 3.1880/3.1890	22,100 0.870	2,362/2,375 0.0930/0.0935	0,020/0,096 0.0008/0.0038
MOTOR 350H,J 5724CC 1968 - 1969 (U.S.A.)	8	96,52x97,79 3.800x3.850	BB-602-J B02602	8BB-600-P	SP	STD/ 0,25/ 0,50	50,787/50,813 1.9995/2.0005	53,967/53,980 2.1247/2.1252	18,820 0.741	1,562/1,575 0.0615/0.0620	0,018/0,081 0.0007/0.0032
MOTOR 252 C.I.D. 4127CC 1980 - 1981 (U.S.A.)	6	100,71x86,36 3.965x3.400	BB-605-J B02605	6BB-605-P	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	57,117/57,137 2.2487/2.2495	60,295/60,312 2.3738/2.3745	16,740 0.659	1,559/1,572 0.0614/0.0619	0,025/0,089 0.0010/0.0035
				2BC-812-I	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	63,475/63,500 2.4990/2.5000	68,250/68,275 2.6870/2.6880	22,070 0.869	2,361/2,374 0.0930/0.0935	0,013/0,086 0.0005/0.0034
				1BC-814-I	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	63,475/63,500 2.4990/2.5000	68,250/68,275 2.6870/2.6880	22,070 0.869	2,361/2,374 0.0930/0.0935	0,013/0,086 0.0005/0.0034
				3BC-812-S	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	63,475/63,500 2.4990/2.5000	68,250/68,275 2.6870/2.6880	22,070 0.869	2,361/2,374 0.0930/0.0935	0,013/0,086 0.0005/0.0034
				1BC-813-P(F)	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	63,475/63,500 2.4990/2.5000	68,250/68,275 2.6870/2.6880	26,870 1.058	2,361/2,374 0.0930/0.0935	0,013/0,086 0.0005/0.0034


* Itens sob consulta

														
	Nº Cil		Códigos Metal Leve MAHLE											
MOTOR 239 C.I.D. (U.S.A.)	6		BC-385-J	4BC-310-C	SP	STD/ 0,254/ 0,508/ 0,762	63,487/63,513 2.4995/2.5005	68,389/68,402 2.6925/2.6930	22,276 0.877	2,423/2,436 0.0954/0.0959	0,005/0,068 0.0002/0.0027			
				1BC-852-P	SP	STD/ 0,254/ 0,508/ 0,762	63,487/63,513 2.4995/2.5005	68,390/68,402 2.6925/2.6930	33,706 1.327	2,423/2,436 0.0954/0.0959	0,005/0,068 0.0002/0.0027			
				1BC-831-P(F)	SP	STD/ 0,254/ 0,508/ 0,762	63,487/63,513 2.4995/2.5005	68,390/68,402 2.6925/2.6930	23,673 0.932	2,423/2,436 0.0954/0.0959	0,005/0,068 0.0002/0.0027			
MOTOR 105 C.I.D. 1715CC 8,2:1 VOLKSWAGEN - AUDI 1978-1981 (U.S.A.)	4	79,50x86,35 3.130x3.400	SBB-280-J SB70280	8SBB-370-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	45,963/45,978 1.8096/1.8102	49,000/49,012 1.9291/1.9296	19,000 0.748	1,496/1,506 0.0589/0.0593	0,010/0,061 0.0004/0.0024			
				1SBC-591-P(F)	SP	STD/ 0,25	53,958/53,978 2.1243/2.1251	59,000/59,019 2.3228/2.3236	24,910 0.981	2,491/2,503 0.0981/0.0985	0,016/0,079 0.0006/0.0031			
				5SBC-2590-S	C	STD/ 0,25	53,958/53,978 2.1243/2.1251	59,000/59,019 2.3228/2.3236	18,500 0.728	2,491/2,503 0.0981/0.0985	0,016/0,079 0.0006/0.0031			
				3SBC-2590-I	C	STD/ 0,25	53,958/53,978 2.1243/2.1251	59,000/59,019 2.3228/2.3236	18,500 0.728	2,491/2,503 0.0981/0.0985	0,016/0,079 0.0006/0.0031			
				1SBG-037-U	S	STD-S	21,996/22,000 0.8660/0.8661	25,000/25,033 0.9843/0.9856	25,000 0.984	1,700/1,770 0.0669/0.0697	0,012/0,022 0.0005/0.0009			
MOTOR 225 C.I.D 3682CC	4	86,360x104,775 3.400x4.125	SBG-037-U SG70037	1SBG-037-U	S	STD-S	21,996/22,000 0.8660/0.8661	25,000/25,033 0.9843/0.9856	25,000 0.984	1,700/1,770 0.0669/0.0697	0,012/0,022 0.0005/0.0009			
MOTOR 135 C.I.D. 2200CC 8,5:1 1981-1985 (U.S.A.)				4BB-619-P	SP	STD/ 0,25/ 0,50	49,979/50,005	52,992/53,007	20,140	1,476/1,486	0,015/0,076			
				1BC-868-P(F)	SP	STD/ 0,254/ 0,508/ 0,762	59,987/60,013 2.3617/2.3627	63,993/64,013 2.5194/2.5202	27,860 1.097	1,969/1,982 0.0775/0.0780	0,016/0,088 0.0006/0.0035			
MOTOR 153 C.I.D. 2500CC 1985-1988 (U.S.A.)	4	87,50x92,00 3.444x3.622	BB-286-J	4BC-867-P	SP	STD/ 0,254/ 0,508/ 0,762	59,987/60,013 2.3617/2.3627	63,993/64,013 2.5194/2.5202	21,610 0.851	1,969/1,982 0.0775/0.0780	0,016/0,088 0.0006/0.0035			
				4BB-619-P	SP	STD/ 0,25/ 0,50	49,979/50,005	52,992/53,007	20,140	1,476/1,486	0,015/0,076			
				1BC-868-P(F)	SP	STD/ 0,254/ 0,508/ 0,762	59,987/60,013 2.3617/2.3627	63,993/64,013 2.5194/2.5202	27,860 1.097	1,969/1,982 0.0775/0.0780	0,016/0,088 0.0006/0.0035			
MOTOR 181 / 3.0L MITSUBISHI V-6 / CHRYSLER NEW YORKER / DODGE CARAVAN / DYNASTY / PLYMOUTH DUSTER, VALIANT) 1986-1992	6	91,10 3.586	BB-634-J B10634	6BB-637-P	SP	STD / .010 / .020	49,972/50,000 1.9674/1.9685	53,000/53,020 2.0866/2.0874	15,39 0.606	1,481/1,491 0.0583/0.0587	0,015/0,089 0.0006/0.0035			
				4BC-651-P	SP	STD / .010 / .020 / .030	59,972/60,000 2.3611/2.3622	64,000/64,021 2.5197/2.5205	18,14 0.714	1,979/1,989 0.0779/0.0783	0,018/0,091 0.0007/0.0036			
				2AE-130-P	C	STD / .010 / .020 / .030	59,972/60,000 2.3611/2.3622	64,000/64,021 2.5197/2.5205	18,14 0.714	1,979/1,989 0.0779/0.0783	0,018/0,091 0.0007/0.0036			
Jeep Cherokee 4.0L MOTOR: 232/241/242/258	6	98,40x87,00	BB-652-J B10652	12BB-1258-C		STD/ 0,25/ 0,50	53,208/53,226	56,083/56,096	21,26	1,422	0,065/0,090			
				6BC-1403-S		STD/ 0,25/ 0,50	63,470/63,487	68,351/68,377	25,04	2,421	0,025/0,050			
				6BC-1403-I		STD/ 0,25/ 0,50	63,470/63,487	68,351/68,377	25,04	2,421	0,025/0,050			
				1BC-1404-S		STD/ 0,25/ 0,50	63,470/63,487	68,351/68,377	32,26	2,421	0,025/0,050			
				1BC-1404-I		STD/ 0,25/ 0,50	63,470/63,487	68,351/68,377	32,26	2,421	0,025/0,050			
MOTOR PERKINS 4.236 3860CC 16,0:1 DODGE P-400/D-400D	4	98,43x127,00 3.875x5.000	AE-032-J L57032	2AE-032-P	S	STD/ 0,19	86,87/87,12	104,14/104,24		2,26/2,31				
				2BG-036-U	S	STD-S	34,920/34,925 1.3748/1.3750	38,895/38,920 1.5313/1.5323	33,930 1.336	2,120/2,200 0.0835/0.0866	0,019/0,043 0.0007/0.0017			


* Itens sob consulta

											
	Nº Cil		Códigos Metal Leve MAHLE								
MOTOR PERKINS 4.236 3860CC 16,0:1 DODGE P-400/D-400D	4	98,43x127,00 3.875x5.000	EC-044-J H57044	1EC-092-U	S	STD	50,711/50,737	55,563/55,593	31,880	2,370/2,390	0,046/0,142
			SBB-375-J SB57375	8SBB-375-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	63,470/63,490 2.4988/2.4996	67,208/67,221 2.6460/2.6465	31,880 1.255	1,835/1,843 0.0722/0.0726	0,0320/0,0810 0.0013/0.0032
			SBC-285-J SM57285	4SBC-473-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	76,162/76,175 2.2985/2.2990	80,416/80,442 3.1660/3.1670	31,880 1.255	2,083/2,091 0.0820/0.0823	0,0590/0,1140 0.0023/0.0045
				1SBC-474-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	76,162/76,175 2.9985/2.9990	80,416/80,442 3.1660/3.1670	36,700 1.445	2,083/2,091 0.0820/0.0823	0,0590/0,1140 0.0023/0.0045
MOTOR 318 8,5:1 DODGE DART RT/ CHARGER/GT/MAGNUM/ LE BARON)	8	99,31x84,10 3.910x3.311	BB-136-J B10136	8BB-246-P	SP	STD/ 0,254/ 0,508/ 0,762	53,950/53,975 2.1240/2.1250	57,150/57,163 2.2500/2.2505	21,530 0.848	1,572/1,585 0.0619/0.0624	0,005/0,069 0.0002/0.0027
MOTOR 318-1 5212CC 7,5:1 DODGE D-100/D-400 / DODGE DART/CHARGER/ RT)	8	99,31x84,10 3.910x3.311		8BB-246-P	SP	STD/ 0,254/ 0,508/ 0,762	53,950/53,975 2.1240/2.1250	57,150/57,163 2.2500/2.2505	21,530 0.848	1,572/1,585 0.0619/0.0624	0,005/0,069 0.0002/0.0027
MOTOR 318-3 6,85:1 D-700/D-900 GAS.)	8	99,31x84,10 3.910x3.311		8BB-246-P	SP	STD/ 0,254/ 0,508/ 0,762	53,950/53,975 2.1240/2.1250	57,150/57,163 2.2500/2.2505	21,530 0.848	1,572/1,585 0.0619/0.0624	0,005/0,069 0.0002/0.0027
MOTOR 318-A 10,5:1 E-11/E-13/E-21)	8	99,31x84,10 3.910x3.311		8BB-246-P	SP	STD/ 0,254/ 0,508/ 0,762	53,950/53,975 2.1240/2.1250	57,150/57,163 2.2500/2.2505	21,530 0.848	1,572/1,585 0.0619/0.0624	0,005/0,069 0.0002/0.0027
MOTOR 318 C.I.D. 5212CC 1957-1973 (U.S.A.)	8	99,31x84,15 3.910x3.313	BC-321-J M10321	1BC-831-P(F)	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	63,487/63,513 2.4995/2.5005	68,390/68,402 2.6925/2.6930	23,673 0.932	2,423/2,436 0.0954/0.0959	0,005/0,069 0.0002/0.0027
				3BC-850-I	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	63,487/63,513 2.4995/2.5005	68,390/68,402 2.6925/2.6930	22,280 0.877	2,423/2,436 0.0954/0.0959	0,005/0,069 0.0002/0.0027
				3BC-310-C	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	63,487/63,513 2.4995/2.5005	68,390/68,402 2.6925/2.6930	22,280 0.877	2,423/2,436 0.0954/0.0959	0,005/0,069 0.0002/0.0027
				1BC-852-P	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	63,487/63,513 2.4995/2.5005	68,390/68,402 2.6925/2.6930	33,706 1.327	2,423/2,436 0.0954/0.0959	0,005/0,069 0.0002/0.0027
MOTOR 318 C.I.D. 5.2L 8,5:1 1974-1987 (U.S.A.)	8	99,31x84,15 3.910x3.313	BB-136-J B10136	8BB-246-P	SP	STD/ 0,254/ 0,508/ 0,762	53,950/53,975 2.1240/2.1250	57,150/57,163 2.2500/2.2505	21,530 0.848	1,572/1,585 0.0619/0.0624	0,005/0,069 0.0002/0.0027
				3BC-850-I	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	63,487/63,513 2.4995/2.5005	68,390/68,402 2.6925/2.6930	22,280 0.877	2,423/2,436 0.0954/0.0959	0,005/0,069 0.0002/0.0027
				1BC-851-I(F)	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	63,487/63,513 2.4995/2.5005	68,390/68,402 2.6925/2.6930	29,260 1.152	2,423/2,436 0.0954/0.0959	0,005/0,069 0.0002/0.0027
				1BC-852-P	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	63,487/63,513 2.4995/2.5005	68,390/68,402 2.6925/2.6930	33,706 1.327	2,423/2,436 0.0954/0.0959	0,005/0,069 0.0002/0.0027
MOTOR MWM D225/6 / D-229/6 5883CC 18,0:1 DODGE D750/D950 / DODGE D950	6	100,00x120,00	BC-764-P M0130764 CENTRAL	1BC-764-P(F) C/ FURO S/ CANAL	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	64,951/64,970	71,000/71,019	35,84/35,88	2,975/2,987	0,056/0,118
				6BG-030-U	S	STD-S	31,993/32,000	36,000/36,016	30,000	1,975/1,985	0,030/0,073
				1EC-072-U	S	STD/ 1,00-S	42,940/42,960	47,000/47,025	26,000	1,990/2,005	0,030/0,105
				1SBB-144-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,950/57,970	62,000/62,019	27,100	1,980/1,992	0,046/0,109


* Itens sob consulta

											
Nº Cil		Códigos Metal Leve MAHLE									
MOTOR MWM D225/6 / D-29/6 5883CC 18,0:1 DODGE D750/D950 / DODGE D950	6	100,00x120,00	SBC-313-P SM13313 PEGA COM FURO SEM CANAL	1SBC-313-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	64,951/64,970	71,000/71,019	28,100	2,975/2,987	0,056/0,118
			SBC-314-P SM13314 CENTRAL	1SBC-314-P(F) C/ FURO S/ CANAL	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	64,951/64,970	71,000/71,019	35,84/35,88	2,975/2,987	0,056/0,118
			BB-136-J B10136	8BB-246-P	SP	STD/ 0,254/ 0,508/ 0,762	53,950/53,975 2.1240/2.1250	57,150/57,163 2.2500/2.2505	21,530 0.848	1,572/1,585 0.0619/0.0624	0,005/0,069 0.0002/0.0027
			BC-313-J M10313	1BC-839-P	SP	STD/ 0,254/ 0,508/ 0,762	71,361/71,387 2.8095/2.8105	76,264/76,276 3.0025/3.0030	31,980 1.259	2,423/2,436 0.0954/0.0959	0,005/0,069 0.0002/0.0027
MOTOR 360 C.I.D. 5894CC 8,4:1 1971 - 1987 (U.S.A.)	8	101,60x90,88 4.000x3.578	BB-136-J B10136	8BB-246-P	SP	STD/ 0,254/ 0,508/ 0,762	53,950/53,975 2.1240/2.1250	57,150/57,163 2.2500/2.2505	21,530 0.848	1,572/1,585 0.0619/0.0624	0,005/0,069 0.0002/0.0027
			BC-313-J M10313	1BC-839-P	SP	STD/ 0,254/ 0,508/ 0,762	71,361/71,387 2.8095/2.8105	76,264/76,276 3.0025/3.0030	31,980 1.259	2,423/2,436 0.0954/0.0959	0,005/0,069 0.0002/0.0027
			BC-313-J M10313	3BC-837-P	SP	STD/ 0,254/ 0,508/ 0,762	71,361/71,387 2.8095/2.8105	76,264/76,276 3.0025/3.0030	22,280 0.877	2,423/2,436 0.0954/0.0959	0,005/0,069 0.0002/0.0027
			BC-313-J M10313	1BC-838-P(F)	SP	STD/ 0,254/ 0,508/ 0,762	71,361/71,387 2.8095/2.8105	76,264/76,276 3.0025/3.0030	29,260 1.152	2,423/2,436 0.0954/0.0959	0,005/0,069 0.0002/0.0027
MOTOR PERKINS 6.357 - 6.357.2 17,0:1 DODGE P700 / P900 / D780DI	6	104,14x114,30 4.100x4.500	AE-009-J L57009	2AE-009-P	S	STD/ 0,127/ 0,190	86,87/87,12	103,84/104,09		3,07/3,12	
			BG-002-U G57002	6BG-002-U	S	STD-S	36,514/36,520 1.4376/1.4378	40,183/40,221 1.5820/1.5835	35,180 1.385	1,990/2,070 0.0783/0.0815	0,018/0,047 0.0007/0.0019
			EC-027-J H57027	1EC-061-U	S	STD	55,791/55,804 2.1965/2.1970	59,124/59,136 2.3277/2.3282	38,230 1.505	1,616/1,635 0.0636/0.0644	0,050/0,113 0.0020/0.0044
			SBB-036-J SB57036	12SBB-036-C	P	STD/ 0,254/ 0,508/ 0,762/ 1,016/ 1,524	62,936/62,944 2.478/2.4781	66,667/66,688 2.6247/2.6255	32,610 1.284	1,824/1,837 0.0718/0.723	0,044/0,104 0.0017/0.0041
			SBC-037-J SM57037	2SBC-098-P	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016/ 1,524	76,175/76,187 2.9990/2.9995	80,582/80,607 3.1725/3.1735	38,350 1.510	2,159/2,172 0.0850/0.0855	0,0510/0,114 0.0020/0.0045
				5SBC-097-P	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016/ 1,524	76,175/76,187 2.9990/2.9995	80,582/80,607 3.1725/3.1735	27,230 1.072	2,159/2,172 0.0850/0.0855	0,051/0,114 0.0020/0.0045



* Itens sob consulta



											
	Nº Cil		Códigos Metal Leve MAHLE								
MOTOR PERKINS D4.203 19,5:1 TRATOR CBT-2070 / CBT-1000	4	91,49x127,00 3.602x5.000	AE-006-J L57006	2AE-106-P	S	STD/ 0,127/ 0,190	77,34/77,60	90,22/90,47		3,07/3,12	
			BG-003-J G57003	3BG-003-U	S	STD-S	31,745/31,750 1.2498/1.2500	34,919/34,955 1.3748/1.3762	26,870 1.058	1,750/1,830 0.0689/0.0720	0,013/0,043 0.0005/0.0017
			EC-017-J H57017	1EC-036-U	S	STD/ 0,25	47,473/47,498 1.8690/1.8700	50,805/50,830 2.0002/2.0012	38,230 1.505	1,612/1,631 0.0635/0.0642	0,045/0,133 0.0018/0.0052
			SBB-038-J SB57038	8SBB-037-C	C	STD/ 0,254/ 0,508/ 0,762/ 1,016/ 1,524	57,112/57,125 2.2485/2.2490	60,833/60,846 2.3950/2.3955	30,230 1.190	1,820/1,833 0.0717/0.0722	0,042/0,094 0.0017/0.0037
			SBC-038-J SM57038	1SBC-318-P	C	STD/ 0,254/ 0,508/ 0,762/ 1,016/ 1,524	69,812/69,825 2.7485/2.7490	74,079/74,105 2.9165/2.9175	32,360 1.274	2,087/2,100 0.0822/0.0827	0,054/0,119 0.0021/0.0047
				4SBC-319-C	C	STD/ 0,254/ 0,508/ 0,762/ 1,016/ 1,524	69,812/69,825 2.7485/2.7490	74,079/74,105 2.9165/2.9175	23,800 0.937	2,087/2,100 0.0822/0.0827	0,054/0,119 0.0021/0.0047
				4SBC-320-C	C	STD/ 0,254/ 0,508/ 0,762/ 1,016/ 1,524	69,812/69,825 2.7485/2.7490	74,079/74,105 2.9165/2.9175	39,170 1.542	2,087/2,100 0.0822/0.0827	0,054/0,119 0.0021/0.0047
MOTOR MERCEDES BENZ OM-314 TRATOR CBT-1065 / CBT-2080	4	97,00x128,00	SBB-174-J SB48174	8SBB-434-C	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	59,995/60,015	65,000/65,019	32,100	2,460/2,472	0,041/0,109
			SBC-273-J SM48273 FL. STD SEM CANAL	1SBC-704-P(F)	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	31,810	2,465/2,477	0,036/0,102
				4SBC-664-P	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	23,85/24,05	2,465/2,477	0,036/0,102
			SBG-016-U SG48016	1SBG-016-U	S	STD-S	35,993/36,000	39,000/39,025	34,500	1,850/2,100	0,030/0,047
			SEC-043-J SH48043	1SEC-212-U	B	STD/ 0,25/ 0,50	55,441/55,460	60,000/60,030	26,250	2,242/2,262	0,016/0,105
				1SEC-410-U	S	STD/ 0,25/ 0,50	55,691/55,710	60,000/60,030	26,000	2,117/2,137	0,016/0,105
				1SEC-213-U	B	STD/ 0,25/ 0,50	55,191/55,210	60,000/60,030	26,250	2,367/2,387	0,016/0,105
MOTOR MERCEDES BENZ OM-352 TRATOR CBT-1105 / CBT-2105/2600	6	97,00x128,00	SBB-134-J SB48134	12SBB-434-C	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	59,995/60,015	65,000/65,019	32,100	2,460/2,472	0,041/0,109
			SBC-275-J SM48275 FL. STD COM CANAL	1SBC-705-S(F)	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	24,100	2,465/2,477	0,036/0,102
				1SBC-705-I(F)	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	31,810	2,465/2,477	0,036/0,102
				6SBC-664-I	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	23,85/24,05	2,465/2,477	0,036/0,102
				6SBC-664-S	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	23,85/24,05	2,465/2,477	0,036/0,102
			SBG-016-U SG48016	1SBG-016-U	S	STD-S	35,993/36,000	39,000/39,025	34,500	1,850/2,100	0,030/0,047
			SEC-034-J SH48034	1SEC-310-U	S	STD/ 0,25/ 0,50/ 0,50-S/ 0,75-S/ 1,00-S	55,941/55,960	60,000/60,030	26,000	1,992/2,012	0,016/0,105
				1SEC-211-U	B	STD/ 0,25/ 0,50/ 0,50-S/ 0,75-S/ 1,00-S	55,691/55,710	60,000/60,030	26,250	2,117/2,137	0,016/0,105




* Itens sob consulta




											
Nº Cil											
MOTOR MERCEDES BENZ OM-352 TRATOR CBT-1105 / CBT-1105/2600	6	97,00x128,00	SEC-034-J SH48034	1SEC-212-U	B	STD/ 0,25/ 0,50/ 0,50-S/ 0,75-S/ 1,00-S	55,441/55,460	60,000/60,030	26,250	2,242/2,262	0,016/0,105
				1SEC-213-U	B	STD/ 0,25/ 0,50/ 0,50-S/ 0,75-S/ 1,00-S	55,191/55,210	60,000/60,030	26,250	2,367/2,387	0,016/0,105




* Itens sob consulta

	Nº Cil		 Códigos Metal Leve MAHLE											
MOTOR EW10J4 2.0L 16V GAS. / MOTOR EW10A 2.0L 16V FLEX EW10J4 - Picasso, 206, 307, 406 (2000->2010) / EW10A - C4, C4 Pallas, 307 (2008->)	4	85,00	AE-364-J* L0440364	2AE-2006-C	C	STD	67,05/67,30	83,05/83,30		2,27/2,33				
			BB-739-J B0440739 0606.W3	8BB-2016-C	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	44,975/44,991	48,655/48,676	22,25/22,50	1,816/1,824	0,016/0,069			
			BC-856-J M0440856 0113.Y5	5BC-2011-S	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	59,981/60,000	63,708/63,727	20,75/21,00	1,837/1,845	0,018/0,072			
				5BC-2011-I	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	59,981/60,000	63,708/63,727	20,75/21,00	1,837/1,845	0,018/0,072			



	Nº Cil		 Códigos Metal Leve MAHLE											
MOTOR 1.5L RACER	4		B95432	8BB-432-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	42,971/42,987	46,000/46,012	16,36/16,60	1,487/1,495	0,023/0,067			

		 Códigos Metal Leve MAHLE								
Nº Cil	6									
MOTOR 1160 DIESEL		M65649	2BC-1339-C	SP	STD	97,990/98,011	103,073/103,099	38,90/39,10	2,484/2,496	0,070/0,141
			12BB-1203-C	P	STD	79,195/79,215	82,830/82,845	45,24/45,44	1,775/1,787	0,041/0,100
			12BB-1204-C	P	STD	82,980/83,020	86,625/86,637	42,35/42,55	1,775/1,787	0,031/0,0107
			4BC-1343-C	SP	STD	97,990/98,011	103,073/103,099	51,90/52,10	2,484/2,496	0,070/0,141
			2BC-1342-S	SP	STD	97,990/98,011	103,073/103,099	51,90/52,10	2,484/2,496	0,070/0,141
			4BC-1341-S	SP	STD	97,990/98,011	103,073/103,099	31,80/32,00	2,484/2,496	0,070/0,141
			8BC-1340-C	SP	STD	97,990/98,011	103,073/103,099	31,80/32,00	2,484/2,496	0,070/0,141
			4BC-1341-I	SP	STD	97,990/98,011	103,073/103,099	31,80/32,00	2,484/2,496	0,070/0,141
			2BC-1342-I	SP	STD	97,990/98,011	103,073/103,099	51,90/52,10	2,484/2,496	0,070/0,141


											
Nº Cil		Códigos Metal Leve MAHLE									
BUCHA DO EIXO PIVO EIXO DIANTEIRO			BG-394-U G36394	1BG-394-U	S	STD	50,750/50,800	53,962/53,988	54,70	1,537/1,562	0,038/0,164
			AE-049-U L36049	1AE-049-U	S	STD		152,02/152,78	107,57/108,33	1,57/1,63	
			AE-094-U L36094	1AE-094-U	S	STD	29,36	54,56	54,56	1,563/1,612	
			AE-079-U L36079	1AE-079-U	S	STD	40,25/40,75	66,50/67,00	66,50/67,00	1,563/1,612	
			AE-012-U L36012	1AE-012-U	S	STD				1,56/1,61	
			BG-417-U G36417	1BG-417-U		STD-S		57,140/57,160	20,50/21,00	1,72/1,80	
			BG-476-U G36476	1BG-476-U		STD-S			29,00/29,50	1,70/1,76	
			BG-418-U G36418	1BG-418-U		STD-S		61,875/61,900	38,25/38,78	2,25/2,60	
			BG-425-U G36425	1BG-425-U		STD-S		52,286/52,362	18,77/19,27	1,72/1,80	
			BG-419-U G36419	1BG-419-U		STD-S		61,875/61,900	27,65/28,15	2,25/2,60	
MASSEY BUCHA DE TRANSMISSÃO.			BG-420-U G36420	1BG-420-U		STD-S		61,875/61,900	19,85/20,35	2,25/2,60	

			 Códigos Metal Leve MAHLE								
Nº Cil											
MOTOR 100D.0000 767CC 7,5:1 (600D.T.D MULTIPLE / D TAXI / DYAN 1960 ATE 71)	4	62,00x63,60 2.4409x2.5039	BB-312-J B25312	8BB-1003-C	C	STD/ 0,25/ 0,50	39,988/40,008 1.5743/1.5751	43,657/43,670 1.7188/1.7193	16,55 0.6516	1,810 0.071	0,023/0,068 0.0009/0.0027
MOTOR 100GBC/GBC/GF 903CC 9,3:1 (850 T COUPE / SPIDER / SPORT COUPE / SPORT SPIDER 1968 ATE 76 / 900 E PANORAMA 1980 EM DIANTE)	4	65,00x68,00 2.5591x2.2834		8BB-1003-C	C	STD/ 0,25/ 0,50	39,988/40,008 1.5743/1.5751	43,657/43,670 1.7188/1.7193	16,55 0.6516	1,810 0.071	0,023/0,068 0.0009/0.0027
MOTOR 100GC/100GS.000 843CC 9,3:1 (850COUPE / SPIDER 1965 ATE 68)	4	65,00x63,60 2.5591x2.5039		8BB-1003-C	C	STD/ 0,25/ 0,50	39,988/40,008 1.5743/1.5751	43,657/43,670 1.7188/1.7193	16,55 0.6516	1,810 0.071	0,023/0,068 0.0009/0.0027
MOTOR 100G/GB.000 843CC 8,5:1 (850 NORMAL FAMILIAR / IDROMATIC / SUPER 1964 ATE 71 / 850 SPECIAL 1968 ATE 71)	4	65,00x63,60 2.5591x2.5039		8BB-1003-C	C	STD/ 0,25/ 0,50	39,988/40,008 1.5743/1.5751	43,657/43,670 1.7188/1.7193	16,55 0.6516	1,810 0.071	0,023/0,068 0.0009/0.0027
MOTOR 127 A / 127 A.000 903CC 9:1 (FIORINO 1977 ATE 78 / PANDA 45 1980 EM DIAN- TE)	4	65,00x68,00 2.5591x2.6772		8BB-1003-C	C	STD/ 0,25/ 0,50	39,988/40,008 1.5743/1.5751	43,657/43,670 1.7188/1.7193	16,55 0.6516	1,810 0.071	0,023/0,068 0.0009/0.0027
MOTOR 141B.000 769CC (PANDA 750 YOUNG 1987 EM DIANTE)	4	65,00x58,00 2.5591x2.2834	8BB-1003-C	C	STD/ 0,25/ 0,50	39,988/40,008 1.5743/1.5751	43,657/43,670 1.7188/1.7193	16,55 0.6516	1,810 0.071	0,023/0,068 0.0009/0.0027	
MOTOR 200B/BF/CF/CZCP 903CC (900 TVAN 1976 ATE 80)	4	65,00x68,00 2.5591x2.6772	8BB-1003-C	C	STD/ 0,25/ 0,50	39,988/40,008 1.5743/1.5751	43,657/43,670 1.7188/1.7193	16,55 0.6516	1,810 0.071	0,023/0,068 0.0009/0.0027	
MOTOR 100GBC/GL-146A 903CC 9,5:1 (127 / L / SPECIAL 1971 EM DIANTE / 850 SPECIAL EM DIANTE / UNO 45 1983 EM DIANTE)	4	67,20x68,00 2.6456x2.6771	8BB-1003-C	C	STD/ 0,25/ 0,50	39,988/40,008 1.5743/1.5751	43,657/43,670 1.7188/1.7193	16,55 0.6516	1,810 0.071	0,023/0,068 0.0009/0.0027	
MOTOR A112B1.054 965CC (PANDA 4X4 1983 EM DIANTE)	4	67,20x68,00 2.6456x2.6771	8BB-1003-C	C	STD/ 0,25/ 0,50	39,988/40,008 1.5743/1.5751	43,657/43,670 1.7188/1.7193	16,55 0.6516	1,810 0.071	0,023/0,068 0.0009/0.0027	
MOTOR FIRE 1.0L 8v-16v Palio / Siena / Uno / Strada	4	70,00x64,90	SBB-344-J SB25344	8SBB-1040-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	37,990/38,008	41,128/41,138	18,75/19,00	1,543/1,549	0,022/0,062
			SBC-068-J SM25068 FL-STD	9SBC-1107-C	C	STD/ 0,25/ 0,50	47,982/48,000	51,705/51,718	18,75/19,00	1,841/1,848	0,009/0,054
			SBC-549-J SM25549 FL+0,26	1SBC-1108-S	C	STD/ 0,25/ 0,50	47,982/48,000	51,705/51,718	23,84/23,94	1,841/1,848	0,009/0,054
			9SBC-1107-C	C	STD/ 0,25/ 0,50	47,982/48,000	51,705/51,718	18,75/19,00	1,841/1,848	0,009/0,054	
MOTOR EVO 1.0L 8V FLEX Uno / Palio	4	70,01	SBB-344-J SB25344	8SBB-1040-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	37,990/38,008	41,128/41,138	18,75/19,00	1,543/1,549	0,022/0,062
			SBC-068-J SM25068 FL-STD	9SBC-1107-C	C	STD/ 0,25/ 0,50	47,982/48,000	51,705/51,718	18,75/19,00	1,841/1,848	0,009/0,054
			1SBC-1108-S	C	STD/ 0,25/ 0,50	47,982/48,000	51,705/51,718	23,84/23,94	1,841/1,848	0,009/0,054	


* Itens sob consulta

	Nº Cil		 Códigos Metal Leve MAHLE									
MOTOR EVO 1.0L 8V FLEX Uno / Palio	4	70,01	SBC-549-J SM25549 FL+0,26	1SBC-1108-S	C	STD/ 0,25/ 0,50	47,982/48,000	51,705/51,718	24,10/24,20	1,841/1,848	0,009/0,054	
				9SBC-1107-C	C	STD/ 0,25/ 0,50	47,982/48,000	51,705/51,718	18,75/19,00	1,841/1,848	0,009/0,054	
MOTOR FIRE 1.3L / 1.4L 8V e 16V	4	70,80x78,90	SBB-345-J SB25345	8SBB-1041-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	41,988/42,008	45,128/45,138	18,75/19,00	1,544/1,548	0,024/0,062	
MOTOR EVO 1.4L 8V FLEX / TETRAFUEL Uno / Palio / 500	4	72,00	SBC-068-J SM25068 FL-STD	1SBC-1108-S	C	STD/ 0,25/ 0,50	47,982/48,000	51,705/51,718	23,84/23,94	1,841/1,848	0,009/0,054	
				9SBC-1107-C	C	STD/ 0,25/ 0,50	47,982/48,000	51,705/51,718	18,75/19,00	1,841/1,848	0,009/0,054	
				SBC-549-J SM25549 FL+0,26	1SBC-1108-S	C	STD/ 0,25/ 0,50	47,982/48,000	51,705/51,718	24,10/24,20	1,841/1,848	0,009/0,054
				9SBC-1107-C	C	STD/ 0,25/ 0,50	47,982/48,000	51,705/51,718	18,75/19,00	1,841/1,848	0,009/0,054	
				MOTOR 1500CC E201 1500CC 8,0:1 GAS./ÁLCOOL FIORINO, PICK-UP, PALIO 1.5L CARBURADOS E INJECAO	4	76,00x82,50	SBG-203-J SG25203 EIXO AUXILIAR	1SBG-204-U	B	STD-S	36,893/36,918	39,962/39,992
SBG-575-U SG25575	1SBG-575-U	S	STD-S				21,940/21,960	23,000	1,160/1,240	0,029/0,053		
MOTOR 1000 994CC (UNO MILLE / ELX / EP / IE / PALIO 1.0 M.P.I.)	4	76,00x54,80	SAE-043-J SL25043	2SAE-043-C	C	STD/ 0,12	54,22/54,48	67,00/67,25		2,31/2,36		
			SBB-407-J SB25407	8SBB-407-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	43,997/44,015	47,126/47,144	18,500	1,543/1,555	0,019/0,045	
			SBC-407-J SM25407	4SBC-629-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	48,205/48,211	51,916/51,934	17,650	1,845/1,851	0,028/0,040	
				1SBC-630-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	48,205/48,211	51,916/51,934	25,250	1,845/1,851	0,028/0,040	
			SBG-203-J SG25203 EIXO AUXILIAR	1SBG-203-U	B	STD-S	38,393/38,418	41,500/41,530	14,600	1,650/1,850	0,046/0,091	
				1SBG-204-U	B	STD-S	36,893/36,918	39,962/39,992	14,600	1,650/1,850	0,046/0,091	
			SEC-096-J SH25096	1SEC-096-U	B	STD-S	29,945/29,960	33,026/33,056	22,000	1,650/1,750	0,030/0,070	
MOTOR 1050CC 1050CC 9,5:1 (AUTOBIANCHI / A112 / RITMO 60 / RITMO L / 1050 TURBO)	4	76,00x54,80	SAE-043-J SL25043	2SAE-043-C	C	STD/ 0,12	54,22/54,48	67,00/67,25		2,31/2,36		
			SBB-407-J SB25407	8SBB-407-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	43,997/44,015	47,126/47,144	18,500	1,543/1,555	0,019/0,045	
			SBC-407-J SM25407	1SBC-630-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	48,205/48,211	51,916/51,934	25,250	1,845/1,851	0,028/0,040	
				4SBC-629-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	48,205/48,211	51,916/51,934	17,650	1,845/1,851	0,028/0,040	
			SBG-203-J SG25203 EIXO AUXILIAR	1SBG-203-U	B	STD-S	38,393/38,418	41,500/41,530	14,600	1,650/1,850	0,046/0,091	
				1SBG-204-U	B	STD-S	36,893/36,918	39,962/39,992	14,600	1,650/1,850	0,046/0,091	
			SEC-096-J SH25096	1SEC-096-U	B	STD-S	29,945/29,960	33,026/33,056	22,000	1,650/1,750	0,030/0,070	



* Itens sob consulta

	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR 127 A 5000 1301CC 20/22,0:1 DIESEL - 45CV (MODELO 12D / PANORAMA / PICK-UP D / FIORINO D)	4	76,00x71,50	SBG-203-J SG25203 EIXO AUXILIAR	1SBG-203-U	B	STD-S	38,393/38,418	41,500/41,530	14,600	1,650/1,850	0,046/0,091
				1SBG-204-U	B	STD-S	36,893/36,918	39,962/39,992	14,600	1,650/1,850	0,046/0,091
				1SBG-575-U	S	STD-S		21,940/21,960	23,000	1,160/1,240	0,029/0,053
			SBG-575-U SG25575	1SBG-585-U	S	STD-S	21,991/21,997	23,939/23,972	24,500	1,160/1,240	0,010/0,022
MOTOR 127 AB 2C 1300CC 7,5:1 (MODELO 147 / RALLYE / TR / RACING)	4	76,00x71,50	SBG-203-J SG25203 EIXO AUXILIAR	1SBG-203-U	B	STD-S	38,393/38,418	41,500/41,530	14,600	1,650/1,850	0,046/0,091
				1SBG-204-U	B	STD-S	36,893/36,918	39,962/39,992	14,600	1,650/1,850	0,046/0,091
				1SBG-575-U	S	STD-S		21,940/21,960	23,000	1,160/1,240	0,029/0,053
			SBG-575-U SG25575	1SBG-585-U	S	STD-S	21,991/21,997	23,939/23,972	24,500	1,160/1,240	0,010/0,022
MOTOR 1300CC 1300CC 7,5:1 (TOP / GLS / OGGI / SPAZIO / EUROPA / UNO / PANORAMA / FIORINO / ELBA / PICK-UP / PREMIO)	4	76,00x71,50	SBG-203-J SG25203 EIXO AUXILIAR	1SBG-203-U	B	STD-S	38,393/38,418	41,500/41,530	14,600	1,650/1,850	0,046/0,091
				1SBG-204-U	B	STD-S	36,893/36,918	39,962/39,992	14,600	1,650/1,850	0,046/0,091
				1SBG-575-U	S	STD-S		21,940/21,960	23,000	1,160/1,240	0,029/0,053
			SBG-575-U SG25575	1SBG-585-U	S	STD-S	21,991/21,997	23,939/23,972	24,500	1,160/1,240	0,010/0,022
MOTOR 1500 - E201 1500CC 8,0:1 GAS. (FIORINO / PICK-UP / PALIO 1.5L) CARBURADO E INJECAO	4	76,00x82,50	SBG-203-J SG25203 EIXO AUXILIAR	1SBG-203-U	B	STD-S	38,393/38,418	41,500/41,530	14,600	1,650/1,850	0,046/0,091
				1SBG-585-U	S	STD-S	21,991/21,997	23,939/23,972	24,500	1,160/1,240	0,010/0,022
			SBG-585-U SG25585 motor 1500	1SBG-203-U	B	STD-S	38,393/38,418	41,500/41,530	14,600	1,650/1,850	0,046/0,091
				1SBG-204-U	B	STD-S	36,893/36,918	39,962/39,992	14,600	1,650/1,850	0,046/0,091
				1SBG-575-U	S	STD-S		21,940/21,960	23,000	1,160/1,240	0,029/0,053
MOTOR A000 - 1050CC 1050CC 7,4:1 (MODELO 147 L/C/CL/GL / EUROPA / SPAZIO / PICK-UP / UNO)	4	76,00x54,80	SAE-043-J SL25043	2SAE-043-C	C	STD/ 0,12	54,22/54,48	67,00/67,25		2,31/2,36	
				2SAE-043-C	C	STD/ 0,12	54,22/54,48	67,00/67,25		2,31/2,36	
				8SBB-407-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	43,997/44,015	47,126/47,144	18,500	1,543/1,555	0,019/0,045
			SBB-407-J SB25407	8SBB-407-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	43,997/44,015	47,126/47,144	18,500	1,543/1,555	0,019/0,045
				4SBC-629-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	48,205/48,211	51,916/51,934	17,650	1,845/1,851	0,028/0,040
				1SBC-630-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	48,205/48,211	51,916/51,934	25,250	1,845/1,851	0,028/0,040
			SBC-407-J SM25407	1SBC-630-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	48,205/48,211	51,916/51,934	25,250	1,845/1,851	0,028/0,040



* Itens sob consulta

	Nº Cil		 Códigos Metal Leve MAHLE																									
MOTOR A000 - 1050CC 1050CC 9,3:1 (50RS / L500 / MODELO 127/TOP/C/CL)	4	76,00x54,80	SBC-407-J SM25407	4SBC-629-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	48,205/48,211	51,916/51,934	17,650	1,845/1,851	0,028/0,040																	
			SBG-203-J SG25203 EIXO AUXILIAR	1SBG-203-U	B	STD-S	38,393/38,418	41,500/41,530	14,600	1,650/1,850	0,046/0,091																	
				1SBG-204-U	B	STD-S	36,893/36,918	39,962/39,992	14,600	1,650/1,850	0,046/0,091																	
				1SBG-203-U	B	STD-S	38,393/38,418	41,500/41,530	14,600	1,650/1,850	0,046/0,091																	
				1SBG-204-U	B	STD-S	36,893/36,918	39,962/39,992	14,600	1,650/1,850	0,046/0,091																	
				SEC-096-J SH25096	1SEC-096-U	B	STD-S	29,945/29,960	33,026/33,056	22,000	1,650/1,750	0,030/0,070																
			1SEC-096-U		B	STD-S	29,945/29,960	33,026/33,056	22,000	1,650/1,750	0,030/0,070																	
MOTOR E-TorQ 1.6L 16V/1.8L 16V (Flex) Doblô, Linea, Idea, Palio, Palio Weekend, Punto, Strada Adventure, Siena (2011->)	4	77,00/80,50	BB-670-J B25670	8BB-1343-C	C	STD/ 0,25	43,992/44,008	46,991/47,005	16,15/16,25	1,478/1,484	0,015/0,033																	
			BC-745-J M25745	5BC-1523-I	C	STD/ 0,25/ 0,50	47,992/48,008	51,997/52,007	18,75/19,00	1,978/1,984	0,021/0,037																	
				4BC-1523-S	C	STD/ 0,25/ 0,50	47,992/48,008	51,997/52,007	18,75/19,00	1,978/1,984	0,021/0,037																	
				1BC-1524-S(F)	C	STD/ 0,25/ 0,50	47,992/48,008	51,997/52,007	25,71/25,91	1,978/1,984	0,021/0,037																	
			SBB-271-J SB14271	8SBB-1046-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	42,971/42,987	46,000/46,012	16,60	1,487/1,495	0,023/0,067																	
				SBC-452-J SM14452	8SBC-643-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,980/54,997	59,000/59,013	19,49	1,989/1,995	0,013/0,047																
					2SBC-644-C(F)	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,980/54,997	59,000/59,013	25,90	1,989/1,995	0,013/0,047																
MOTOR 1.8L SOHC PALIO, STRADA, DOBLÔ, STILO,CORSA, MERIVA, MONTANA	4	80,50x88,20		AE-125-J L25125	2AE-274-C	C	STD/ 0,127	67,79/68,04	82,42/82,67		2,43/2,48																	
			BB-456-J B25456		10BB-1196-C	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	48,238/48,244	51,348/51,366	18,85/19,10	1,536/1,546	0,030/0,056																
					12BC-1329-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	59,994/60,000	63,700/63,718	20,50/20,75	1,837/1,843	0,025/0,052																
			BC-644-J M25644		2AE-300-C		STD	59,000	73,850		2,480																	
						8BC-1499-C		STD/ 0,25/ 0,50/ 0,75/ 1,00	52,994/53,000	56,705/56,718	20,550/20,750	1,835/1,843	0,025/0,052															
						2BC-1500-C		STD/ 0,25/ 0,50/ 0,75/ 1,00	52,994/53,000	56,705/56,718	20,550/20,750	1,835/1,843	0,025/0,052															
			SBB-254-J SB25254		8SBB-199-C S/ FURO	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,799/50,805	53,897/53,909	19,375	1,527/1,536	0,030/0,056																
MOTOR 1.8L 16V GASOLINA Brava, Marea	4	82,00		AE-134-J L25134	2AE-274-C	C	STD/ 0,127	67,79/68,04	82,42/82,67	2,43/2,48																		
												BB-539-J B25539	10BB-1002-C	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,787/50,805	53,892/53,910	19,25/19,50	1,527/1,536	0,015/0,069								
													12BC-1329-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	59,994/60,000	63,700/63,718	20,50/20,75	1,837/1,843	0,025/0,052								
			BC-721-J M25721									8BC-1499-C		STD/ 0,25/ 0,50/ 0,75/ 1,00	52,994/53,000	56,705/56,718	20,550/20,750	1,835/1,843	0,025/0,052									
																				BC-644-J M25644	12BC-1329-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	59,994/60,000	63,700/63,718	20,50/20,75	1,837/1,843	0,025/0,052
			AE-125-J L25125									2AE-274-C	C	STD/ 0,127	67,79/68,04	82,42/82,67	2,43/2,48											
BB-539-J B25539	10BB-1002-C	SP		STD/ 0,25/ 0,50/ 0,75/ 1,00	50,787/50,805	53,892/53,910	19,25/19,50	1,527/1,536	0,015/0,069																			
			BC-644-J M25644							12BC-1329-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	59,994/60,000	63,700/63,718	20,50/20,75	1,837/1,843	0,025/0,052											






* Itens sob consulta

														
Nº Cil		Códigos Metal Leve MAHLE												
MOTOR 131 / 132 1995CC (BRAVA (USA VERSION) / RALLY) 1976 ATE 80 / (242/18 VAN / PICK-UP / CAMPGNOLA 1107A) 1973 EM DIANTE / (SPECIAL / GL / GLS 1800) 1972 ATE 76 / (NUOVA ARGENTA 120IE / SPIDEREUROP A 2000) 1983 EM DIANTE / (1322000 / OHC-4 1977 EM DIANTE) / (ARGENTA 110) 1981	4	84,00x90,00	BB-234-J B25234 402353 EM DIANTE	8BB-1002-C WITH 2 OIL HOLES	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,787/50,805	53,892/53,910	19,25/19,50	1,527/1,536	0,015/0,069			
			BG-098-J G25098 1984 EM DIANTE	4BG-094-U	S	STD-S	21,991/21,997	24,988/25,021	25,10	1,600/1,700	0,007/0,019			
			SAE-122-J SL25122	2SAE-122-C	S	STD/ 0,127	59,000/59,250	73,600/73,850	2,335	2,310/2,360				
			SBC-358-J SM25358	2SBC-648-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	52,986/53,004	56,717/56,735	24,25					
				8SBC-647-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	52,986/53,004	56,717/56,735	20,75	1,838/1,856	0,025/0,049			
MOTOR 138 AR.1/2.000B 1995CC (RITMO ABARTH 125 TC / RITMO ABARTH 130 TC) 1983 EM DIANTE	4	84,00x90,00	BB-234-J B25234 402353 EM DIANTE	8BB-1002-C WITH 2 OIL HOLES	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,787/50,805	53,892/53,910	19,25/19,50	1,527/1,536	0,015/0,069			
			BG-098-J G25098 1984 EM DIANTE	4BG-094-U	S	STD-S	21,991/21,997	24,988/25,021	25,10	1,600/1,700	0,007/0,019			
			SAE-122-J SL25122	2SAE-122-C	S	STD/ 0,12	59,000/59,250	73,600/73,850	2,335	2,310/2,360				
			SBC-358-J SM25358	2SBC-648-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	52,986/53,004	56,717/56,735	24,25					
				8SBC-647-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	52,986/53,004	56,717/56,735	20,75	1,838/1,856	0,025/0,049			
MOTOR 2.0 L (TEMPRA 8 E 16 VALVU- LAS CARBURADO E INJECAO / TURBO)	4	84,000x90,000 3.307x3.543	BB-234-J B25234 (2 Furos)	8BB-1002-C	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,787/50,805	53,892/53,910	19,25/19,50	1,527/1,536	0,015/0,069			
			BG-098-J G25098	4BG-094-U	S	STD-S	21,991/21,997	24,988/25,021	25,10	1,600/1,700	0,007/0,019			
			SAE-122-J SL25122	2SAE-122-C	S	STD/ 0,12	59,000/59,250	73,600/73,850	2,335	2,310/2,360				
			SBB-254-J SB25254	8SBB-199-C S/ FURO	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,799/50,805	53,897/53,909	19,375	1,527/1,536	0,030/0,056			
		84,00x90,00	SBC-358-J SM25358	2SBC-648-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	52,986/53,004	56,717/56,735	24,25					
				8SBC-647-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	52,986/53,004	56,717/56,735	20,75	1,838/1,856	0,025/0,049			
			MOTOR SEVEL 1.9L 16V DOHC GASOLINA LINEA (08->)	4	86,40	SAE-034-J SL25034	2SAE-115-C	C	STD/ 0,127	50,653/50,673	54,507/54,520	12,740/13,240	2,310/2,360	
						SBB-554-J SB25554	8SBB-2002-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	45,502/45,524	48,630/48,646	18,95/19,20	1,538/1,544	0,018/0,068
SBC-739-J SM25739	2SBC-1405-C	C				STD/ 0,25/ 0,50/ 0,75/ 1,00	50,653/50,673	54,507/54,520	22,50/22,75	1,840/1,844				
			8SBC-1400-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,653/50,673	54,507/54,520	20,00/20,25	1,840/1,844					






* Itens sob consulta

		 Códigos Metal Leve MAHLE									
Nº Cil											
MOTOR 1500CC 8V / 1600CC 8V e 16V (SEVEL) ,0:1 - GAS. / 11,0:1 - ALC. ALCOOL/GASOLINA - CARBURADO E INJEÇÃO (Até 2000)	4	86,40x63,90	SAE-034-J SL25034 Até 1997	2SAE-115-C	C	STD/ 0,12	50,653/50,673	54,507/54,520	12,740/13,240	2,310/2,360	
			SBB-554-J SB25554	8SBB-2002-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	45,502/45,524	48,630/48,646	18,95/19,20	1,538/1,544	0,018/0,068
			SBC-739-J SM25739	2SBC-1405-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,653/50,673	54,507/54,520	22,50/22,75	1,840/1,844	
				8SBC-1400-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,653/50,673	54,507/54,520	20,00/20,25	1,840/1,844	
			SBG-585-U SG25585 motor 1500	1SBG-585-U	S	STD-S	21,991/21,997	23,939/23,972	24,500	1,160/1,240	0,010/0,022
MOTOR 8144.61/67 131 2500 1978 EM DIANTE / 132 2500 1978 EM DIANTE / ARGENTA , NUOVO ARGENTA 1971 EM DIANTE / CROMA 2500 75HP / DAILY VAN 30/32/35/40.8 1985 EM DIANTE / DUCATO 10/13 1981 EM DIANTE)	4	93,00x90,00 3.6614x3.5433	BB-313-J B25313	4BB-1004-S	P	STD	56,520/56,535	60,333/60,345	24,70	1,900	0,028/0,075
				4BB-1004-I	P	STD	56,520/56,535	60,333/60,345	24,70	1,870	0,028/0,075


* Itens sob consulta

											
Nº Cil		Códigos Metal Leve MAHLE									
MOTOR MERCEDES BENZ OM-352. PA CARREGADEIRA 134BR 1500B E 1900B	6	97,00x128,00	SBB-134-J SB48134	12SBB-434-C	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	59,995/60,015	65,000/65,019	32,100	2,460/2,472	0,041/0,109
			SBC-275-J SM48275 FL STD COM CANAL	1SBC-705-I(F)	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	31,810	2,465/2,477	0,036/0,102
				1SBC-705-S(F)	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	24,100	2,465/2,477	0,036/0,102
				6SBC-664-I	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	23,85/24,05	2,465/2,477	0,036/0,102
				6SBC-664-S	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	23,85/24,05	2,465/2,477	0,036/0,102
			SBG-016-U SG48016	1SBG-016-U	S	STD-S	35,993/36,000	39,000/39,025	34,500	1,850/2,100	0,030/0,047
			SEC-034-J SH48034	1SEC-310-U	S	STD/ 0,25/ 0,50/ 0,50-S/ 0,75-S/ 1,00-S	55,941/55,960	60,000/60,030	26,000	1,992/2,012	0,016/0,105
				1SEC-211-U	B	STD/ 0,25/ 0,50/ 0,50-S/ 0,75-S/ 1,00-S	55,691/55,710	60,000/60,030	26,500	2,117/2,137	0,016/0,105
				1SEC-213-U	B	STD/ 0,25/ 0,50/ 0,50-S/ 0,75-S/ 1,00-S	55,191/55,210	60,000/60,030	26,250	2,367/2,387	0,016/0,105
				1SEC-212-U	B	STD/ 0,25/ 0,50/ 0,50-S/ 0,75-S/ 1,00-S	55,441/55,460	60,000/60,030	26,250	2,242/2,262	0,016/0,105
MOTOR MWM D-225/6 5660CC DESCAVADEIRA S-90 / PA CARREGADEIRA DE ESTEIRA FL8 / TRATOR DE ESTEIRA AD7B	6	100,00x120,00	BC-764-P M0130764 CENTRAL	1BC-764-P(F) C/ FURO S/ CANAL	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	64,951/64,970	71,000/71,019	35,84/35,88	2,975/2,987	0,056/0,118
			BG-090-U G13090 EXT. + 0,20	1BG-090-U	S	STD-S	31,993/32,000	36,200/36,216	30,000	2,170/2,300	0,020/0,073
			EC-031-J H13031	1EC-072-U	S	STD/ 1,00-S	42,940/42,960	47,000/47,025	26,000	1,990/2,005	0,030/0,105
			SBB-144-P SB13144	1SBB-144-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,950/57,970	62,000/62,019	27,100	1,980/1,992	0,046/0,109
			SBC-313-P SM13313	1SBC-313-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	64,951/64,970	71,000/71,019	28,100	2,975/2,987	0,056/0,118
			SBC-314-P SM13314 CENTRAL	1SBC-314-P(F) C/ FURO S/ CANAL	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	64,951/64,970	71,000/71,019	35,84/35,88	2,975/2,987	0,056/0,118
			MOTOR MWM D-229 TRATOR AD7E	6	102,00x120,00	BC-764-P M0130764 CENTRAL	1BC-764-P(F) C/ FURO S/ CANAL	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	64,951/64,970	71,000/71,019
BG-090-U G13090 EXT. + 0,20	1BG-090-U	S				STD-S	31,993/32,000	36,200/36,216	30,000	2,170/2,300	0,020/0,073
EC-031-J H13031	1EC-072-U	S				STD/ 1,00-S	42,940/42,960	47,000/47,025	26,000	1,990/2,005	0,030/0,105
SBB-144-P SB13144	1SBB-144-P	SP				STD/ 0,25/ 0,50/ 0,75/ 1,00	57,950/57,970	62,000/62,019	27,100	1,980/1,992	0,046/0,109
SBC-313-P SM13313	1SBC-313-P	SP				STD/ 0,25/ 0,50/ 0,75/ 1,00	64,951/64,970	71,000/71,019	28,100	2,975/2,987	0,056/0,118


* Itens sob consulta

											
Nº Cil		Códigos Metal Leve MAHLE									
MOTOR MWM D-229 RATOR AD7E	6	102,00x120,00	SBC-314-P SM13314 CENTRAL	1SBC-314-P(F) C/ FURO S/ CANAL	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	64,951/64,970	71,000/71,019	35,84/35,88	2,975/2,987	0,056/0,118
MOTOR MWM TD-229 RATOR FD9	6	102,00x120,00	AE-074-J L13074	2AE-074-P	S	STD/ 0,50	79,00/79,25	94,95/95,20		3,42/3,47	
			BG-076-U G13076	1BG-076-U	S	STD-S	34,995/35,000	38,000/38,016	32,000	1,473/1,488	0,040/0,089
			EC-031-J H13031	1EC-072-U	S	STD/ 1,00-S	42,940/42,960	47,000/47,025	26,000	1,990/2,005	0,030/0,105
			SBB-220-P SB13220	1SBB-220-P	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	62,950/62,970	67,000/67,019	27,100	1,989/2,002	0,026/0,091
			SBC-460-P SM13460	1SBC-460-P	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	69,951/69,970	75,000/75,019	28,100	2,479/2,492	0,046/0,110
MOTOR SCANIA D-11/05 RATOR AD-14	6	127,00x145,00	AE-007-J L76007	2AE-007-P	SP	STD/ 0,076/ 0,127/ 0,25/ 0,50	112,65/113,03	129,79/130,17		3,38/3,43	
			AE-044-J L76044	2AE-044-P	S	STD/ 0,076/ 0,127/ 0,25/ 0,50	112,650/113,030	132,500/132,900		3,430	
			BG-006-U G76006	6BG-006-U	S	STD-S	46,995/47,000	50,790/50,809	47,880	2,010/2,060	
			BG-044-U G76044	4BG-044-U	S	STD-S	49,995/50,000	53,800/53,819	23,600	2,020/2,100	0,030/0,048
			BG-544-U G76544 EXT.+0,50	4BG-544-U	S	STD-S	49,995/50,000	54,300/54,319	23,600		0,030/0,048
			EC-020-J H76020	1EC-050-U	B	0,50-S	59,951/59,970	63,475/63,525	30,400	2,10/2,18	0,030/0,079
				1EC-048-U	B	0,50-S	68,136/68,155	71,438/71,488	35,310	2,10/2,18	0,045/0,094
				2EC-049-U	B	0,50-S	67,951/68,070	71,438/71,488	30,400	2,10/2,18	0,030/0,079
			SBB-082-J SB76082	12SBB-082-C	P	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,25/ 1,50	84,235/84,255	88,483/88,504	48,010	2,083/2,093	0,042/0,103
			SBC-200-J SM76200	6SBC-171-P	P	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,25/ 1,50	101,598/101,620	106,261/106,286	35,970	2,280/2,292	0,057/0,128
				1SBC-411-P	P	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,25/ 1,50	101,598/101,620	106,261/106,286	44,000	2,280/2,292	0,057/0,128




* Itens sob consulta

	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR 1.6L 98 CID.	4		BC-372-J M59372	9BC-872-C	SP	STD/ 0,50	57,981/58,001	62,286/62,301	22,28/22,53	2,124/2,137	0,011/0,072
				1BC-873-C	SP	STD/ 0,50	57,981/58,001	62,286/62,301	28,66/28,71	2,124/2,137	0,011/0,072
MOTOR HCS 1.0 1000 FIESTA / KA	4	68,70x67,50 2.7047x2.6575	BC-709-J M59709	3BC-1118-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	56,980/57,000	60,623/60,636	18,37/18,62	1,800/1,807	0,009/0,056
				3BC-1118-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	56,980/57,000	60,623/60,636	18,37/18,62	1,800/1,807	0,009/0,056
			SBB-538-J SB59538	8SBB-1242-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	40,990/41,010 1.6138/1.6146	43,990/44,010 1.7319/1.7327	17,80/18,20 0.700/0.717	1,480/1,487 0.0580/0.0590	0,006/0,060 0.0002/0.0024
MOTOR 1.1 HCS / GUE 1100 FIESTA / POPULAR / FUN / CLASSIC (DE 04/89 EM DIANTE)	4	68,70x75,50 2.7047x2.9724	AE-014-J L59014	2AE-156-C	C	STD	63,600/63,850 2.5039/2.5138	77,850/78,100 3.0650/3.0748		2,800/2,850 0.1102/0.1122	
MOTOR 1.0 AE / 1.0 CHT / 1.3 CHT / 1.6 CHT 1000 9,0:1 GAS. ESCORT HOBBY / ESCORT 1.3 - EXPORTA- ÇÃO / GAS. /ALC.(CORCEL I / BELINA II / ESCORT / DEL REY / SCALA / PAMPA 4X4) / (EXPOTACAO- ESCORT 1.6)	4	70,30x64,40	EC-145-J H59145	2EC-145-U	B	STD-S	39,925/39,950	43,100/43,125	14,550	1,850/1,900	0,030/0,080
				2EC-146-U	B	STD-S	39,925/39,950	42,900/42,925	14,550	1,850/1,900	0,030/0,080
			SAE-060-J SL59060	2SAE-104-C	S	STD/ 0,10/ 0,15/ 0,30	60,000/60,250	80,820/81,070		2,340	
			SBB-223-J SB59223	8SBB-2228-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	43,964/43,980	47,614/47,625	17,750	1,799/1,812	0,011/0,063
			SBC-405-J SM59405	4SBC-608-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	54,795/54,805	59,000/59,016	24,500	2,080/2,086	0,023/0,071
				6SBC-609-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	54,795/54,805	59,000/59,016	18,500	2,080/2,086	0,023/0,071
MOTOR 1.4 1400 A PARTIR DO No 729.181	4	71,50x83,50	EC-145-J H59145	2EC-146-U	B	STD-S	39,925/39,950	42,900/42,925	14,550	1,850/1,900	0,030/0,080
				2EC-145-U	B	STD-S	39,925/39,950	43,100/43,125	14,550	1,850/1,900	0,030/0,080
			SAE-060-J SL59060	2SAE-104-C	S	STD/ 0,10/ 0,15/ 0,30	60,000/60,250	80,820/81,070		2,340	
			SBB-223-J SB59223	8SBB-2228-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	43,964/43,980	47,614/47,625	17,750	1,799/1,812	0,011/0,063
			SBC-405-J SM59405	4SBC-608-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	54,795/54,805	59,000/59,016	24,500	2,080/2,086	0,023/0,071
				6SBC-609-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	54,795/54,805	59,000/59,016	18,500	2,080/2,086	0,023/0,071
MOTOR 1.3 TIPO R.8 1289CC (CORCEL ATE 1971)	4	73,00x77,00	AE-010-J L59010	1AE-010-P	S	STD/ 0,10/ 0,15	50,500/50,575	67,670/67,920		2,300/2,340	
			BC-123-J M59123	2BC-249-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	45,990/46,000	49,874/49,890	24,250/24,500	1,918/1,924	0,026/0,064
				3BC-250-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	45,990/46,000	49,874/49,890	19,250/19,500	1,918/1,924	0,026/0,064
			SBB-223-J SB59223	8SBB-2228-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	43,964/43,980	47,614/47,625	17,750	1,799/1,812	0,010/0,063




* Itens sob consulta

	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR 1.0L / 1.6L ZETEC-ROCAM 8 VÁLVULAS 1000/1600 (ESCORT/FIESTA/ORION L/KA)	4	74,00	AE-014-J L59014	2AE-156-C	C	STD	63,600/63,850 2.5039/2.5138	77,850/78,100 3.0650/3.0748		2,800/2,850 0.1102/0.1122	
			SBB-538-J SB59538	8SBB-1242-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	40,990/41,010 1.6138/1.6146	43,990/44,010 1.7319/1.7327	17,80/18,20 0.700/0.717	1,480/1,487 0.0580/0.0590	0,006/0,060 0.0002/0.0024
			SBC-710-J SM59710	5SBC-1118-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	56,980/57,000	60,623/60,636	18,37/18,62	1,800/1,807	0,009/0,056
				5SBC-1118-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	56,980/57,000	60,623/60,636	18,37/18,62	1,800/1,807	0,009/0,056
MOTOR HCS 1.3 1300 (ESCORT, FIESTA, ORION, COURIER - A PARTIR DE 09/88) / (MOTOR ENDURA, KA, FIESTA, FIESTA CLASSIC, ESCORT FLAIR 1.3L - A PARTIR DE 1996)	4	74,00x75,50 2.9134x2.9724	AE-014-J L59014	2AE-156-C	C	STD	63,600/63,850 2.5039/2.5138	77,850/78,100 3.0650/3.0748		2,800/2,850 0.1102/0.1122	
			SBB-538-J SB59538	8SBB-1242-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	40,990/41,010 1.6138/1.6146	43,990/44,010 1.7319/1.7327	17,80/18,20 0.700/0.717	1,480/1,487 0.0580/0.0590	0,006/0,060 0.0002/0.0024
			SBC-710-J SM59710	5SBC-1118-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	56,980/57,000	60,623/60,636	18,37/18,62	1,800/1,807	0,009/0,056
				5SBC-1118-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	56,980/57,000	60,623/60,636	18,37/18,62	1,800/1,807	0,009/0,056
MOTOR 1.0 SUPERCHARGER - GASOLINA 1000 8,0:1 (FIESTA)	4	75,30x77,00	AE-014-J L59014	2AE-156-C	C	STD	63,600/63,850 2.5039/2.5138	77,850/78,100 3.0650/3.0748		2,800/2,850 0.1102/0.1122	
			SBB-538-J SB59538	8SBB-1242-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	40,990/41,010 1.6138/1.6146	43,990/44,010 1.7319/1.7327	17,80/18,20 0.700/0.717	1,480/1,487 0.0580/0.0590	0,006/0,060 0.0002/0.0024
			SBC-710-J SM59710	5SBC-1118-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	56,980/57,000	60,623/60,636	18,37/18,62	1,800/1,807	0,009/0,056
				5SBC-1118-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	56,980/57,000	60,623/60,636	18,37/18,62	1,800/1,807	0,009/0,056
MOTOR 1.4 1372CC 8,0:1 (CORCEL / CORCEL GT / BELINA) 1972 EM DIANTE, ATÉ O MOTOR No 729.180	4	75,30x77,00	AE-010-J L59010	1AE-010-P	S	STD/ 0,10/ 0,15	50,500/50,575	67,670/67,920		2,300/2,340	
			BC-123-J M59123	3BC-250-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	45,990/46,000	49,874/49,890	19,250/19,500	1,918/1,924	0,026/0,064
				2BC-249-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	45,990/46,000	49,874/49,890	24,250/24,500	1,918/1,924	0,026/0,064
			SBB-223-J SB59223	8SBB-2228-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	43,964/43,980	47,614/47,625	17,750	1,799/1,812	0,010/0,063
MOTOR 1.4L 16V ZETEC Fiesta, Courier	4	75,90	BB-526-J B59526	8BB-1336-C		STD/ 0,25/ 0,50/ 0,75/ 1,00	39,980/40,000	43,025/43,045	14,900/15,200	1,511/1,519	
			BC-727-J M59727	1BC-1520-S		STD/ 0,25/ 0,50/ 0,75/ 1,00	47,981/48,001	54,020/54,038	23,73/23,78	2,997/3,005	
				4BC-1506-S		STD/ 0,25/ 0,50/ 0,75/ 1,00	47,981/48,001	54,020/54,038	15,900/16,100	2,997/3,005	
				5BC-1506-I		STD/ 0,25/ 0,50/ 0,75/ 1,00	47,981/48,001	54,020/54,038	15,900/16,100	2,997/3,005	




* Itens sob consulta

	Nº Cil		 Códigos Metal Leve MAHLE												
MOTOR 1.6 1555 8,0:1	4	77,00x83,50	EC-145-J H59145	2EC-146-U	B	STD-S	39,925/39,950	42,900/42,925	14,550	1,850/1,900	0,030/0,080				
				2EC-145-U	B	STD-S	39,925/39,950	43,100/43,125	14,550	1,850/1,900	0,030/0,080				
				SAE-060-J SL59060	S	STD/ 0,10/ 0,15/ 0,30	60,000/60,250	80,820/81,070		2,340					
				SBB-223-J SB59223	C	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	43,964/43,980	47,614/47,625	17,750	1,799/1,812	0,011/0,063				
				SBC-405-J SM59405	C	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	54,795/54,805	59,000/59,016	24,500	2,080/2,086	0,023/0,071				
					C	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	54,795/54,805	59,000/59,016	18,500	2,080/2,086	0,023/0,071				
MOTOR 1.6 AE 1555 9,0:1 GAS. (ESCORT L/GL, VERONA LX, PAMPA 4X4) MODELO 1990 EM DIANTE	4	77,00x83,50	EC-145-J H59145	2EC-145-U	B	STD-S	39,925/39,950	43,100/43,125	14,550	1,850/1,900	0,030/0,080				
				2EC-146-U	B	STD-S	39,925/39,950	42,900/42,925	14,550	1,850/1,900	0,030/0,080				
				2EC-145-U	B	STD-S	39,925/39,950	43,100/43,125	14,550	1,850/1,900	0,030/0,080				
				2EC-146-U	B	STD-S	39,925/39,950	42,900/42,925	14,550	1,850/1,900	0,030/0,080				
				SAE-060-J SL59060	S	STD/ 0,10/ 0,15/ 0,30	60,000/60,250	80,820/81,070		2,340					
				2SAE-104-C	S	STD/ 0,10/ 0,15/ 0,30	60,000/60,250	80,820/81,070		2,340					
				SBB-223-J SB59223	C	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	43,964/43,980	47,614/47,625	17,750	1,799/1,812	0,011/0,063				
					C	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	43,964/43,980	47,614/47,625	17,750	1,799/1,812	0,011/0,063				
				SBC-405-J SM59405	C	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	54,795/54,805	59,000/59,016	24,500	2,080/2,086	0,023/0,071				
					C	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	54,795/54,805	59,000/59,016	18,500	2,080/2,086	0,023/0,071				
					C	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	54,795/54,805	59,000/59,016	18,500	2,080/2,086	0,023/0,071				
					C	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	54,795/54,805	59,000/59,016	24,500	2,080/2,086	0,023/0,071				
				MOTOR SIGMA 1.5L 16V FLEX New Fiesta, Ka, Ka+ - 2008->	4	79,00	BB-748-J B0590748 YS6G6211AA	8BB-1515-C	C	STD/ 0,25/ 0,50	39,980/40,000	43,025/43,045	14,900/15,100	1,500/1,506	0,013/0,065
								5BC-1088-I		STD/ 0,25/ 0,50	47,980/48,000	54,018/54,038	16,10/16,30	2,997/3,003	0,012/0,064
								4BC-1088-S		STD/ 0,25/ 0,50	47,980/48,000	54,018/54,038	16,10/16,30	2,997/3,003	0,012/0,064
								1BC-1089-S(F)		STD/ 0,25/ 0,50	47,980/48,000	54,018/54,038	23,65/23,85	2,997/3,003	0,012/0,064
BB-717-J B0590717	C	STD/ 0,25/ 0,50	43,98/44,00					47,025/47,045	14,90/14,96	1,500/1,506	0,013/0,065				
MOTOR SIGMA 1.6L 16V FLEX New Fiesta, Focus, EcoSport (2010->)	4	79,01	BC-824-J M0590824	5BC-1088-I		STD/ 0,25/ 0,50	47,980/48,000	54,018/54,038	16,10/16,30	2,997/3,003	0,012/0,064				
				4BC-1088-S		STD/ 0,25/ 0,50	47,980/48,000	54,018/54,038	16,10/16,30	2,997/3,003	0,012/0,064				
				1BC-1089-S(F)		STD/ 0,25/ 0,50	47,980/48,000	54,018/54,038	23,65/23,85	2,997/3,003	0,012/0,064				



* Itens sob consulta

			 Códigos Metal Leve MAHLE								
	Nº Cil										
MOTOR 184 C.I.D. 3016CC JEEP / RURAL / PICK-UP / MAVERICK) FABRICACAO BRASIL - 1973 EM DIANTE	6	79,375x101,60 3.125x4.000	EC-021-J H23021	1EC-001-U	B	STD	47,638/47,650 1.8755/1.8760	50,940/50,965 2.0055/2.0065	25,650 1.010	1,621/1,633 0.0638/0.0643	0,026/0,089 0.0010/0.0035
				1EC-052-U	B	STD	46,025/46,037 1.8120/1.8125	49,327/49,352 1.9420/1.9430	20,870 0.882	1,621/1,633 0.0638/0.0643	0,026/0,089 0.0010/0.0035
				1EC-051-U	B	STD	46,825/46,838 1.8435/1.8440	50,127/50,152 1.9735/1.9745	20,870 0.882	1,621/1,633 0.0638/0.0643	0,026/0,089 0.0010/0.0035
MOTOR 1.8L/2.0L 16V ZETEC ESCORT/FOCUS - 1996 -> 2004	4	80,60	BB-532-J B59532	8BB-1341-C		STD/ 0,25/ 0,50/ 0,75/ 1,00	47,438/48,454	49,890/49,910	20,250/20,450	1,473/1,481	
				4BC-1515-S		STD/ 0,25/ 0,50/ 0,75/ 1,00		62,300	19,35/19,55	2,123/2,131	
				5BC-1515-I		STD/ 0,25/ 0,50/ 0,75/ 1,00		62,300	19,35/19,55	2,123/2,131	
				1BC-1516-S		STD/ 0,25/ 0,50/ 0,75/ 1,00		62,300	24,65/24,70	2,123/2,131	
MOTOR 255 C.I.D. 4186CC 1980-1981 (U.S.A.)	8	80,98x101,60 3.188x4.000	BB-214-J B59214	8BB-214-P	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	53,919/53,939 2.1228/2.1236	56,871/56,891 2.2390/2.2398	18,310 0.721	1,453/1,466 0.0572/0.0577	0,013/0,076 0.0005/0.0030
				4BC-444-P	SP	STD/ 0,254/ 0,508/ 0,762	57,104/57,125 2.2482/2.490	62,006/62,027 2.4412/2.4420	22,480 0.885	2,431/2,443 0.0957/0.0962	0,013/0,076 0.0005/0.0030
				1BC-445-P(F)	SP	STD/ 0,254/ 0,508/ 0,762	57,104/57,125 2.2482/2.490	62,006/62,027 2.4412/2.4420	28,780 1.133	2,431/2,443 0.0957/0.0962	0,013/0,076 0.0005/0.0030
MOTOR 1.8 AP 1781CC 8,5:1 Gasolina 12,3:1 Álcool ESCORT L, GL, GLX, GUARUJA, GHIA, XR3 / VERONA LX, GLX / VER- SAILLES GL / ROYALE GL / PAMPA L, GL, S.	4	81,00x86,40	SAE-100-P SL70100	1SAE-100-P	C	STD/ 0,25/ 0,50	59,500/59,750	72,920/73,200		1,930/1,970	
				8SBB-2490-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	47,758/47,778	50,600/50,616	18,70/19,00	1,397/1,405	0,012/0,064
				6SBC-2590-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,016/0,079
				4SBC-2590-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,016/0,079
				1SBG-178-U	B	STD-S	42,959/42,975	46,000/46,025	15,000	1,700/1,770	0,025/0,066
				1SBG-179-U	B	STD-S	41,959/41,975	45,000/45,025	15,000	1,700/1,770	0,025/0,066
				4SBG-598-U	S	STD-S	19,997/20,000	23,000/23,052	25,000	1,700/1,800	0,012/0,021
MOTOR 1.8L DIESEL FIESTA / ESCORT	4	82,50	AE-210-P L59210	2AE-210-C	C	STD/ 0,12	59,65/59,90	74,45/74,70		2,30/2,35	
				8BB-2015-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	46,980/47,000	50,025/50,045	16,64/16,89	1,497/1,505	0,015/0,071
MOTOR 2.0L 16V DURA- TEC FLEX Focus/ Ecosport	4	87,50	BB-741-J B0590741 1S7J-6B237AA BC-858-J M0590858 1S7J-6K371-AA	4BC-2010-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	51,978/52,000	57,018/57,038	18,85/19,10	2,495/2,503	0,012/0,070
				5BC-2010-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	51,978/52,000	57,018/57,038	18,85/19,10	2,495/2,503	0,012/0,070
				1BC-2020-S(F)	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	51,978/52,000	57,018/57,038	25,66/25,78	2,495/2,503	0,012/0,070


* Itens sob consulta

	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR 2.3 16v Duratec Fusion, Ranger - Gasolina	4	87,50	BB-750-J B0590750 6M8Z6211B BC-858-J M0590858 1S7J-6K371-AA	8BB-2022-C	C	STD/ 0,25/ 0,50	49,980/50,000	53,025/43,045	16,640/16,890	1,497/1,505	0,015/0,071
				4BC-2010-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	51,978/52,000	57,018/57,038	18,85/19,10	2,495/2,503	0,012/0,070
				5BC-2010-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	51,978/52,000	57,018/57,038	18,85/19,10	2,495/2,503	0,012/0,070
				1BC-2020-S(F)	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	51,978/52,000	57,018/57,038	25,66/25,78	2,495/2,503	0,012/0,070
MOTOR 221 C.I.D. 3620CC 1962-1963 (U.S.A.)	8	88,90x72,90 3.500x2.870	BB-214-J B59214 BC-240-J M59240	8BB-214-P	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	53,919/53,939 2.1228/2.1236	56,871/56,891 2.2390/2.2398	18,310 0.721	1,453/1,466 0.0572/0.0577	0,013/0,076 0.0005/0.0030
				4BC-444-P	SP	STD/ 0,254/ 0,508/ 0,762	57,104/57,125 2.2482/2.490	62,006/62,027 2.4412/2.4420	22,480 0.885	2,431/2,443 0.0957/0.0962	0,013/0,076 0.0005/0.0030
				1BC-445-P(F)	SP	STD/ 0,254/ 0,508/ 0,762	57,104/57,125 2.2482/2.490	62,006/62,027 2.4412/2.4420	28,780 1.133	2,431/2,443 0.0957/0.0962	0,013/0,076 0.0005/0.0030
MOTOR 183 / 3.0L (V-6 EXCEPT SHO) 1986-1993	6	89,00 3.504	BB-629-J B59629 BC-384-J M59384	6BB-629-P	SP	STD / .010 / .020	53,983/54,003 2.1253/2.1261	57,150/57,168 2.2500/2.2507	19,33 0.761	1,552/1,565 0.0611/0.0616	0,020/0,081 0.0008/0.0032
				2BC-889-P	SP	STD/ .010	63,983/64,003	68,885/68,910	18,79	2,418/2,438	0,020/0,091
				1BC-890-P(F)	SP	STD/ .010	63,983/64,003	68,885/68,910	25,66	2,418/2,438	0,020/0,091
				1BC-891-P	SP	STD/ .010	63,983/64,003	68,885/68,910	27,10	2,418/2,438	0,020/0,091
MOTOR 2.0 OHC YUMA 1990CC 8,0:1 1983-1987 (U.S.A.)	4	89,32x79,50 3.517x3.130	BB-238-J B59238 BC-289-J M59289	4BB-238-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	51,980/52,000 2.0465/2.0472	55,170/55,190 2.1720/2.1728	20,320 0.800	1,564/1,577 0.0619/0.0624	0,016/0,082 0.0006/0.0035
				1BC-488-P(F)	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	60,914/60,935 2.3982/2.3990	65,791/65,811 2.5902/2.5910	30,29/30,34 1.194	2,416/2,428 0.0951/0.0956	0,018/0,085 0.0007/0.0033
				4BC-487-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	60,914/60,935 2.3982/2.3990	65,791/65,811 2.5902/2.5910	24,120 0.950	2,416/2,428 0.0951/0.0956	0,018/0,085 0.0007/0.0033
MOTOR MAXION 2.5 EURO II - DIESEL F1000	4	90,48x97,00	BB-377-J B57377	8BB-376-C	C	STD/ 0,25	58,725/58,744	62,433/62,446	25,00	1,827/1,833	0,023/0,067
MOTOR 2.5 EURO I/II - DIESEL RANGER	4	90,73	AE-036-P L57036 BB-377-J B57377 BC-796-J M57796	2AE-151-C		STD/ 0,127/ 0,25	63,475/63,487	85,928/86,182		2,30/2,35	
				8BB-376-C	C	STD/ 0,25	58,725/58,744	62,433/62,446	25,00	1,827/1,833	0,023/0,067
				1BC-797-I	C	STD/ 0,25	63,475/63,487	67,704/67,722	34,81/35,06	2,083/2,093	0,030/0,080
				1BC-797-S	C	STD/ 0,25	63,475/63,487	67,704/67,722	34,81/35,06	2,083/2,093	0,030/0,080
				4BC-796-I	C	STD/ 0,25	63,475/63,487	67,704/67,722	24,25/24,50	2,083/2,093	0,030/0,080
				4BC-796-S	C	STD/ 0,25	63,475/63,487	67,704/67,722	24,25/24,50	2,083/2,093	0,030/0,080
				4BG-862-U		STD-S	30,157/30,162	34,130/34,155	33,07	2,160/2,240	0,003/0,016
				1EC-249-U POS. 1	S	STD-S	49,987/50,013		24,08/24,59	1,85/1,95	
				3EC-248-U POS. 2 E 3	S	STD-S	49,987/50,013		18,55/19,05	1,85/1,95	
MOTOR 200 C.I.D. 3273CC 8,5:1 1963-1975 (U.S.A.)	6	93,47x79,50 3.680x3.130	BB-606-J B59606	6BB-606-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	53,929/53,950 2.1232/2.1240	56,871/56,891 2.2390/2.2398	20,570 0.810	1,445/1,458 0.0569/0.0574	0,013/0,071 0.0005/0.0028


* Itens sob consulta


			 Códigos Metal Leve MAHLE									
MOTOR 200 C.I.D. 3273CC 8,5:1 1963-1975 (U.S.A.)	6	93,47x79,50 3.680x3.130	BC-308-J M59308 OBS: 7 MANCAIS CENTRAIS - ATE 01/05/1975 - BRONZINAS COM CANAL DE ÓLEO TOTAL	6BC-827-P	SP	STD / .020 / .030	57,104/57,125 2.2482/2.2490	60,990/61,011 2.4012/2.4020	25,880 1.019	1,915/1,928 0.0754/0.0759	0,013/0,076 0.0005/0.0030	
MOTOR 200 C.I.D. 3.2L	6	93,47x79,50	BC-420-J M59420	1BC-828-P(F)	SP	STD / .020 / .030	57,104/57,125 2.2482/2.2490	60,990/61,011 2.4012/2.4020	32,280 1.271	1,915/1,928 0.0754/0.0759	0,013/0,076 0.0005/0.0030	
				6BC-829-I	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016		61,011	25,68/25,88	1,915/1,928		
				6BC-1066-S		STD/ 0,254/ 0,508/ 0,762/ 1,016			25,88	1,915/1,928		
MOTOR 250 C.I.D. 4089CC 1969-1980 (U.S.A.)	6	93,472x99,31 3.680x3.910	BB-606-J B59606	6BB-606-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	53,929/53,950 2.1232/2.1240	56,871/56,891 2.2390/2.2398	20,570 0.810	1,445/1,458 0.0569/0.0574	0,013/0,071 0.0005/0.0028	
				1BC-488-P(F)	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	60,914/60,935 2.3982/2.3990	65,791/65,811 2.5902/2.5910	30,340 1.194	2,406/2,419 0.0180/0.0850	0,013/0,071 0.0005/0.0028	
				6BC-821-I	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	60,914/60,935 2.3982/2.3990	65,791/65,811 2.5902/2.5910	24,120 0.950	2,406/2,419 0.0180/0.0850	0,013/0,071 0.0005/0.0028	
MOTOR 2500cc TRANSIT DIESEL	4	93,70x85,60	AE-042-J L59042	6BC-487-C	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	60,914/60,935	65,791/65,811	24,120	2,416/2,428	0,018/0,085	
				2AE-211-S	C	STD/ 0,12	78,65/78,90	94,00/94,25		2,30/2,35		
				2AE-211-I	C	STD/ 0,12	78,65/78,90	94,00/94,25		2,30/2,35		
MOTOR 140 / 2.3L (NON-TURBO OHC-4 / FORD MUSTANG PINTO / FORD BRONCO II / RANGER / MERCURY CAPRI / BOB- CAT / ZEPHRY) 1991-1994- CAR / 1989-1994-TRUCK	4	96,00 3.780	BB-360-J B59360	8BB-427-C	C	STD/ 0,254/ 0,508	59,980/60,000	63,506/63,520	25,86/26,11	1,730/1,738	0,030/0,080	
				BC-537-J M59537	1BC-191-I	C	STD / .010 / .020	69,990/70,000	74,000/74,010	27,000	1,964/1,972	0,056/0,092
					3BC-190-I	C	STD / .010 / .020	69,990/70,000	74,000/74,010	23,130	1,964/1,972	0,056/0,092
2BC-192-C	C	STD / .010 / .020	76,990/77,000		81,000/81,010	22,130	1,964/1,972	0,056/0,092				
MOTOR 2.3L OHC 2299CC 8,0:1 (JEEP / F-75 / F-100 / RURAL / MAVERICK A PARTIR DE 1974)	4	96,04x79,40 3.781x3.126	BB-238-J B59238	3BC-190-S	C	STD / .010 / .020	69,990/70,000	74,000/74,010	23,130	1,964/1,972	0,056/0,092	
				1BC-191-S	C	STD / .010 / .020	69,990/70,000	74,000/74,010	27,000	1,964/1,972	0,056/0,092	
				4BB-238-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	51,980/52,000 2.0465/2.0472	55,170/55,190 2.1720/2.1728	20,32 0.800	1,564/1,577 0.0619/0.0624	0,016/0,082 0.0006/0.0025	
MOTOR 2.3L HSC 1984-1987 (U.S.A.)	4	96,04x79,40 3.781x3.126	BC-289-J M59289	4BB-238-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	51,980/52,000	55,170/55,190	20,320	1,564/1,577	0,016/0,082	
				1BC-488-P(F)	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	60,914/60,935	65,791/65,811	30,29/30,34	2,416/2,428	0,018/0,085	
				4BC-487-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	60,914/60,935	65,791/65,811	24,120	2,416/2,428	0,018/0,085	
MOTOR 2.3L TURBO 1979-1987 (U.S.A.)	4	96,04x79,40 3.781x3.126	BB-616-J B59616	4BB-606-P	SP	STD/ 0,254/ 0,508/ 0,762	53,929/53,950 2.1232/2.1240	56,871/56,891 2.2390/2.2398	20,570 0.810	1,445/1,458 0.0569/0.0574	0,013/0,071 0.0005/0.0028	
MOTOR 2.3L TURBO 1979-1987 (U.S.A.)	4	96,04x79,40 3.781x3.126	BB-238-J B59238	4BB-238-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	51,980/52,000 2.0465/2.0472	55,170/55,190 2.1720/2.1728	20,320 0.800	1,564/1,577 0.0619/0.0624	0,016/0,082 0.0006/0.0035	

* Itens sob consulta

	Nº Cil											
MOTOR 2.3L TURBO 1979-1987 (U.S.A.)	4	96,04x79,40 3.781x3.126	BC-289-J M59289	4BC-487-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	60,914/60,935 2.3982/2.3990	65,791/65,811 2.5902/2.5910	24,120 0.950	2,416/2,428 0.0951/0.0956	0,018/0,085 0.0007/0.0033	
				1BC-488-P(F)	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	60,914/60,935 2.3982/2.3990	65,791/65,811 2.5902/2.5910	30,29/30,34 1.194	2,416/2,428 0.0951/0.0956	0,018/0,085 0.0007/0.0033	
MOTOR 260 C.I.D. 4267CC 1962-1965 (U.S.A.)	8	96,52x72,90 3.800x2.870	BB-214-J B59214	8BB-214-P	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	53,919/53,939 2.1228/2.1236	56,871/56,891 2.2390/2.2398	18,310 0.721	1,453/1,466 0.0572/0.0577	0,013/0,076 0.0005/0.0030	
				BC-240-J M59240	4BC-444-P	SP	STD/ 0,254/ 0,508/ 0,762	57,104/57,125 2.2482/2.2490	62,006/62,027 2.4412/2.4420	22,480 0.885	2,431/2,443 0.0957/0.0962	0,013/0,076 0.0005/0.0030
				1BC-445-P(F)	SP	STD/ 0,254/ 0,508/ 0,762	57,104/57,125 2.2482/2.2490	62,006/62,027 2.4412/2.4420	28,780 1.133	2,431/2,443 0.0957/0.0962	0,013/0,076 0.0005/0.0030	
				BB-626-J B59626	6BB-626-P	SP	0,25/ 0,50	58,671/58,699 2.3099/2.3110	61,636/61,656 2.4266/2.4274	16,92 0.666	1,453/1,466 0.0572/0.0577	0,020/0,079 0.0008/0.0031
MOTOR 232 / 3.8L V-6 FORD GRANADA / LTD / TAURUS / COUGAR / LINCOLN CONTINENTAL / MERCURY CAPRI / MAR- QUIS) 1982-1993	6	96,80 3.811		1BC-883-P(F)	SP	0,25/ 0,50	63,972/64,003 2.5186/2.5198	68,890/68,910 2.7122/2.7130	29,62 1.166	2,428/2,441 0.0956/0.0961	0,020/0,081 0.0008/0.0032	
				3BC-882-P	SP	0,25/ 0,50	63,972/64,003 2.5186/2.5198	68,890/68,910 2.7122/2.7130	21,79 0.858	2,428/2,441 0.0956/0.0961	0,020/0,081 0.0008/0.0032	
MOTOR 232 / 3.8L V-6 (FORD GRANADA / LTD / TAURUS / COUGAR / LINCOLN CONTINENTAL / MERCURY CAPRI / MAR- QUIS) 1982-1993	6	96,80 3.811	BB-626-J B59626	6BB-626-P	SP	STD/ 0,25/ 0,50	58,671/58,699 2.3099/2.3110	61,636/61,656 2.4266/2.4274	16,92 0.666	1,453/1,466 0.0572/0.0577	0,020/0,079 0.0008/0.0031	
MOTOR 330 C.I.D. 5411CC 7,4:1 1964-1978 (U.S.A.)	8	98,425x88,90 3.875x3.500	BB-603-J B59603	8BB-603-P	SP	STD/ 0,25/ 0,50/ 0,75	61,925/61,946 2.4380/2.4388	65,804/65,824 2.5907/2.5915	18,640 0.734	1,917/1,930 0.0755/0.0760	0,013/0,071 0.0005/0.0028	
				BC-303-J M59303	1BC-816-P(F)	SP	STD/ 0,254/ 0,508/ 0,762	69,809/69,830 2.7484/2.7492	74,706/74,723 2.9412/2.9419	28,400 1.118	2,428/2,441 0.0956/0.0961	0,015/0,081 0.0006/0.0032
				4BC-815-P	SP	STD/ 0,254/ 0,508/ 0,762	69,809/69,830 2.7484/2.7492	74,706/74,723 2.9412/2.9419	23,160 0.912	2,428/2,441 0.0956/0.0961	0,015/0,081 0.0006/0.0032	
				BB-625-J B59625	12BB-625-C	SP	STD/ 0,25/ 0,50/ 0,75	53,977/54,000	56,820/56,840	16,480	1,392/1,405	0,010/0,078
				BC-380-J M59380	2BC-879-C(F)	SP	STD/ 0,25/ 0,50/ 0,75	56,980/57,000 2.2433/2.2441	60,620/60,640 2.3866/2.3874	26,280 1.035	1,792/1,805 0.0706/0.0711	0,010/0,076 0.0004/0.0030
				6BC-878-C	SP	STD/ 0,25/ 0,50/ 0,75	56,980/57,000 2.2433/2.2441	60,620/60,640 2.3866/2.3874	21,590 0.850	1,792/1,805 0.0706/0.0711	0,010/0,076 0.0004/0.0030	
MOTOR 302 C.I.D.- 4942CC 1968-1985 (U.S.A.)	8	101,60x76,20 4.000x3.000	BB-214-J B59214	8BB-214-P	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	53,919/53,939 2.1228/2.1236	56,871/56,891 2.2390/2.2398	18,310 0.721	1,453/1,466 0.0572/0.0577	0,013/0,076 0.0005/0.0030	
				BC-240-J M59240	1BC-445-P(F)	SP	STD/ 0,254/ 0,508/ 0,762	57,104/57,125 2.2482/2.490	62,006/62,027 2.4412/2.4420	28,780 1.133	2,431/2,443 0.0957/0.0962	0,013/0,076 0.0005/0.0030
				4BC-444-P	SP	STD/ 0,254/ 0,508/ 0,762	57,104/57,125 2.2482/2.490	62,006/62,027 2.4412/2.4420	22,480 0.885	2,431/2,443 0.0957/0.0962	0,013/0,076 0.0005/0.0030	
				BB-607-J B59607	8BB-607-P	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	58,682/58,702 2.3103/2.3111	61,877/61,897 2.4361/2.4369	18,440 0.726	1,575/1,588 0.0620/0.0625	0,013/0,071 0.0005/0.0028
MOTOR 400 C.I.D 6590CC 1976-1982 (U.S.A.)	8	101,60x101,60 4.000x4.000		8BB-607-P	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	58,682/58,702 2.3103/2.3111	61,877/61,897 2.4265/2.4273	18,440 0.726	1,575/1,588 0.0620/0.0625	0,013/0,071 0.0005/0.0028	
				BC-306-J M59306	4BC-823-P	SP	STD/ 0,254/ 0,508/ 0,762	76,185/76,205 2.9994/3.0002	81,082/81,102 3.1922/3.1930	21,340 0.840	2,425/2,438 0.0955/0.0960	0,013/0,066 0.0005/0.0026
				1BC-824-P(F)	SP	STD/ 0,254/ 0,508/ 0,762	76,185/76,205 2.9994/3.0002	81,082/81,102 3.1922/3.1930	28,780 1.133	2,425/2,438 0.0955/0.0960	0,013/0,066 0.0005/0.0026	
				BB-608-J B59608	8BB-608-P	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	58,682/58,702	61,633/61,653	18,440	1,453/1,466	0,013/0,066
MOTOR 351 W 5766CC 8,5:1 1977-1986 (U.S.A.)	8	101,60x88,90 4.000x3.500										

* Itens sob consulta


	Nº Cil										
MOTOR 351 W 5766CC 8,5:1 1977-1986 (U.S.A.)	8	101,60x88,90 4.000x3.500	BC-306-J M59306	4BC-823-P	SP	STD/ 0,254/ 0,508/ 0,762	76,185/76,205 2.9994/3.0002	81,082/81,102 3.1922/3.1930	21,340 0.840	2,425/2,438 0.0955/0.0960	0,013/0,066 0.0005/0.0026
				1BC-824-P(F)	SP	STD/ 0,254/ 0,508/ 0,762	76,185/76,205 2.9994/3.0002	81,082/81,102 3.1922/3.1930	28,780 1.133	2,425/2,438 0.0955/0.0960	0,013/0,066 0.0005/0.0026
MOTOR 351 C.I.D. 5766CC 8,5:1 W 1969-1976 (U.S.A.)	8	101,60x88,90 4.000x3.500	BC-307-J M59307	4BC-825-P	SP	STD/ 0,254/ 0,508/ 0,762	76,185/76,205 2.9994/3.0002	81,082/81,102 3.1922/3.1930	22,350 0.880	2,425/2,438 0.0955/0.0960	0,013/0,066 0.0005/0.0026
				1BC-826-P(F)	SP	STD/ 0,254/ 0,508/ 0,762	76,185/76,205 2.9994/3.0002	81,082/81,102 3.1922/3.1930	28,780 1.133	2,425/2,438 0.0955/0.0960	0,013/0,066 0.0005/0.0026
MOTOR 240 C.I.D. 5929CC 965-1974 (U.S.A.)	6	101,60x80,77 4.000x3.180	BB-609-J B59609	6BB-609-P	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	53,919/53,939 2.1228/2.1236	57,785/57,805 2.2750/2.2758	20,320 0.800	1,910/1,923 0.0755/0.0760	0,013/0,071 0.0005/0.0028
			BC-305-J M59305	6BC-487-C	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	60,914/60,935	65,791/65,811	24,120	2,416/2,428	0,018/0,085
				6BC-821-I	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	60,914/60,935 2.3982/2.3990	65,791/65,811 2.5902/2.5910	24,120 0.950	2,398/2,406 0.0944/0.0947	0,013/0,071 0.0005/0.0028
				1BC-488-P(F)	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	60,914/60,935 2.3982/2.3990	65,791/65,811 2.5902/2.5910	30,340 1.194	2,416/2,428 0.0951/0.0956	0,018/0,085 0.0007/0.0033
MOTOR 289 C.I.D. 728CC 963-1968 (U.S.A.)	8	101,60x72,90 4.000x2.870	BB-214-J B59214	8BB-214-P	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	53,919/53,939 2.1228/2.1236	56,871/56,891 2.2390/2.2398	18,310 0.721	1,453/1,466 0.0572/0.0577	0,013/0,076 0.0005/0.0030
			BC-240-J M59240	1BC-445-P(F)	SP	STD/ 0,254/ 0,508/ 0,762	57,104/57,125 2.2482/2.490	62,006/62,027 2.4412/2.4420	28,780 1.133	2,431/2,443 0.0957/0.0962	0,013/0,076 0.0005/0.0030
				4BC-444-P	SP	STD/ 0,254/ 0,508/ 0,762	57,104/57,125 2.2482/2.490	62,006/62,027 2.4412/2.4420	22,480 0.885	2,431/2,443 0.0957/0.0962	0,013/0,076 0.0005/0.0030
MOTOR 300 C.I.D. 918CC 1,3:1 965-1969 (U.S.A.)	6	101,60x101,09 4.000x3.180	BB-609-J B59609	6BB-609-P	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	53,919/53,939 2.1228/2.1236	57,785/57,805 2.2750/2.2758	20,320 0.800	1,910/1,923 0.0755/0.0760	0,013/0,071 0.0005/0.0028
			BC-305-J M59305	6BC-821-I	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	60,914/60,935 2.3982/2.3990	65,791/65,811 2.5902/2.5910	24,120 0.950	2,398/2,406 0.0944/0.0947	0,013/0,071 0.0005/0.0028
				6BC-487-C	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	60,914/60,935	65,791/65,811	24,120	2,416/2,428	0,018/0,085
				1BC-488-P(F)	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	60,914/60,935 2.3982/2.3990	65,791/65,811 2.5902/2.5910	30,340 1.194	2,416/2,428 0.0951/0.0956	0,018/0,085 0.0007/0.0033
MOTOR 332 C.I.D. 5436CC 958-1959 (U.S.A.)	8	101,60x83,82 4.000x3.300	BB-603-J B59603	8BB-603-P	SP	STD/ 0,25/ 0,50/ 0,75	61,925/61,946 2.4380/2.4388	65,804/65,824 2.5907/2.5915	18,640 0.734	1,917/1,930 0.0755/0.0760	0,013/0,071 0.0005/0.0028
			BC-307-J M59307	1BC-826-P(F)	SP	STD/ 0,254/ 0,508/ 0,762	76,185/76,205 2.9994/3.0002	81,082/81,102 3.1922/3.1930	28,780 1.133	2,425/2,438 0.0955/0.0960	0,013/0,066 0.0005/0.0026
				4BC-825-P	SP	STD/ 0,254/ 0,508/ 0,762	76,185/76,205 2.9994/3.0002	81,082/81,102 3.1922/3.1930	22,350 0.880	2,425/2,438 0.0955/0.0960	0,013/0,066 0.0005/0.0026
MOTOR 351- C.I.D. - W 5766CC 8,5:1 1969-1976 (U.S.A.)	8	101,60x88,90 4.000x3.500	BB-307-J B59307	1BC-826-P(F)	SP	0,25/ 0,50/ 0,75	76,185/76,205 2.9994/3.0002	81,082/81,102 3.1922/3.1930	28,780 1.133	2,425/2,438 0.0955/0.0960	0,013/0,066 0.0005/0.0026
			BB-608-J B59608	8BB-608-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	58,682/58,702	61,633/61,653	18,440	1,453/1,466	0,013/0,066
MOTOR 351 M 5766CC 1977-1982 (U.S.A.)	8	101,60x88,90 4.000x3.500	BB-607-J B59607	8BB-607-P	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	58,682/58,702 2.3103/2.3111	61,877/61,897 2.4361/2.4369	18,440 0.726	1,575/1,588 0.0620/0.0625	0,013/0,071 0.0005/0.0028
			BC-306-J M59306	1BC-824-P(F)	SP	STD/ 0,254/ 0,508/ 0,762	76,185/76,205 2.9994/3.0002	81,082/81,102 3.1922/3.1930	28,780 1.133	2,425/2,438 0.0955/0.0960	0,013/0,066 0.0005/0.0026
				4BC-823-P	SP	STD/ 0,254/ 0,508/ 0,762	76,185/76,205 2.9994/3.0002	81,082/81,102 3.1922/3.1930	21,340 0.840	2,425/2,438 0.0955/0.0960	0,013/0,066 0.0005/0.0026



	Nº Cil										
MOTOR 6.358 5850CC 14,5/15,5:1 CAMINHOES F-600 / F-700 / F-7000 / F-13000 / F-11000	6	104,14x114,30 4.100x4.500	AE-015-J L57015	2AE-015-P	S	STD/ 0,127/ 0,190	93,00/93,25	109,70/109,95		3,07/3,12	
			BG-002-U G57002	6BG-002-U	S	STD-S	36,514/36,520 1.4376/1.4378	40,183/40,221 1.5820/1.5835	35,180 1.385	1,990/2,070 0.0783/0.0815	0,018/0,047 0.0007/0.0019
			EC-027-J H57027	1EC-061-U	S	STD	55,791/55,804 2.1965/2.1970	59,124/59,136 2.3277/2.3282	38,230 1.505	1,616/1,635 0.0636/0.0644	0,050/0,113 0.0020/0.0044
			SBB-150-J SB57150	12SBB-250-C	SP	STD/ 0,25/ 0,50/ 0,75	62,936/62,949 2.4778/2.4783	66,667/66,688 2.6247/2.6255	28,290 1.114	1,824/1,837 0.0718/0.0723	0,044/0,104 0.0017/0.0041
			SBC-153-J SM57153	10SBC-524-C	C	STD/ 0,25/ 0,508/ 0,762/ 1,016	76,175/76,187 2.9990/2.9995	80,582/80,607 3.1725/3.1735	29,010 1.142	2,167/2,180 0.0853/0.0858	0,035/0,098 0.0014/0.0039
				4SBC-525-C	C	STD/ 0,25/ 0,508/ 0,762/ 1,016	76,175/76,187 2.9990/2.9995	80,582/80,607 3.1725/3.1735	37,000 1.457	2,167/2,180 0.0853/0.0858	0,035/0,098 0.0014/0.0039
MOTOR 406 C.I.D. 6638CC 1962-1963 (U.S.A.)	8	104,90x96,01 4.130x3.780	BB-603-J B59603	8BB-603-P	SP	STD/ 0,25/ 0,50/ 0,75	61,925/61,946 2.4380/2.4388	65,804/65,824 2.5907/2.5915	18,640 0.734	1,917/1,930 0.0755/0.0760	0,013/0,071 0.0005/0.0028
MOTOR 428 C.I.D. 6990CC 1966CC-1970 (U.S.A.)	8	104,90x101,09 4.130x3.980		8BB-603-P	SP	STD/ 0,25/ 0,50/ 0,75	61,925/61,946 2.4380/2.4388	65,804/65,824 2.5907/2.5915	18,640 0.734	1,917/1,930 0.0755/0.0760	0,013/0,071 0.0005/0.0028
			BC-303-J M59303	4BC-815-P	SP	0,254/ 0,508/ 0,762	69,809/69,830 2.7484/2.7492	74,706/74,723 2.9412/2.9419	23,160 0.912	2,428/2,441 0.0956/0.0961	0,015/0,081 0.0006/0.0032
				1BC-816-P(F)	SP	0,254/ 0,508/ 0,762	69,809/69,830 2.7484/2.7492	74,706/74,723 2.9412/2.9419	28,400 1.118	2,428/2,441 0.0956/0.0961	0,015/0,081 0.0006/0.0032
MOTOR MWM D-226/4 CAMINHÃO F-4000 4200 17,80:1 CAMINHÃO F-4000	4	105,00x120,00 4.13x4.72	BC-764-P M0130764 CENTRAL	1BC-764-P(F) C/ FURO S/ CANAL	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	64,951/64,970	71,000/71,019	35,84/35,88	2,975/2,987	0,056/0,118
			BG-090-U G13090 EXT. + 0,20	1BG-090-U	S	STD-S	31,993/32,000	36,200/36,216	30,000	2,170/2,300	0,020/0,073
			EC-031-J H13031	1EC-072-U	S	STD/ 1,00-S	42,940/42,960	47,000/47,025	26,000	1,990/2,005	0,030/0,105
			SBB-144-P SB13144	1SBB-144-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,950/57,970	62,000/62,019	27,100	1,980/1,992	0,046/0,109
			SBC-313-P SM13313	1SBC-313-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	64,951/64,970	71,000/71,019	28,100	2,975/2,987	0,056/0,118
			SBC-314-P SM13314 CENTRAL	1SBC-314-P(F) C/ FURO S/ CANAL	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	64,951/64,970	71,000/71,019	35,84/35,88	2,975/2,987	0,056/0,118
MOTOR 427 C.I.D. 6964CC 1963 (U.S.A.) / 1964-1968 (U.S.A.)	8	107,44x96,01 4.230x3.780	BB-603-J B59603	8BB-603-P	SP	STD/ 0,25/ 0,50/ 0,75	61,925/61,946 2.4380/2.4388	65,804/65,824 2.5907/2.5915	18,640 0.734	1,917/1,930 0.0755/0.0760	0,013/0,071 0.0005/0.0028
			BC-303-J M59303	4BC-815-P	SP	0,254/ 0,508/ 0,762	69,809/69,830 2.7484/2.7492	74,706/74,723 2.9412/2.9419	23,160 0.912	2,428/2,441 0.0956/0.0961	0,015/0,081 0.0006/0.0032
				1BC-816-P(F)	SP	0,254/ 0,508/ 0,762	69,809/69,830 2.7484/2.7492	74,706/74,723 2.9412/2.9419	28,400 1.118	2,428/2,441 0.0956/0.0961	0,015/0,081 0.0006/0.0032
MOTOR 460 C.I.D. 8,5:1 1968 ATE 1987 (U.S.A.)	8	110,74x97,80 4.360x3.850	BB-618-J B59618	8BB-617-P	SP	STD/ 0,25/ 0,50/ 0,75	63,480/63,500 2.4992/2.5000	67,366/67,386 2.6522/2.6530	22,000 0.866	1,913/1,925 0.0753/0.0758	0,016/0,081 0.0006/0.0032
			BC-341-J M59341	4BC-855-P	SP	STD/ 0,25/ 0,50	76,185/76,205 2.9994/3.0002	81,082/81,102 3.1922/3.1930	24,130 0.950	2,418/2,431 0.0952/0.0957	0,015/0,081 0.0006/0.0032
				1BC-856-P(F)	SP	STD/ 0,25/ 0,50	76,185/76,205 2.9994/3.0002	81,082/81,102 3.1922/3.1930	28,450 1.120	2,418/2,431 0.0952/0.0957	0,015/0,081 0.0006/0.0032

* Itens sob consulta

	Nº Cil										
MOTOR 474 (7.8)TC 243 CV 6,7:1 CAMINHÃO CARGO C 224, CARGO RAM		111,76x132,08	BB-396-J B26396	6BB-396-P	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	69,850/69,860	74,707/74,717	31,750	2,382/2,395	0,057/0,103
			BC-325-J M26325	6BC-606-P	P	STD/ 0,25/ 0,50/ 0,75	85,614/85,654	92,055/92,075	27,94/28,19	3,149/3,162	0,077/0,163
				1BC-607-P(F)	P	STD/ 0,25/ 0,50/ 0,75	85,634/85,654	92,055/92,065	36,91/36,96	3,149/3,162	0,077/0,133
			EC-124-J H59124	7EC-141-U	B	STD	60,668/60,694	64,376/64,402	19,550	2,120/2,200	0,050/0,102
MOTOR 6.6 FTO-401-NA FASE II CAMINHÃO FORD CARGO C 1114/C 1314/ C 1514 - JULHO 1.985 A OUTUBRO 1.986)	6	111,80x111,80	BB-496-J B26496	6BB-496-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	69,840/69,850	74,707/74,717	35,810	2,395/2,408	0,031/0,077
			BG-084-U G26084	1BG-084-U	S	STD-S			41,150	1,780/1,860	
MOTOR 268(4.4) 382CC (MICRO ONIBUS FB-400, CAMINHÃO F-2000/F-4000)	4	111,80x111,80 4.402x4.402	BB-197-J B26197	4BB-196-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	69,840/69,860 2.7496/2.7504	74,706/74,727 2.9412/2.9420	35,810 1.410	2,395/2,408 0.0943/0.0948	0,030/0,097 0.0012/0.0038
			BC-220-J M26220	1BC-407-P(F)	SP	STD/ 0,25/ 0,50/ 0,75	85,634/85,654 3.3714/3.3722	92,055/92,075 3.6242/3.6250	36,960 1.455	3,162/3,175 0.1245/0.1250	0,051/0,117 0.0020/0.0046
				4BC-406-P	SP	STD/ 0,25/ 0,50/ 0,75	85,634/85,654 3.3714/3.3722	92,055/92,075 3.6242/3.6250	28,190 1.110	3,162/3,175 0.1245/0.1250	0,051/0,117 0.0020/0.0046
			EC-113-J H26113	5EC-141-U	B	STD-S/ 0,50-S	60,668/60,694	64,376/64,402	19,550	2,120/2,200	0,050/0,102
MOTOR 401(6.6)NA FASE II, CAMINHÃO CARGO 1215/1415/1615 A PARTIR DEZ.86)	6	111,80x111,80	BB-496-J B26496	6BB-496-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	69,840/69,850	74,707/74,717	35,810	2,395/2,408	0,031/0,077
			BC-325-J M26325	6BC-606-P	P	STD/ 0,25/ 0,50/ 0,75	85,614/85,654	92,055/92,075	27,94/28,19	3,149/3,162	0,077/0,163
				1BC-607-P(F)	P	STD/ 0,25/ 0,50/ 0,75	85,634/85,654	92,055/92,065	36,91/36,96	3,149/3,162	0,077/0,133
			EC-124-J H59124	7EC-141-U	B	STD	60,668/60,694	64,376/64,402	19,550	2,120/2,200	0,050/0,102
MOTOR 401(6.6)TC FASE II, CAMINHÃO CARGO 1218/1418/1618 A PARTIR DEZ.86)	6	111,80x111,80	BB-397-J B26397	6BB-397-P	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	69,850/69,860	74,707/74,717	35,810	2,395/2,408	0,031/0,077
			BC-325-J M26325	6BC-606-P	P	STD/ 0,25/ 0,50/ 0,75	85,614/85,654	92,055/92,075	27,94/28,19	3,149/3,162	0,077/0,163
				1BC-607-P(F)	P	STD/ 0,25/ 0,50/ 0,75	85,634/85,654	92,055/92,065	36,91/36,96	3,149/3,162	0,077/0,133
			EC-124-J H59124	7EC-141-U	B	STD	60,668/60,694	64,376/64,402	19,550	2,120/2,200	0,050/0,102
MOTOR 6.6 FTO-401-TC FASE I - CAMINHÃO CARGO C1117 / C1317 / C1517) JULHO 1985 A OUTUBRO 1986	6	111,80x111,80	BG-084-U G26084	1BG-084-U	S	STD-S			41,150	1,780/1,860	
			EC-124-J H59124	7EC-141-U	B	STD	60,668/60,694	64,376/64,402	19,550	2,120/2,200	0,050/0,102


* Itens sob consulta

	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR GENESIS TRATORES 5030, 5630, 6630, 7630	111,78		BB-665-J B26665	8BB-396-C	P	STD / .010 / .020 / .030 / .040	69,850/69,860	74,707/74,717	31,50/31,74	2,382/2,395	0,057/0,103
				4BC-606-S	P	STD / .010 / .020 / .030	85,614/85,654	92,055/92,075	27,94/28,19	3,149/3,162	0,077/0,163
				4BC-606-I	P	STD / .010 / .020 / .030	85,614/85,654	92,055/92,075	27,94/28,19	3,149/3,162	0,077/0,163
				1BC-607-S(F)	P	STD / .010 / .020 / .030	85,634/85,654	92,055/92,065	36,91/36,96	3,149/3,162	0,077/0,133
				1BC-607-I(F)	P	STD / .010 / .020 / .030	85,634/85,654	92,055/92,065	36,91/36,96	3,149/3,162	0,077/0,133
MOTOR GENESIS COLHEITADEIRA TC55, TC57 / TRATORES 7830, 8030	111,78		BB-396-J B26396	6BB-396-P	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	69,850/69,860	74,707/74,717	31,750	2,382/2,395	0,057/0,103
MOTOR GENESIS COLHEITADEIRA TC55, TC57 / TRATORES 7830, 8030	111,78		BC-325-J M26325	1BC-607-P(F)	P	STD/ 0,25/ 0,50/ 0,75	85,634/85,654	92,055/92,065	36,91/36,96	3,149/3,162	0,077/0,133
				6BC-606-P	P	STD/ 0,25/ 0,50/ 0,75	85,614/85,654	92,055/92,075	27,94/28,19	3,149/3,162	0,077/0,163

	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR PERKINS 4.203 TRATOR 8-BR 1960-1965	4	91,44x127,00 3.600x5.000	AE-006-J L57006	2AE-106-P	S	STD/ 0,127/ 0,190	77,34/77,60	90,22/90,47		3,07/3,12	
			BG-003-J G57003	3BG-003-U	S	STD-S	31,745/31,750 1.2498/1.2500	34,919/34,955 1.3748/1.3762	26,870 1.058	1,750/1,830 0.0689/0.0720	0,013/0,043 0.0005/0.0017
			EC-017-J H57017	1EC-036-U	S	STD/ 0,25	47,473/47,498 1.8690/1.8700	50,805/50,830 2.0002/2.0012	38,230 1.505	1,612/1,631 0.0635/0.0642	0,045/0,133 0.0018/0.0052
			SBB-038-J SB57038	8SBB-037-C	C	STD/ 0,254/ 0,508/ 0,762/ 1,016/ 1,524	57,112/57,125 2.2485/2.2490	60,833/60,846 2.3950/2.3955	30,230 1.190	1,820/1,833 0.0717/0.0722	0,042/0,094 0.0017/0.0037
			SBC-038-J SM57038	1SBC-318-P	C	STD/ 0,254/ 0,508/ 0,762/ 1,016/ 1,524	69,812/69,825 2.7485/2.7490	74,079/74,105 2.9165/2.9175	32,360 1.274	2,087/2,100 0.0822/0.0827	0,054/0,119 0.0021/0.0047
				4SBC-319-C	C	STD/ 0,254/ 0,508/ 0,762/ 1,016/ 1,524	69,812/69,825 2.7485/2.7490	74,079/74,105 2.9165/2.9175	23,800 0.937	2,087/2,100 0.0822/0.0827	0,054/0,119 0.0021/0.0047
				4SBC-320-C	C	STD/ 0,254/ 0,508/ 0,762/ 1,016/ 1,524	69,812/69,825 2.7485/2.7490	74,079/74,105 2.9165/2.9175	39,170 1.542	2,087/2,100 0.0822/0.0827	0,054/0,119 0.0021/0.0047
MOTOR 4600/4610 16,3:1	3	111,76x111,80 4.400x4.402	BB-196-J B26196	3BB-196-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	69,840/69,860 2.7496/2.7504	74,706/74,727 2.9412/2.9420	35,810 1.410	2,395/2,408 0.0943/0.0948	0,030/0,097 0.0012/0.0038
			BC-219-J M26219	1BC-407-P(F)	SP	STD/ 0,25/ 0,50/ 0,75	85,634/85,654 3.3714/3.3722	92,055/92,075 3.6242/3.6250	36,960 1.455	3,162/3,175 0.1245/0.1250	0,051/0,117 0.0020/0.0046
				3BC-406-P	SP	STD/ 0,25/ 0,50/ 0,75	85,634/85,654 3.3714/3.3722	92,055/92,075 3.6242/3.6250	28,190 1.110	3,162/3,175 0.1245/0.1250	0,051/0,117 0.0020/0.0046
			BG-084-U G26084	1BG-084-U	S	STD-S			41,150	1,780/1,860	
			EC-112-J H26112	4EC-141-U	B	STD-S/ 0,50-S	60,668/60,694	64,376/64,402	19,550	2,120/2,200	0,050/0,102
TRATOR 5600-6600 RETROESCAVADEIRA 6600 / TRATOR 5610	4	111,76x106,70 4.400x4.201	BB-197-J B26197	4BB-196-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	69,840/69,860 2.7496/2.7504	74,706/74,727 2.9412/2.9420	35,810 1.410	2,395/2,408 0.0943/0.0948	0,030/0,097 0.0012/0.0038
			BC-220-J M26220	4BC-406-P	SP	STD/ 0,25/ 0,50/ 0,75	85,634/85,654 3.3714/3.3722	92,055/92,075 3.6242/3.6250	28,190 1.110	3,162/3,175 0.1245/0.1250	0,051/0,117 0.0020/0.0046
				1BC-407-P(F)	SP	STD/ 0,25/ 0,50/ 0,75	85,634/85,654 3.3714/3.3722	92,055/92,075 3.6242/3.6250	36,960 1.455	3,162/3,175 0.1245/0.1250	0,051/0,117 0.0020/0.0046
			BG-084-U G26084	1BG-084-U	S	STD-S			41,150 1.620	1,780/1,860 0.0701/0.0732	
			EC-113-J H26113	5EC-141-U	B	STD-S/ 0,50-S	60,668/60,694 2.3885/2.3895	64,376/64,402 2.5345/2.5355	19,550 0.770	2,120/2,200 0.0835/0.0866	0,050/0,102 0.0020/0.0040
TRATOR 4810 ALC. 11,8:1 (TRATOR 6600/6610)	4	111,80x111,80 4.402x4.402	BB-197-J B26197	4BB-196-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	69,840/69,860 2.7496/2.7504	74,706/74,727 2.9412/2.9420	35,810 1.410	2,395/2,408 0.0943/0.0948	0,030/0,097 0.0012/0.0038
			BC-220-J M26220	4BC-406-P	SP	STD/ 0,25/ 0,50/ 0,75	85,634/85,654 3.3714/3.3722	92,055/92,075 3.6242/3.6250	28,190 1.110	3,162/3,175 0.1245/0.1250	0,051/0,117 0.0020/0.0046
				1BC-407-P(F)	SP	STD/ 0,25/ 0,50/ 0,75	85,634/85,654 3.3714/3.3722	92,055/92,075 3.6242/3.6250	36,960 1.455	3,162/3,175 0.1245/0.1250	0,051/0,117 0.0020/0.0046
			BG-084-U G26084	1BG-084-U	S	STD-S			41,150 1.620	1,780/1,860 0.0701/0.0732	
			EC-113-J H26113	5EC-141-U	B	STD-S/ 0,50-S	60,668/60,694 2.3885/2.3895	64,376/64,402 2.5345/2.5355	19,550 0.770	2,120/2,200 0.0835/0.0866	0,050/0,102 0.0020/0.0040
MOTOR OHV 201 282CC	3	111,80x111,80 4.402x4.402	BB-196-J B26196	3BB-196-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	69,840/69,860 2.7496/2.7504	74,706/74,727 2.9412/2.9420	35,810 1.410	2,395/2,408 0.0943/0.0948	0,030/0,097 0.0012/0.0038
			BC-219-J M26219	1BC-407-P(F)	SP	STD/ 0,25/ 0,50/ 0,75	85,634/85,654 3.3714/3.3722	92,055/92,075 3.6242/3.6250	36,960 1.455	3,162/3,175 0.1245/0.1250	0,051/0,117 0.0020/0.0046
				3BC-406-P	SP	STD/ 0,25/ 0,50/ 0,75	85,634/85,654 3.3714/3.3722	92,055/92,075 3.6242/3.6250	28,190 1.110	3,162/3,175 0.1245/0.1250	0,051/0,117 0.0020/0.0046
			BG-084-U G26084	1BG-084-U	S	STD-S			41,150	1,780/1,860	
			EC-112-J H26112	4EC-141-U	B	STD-S/ 0,50-S	60,668/60,694	64,376/64,402	19,550	2,120/2,200	0,050/0,102

FORD TRATORES



														
MOTOR OHV 256 MOTOR 4.2	Nº Cil		Códigos Metal Leve MAHLE											
MOTOR OHV 256 MOTOR 4.2	4	111,80x106,70 4.402x4.201	BB-197-J B26197	4BB-196-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	69,840/69,860 2.7496/2.7504	74,706/74,727 2.9412/2.9420	35,810 1.410	2,395/2.408 0.0943/0.0948	0,030/0,097 0.0012/0.0038			
			BC-220-J M26220	1BC-407-P(F)	SP	STD/ 0,25/ 0,50/ 0,75	85,634/85,654 3.3714/3.3722	92,055/92,075 3.6242/3.6250	36,960 1.455	3,162/3,175 0.1245/0.1250	0,051/0,117 0.0020/0.0046			
				4BC-406-P	SP	STD/ 0,25/ 0,50/ 0,75	85,634/85,654 3.3714/3.3722	92,055/92,075 3.6242/3.6250	28,190 1.110	3,162/3,175 0.1245/0.1250	0,051/0,117 0.0020/0.0046			
			BG-084-U G26084	1BG-084-U	S	STD-S			41,150 1.620	1,780/1,860 0.0701/0.0732				
			EC-113-J H26113	5EC-141-U	B	STD-S/ 0,50-S	60,668/60,694 2.3885/2.3895	64,376/64,402 2.5345/2.5355	19,550 0.770	2,120/2,200 0.0835/0.0866	0,050/0,102 0.0020/0.0040			
			MOTOR OHV 268 MOTOR 4.4 4383CC 16,3:1	4	111,80x111,80 4.402x4.402	BB-197-J B26197	4BB-196-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	69,840/69,860 2.7496/2.7504	74,706/74,727 2.9412/2.9420	35,810 1.410	2,395/2,408 0.0943/0.0948	0,030/0,097 0.0012/0.0038
						BC-220-J M26220	4BC-406-P	SP	STD/ 0,25/ 0,50/ 0,75	85,634/85,654 3.3714/3.3722	92,055/92,075 3.6242/3.6250	28,190 1.110	3,162/3,175 0.1245/0.1250	0,051/0,117 0.0020/0.0046
							1BC-407-P(F)	SP	STD/ 0,25/ 0,50/ 0,75	85,634/85,654 3.3714/3.3722	92,055/92,075 3.6242/3.6250	36,960 1.455	3,162/3,175 0.1245/0.1250	0,051/0,117 0.0020/0.0046
						BG-084-U G26084	1BG-084-U	S	STD-S			41,150 1.620	1,780/1,860 0.0701/0.0732	
						EC-113-J H26113	5EC-141-U	B	STD-S/ 0,50-S	60,668/60,694 2.3885/2.3895	64,376/64,402 2.5345/2.5355	19,550 0.770	2,120/2,200 0.0835/0.0866	0,050/0,102 0.0020/0.0040

* Itens sob consulta

GENERAL MOTORS



												
Nº Cil		Códigos Metal Leve MAHLE										
MOTOR 4.2L L6	6		BC-559-J M0140559	7BC-1059-I	C	STD/ 0,25/ 0,50/ 0,75	69,968/69,984	78,070/78,088	20,48/20,68	4,039/4,046	0,006/0,042	
				6BC-1059-S	C	STD/ 0,25/ 0,50/ 0,75	69,968/69,984	78,070/78,088	20,48/20,68	4,039/4,046	0,006/0,054	
				1BC-1380-S(F)	C	STD/ 0,25/ 0,50/ 0,75	69,968/69,984	78,070/78,088	25,15/25,35	4,039/4,046	0,006/0,042	
MOTOR 2.8L DOHC	4	BC-706-J M14706	4BC-1059-S	C	STD/ 0,25/ 0,50/ 0,75	69,968/69,984	78,070/78,088	20,48/20,68	4,039/4,046	-0,006/0,054		
			5BC-1059-I	C	STD/ 0,25/ 0,50/ 0,75	69,968/69,984	78,070/78,088	20,48/20,68	4,039/4,046	-0,006/0,042		
			1BC-1380-S(F)	C	STD/ 0,25/ 0,50/ 0,75	69,968/69,984	78,070/78,088	25,15/25,35	4,039/4,046	-0,006/0,042		
MOTOR 3.5L L5 COLORADO (2003->2006)	5	BC-730-J M14730	6BC-1059-I	C	STD/ 0,25/ 0,50	69,968/69,984	78,070/78,088	20,48/20,68	4,039/4,046	0,006/0,042		
			5BC-1059-S	C	STD/ 0,25/ 0,50	69,968/69,984	78,070/78,088	20,48/20,68	4,039/4,046	0,006/0,054		
			1BC-1380-S(F)	C	STD/ 0,25/ 0,50	69,968/69,984	78,070/78,088	25,15/25,35	4,039/4,046	0,006/0,042		
Motor 2.0 8v / 2.4 8v e 16v Astra, Vectra, Zafira, Blazer, S10 - Flex (Jogo composto por 1 bronzina central flange móvel) - EO: 93339704	4	BC-684-J M0140684	4BC-588-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,982/57,995	62,000/62,013	19,250/19,500	1,986/1,996	0,013/0,059		
			5BC-1158-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,982/57,995	62,006/62,013	19,250/19,500	1,991/1,999	0,007/0,049		
			1BC-1354-S(F)	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,982/57,988	62,006/62,013	25,770/25,970	1,986/1,996	0,026/0,061		
Motor 2.4 8v N24XF / X24XF - S10 - 2012-> - Flex (Jogo composto por 2 bronzinas centrais flange móvel) - EO: 93350136	4	BC-869-J M0140869	4BC-588-C	C	STD/ 0,25/ 0,50	57,982/57,995	62,000/62,013	19,250/19,500	1,986/1,996	0,013/0,059		
			4BC-1158-I	C	STD/ 0,25/ 0,50	57,982/57,995	62,000/62,013	19,250/19,500	1,991/1,999	0,007/0,049		
			2BC-1354-S	C	STD/ 0,25/ 0,50	57,982/57,995	62,000/62,013	25,770/25,970	1,986/1,996	0,013/0,059		
MOTOR 1.0L E.F.I. / M.P.F.I Corsa, Onix (Gasolina/ Flex)	4	71,10x62,90	SBB-271-J SB14271	8SBB-1046-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	42,971/42,987	46,000/46,012	16,60	1,487/1,495	0,023/0,067	
				SBC-452-J SM14452	8SBC-643-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,980/54,997	59,000/59,013	19,49	1,989/1,995	0,013/0,047
				2SBC-644-C(F)	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,980/54,997	59,000/59,013	25,90; 26,10; 26,30	1,989/1,995	0,019/0,071	
MOTOR 1.3N/1.3S O.H.C. 1297CC 8,2/9,2:1 (ASCONA 1.3N,L,J,SR,CD,LS,GL,GLS .BERLINA,S,LUXUS / CORSA 1.3S,TR,SR,L,LS,GL,GLS,G T,BERLINA,SPRINT C / KADETT 1.3N,L,J,LS,GL,GLS,BERLI NA,VOYAGE,S,SR,LUX / KADETT 1.3 SPECI- AL,CARAVAN /MANTA 1.3N,L,C.C.,S,GT,J,SR BERLINETTA 1297 CC C.R. 1979 EM DIANTE)	4	75,00x73,40 2.9528x2.8898	SBB-271-J SB14271	8SBB-1046-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	42,971/42,987	46,000/46,012	16,60	1,487/1,495	0,023/0,067	
				SBC-452-J SM14452	8SBC-643-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,980/54,997 2.1646/2.1652	59,000/59,013 2.3228/2.3233	19,50 0.768	1,989/1,995 0.078/0.079	0,019/0,071 0.0007/0.0028
				8SBB-1046-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	42,971/42,987	46,000/46,012	16,60	1,487/1,495	0,023/0,067	




* Itens sob consulta

MAHLE



GENERAL MOTORS

MAHLE



M **MAHLE®**
METAL LEVER
322 | © MAHLE 2019/2020

	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR 1.8L SOHC CORSA, MERIVA, MONTANA (Gasolina e Flex)	4	80,50x88,20	SBB-271-J SB14271	8SBB-1046-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	42,971/42,987	46,000/46,012	16,60	1,487/1,495	0,023/0,067
			SBC-452-J SM14452	8SBC-643-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,980/54,997	59,000/59,013	19,49	1,989/1,995	0,013/0,047
			2SBC-644-C(F)	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,980/54,997	59,000/59,013	25,90	1,989/1,995	0,013/0,047	
MOTOR 1.4- 10,5:1 ALC. (CHEVETTE / HATCH)	4	82,00x66,20 3.228x2.606	SBB-163-J SB14163	8SBB-2163-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	45,958/45,984 1.8094/1.8104	49,000/49,012 1.9291/1.9296	19,050 0.750	1,490/1,500 0.0587/0.0591	0,016/0,074 0.0006/0.0029
MOTOR 1.6. 1599CC 7,8:1 (CHEVETTE / HATCH / MARAJÓ ATE 82)	4		SBC-545-J SM14545	1SBC-552-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,978/51,013	54,987/55,013	23,85/23,90	1,968/1,980	0,014/0,090
				4SBC-2551-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,978/51,013	54,987/55,013	17,75/18,00	1,972/1,980	0,014/0,082
				1SBC-552-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,978/51,013	54,987/55,013	23,85/23,90	1,968/1,980	0,014/0,090
				4SBC-2551-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,978/51,013	54,987/55,013	17,75/18,00	1,972/1,980	0,014/0,082
MOTOR 1.4. 1398CC 7,8:1 (GAS CHEVETTE)	4	82,00x66,20 3.228x2.606	SBB-163-J SB14163	8SBB-2163-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	45,958/45,984 1.8094/1.8104	49,000/49,012 1.9291/1.9296	19,050 0.750	1,490/1,500 0.0587/0.0591	0,016/0,074 0.0006/0.0029
			SBC-545-J SM14545	4SBC-2551-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,978/51,013	54,987/55,013	17,75/18,00	1,972/1,980	0,014/0,082
				4SBC-2551-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,978/51,013	54,987/55,013	17,75/18,00	1,972/1,980	0,014/0,082
				1SBC-552-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,978/51,013	54,987/55,013	23,85/23,90	1,968/1,980	0,014/0,090
				1SBC-552-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,978/51,013	54,987/55,013	23,85/23,90	1,968/1,980	0,014/0,090
MOTOR 1.4 8,5:1 (CHEVETTE GP-II)	4	82,00x66,20 3.228x2.606	SBB-163-J SB14163	8SBB-2163-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	45,958/45,984 1.8094/1.8104	49,000/49,012 1.9291/1.9296	19,050 0.750	1,490/1,500 0.0587/0.0591	0,016/0,074 0.0006/0.0029
			SBC-545-J SM14545	4SBC-2551-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,978/51,013	54,987/55,013	17,75/18,00	1,972/1,980	0,014/0,082
				4SBC-2551-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,978/51,013	54,987/55,013	17,75/18,00	1,972/1,980	0,014/0,082
				1SBC-552-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,978/51,013	54,987/55,013	23,85/23,90	1,968/1,980	0,014/0,090
				1SBC-552-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,978/51,013	54,987/55,013	23,85/23,90	1,968/1,980	0,014/0,090
MOTOR 1.4 9,2:1 (CHEVETTE GP)	4	82,00x66,20 3.228x2.606	SBB-163-J SB14163	8SBB-2163-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	45,958/45,984 1.8094/1.8104	49,000/49,012 1.9291/1.9296	19,050 0.750	1,490/1,500 0.0587/0.0591	0,016/0,074 0.0006/0.0029
			SBC-545-J SM14545	4SBC-2551-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,978/51,013	54,987/55,013	17,75/18,00	1,972/1,980	0,014/0,082
				4SBC-2551-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,978/51,013	54,987/55,013	17,75/18,00	1,972/1,980	0,014/0,082
				1SBC-552-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,978/51,013	54,987/55,013	23,85/23,90	1,968/1,980	0,014/0,090




* Itens sob consulta

	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR 1.4 9,2:1 (CHEVETTE GP)	4	82,00x66,20 3.228x2.606	SBC-545-J SM14545	1SBC-552-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,978/51,013	54,987/55,013	23,85/23,90	1,968/1,980	0,014/0,090
MOTOR 1.6 S 11,5:1 ALC.(CHEVETTE 1.6S / MARAJÓ / CHEVY 500) A PARTIR DO MOTOR Nº 6JH250A-569/9 DE 1987 EM DIANTE	4	82,00x75,40 3.228x2.969	BC-343-J M14343	1BC-2551-I	C	STD	50,987/51,013	54,987/55,013	17,75/18,00	1,972/1,980	0,014/0,082
				3BC-2345-C	C	STD	50,987/51,013	54,987/55,013	17,75/18,00	1,972/1,980	0,014/0,082
				4BC-553-I		STD	51,000/51,013	54,987/55,000	17,75/18,00	1,963/1,975	0,024/0,074
				1BC-552-S(F)	SP	STD	50,987/51,013	54,987/55,013	23,85/23,90	1,968/1,980	0,014/0,090
				1BC-554-I	SP	STD	54,987/55,000	51,000/51,013	23,85/23,90	1,963/1,975	0,024/0,074
			SBB-163-J SB14163	8SBB-2163-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	45,958/45,984 1.8094/1.8104	49,000/49,012 1.9291/1.9296	19,050 0.750	1,490/1,500 0.0587/0.0591	0,016/0,074 0.0006/0.0029
			SBC-545-J SM14545	4SBC-2551-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,978/51,013	54,987/55,013	17,75/18,00	1,972/1,980	0,014/0,082
				4SBC-2551-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,978/51,013	54,987/55,013	17,75/18,00	1,972/1,980	0,014/0,082
				1SBC-552-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,978/51,013	54,987/55,013	23,85/23,90	1,968/1,980	0,014/0,090
				1SBC-552-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,978/51,013	54,987/55,013	23,85/23,90	1,968/1,980	0,014/0,090
MOTOR 1.6 S. 8,8:1 GAS.(CHEVETTE 1.6S / MARAJÓ / CHEVY 500) A PARTIR DO MOTOR Nº 6JH250A-569/9 DE 1987 EM DIANTE	4	82,00x75,40 3.228x2.969	BC-343-J M14343	4BC-553-I		STD	51,000/51,013	54,987/55,000	17,75/18,00	1,963/1,975	0,024/0,074
				1BC-552-S(F)	SP	STD	50,987/51,013	54,987/55,013	23,85/23,90	1,968/1,980	0,014/0,090
				3BC-2345-C	C	STD	50,987/51,013	54,987/55,013	17,75/18,00	1,972/1,980	0,014/0,082
				1BC-2551-I	C	STD	50,987/51,013	54,987/55,013	17,75/18,00	1,972/1,980	0,014/0,082
				1BC-554-I	SP	STD	54,987/55,000	51,000/51,013	23,85/23,90	1,963/1,975	0,024/0,074
			SBB-163-J SB14163	8SBB-2163-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	45,958/45,984 1.8094/1.8104	49,000/49,012 1.9291/1.9296	19,050 0.750	1,490/1,500 0.0587/0.0591	0,016/0,074 0.0006/0.0029
			SBC-545-J SM14545	4SBC-2551-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,978/51,013	54,987/55,013	17,75/18,00	1,972/1,980	0,014/0,082
				1SBC-552-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,978/51,013	54,987/55,013	23,85/23,90	1,968/1,980	0,014/0,090
				1SBC-552-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,978/51,013	54,987/55,013	23,85/23,90	1,968/1,980	0,014/0,090
				4SBC-2551-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,978/51,013	54,987/55,013	17,75/18,00	1,972/1,980	0,014/0,082
MOTOR 1.6 8,5:1 GAS. (CHEVETTE / HATCH / MARAJÓ / CHEVY 500) 1983-1986	4	82,00x66,20 3.228x2.606	SBB-163-J SB14163	8SBB-2163-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	45,958/45,984 1.8094/1.8104	49,000/49,012 1.9291/1.9296	19,050 0.750	1,490/1,500 0.0587/0.0591	0,016/0,074 0.0006/0.0029
			SBC-545-J SM14545	4SBC-2551-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,978/51,013	54,987/55,013	17,75/18,00	1,972/1,980	0,014/0,082
				4SBC-2551-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,978/51,013	54,987/55,013	17,75/18,00	1,972/1,980	0,014/0,082
				1SBC-552-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,978/51,013	54,987/55,013	23,85/23,90	1,968/1,980	0,014/0,090


* Itens sob consulta

	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR 1.6.. 8,5:1 GAS. (CHEVETTE / HATCH / MARAJÓ / CHEVY 500) 1983-1986	4	82,00x66,20 3.228x2.606	SBC-545-J SM14545	1SBC-552-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,978/51,013	54,987/55,013	23,85/23,90	1,968/1,980	0,014/0,090
MOTOR 1.6... 12,0:1 ALC.. (CHEVETTE / HATCH / MARAJÓ / CHEVY 500) 1983-1986	4	82,00x66,20 3.228x2.606	SBB-163-J SB14163	8SBB-2163-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	45,958/45,984 1.8094/1.8104	49,000/49,012 1.9291/1.9296	19,050 0.750	1,490/1,500 0.0587/0.0591	0,016/0,074 0.0006/0.0029
			SBC-545-J SM14545	1SBC-552-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,978/51,013	54,987/55,013	23,85/23,90	1,968/1,980	0,014/0,090
				1SBC-552-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,978/51,013	54,987/55,013	23,85/23,90	1,968/1,980	0,014/0,090
				4SBC-2551-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,978/51,013	54,987/55,013	17,75/18,00	1,972/1,980	0,014/0,082
				4SBC-2551-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,978/51,013	54,987/55,013	17,75/18,00	1,972/1,980	0,014/0,082
MOTOR 85 C.I.D. 1400CC 1976-1977 (U.S.A.)	4	82,00x66,19 3.228x2.606	BC-175-J M14175	4BC-2345-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,987/51,013 2.0074/2.0084	54,987/55,013 2.1648/2.1659	18,000 0.709	1,963/1,975 0.0773/0.0778	0,0240/0,1000 0.0009/0.0039
				1BC-859-P(F)	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,987/51,013 2.0074/2.0084	54,987/55,013 2.1648/2.1659	23,900 0.941	1,963/1,975 0.0773/0.0778	0,0240/0,1000 0.0009/0.0039
			SBB-163-J SB14163	8SBB-2163-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	45,958/45,984 1.8094/1.8104	49,000/49,012 1.9291/1.9296	19,050 0.750	1,490/1,500 0.0587/0.0591	0,016/0,074 0.0006/0.0029
MOTOR 97.6 C.I.D. 1600CC 1976-1987 (U.S.A.)	4	82,00x75,69 3.228x2.980	BC-175-J M14175	1BC-859-P(F)	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,987/51,013 2.0074/2.0084	54,987/55,013 2.1648/2.1659	23,900 0.941	1,963/1,975 0.0773/0.0778	0,0240/0,1000 0.0009/0.0039
				4BC-2345-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,987/51,013 2.0074/2.0084	54,987/55,013 2.1648/2.1659	18,000 0.709	1,963/1,975 0.0773/0.0778	0,0240/0,1000 0.0009/0.0039
			SBB-163-J SB14163	8SBB-2163-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	45,958/45,984 1.8094/1.8104	49,000/49,012 1.9291/1.9296	19,050 0.750	1,490/1,500 0.0587/0.0591	0,016/0,074 0.0006/0.0029
MOTOR 1.8L 1796CC 8,8:1 GAS (FASE II) MOD.87 A PARTIR DO 00001, MOTOR Nº 18LVH-31	4	84,80x79,50 3.339x3.130	SBB-1313-J SB141313 93295863	8SBB-1313-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	48,971/48,987	52,000/52,012	19,30	1,491/1,499	0,013/0,061
			SBC-272-J SM14272	8SBC-588-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,988/57,995 2.2830/2.2833	62,000/62,006 2.4409/2.4412	19,500 0.768	1,989/1,995 0.0783/0.0785	0,015/0,040 0.0006/0.0016
				2SBC-589-C(F)	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,988/57,995 2.2830/2.2833	62,000/62,006 2.4409/2.4412	25,900 1.020	1,989/1,995 0.0783/0.0785	0,015/0,040 0.0006/0.0016
MOTOR 1.8 11,8:1 ALC. MOD. 87 A PARTIR DO MOTOR No 18YVH-31-00001	4	84,80x79,50 3.339x3.130	SBB-1313-J SB141313 93295863	8SBB-1313-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	48,971/48,987	52,000/52,012	19,30	1,491/1,499	0,013/0,061
			SBC-272-J SM14272	8SBC-588-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,988/57,995 2.2830/2.2833	62,000/62,006 2.4409/2.4412	19,500 0.768	1,989/1,995 0.0783/0.0785	0,015/0,040 0.0006/0.0016
				2SBC-589-C(F)	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,988/57,995 2.2830/2.2833	62,000/62,006 2.4409/2.4412	25,900 1.020	1,989/1,995 0.0783/0.0785	0,015/0,040 0.0006/0.0016
				8SBC-588-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,988/57,995 2.2830/2.2833	62,000/62,006 2.4409/2.4412	19,500 0.768	1,989/1,995 0.0783/0.0785	0,015/0,040 0.0006/0.0016
				2SBC-589-C(F)	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,988/57,995 2.2830/2.2833	62,000/62,006 2.4409/2.4412	25,900 1.020	1,989/1,995 0.0783/0.0785	0,015/0,040 0.0006/0.0016


* Itens sob consulta

	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR 1.8 A 796CC 2,0:1 (FASE I) ALC. MONZA 2P/4P / HATCHBACK 1982-1986	4	84,80x79,50	SBB-1313-J SB141313 93295863	8SBB-1313-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	48,971/48,987	52,000/52,012	19,30	1,491/1,499	0,013/0,061
			SBC-272-J SM14272	2SBC-589-C(F)	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,988/57,995 2.2830/2.2833	62,000/62,006 2.4409/2.4412	25,900 1.020	1,989/1,995 0.0783/0.0785	0,015/0,040 0.0006/0.0016
			8SBC-588-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,988/57,995 2.2830/2.2833	62,000/62,006 2.4409/2.4412	19,500 0.768	1,989/1,995 0.0783/0.0785	0,015/0,040 0.0006/0.0016	
MOTOR 1.8 L/G 8,0:1/8,4:1 (FASE I) GAS.	4	84,80x79,50	SBB-1313-J SB141313 93295863	8SBB-1313-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	48,971/48,987	52,000/52,012	19,30	1,491/1,499	0,013/0,061
			SBC-272-J SM14272	8SBC-588-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,988/57,995 2.2830/2.2833	62,000/62,006 2.4409/2.4412	19,500 0.768	1,989/1,995 0.0783/0.0785	0,015/0,040 0.0006/0.0016
			2SBC-589-C(F)	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,988/57,995 2.2830/2.2833	62,000/62,006 2.4409/2.4412	25,900 1.020	1,989/1,995 0.0783/0.0785	0,015/0,040 0.0006/0.0016	
MOTOR 1.8. 11,8:1 ALC. MOD. 87 A PARTIR DO MOTOR No 18YVH-31-00001	4	84,80x79,50 3.339x3.130	SBB-1313-J SB141313 93295863	8SBB-1313-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	48,971/48,987	52,000/52,012	19,30	1,491/1,499	0,013/0,061
			SBC-272-J SM14272	8SBC-588-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,988/57,995 2.2830/2.2833	62,000/62,006 2.4409/2.4412	19,500 0.768	1,989/1,995 0.0783/0.0785	0,015/0,040 0.0006/0.0016
			2SBC-589-C(F)	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,988/57,995 2.2830/2.2833	62,000/62,006 2.4409/2.4412	25,900 1.020	1,989/1,995 0.0783/0.0785	0,015/0,040 0.0006/0.0016	
MOTOR 2.0 8,8:1 MOD. 88 EM DIANTE (MONZA SLE, CLASSIC, SR, EFI, MPFI / VECTRA GLS, CD / KADETT / IPANEMA, LS EFI / MPFI)	4	86,00x86,00 3.386x3.386	SBB-1313-J SB141313 93295863	8SBB-1313-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	48,971/48,987	52,000/52,012	19,30	1,491/1,499	0,013/0,061
			SBC-272-J SM14272	8SBC-588-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,988/57,995 2.2830/2.2833	62,000/62,006 2.4409/2.4412	19,500 0.768	1,989/1,995 0.0783/0.0785	0,0150/0,0400 0.0006/0.0016
			2SBC-589-C(F)	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,988/57,995 2.2830/2.2833	62,000/62,006 2.4409/2.4412	25,900 1.020	1,989/1,995 0.0783/0.0785	0,0150/0,0400 0.0006/0.0016	
MOTOR 2.0L/2.2L 16V FAMILIA II GASOLINA VECTRA, ASTRA, ZAFIRA, MERIVA (NACIONAL)	4	86,00x94,00	BC-505-J M14505	1BC-688-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,982/57,995	62,000/62,013	19,25/19,50	1,986/1,996	0,013/0,059
				1BC-689-I(F)	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,988/57,995	62,006/62,013	25,85/25,90	1,986/1,996	0,013/0,059
				1BC-589-C(F)	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,982/57,995	62,000/62,013	25,85/25,90	1,986/1,996	0,013/0,059
				7BC-588-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,982/57,995	62,000/62,013	19,25/19,50	1,986/1,996	0,013/0,059
			SBB-1313-J SB141313 93295863	8SBB-1313-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	48,971/48,987	52,000/52,012	19,30	1,491/1,499	0,013/0,061
MOTOR 2.0. 1998CC 11,8:1 ALC. MOD 87 A PARTIR DO MOTOR No 20YVH-31-00001 (MONZA SL / SLE / CLASSIC / SR / KADETT / IPANEMA / GS)	4	86,00x86,00 3.386x3.386	SBC-272-J SM14272	8SBC-588-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,988/57,995 2.2830/2.2833	62,000/62,006 2.4409/2.4412	19,500 0.768	1,989/1,995 0.0783/0.0785	0,0150/0,0400 0.0006/0.0016



* Itens sob consulta

	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR 2.0. 1998CC 11,8:1 ALC. MOD 87 A PARTIR DO MOTOR No 20YVH-31-00001 (MONZA SL / SLE / CLASSIC / SR / KADETT / PANEMA / GS)	4	86,00x86,00 3.386x3.386	SBC-272-J SM14272	2SBC-589-C(F)	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,988/57,995 2.2830/2.2833	62,000/62,006 2.4409/2.4412	25,900 1.020	1,989/1,995 0.0783/0.0785	0,0150/0,0400 0.0006/0.0016
MOTOR 2.2 SHC (OMEGA GLS /CD /S-10)	4	86,00x94,00 3.386x3.724	SBB-1313-J SB141313 93295863	8SBB-1313-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	48,971/48,987	52,000/52,012	19,30	1,491/1,499	0,013/0,061
			SBC-272-J SM14272	8SBC-588-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,988/57,995 2.2830/2.2833	62,000/62,006 2.4409/2.4412	19,500 0.768	1,989/1,995 0.0783/0.0785	0,0150/0,0400 0.0006/0.0016
				2SBC-589-C(F)	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,988/57,995 2.2830/2.2833	62,000/62,006 2.4409/2.4412	25,900 1.020	1,989/1,995 0.0783/0.0785	0,0150/0,0400 0.0006/0.0016
MOTOR 2.4L 8v/16v Família II Gas/Flex 2400 c.c. BLAZER - VECTRA - S10 - (EMPILHADEIRA)	4	87,50x99,83 3.44x3.93	BC-744-J M14744 93339705	4BC-588-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,982/57,995	62,000/62,013	19,25/19,50	1,986/1,996	0,013/0,059
				4BC-1158-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,982/57,995	62,000/62,013	19,25/19,50	1,991/1,999	0,007/0,049
				1BC-589-C(F) Flange Rígido	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,982/57,995	62,000/62,013	25,85/25,90	1,986/1,996	0,013/0,059
				1BC-1159-I(F) Flange Rígido	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,982/57,995	62,000/62,013	25,85/25,90	1,991/1,999	0,007/0,049
			SBB-1313-J SB141313 93295863	8SBB-1313-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	48,971/48,987	52,000/52,012	19,30	1,491/1,499	0,013/0,061
MOTOR ECOTEC 2.4L 16V VVT GASOLINA CAPTIVA (09->)	4	88	BB-721-J B0140721 12591093	8BB-1353-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	49,000/49,014	52,118/52,134	20,05/20,30	1,539/1,545	0,023/0,066
			BC-830-J M0140830 12591092	4BC-1185-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	55,994/56,008	64,068/64,082	19,60/19,80	4,030/4,037	0,035/0,080
				4BC-1185-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	55,994/56,008	64,068/64,082	19,60/19,80	4,030/4,037	0,035/0,080
				1BC-1191-I(F)	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	55,994/56,008	64,068/64,082	26,26/26,46	4,036/4,043	0,021/0,065
				1BC-1191-S(F)	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	55,994/56,008	64,068/64,082	26,26/26,46	4,036/4,043	0,021/0,065
MOTOR 200 C.I.D 3292CC 8,3:1 V6 1978-1979 (U.S.A.)	6	88,90x88,39 3.500x3.480	BC-317-J M14317	1BC-804-P(F)	SP	STD/ 0,25/ 0,50/ 0,75	62,180/62,200	67,071/67,094	43,630	2,412/2,425	0,021/0,091
				3BC-803-S	SP	STD/ 0,25/ 0,50/ 0,75	62,180/62,200	67,071/67,094	20,500	2,412/2,425	0,021/0,091
				3BC-331-I	SP	STD/ 0,25/ 0,50/ 0,75	62,180/62,200	67,071/67,094	20,50	2,412/2,425	0,021/0,091
MOTOR 267 C.I.D.	8	88,90x88,39	BC-424-J M14424	4BC-803-S	SP	.010 / .020 / .030	62,180/62,200	67,071/67,094	20,50	2,425	0,021/0,090
				4BC-331-I	SP	.010 / .020 / .030	62,180/62,200	67,071/67,094	20,50	2,425	0,021/0,090
				1BC-804-P(F)	SP	.010 / .020 / .030	62,180/62,200	67,071/67,094	43,63	2,425	0,021/0,090
MOTOR 173 C.I.D.. 2800CC 8,5:1 1980-1985	6	89,00x76,20	BB-285-J B14285	6BB-624-P	SP	STD/ 0,254/ 0,508/ 0,762	50,760/50,790	53,962/53,988	18,260	1,567/1,580	0,0180/0,0940
			BC-378-J M14378	1BC-863-P	SP	STD/ 0,254/ 0,508/ 0,762	63,340/63,363 2.4937/2.4946	68,249/68,275 2.6870/2.6880	23,927 0.942	2,418/2,431 0.0952/0.0957	0,025/0,099 0.0010/0.0039


* Itens sob consulta

	Nº Cil		 Códigos Metal Leve MAHLE									
MOTOR 173 C.I.D.. 2800CC 8,5:1 1980-1985	6	89,00x76,20	BC-378-J M14378	1BC-864-P	SP	STD/ 0,254/ 0,508/ 0,762	63,340/63,363 2.4937/2.4946	68,249/68,275 2.6870/2.6880	31,750 1.250	2,418/2,431 0.0952/0.0957	0,025/0,099 0.0010/0.0039	
				1BC-862-S	SP	STD/ 0,254/ 0,508/ 0,762	63,340/63,363 2.4937/2.4946	68,249/68,275 2.6870/2.6880	18,840 0.742	2,418/2,431 0.0952/0.0957	0,025/0,099 0.0010/0.0039	
				1BC-874-I	SP	STD/ 0,254/ 0,508/ 0,762	63,340/63,363 2.4937/2.4946	68,249/68,275 2.6870/2.6880	18,847 0.742	2,418/2,431 0.0952/0.0957	0,025/0,099 0.0010/0.0039	
				1BC-861-P	SP	STD/ 0,254/ 0,508/ 0,762	63,340/63,363 2.4937/2.4946	68,249/68,275 2.6870/2.6880	24,638 0.970	2,418/2,431 0.0952/0.0957	0,025/0,099 0.0010/0.0039	
MOTOR 194 C.I.D. 3186CC 1962-1967 (U.S.A.)	6	90,50x82,55 3.563x3.250	BC-298-J M14298	6BC-371-I	SP	STD/ 0,254/ 0,508/ 0,762	58,377/58,402 2.2983/2.2993	63,261/63,287 2.4906/2.4916	25,620 1.009	2,409/2,423 0.0948/0.0954	0,013/0,094 0.0005/0.0037	
				1BC-806-P(F)	SP	STD/ 0,254/ 0,508/ 0,762	58,377/58,402 2.2983/2.2993	63,261/63,287 2.4906/2.4916	25,620 1.009	2,409/2,423 0.0948/0.0954	0,013/0,094 0.0005/0.0037	
				6BC-805-S	SP	STD/ 0,254/ 0,508/ 0,762	58,377/58,402 2.2983/2.2993	63,261/63,287 2.4906/2.4916	20,500 0.807	2,409/2,423 0.0948/0.0954	0,013/0,094 0.0005/0.0037	
				SBB-185-J SB14185	12SBB-184-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,780/50,800 1.9992/2.0000	53,967/53,980 2.1247/2.1252	21,390 0.842	1,563/1,576 0.0615/0.0620	0,015/0,079 0.0006/0.0031
MOTOR 273 / 4.5L (CADILLAC ENGINE V-8 / CADILLAC ALLANTE / DE VILLE / SEVILLE) 1988- 1992	8	92,00 3.622	BB-633-J B14633	8BB-639-P	SP	STD/ .010/ .020	48,946/48,969 1.9270/1.9279	52,131/52,149 2.0524/2.0531	16,79 0.661	1,562/1,575 0.0615/0.0620	0,013/0,071 0.0005/0.0028	
				BC-421-J M14421	3BC-656-P	SP	STD/ .010	66,939/66,965 2.6354/2.6364	71,821/71,839 2.8276/2.8283	24,03 0.946	2,426/2,438 0.0955/0.0960	0,020/0,074 0.0008/0.0029
				1BC-658-P(F)	SP	STD/ .010	66,939/66,965 2.6354/2.6364	71,821/71,839 2.8276/2.8283	32,79 1.291	2,426/2,438 0.0955/0.0960	0,020/0,074 0.0008/0.0029	
				1BC-657-P	SP	STD/ .010	66,939/66,965 2.6354/2.6364	71,821/71,839 2.8276/2.8283	24,89 0.980	2,426/2,438 0.0955/0.0960	0,020/0,074 0.0008/0.0029	
MOTOR 298 / 4,9L (CADILLAC ENGINE V-8 / CADILLAC DE VILLE / ELDORADO) 1991-1993	8	92,00 3.622	BB-633-J B14633	8BB-639-P	SP	STD/ .010/ .020	48,946/48,969 1.9270/1.9279	52,131/52,149 2.0524/2.0531	16,79 0.661	1,562/1,575 0.0615/0.0620	0,013/0,071 0.0005/0.0028	
				BC-421-J M14421	1BC-657-P	SP	STD/ .010	66,939/66,965 2.6354/2.6364	71,821/71,839 2.8276/2.8283	24,89 0.980	2,426/2,438 0.0955/0.0960	0,020/0,074 0.0008/0.0029
				3BC-656-P	SP	STD/ .010	66,939/66,965 2.6354/2.6364	71,821/71,839 2.8276/2.8283	24,03 0.946	2,426/2,438 0.0955/0.0960	0,020/0,074 0.0008/0.0029	
				1BC-658-P(F)	SP	STD/ .010	66,939/66,965 2.6354/2.6364	71,821/71,839 2.8276/2.8283	32,79 1.291	2,426/2,438 0.0955/0.0960	0,020/0,074 0.0008/0.0029	
MOTOR 262 C.I.D. 4301CC 1975-1976 (U.S.A.)	8	93,24x78,74 3.671x3.100	BB-253-J B14253	8BB-153-P	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	53,315/53,340 2.0990/2.1000	56,507/56,520 2.2247/2.2252	21,390 0.842	1,560/1,573 0.0614/0.0619	0,0210/0,0800 0.0008/0.0031	
				BC-296-J M14296	4BC-803-S	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	62,180/62,200 2.4480/2.4488	67,071/67,094 2.6406/2.6415	20,500 0.807	2,412/2,425 0.0950/0.0955	0,021/0,090 0.0008/0.0035
				1BC-804-P(F)	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	62,180/62,200 2.4480/2.4488	67,071/67,094 2.6406/2.6415	43,630 1.718	2,412/2,425 0.0950/0.0955	0,021/0,090 0.0008/0.0035	
				4BC-331-I	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	62,180/62,200 2.4480/2.4488	67,071/67,094 2.6406/2.6415	43,630 1.718	2,412/2,425 0.0950/0.0955	0,021/0,090 0.0008/0.0035	
				BC-424-J M14424	4BC-803-S	SP	.010 / .020 / .030	62,180/62,200	67,071/67,094	20,50	2,425	0,021/0,090
				4BC-331-I	SP	.010 / .020 / .030	62,180/62,200	67,071/67,094	20,50	2,425	0,021/0,090	
				1BC-804-P(F)	SP	.010 / .020 / .030	62,180/62,200	67,071/67,094	43,63	2,425	0,021/0,090	
				MOTOR HFV6 3.6L CAPTIVA	6	94,00	BB-1053-J B141053	12BB-1053-C		STD	55,992/56,008	59,620/59,636
BC-1355-J M141355	4BC-1355-I	C	STD					67,992/68,008	72,866/72,882	19,55/19,75	2,420/2,426	0,006/0,050
3BC-1355-S	C	STD	67,992/68,008					72,866/72,882	19,55/19,75	2,420/2,426	0,006/0,050	




* Itens sob consulta

											
	Nº Cil		Códigos Metal Leve MAHLE								
MOTOR HFV6 3.6L CAPTIVA	6	94,00	BC-1355-J M141355	1BC-1357-S(F)	C	STD	67,992/68,008	72,866/72,882	24,19/24,29	2,420/2,426	0,006/0,050
			BG-1088-J G141088	6BG-1088-U		STD	23,997/24,000	26,737/26,777	21,00/21,50	1,60/1,70	0,005/0,022
MOTOR 229 C.I.D. 3751CC V6 1980-1981 (U.S.A.)	6	94,89x88,39 3.736x3.480	BC-317-J M14317	3BC-803-S	SP	STD/ 0,25/ 0,50/ 0,75	62,180/62,200	67,071/67,094	20,500	2,412/2,425	0,021/0,091
				1BC-804-P(F)	SP	STD/ 0,25/ 0,50/ 0,75	62,180/62,200	67,071/67,094	43,630	2,412/2,425	0,021/0,091
				3BC-331-I	SP	STD/ 0,25/ 0,50/ 0,75	62,180/62,200	67,071/67,094	20,50	2,412/2,425	0,021/0,091
MOTOR 305 C.I.D. 5001CC 1976-1987 (U.S.A.)	8	94,89x88,39 3.736x3.480	BB-253-J B14253	8BB-153-P	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	53,315/53,340 2.0990/2.1000	56,507/56,520 2.2247/2.2252	21,390 0.842	1,560/1,573 0.0614/0.0619	0,0210/0,0800 0.0008/0.0031
			BC-296-J M14296	4BC-803-S	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	62,180/62,200 2.4480/2.4488	67,071/67,094 2.6406/2.6415	20,500 0.807	2,412/2,425 0.0950/0.0955	0,021/0,090 0.0008/0.0035
				4BC-331-I	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	62,180/62,200 2.4480/2.4488	67,071/67,094 2.6406/2.6415	43,630 1.718	2,412/2,425 0.0950/0.0955	0,021/0,090 0.0008/0.0035
				1BC-804-P(F)	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	62,180/62,200 2.4480/2.4488	67,071/67,094 2.6406/2.6415	43,630 1.718	2,412/2,425 0.0950/0.0955	0,021/0,090 0.0008/0.0035
			BC-424-J M14424	4BC-803-S	SP	.010 / .020 / .030	62,180/62,200	67,071/67,094	20,50	2,425	0,021/0,090
				1BC-804-P(F)	SP	.010 / .020 / .030	62,180/62,200	67,071/67,094	43,63	2,425	0,021/0,090
				4BC-331-I	SP	.010 / .020 / .030	62,180/62,200	67,071/67,094	20,50	2,425	0,021/0,090
MOTOR 261 4300CC (VEICULAR) 1954-1962	6	95,25x100,00 3.750x3.937	BB-009-J B14009	12BB-169-C	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	58,699/58,725 2.3110/2.3120	61,892/61,905 2.4367/2.4372	26,420 1.033	1,568/1,575 0.0617/0.0620	0,0180/0,0690 0.0007/0.0027
			BC-008-J M14008	1BC-535-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	68,166/68,191 2.6837/2.6847	73,043/73,068 2.8757/2.8767	27,890 1.098	2,418/2,426 0.0952/0.0955	0,0000/0,0660 0.0000/0.0026
				1BC-537-P(F)	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	69,736/69,761 2.7455/2.7465	74,625/74,651 2.9380/2.9390	31,580 1.243	2,418/2,426 0.0952/0.0955	0,0130/0,0790 0.0005/0.0031
				1BC-536-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	68,948/68,974 2.7145/2.7155	73,838/73,863 2.9070/2.9080	23,930 0.942	2,418/2,426 0.0952/0.0955	0,0130/0,0790 0.0005/0.0031
				1BC-538-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	70,528/70,554 2.7767/2.7777	75,413/75,438 2.9690/2.9700	31,090 1.224	2,418/2,426 0.0952/0.0955	0,0070/0,0740 0.0003/0.0029
			EC-003-J H14003	1EC-005-U	B	STD/ 0,254	54,704/54,729 2.1537/2.1547	58,014/58,064 2.2840/2.2860	28,700 1.130	1,622/1,638 0.0639/0.0645	0,0090/0,1160 0.0004/0.0046
				1EC-007-U	B	STD/ 0,254	51,529/51,554 2.0287/2.0297	54,839/54,889 2.1590/2.1610	24,130 0.950	1,622/1,638 0.0639/0.0645	0,0090/0,1160 0.0004/0.0046
				1EC-006-U	B	STD/ 0,254	53,116/53,142 2.0912/2.0922	56,427/56,477 2.2215/2.2235	24,130 0.950	1,622/1,638 0.0639/0.0645	0,0090/0,1160 0.0004/0.0046
				1EC-008-U	B	STD/ 0,254	49,954/49,967 1.9667/1.9672	53,264/53,290 2.0970/2.0980	24,050 0.947	1,622/1,638 0.0639/0.0645	0,0210/0,0920 0.0008/0.0036
MOTOR 261 BR (VERANEIO/C-10/C-14/C-16/C-60, GMC-1.956-1.963 PONTIAC 1.956 - 1.961 FABRICACAO CANADENSE)	6	95,25x100,00 3.750x3.937	BB-009-J B14009	12BB-169-C	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	58,699/58,725 2.3110/2.3120	61,892/61,905 2.4367/2.4372	26,420 1.033	1,568/1,575 0.0617/0.0620	0,0180/0,0690 0.0007/0.0027
			BC-008-J M14008	1BC-535-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	68,166/68,191 2.6837/2.6847	73,043/73,068 2.8757/2.8767	27,890 1.098	2,418/2,426 0.0952/0.0955	0,0000/0,0660 0.0000/0.0026
				1BC-538-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	70,528/70,554 2.7767/2.7777	75,413/75,438 2.9690/2.9700	31,090 1.224	2,418/2,426 0.0952/0.0955	0,0070/0,0740 0.0003/0.0029
				1BC-536-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	68,948/68,974 2.7145/2.7155	73,838/73,863 2.9070/2.9080	23,930 0.942	2,418/2,426 0.0952/0.0955	0,0130/0,0790 0.0005/0.0031




* Itens sob consulta

											
Nº Cil		Códigos Metal Leve MAHLE									
MOTOR 261 BR VERANEIO/C-10/C-14/C-16/C-60, GMC-1.956-1.963 PONTIAC 1.956 - 1.961 FABRICACAO CANADEN-SE)	6	95,25x100,00 3.750x3.937	BC-008-J M14008	1BC-537-P(F)	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	69,736/69,761 2.7455/2.7465	74,625/74,651 2.9380/2.9390	31,580 1.243	2,418/2,426 0.0952/0.0955	0,0130/0,0790 0.0005/0.0031
			EC-003-J H14003	1EC-005-U	B	STD/ 0,254	54,704/54,729 2.1537/2.1547	58,014/58,064 2.2840/2.2860	28,700 1.130	1,622/1,638 0.0639/0.0645	0,0090/0,1160 0.0004/0.0046
				1EC-008-U	B	STD/ 0,254	49,954/49,967 1.9667/1.9672	53,264/53,290 2.0970/2.0980	24,050 0.947	1,622/1,638 0.0639/0.0645	0,0210/0,0920 0.0008/0.0036
				1EC-007-U	B	STD/ 0,254	51,529/51,554 2.0287/2.0297	54,839/54,889 2.1590/2.1610	24,130 0.950	1,622/1,638 0.0639/0.0645	0,0090/0,1160 0.0004/0.0046
				1EC-006-U	B	STD/ 0,254	53,116/53,142 2.0912/2.0922	56,427/56,477 2.2215/2.2235	24,130 0.950	1,622/1,638 0.0639/0.0645	0,0090/0,1160 0.0004/0.0046
MOTOR 3.8L V6 OMEGA 09/96->	6	96,52x86,36	BB-511-J* B14511	12BB-1253-C	SP	STD / .010 / 020 / .030 / . 040	51,117/57,147	60,295/60,312	18,30	1,57	0,0040/0,1050
			BC-664-J* M14664	1BC-1394-C	SP	STD / .010 / .020 / .030 / .040	63,470/63,495	68,250/68,275	22,07	2,374	0,0070/0,0830
				1BC-1398-I(F)	SP	STD / .010 / .020 / .030 / .040	63,470/63,495	68,250/68,275	26,87	2,374	0,0070/0,0830
				1BC-1396-C	SP	STD / .010 / 020 / .030 / . 040	63,470/63,495	68,250/68,275	22,07	2,374	0,0070/0,0830
				3BC-1395-S	SP	STD / .010 / 020 / .030 / .040	63,470/63,495	68,250/68,275	22,07	2,374	0,0070/0,0830
				1BC-1395-I	SP	STD / .010 / .020 / .030 / .040	63,470/63,495	68,250/68,275	22,07	2,374	0,0070/0,0830
				1BC-1398-S(F)	SP	STD / .010 / 020 / .030 / .040	63,470/63,495	68,250/68,275	26,87	2,374	0,0070/0,0830
MOTOR 250 C.I.D.. 4094CC 1966-1981 (U.S.A.)	6	98,425x89,69 3.875x3.531	BC-298-J M14298	6BC-805-S	SP	STD/ 0,254/ 0,508/ 0,762	58,377/58,402 2.2983/2.2993	63,261/63,287 2.4906/2.4916	20,500 0.807	2,409/2,423 0.0948/0.0954	0,013/0,094 0.0005/0.0037
				1BC-806-P(F)	SP	STD/ 0,254/ 0,508/ 0,762	58,377/58,402 2.2983/2.2993	63,261/63,287 2.4906/2.4916	25,620 1.009	2,409/2,423 0.0948/0.0954	0,013/0,094 0.0005/0.0037
				6BC-371-I	SP	STD/ 0,254/ 0,508/ 0,762	58,377/58,402 2.2983/2.2993	63,261/63,287 2.4906/2.4916	25,620 1.009	2,409/2,423 0.0948/0.0954	0,013/0,094 0.0005/0.0037
			EC-026-J H14026	4EC-060-U	B	STD/ 0,254/ 0,508	47,452/47,478 1.8682/1.8692	50,775/50,825 1.9990/2.0010	22,090 0.870	1,623/1,642 0.0639/0.0646	0,013/0,127 0.0005/0.0050
			SBB-185-J SB14185	12SBB-184-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,780/50,800 1.9992/2.0000	53,967/53,980 2.1247/2.1252	21,390 0.842	1,563/1,576 0.0615/0.0620	0,015/0,079 0.0006/0.0031
MOTOR 153 2512CC 7,0:1 (OPALA)	4	98,425x82,50 3.875x3.248	EC-025-J H14025	3EC-060-U	B	STD/ 0,254	47,452/47,478 1.8682/1.8692	50,775/50,825 1.9990/2.0010	22,090 0.870	1,623/1,642 0.0639/0.0646	0,013/0,127 0.0005/0.0050
			SBB-184-J SB14184	8SBB-184-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,780/50,800 1.9992/2.0000	53,967/53,980 2.1247/2.1252	21,390 0.842	1,563/1,576 0.0615/0.0620	0,015/0,079 0.0006/0.0031
			SBC-182-J SM14182 FL= +0,40mm PARA SOBREMEDI- DAS	4SBC-371-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	58,382/58,402 2.2985/2.2993	63,261/63,287 2.4906/2.4916	20,500 0.807	2,409/2,422 0.0948/0.0954	0,015/0,087 0.0006/0.0034
				1SBC-372-P(F)	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	58,382/58,402 2.2985/2.2993	63,261/63,287 2.4906/2.4916	25,620 1.009	2,409/2,422 0.0948/0.0954	0,015/0,087 0.0006/0.0034

* Itens sob consulta

											
Nº Cil		Códigos Metal Leve MAHLE									
MOTOR 4.1 (OMEGA GLS / CD)	6	98,425x89,70 3.875x3.531	BB-272-J B14272	6BB-268-P	SP	STD/ 0,25/ 0,50	50,780/50,800	53,967/53,980	21,26	1,566/1,576	0,015/0,068
			BC-471-J M14471	6BC-645-P	C	STD/ 0,25/ 0,50	58,382/58,402	63,261/63,287	20,38	2,412/2,420	0,019/0,081
				1BC-646-P(F)	C	STD/ 0,25/ 0,50	58,382/58,402	63,261/63,287	25,60	2,412/2,420	0,019/0,081
MOTOR PERKINS 4236 PICK-UP D-20 / D-40 / PICK- UP D-10 1985 EM DIANTE	4	98,489x127,00 3.878x5.000	AE-032-J L57032	2AE-032-P	S	STD/ 0,190	86,87/87,12	104,14/104,24		2,26/2,31	
			BG-036-U G57036	2BG-036-U	S	STD-S	34,920/34,925 1.3748/1.3750	38,895/38,920 1.5313/1.5323	33,930 1.336	2,120/2,200 0.0835/0.0866	0,0190/0,0430 0.0007/0.0017
			EC-044-J H57044	1EC-092-U	S	STD	50,711/50,737	55,563/55,593	31,880	2,370/2,390	0,0460/0,1420
			SBB-375-J SB57375	8SBB-375-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	63,470/63,490 2.4988/2.4996	67,208/67,221 2.6460/2.6465	31,880 1.255	1,835/1,843 0.0722/0.0726	0,0320/0,0810 0.0013/0.0032
			SBC-285-J SM57285	4SBC-473-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	76,162/76,175 2.9985/2.9990	80,416/80,442 3.1660/3.1670	31,880 1.255	2,083/2,091 0.0820/0.0823	0,0590/0,1140 0.0023/0.0045
				1SBC-474-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	76,162/76,175 2.9985/2.9990	80,416/80,442 3.1660/3.1670	36,700 1.445	2,083/2,091 0.0820/0.0823	0,0590/0,1140 0.0023/0.0045
MOTOR PERKINS Q-20B4236 PICK-UP D-20 / D-40 / PICK- UP D-10 1985 EM DIANTE	4	98,489x127,00 3.878x5.000	AE-032-J L57032	2AE-032-P	S	STD/ 0,190	86,87/87,12	104,14/104,24		2,26/2,31	
			BG-036-U G57036	2BG-036-U	S	STD-S	34,920/34,925 1.3748/1.3750	38,895/38,920 1.5313/1.5323	33,930 1.336	2,120/2,200 0.0835/0.0866	0,0190/0,0430 0.0007/0.0017
			EC-044-J H57044	1EC-092-U	S	STD	50,711/50,737	55,563/55,593	31,880	2,370/2,390	0,0460/0,1420
			SBB-375-J SB57375	8SBB-375-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	63,470/63,490 2.4988/2.4996	67,208/67,221 2.6460/2.6465	31,880 1.255	1,835/1,843 0.0722/0.0726	0,0320/0,0810 0.0013/0.0032
			SBC-285-J SM57285	4SBC-473-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	76,162/76,175 2.9985/2.9990	80,416/80,442 3.1660/3.1670	31,880 1.255	2,083/2,091 0.0820/0.0823	0,0590/0,1140 0.0023/0.0045
				1SBC-474-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	76,162/76,175 2.9985/2.9990	80,416/80,442 3.1660/3.1670	36,700 1.445	2,083/2,091 0.0820/0.0823	0,0590/0,1140 0.0023/0.0045
MOTOR PERKINS Q-20B6354 CAMINHAO D-11000 / D- 13000 / D-19000 / D-21000 / D-22000 1985 EM DIANTE	6	98,489x127,00 3.878x5.000	AE-032-J L57032	2AE-032-P	S	STD/ 0,190	86,87/87,12	104,14/104,24		2,26/2,31	
			BG-036-U G57036	2BG-036-U	S	STD-S	34,920/34,925 1.3748/1.3750	38,895/38,920 1.5313/1.5323	33,930 1.336	2,120/2,200 0.0835/0.0866	0,0190/0,0430 0.0007/0.0017
			EC-044-J H57044	1EC-092-U	S	STD	50,711/50,737	55,563/55,593	31,880	2,370/2,390	0,0460/0,1420
			SBB-376-J SB57376	12SBB-375-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	63,470/63,490 2.4988/2.4996	67,208/67,221 2.6460/2.6465	31,880 1.255	1,835/1,843 0.07220/0.0726	0,0320/0,0810 0.0013/0.0032
			SBC-286-J SM57286	6SBC-442-P	C	STD/ 0,254/ 0,508/ 0,762	76,159/76,180 2.9984/2.9992	80,416/80,442 3.1660/3.1670	31,120 1.225	2,083/2,091 0.0820/0.0823	0,0540/0,1170 0.0021/0.0046
				1SBC-443-P	C	STD/ 0,254/ 0,508/ 0,762	76,159/76,180 2.9984/2.9992	80,416/80,442 3.1660/3.1670	36,700 1.445	2,083/2,091 0.0820/0.0823	0,0540/0,1170 0.0021/0.0046
MOTOR 302 C.I.D. 4942CC 1968-1969 (U.S.A.)	8	101,60x76,20 4.000x3.000	BB-253-J B14253	8BB-153-P	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	53,315/53,340 2.0990/2.1000	56,507/56,520 2.2247/2.2252	21,390 0.842	1,560/1,573 0.0614/0.0619	0,0210/0,0800 0.0008/0.0031
			BC-296-J M14296	4BC-803-S	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	62,180/62,200 2.4480/2.4488	67,071/67,094 2.6406/2.6415	20,500 0.807	2,412/2,425 0.0950/0.0955	0,021/0,090 0.0008/0.0035
				1BC-804-P(F)	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	62,180/62,200 2.4480/2.4488	67,071/67,094 2.6406/2.6415	43,630 1.718	2,412/2,425 0.0950/0.0955	0,021/0,090 0.0008/0.0035
				4BC-331-I	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	62,180/62,200 2.4480/2.4488	67,071/67,094 2.6406/2.6415	20,500 0.807	2,412/2,425 0.0950/0.0955	0,021/0,090 0.0008/0.0035

* Itens sob consulta

											
Nº Cil		Códigos Metal Leve MAHLE									
MOTOR 4.3L V6 (262 C.I.D.) 1985-> (U.S.A.)	6	101,60x88,39 4.000x3.480	BB-623-J B14623	6BB-622-P	SP	STD/ 0,25/ 0,50/ 0,75	57,117/57,145	60,300/60,325	18,923	1,557/1,572	0,0130/0,0910
			BC-317-J M14317	3BC-803-S	SP	STD/ 0,25/ 0,50/ 0,75	62,180/62,200	67,071/67,094	20,500	2,412/2,425	0,021/0,091
				3BC-331-I	SP	STD/ 0,25/ 0,50/ 0,75	62,180/62,200	67,071/67,094	20,50	2,412/2,425	0,021/0,091
				1BC-804-P(F)	SP	STD/ 0,25/ 0,50/ 0,75	62,180/62,200	67,071/67,094	43,630	2,412/2,425	0,021/0,091
MOTOR 151 2500CC 7,5:1 (OPALA / C-10 / CARAVAN)	4	101,60x76,20 4.000x3.000	EC-025-J H14025	3EC-060-U	B	STD/ 0,25	47,452/47,478 1.8682/1.8692	50,775/50,825 1.9990/2.0010	22,090 0.870	1,623/1,642 0.0639/0.0646	0,013/0,127 0.0005/0.0050
			SBB-184-J SB14184	8SBB-184-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,780/50,800 1.9992/2.0000	53,967/53,980 2.1247/2.1252	21,390 0.842	1,563/1,576 0.0615/0.0620	0,015/0,079 0.0006/0.0031
			SBC-182-J SM14182 FL = +0,40mm PARA SOBREMEDIAS	1SBC-372-P(F)	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	58,382/58,402 2.2985/2.2993	63,261/63,287 2.4906/2.4916	25,620 1.009	2,409/2,422 0.0948/0.0954	0,015/0,087 0.0006/0.0034
				4SBC-371-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	58,382/58,402 2.2985/2.2993	63,261/63,287 2.4906/2.4916	20,500 0.807	2,409/2,422 0.0948/0.0954	0,015/0,087 0.0006/0.0034
MOTOR 151. 10,5:1 ALC. (OPALA / CARAVAN / COMODORO)	4	101,60x76,20 4.000x3.000	EC-025-J H14025	3EC-060-U	B	STD/ 0,254	47,452/47,478 1.8682/1.8692	50,775/50,825 1.9990/2.0010	22,090 0.870	1,623/1,642 0.0639/0.0646	0,013/0,127 0.0005/0.0050
			SBB-184-J SB14184	8SBB-184-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,780/50,800 1.9992/2.0000	53,967/53,980 2.1247/2.1252	21,390 0.842	1,563/1,576 0.0615/0.0620	0,015/0,079 0.0006/0.0031
			SBC-182-J SM14182 FL = +0,40mm PARA SOBREMEDIAS	1SBC-372-P(F)	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	58,382/58,402 2.2985/2.2993	63,261/63,287 2.4906/2.4916	25,620 1.009	2,409/2,422 0.0948/0.0954	0,015/0,087 0.0006/0.0034
				4SBC-371-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	58,382/58,402 2.2985/2.2993	63,261/63,287 2.4906/2.4916	20,500 0.807	2,409/2,422 0.0948/0.0954	0,015/0,087 0.0006/0.0034
MOTOR 151.. 10,5:1 ALC. (PICK-UP A-10)	4	101,60x76,20 4.000x3.000	EC-025-J H14025	3EC-060-U	B	STD/ 0,254	47,452/47,478 1.8682/1.8692	50,775/50,825 1.9990/2.0010	22,090 0.870	1,623/1,642 0.0639/0.0646	0,013/0,127 0.0005/0.0050
			SBB-184-J SB14184	8SBB-184-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,780/50,800 1.9992/2.0000	53,967/53,980 2.1247/2.1252	21,390 0.842	1,563/1,576 0.0615/0.0620	0,015/0,079 0.0006/0.0031
			SBC-182-J SM14182 FL = +0,40mm PARA SOBREMEDIAS	4SBC-371-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	58,382/58,402 2.2985/2.2993	63,261/63,287 2.4906/2.4916	20,500 0.807	2,409/2,422 0.0948/0.0954	0,015/0,087 0.0006/0.0034
				1SBC-372-P(F)	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	58,382/58,402 2.2985/2.2993	63,261/63,287 2.4906/2.4916	25,620 1.009	2,409/2,422 0.0948/0.0954	0,015/0,087 0.0006/0.0034
MOTOR 302 C.I.D	8	101,60x76,20	BC-424-J M14424	4BC-803-S	SP	.010 / .020 / .030	62,180/62,200	67,071/67,094	20,50	2,425	0,021/0,090
				4BC-331-I	SP	.010 / .020 / .030	62,180/62,200	67,071/67,094	20,50	2,425	0,021/0,090
				1BC-804-P(F)	SP	.010 / .020 / .030	62,180/62,200	67,071/67,094	43,63	2,425	0,021/0,090
MOTOR 327 C.I.D 5354CC 1968-1969 (U.S.A.)	8	101,60x82,55 4.000x3.250	BB-253-J B14253	8BB-153-P	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	53,315/53,340 2.0990/2.1000	56,507/56,520 2.2247/2.2252	21,390 0.842	1,560/1,573 0.0614/0.0619	0,0210/0,0800 0.0008/0.0031
			BC-296-J M14296	4BC-803-S	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	62,180/62,200 2.4480/2.4488	67,071/67,094 2.6406/2.6415	20,500 0.807	2,412/2,425 0.0950/0.0955	0,021/0,090 0.0008/0.0035
				1BC-804-P(F)	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	62,180/62,200 2.4480/2.4488	67,071/67,094 2.6406/2.6415	43,630 1.718	2,412/2,425 0.0950/0.0955	0,021/0,090 0.0008/0.0035
				4BC-331-I	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016	62,180/62,200 2.4480/2.4488	67,071/67,094 2.6406/2.6415	43,630 1.718	2,412/2,425 0.0950/0.0955	0,021/0,090 0.0008/0.0035

* Itens sob consulta

MAHLE

MAHLE[®]
336 | © MAHLE 2019/2020



336 | © MAHLE 2019/2020

MAHLE




M **MAHLE**[®]
METAL
LEVE[®]

© MAHLE 2019/2020 | 337



© MAHLE 2019/2020 | 337

										
MOTOR 1.4L 8V GAS. L13A4) / 1.4L 8V FLEX L13A9) / 1.4L 16V FLEX L13Z3) / 1.5L 16V FLEX L15A8) FIT	4	73,00	AE-140-J L51140	2AE-312-C	STD/ 0,25	30,500/30,625	40,875/41,000	2,450/2,500		
			BB-552-J B51552	8BB-1332-C	STD/ 0,25/ 0,50	39,976/40,000	43,036	13,300/13,500	1,500/1,508	0,020/0,038
			BC-724-J M51724	5BC-1503-S	STD/ 0,25/ 0,50	49,976/50,000	54,080	16,800/17,00	2,004/2,012	
				5BC-1503-I	STD/ 0,25/ 0,50	49,976/50,000	54,080	16,800/17,00	2,004/2,012	
MOTOR D16Y7 1.6L 16V CIVIC (1996->2000)	4	75,00x90,00	AE-128-J L51128	2AE-293-C	STD/ 0,25	61,000/61,250	81,750/82,000	2,450/2,500		
			BB-471-J B51471	8BB-1279-C	STD/ 0,25/ 0,50	44,990/45,020	48,006/48,020	18,300/18,500	1,500/1,508	0,040/0,065
			BC-677-J M51677	10BC-1431-C	STD/ 0,25/ 0,50	54,996/55,032	59,004/59,024	19,850/19,870	1,996/2,004	0,012/0,038
MOTOR D17Z2 / D17Z3 1.7L 16V CIVIC (2001->2006)	4	75,00x94,40	AE-128-J L51128	2AE-293-C	STD/ 0,25	61,000/61,250	81,750/82,000	2,450/2,500		
			BB-524-J B5510524	8BB-1334-C	C STD/ 0,25/ 0,50	44,976/45,000	48,000/48,020	15,400/15,600	1,492/1,500	0,011/0,067
			BC-677-J M51677	10BC-1431-C	STD/ 0,25/ 0,50	54,996/55,032	59,004/59,024	19,850/19,870	1,996/2,004	0,012/0,038
New Civic 1.8L 16V R18A1 (GAS. / FLEX) / R18A6 (FLEX) / R18A7 (FLEX)	4	81,00	BB-523-J B51523	8BB-1333-C	STD/ 0,25	45,582/46,606	48,080	14,750/14,950	1,497/1,509	
			BC-725-J M51725	5BC-1504-S	STD/ 0,25	55,572/56,596	59,075	17,800/18,000	2,002/2,014	
				5BC-1504-I	STD/ 0,25	55,572/56,596	59,075	17,800/18,000	2,002/2,014	



* Itens sob consulta

											
	Nº Cil		Códigos Metal Leve MAHLE								
Motor 2.5 8v Euro 3 HR - 2006-> - Diesel	4		BB-684-J B1950684 23060-42922	8BB-3028-C	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	52,984/53,000	56,000/56,021	24,95/25,15	1,485/1,493	0,014/0,067
			BC-787-J M1950787 21020-42033	4BC-1177-I	C	STD/ 0,25/ 0,50	65,985/66,000	70,000/70,020	24,95/25,15	1,983/1,990	0,020/0,069
			4BC-1177-S	C	STD/ 0,25/ 0,50	65,985/66,000	70,000/70,020	24,95/25,15	1,983/1,990	0,020/0,069	
			1BC-3030-I(F)	C	STD/ 0,25/ 0,50	65,985/66,000	70,000/70,021	30,89/30,95	1,982/1,990	0,020/0,072	
			1BC-3030-S(F)	C	STD/ 0,25/ 0,50	65,985/66,000	70,000/70,021	30,89/30,95	1,982/1,990	0,020/0,072	
MOTOR KAPPA 1.0L 12V cil. FLEX HB20 / Kia Picanto (2012->)	3	71,00	AE-365-J L2080365 21030-04000	2AE-2008-C	C	STD	52,950/53,200	66,750/67,000		1,920/1,970	
			BB-742-J B2080742 23060-04000	6BB-2019-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	38,954/38,972	42,000/42,018	13,75/14,00	1,499/1,507	0,014/0,066
			BC-859-J M2080859 21020-04002	4BC-2014-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	47,942/47,960	52,000/52,020	14,75/15,00	2,005/2,013	0,014/0,064
			4BC-2014-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	47,942/47,960	52,000/52,020	14,75/15,00	2,005/2,013	0,014/0,064	
			MOTOR GAMMA FFV 1.6L 6V FLEX HB20 / Kia Cerato, Soul	4	77,00	AE-363-J L2080363 21030-2B000	2AE-2004-C	C	STD/ 0,25	54,000/54,250	70,500/71,000
BB-738-J B2080738 23060-2B002	8BB-2012-C	C				STD/ 0,25/ 0,50/ 0,75/ 1,00	41,950/41,970	45,000/45,020	14,25/14,50	1,500/1,508	0,014/0,070
BC-855-J M2080855 21020-2B000	5BC-2008-S	C				STD/ 0,25/ 0,50/ 0,75/ 1,00	47,940/47,960	52,000/52,020	15,85/16,10	2,005/2,013	0,014/0,070
5BC-2008-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00				47,940/47,960	52,000/52,020	15,85/16,10	2,005/2,013	0,014/0,070	
MOTOR G4GC Beta II 2.0L 6V Gasolina i30 / Tucson / Kia Sportage (06->)	4	82,00				AE-316-J L2080316 21030-23100	2AE-2000-C	C	STD	63,00/63,25	84,50/84,75
			BB-676-J B2080676 23060-23610	8BB-2003-C	C	STD/ 0,25/ 0,50	44,975/44,990	48,000/48,018	20,75/21,00	1,490/1,498	0,014/0,063
			BC-773-J M2080773 21020-23330	5BC-2001-S	C	STD/ 0,25/ 0,50	56,977/56,992	61,000/61,018	20,75/21,00	1,987/1,995	0,018/0,067
			5BC-2001-I	C	STD/ 0,25/ 0,50	56,977/56,992	61,000/61,018	20,75/21,00	1,987/1,995	0,018/0,067	
			MOTOR 2.5L 16V DIESEL EURO V HR	4	91,00	AE-354-J L2080354 210214A920	4AE-3131-C	C	STD	72,750/73,000	89,500/89,750
BB-729-J B2080729 230604A930	8BB-3129-C	C				STD/ 0,25/ 0,50/ 0,75/ 1,00	56,982/57,000	60,000/60,018	26,75/27,00	1,485/1,493	0,014/0,066
BC-839-J M2080839 210204A930	5BC-3130-S	C				STD/ 0,25/ 0,50/ 0,75/ 1,00	66,982/67,000	71,000/71,019	23,85/24,10	1,984/1,992	0,016/0,069
5BC-3130-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00				66,982/67,000	71,000/71,019	23,85/24,10	1,984/1,992	0,016/0,069	



* Itens sob consulta


										
Nº Cil		Códigos Metal Leve MAHLE								
MOTOR 6.9 / 7.3L	109,00	BB-098-P	2BB-098-C	SP	STD / .010 / .020 / .030	63,45/63,47	68,34/68,35	22,425	2,406/2,418	0,0279/0,0914
		BC-142-P	1BC-142-S	SP	STD / .010 / .020 / .030	79,32/79,34	84,20/84,23	22,095	2,398/2,410	0,0457/0,1168
			1BC-142-I	SP	STD / .010 / .020 / .030	79,32/79,34	84,20/84,23	22,095	2,398/2,410	0,0457/0,1168
		BC-143-P	1BC-143-S	SP	STD	79,32/79,34	84,20/84,23	28,66	2,398/2,410	0,0457/0,1168
			1BC-143-I	SP	STD	79,32/79,34	84,20/84,23	28,66	2,398/2,410	0,0457/0,1168
MOTOR DT - 466		BC-138-P	1BC-138-I	SP	STD / .010 / .020 / .030			32,865	3,940/3,952	
		1BC-138-S	SP	STD / .010 / .020 / .030			32,865	3,940/3,952		
BC-139-P		1BC-139-S	SP	STD / .010 / .020 / .030			45,130	3,940/3,952		
		1BC-139-I	SP	STD / .010 / .020 / .030			45,130	3,940/3,952		
BC-140-P		1BC-140-S	SP	STD / .010 / .020 / .030			30,985	3,940/3,952		
	1BC-140-I	SP	STD / .010 / .020 / .030			30,985	3,940/3,952			



* Itens sob consulta

										
Nº Cil		Códigos Metal Leve MAHLE								
NAVISTAR I335 - ELETRO-NICO IGD 7,6L 334CV	6	BB-535-J B57535	4BB-1116-S	P	STD	58,725/58,744	62,433/62,446	24,750/25,000	1,823/1,833	0,023/0,075
			4BB-376-C	C	STD	58,725/58,744	62,433/62,446	24,750/25,000	1,827/1,833	0,023/0,067
NAVISTAR I335 - ELETRO-NICO IGD 7,6L 334CV			1BC-1337-S	C	STD	107,935/107,965	116,408/116,434	43,11/43,25	4,186/4,199	0,045/0,127
			7BC-1170-I	P	STD	107,935/107,965	116,408/116,434	34,060/34,320	4,186/4,199	0,045/0,127
			6BC-1170-S	P	STD	107,935/107,965	116,408/116,434	34,060/34,320	4,186/4,199	0,045/0,127
NAVISTAR I335 - ELETRO-NICO IGD 7,6L 334CV	6	BG-1112-U G571112	1BG-1112-U		STD-S	46,352/46,357	49,885/49,911		1,620/1,880	



* Itens sob consulta

		 Códigos Metal Leve MAHLE									
MOTOR P-730 (Part Numer 8972193180) X17DT CORSA 1.7 4EE - DIESEL	Nº Cil										
	4	79,00x86,00	G24850	1BG-850-U	S	STD-S	34,495/34,500	37,500/37,525	39,49/39,69	1,60/1,75	0,012/0,021
			BB-430-J B24430	8BB-430-C	C	STD/ 0,25/ 0,50	45,936/45,956	48,976/49,000	16,70	1,492/1,500	0,020/0,080
			BC-536-J M24536	5BC-193-I	C	STD/ 0,25/ 0,50	51,918/51,938	55,976/56,000	15,45	2,000/2,008	0,022/0,082
			5BC-193-S	C	STD/ 0,25/ 0,50	51,918/51,938	55,976/56,000	15,45	2,000/2,008	0,022/0,082	



											
Nº Cil		Códigos Metal Leve MAHLE									
MOTOR 2.5 8140.61. 2445CC 22:1 DIESEL (DAILY 30, 32, 35 / DAILY 40 F8 / GAMMA DAILY 408VJ, 408 / GAM- MA DAILY 35 8VE 12. 35 8VJ, 35 8VE7, 35 8 / GAM- MA DAILY 35 8D, 35 VE9 / GAMMA DAILY 30.8, 32.8)	4	93,00x90,00 3.6614x3.5433	BB-313-J B25313	4BB-1004-I	P	STD	56,520/56,535 2.2252/2.2258	60,333/60,345 2.373/2.3758	24,70 0.974	1,870 0.074	0,028/0,075 0.0011/0.0030
MOTOR 2.8 ASP./ TURBO/ TURBO INTERCOOLER - DIESEL 2800 19,0:1 8140.23 / 8140.43 - IVECO DAILY 3510, 4012, 4912, 5912, 6012, 7012	4	94,40x100,00	BB-472-J B01472	4BB-1004-S	P	STD	56,520/56,535	60,333/60,345	24,70	1,900	0,028/0,075
				8BB-1280-C	SP	STD/ 0,25/ 0,50/ 0,75	56,520/56,535	60,333/60,345	24,45/24,70	1,873/1,885	0,028/0,081
			BC-678-J M01678	1BC-1434-I	CP	STD/ 0,25/ 0,50/ 0,75	86,182/86,208	90,588/90,614	26,57/26,62	2,159/2,172	0,015/0,040
				4BC-1433-S	CP	STD/ 0,25/ 0,50/ 0,75	80,182/80,208	84,588/86,614	23,600/23,800	2,159/3,172	0,015/0,040
				4BC-1433-I	CP	STD/ 0,25/ 0,50/ 0,75	80,182/80,208	84,588/86,614	23,600/23,800	2,159/2,172	0,015/0,040
				1BC-1434-S	CP	STD/ 0,25/ 0,50/ 0,75	86,182/86,208	90,588/90,614	26,57/26,62	2,159/2,172	0,015/0,040
FPT - MOTOR NEF III N60 (5.9L) - (Euro III e V) TRUCK	6	102,00x120,00	BB-1269-J B011269	6BB-1269-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	68,987/69,013	72,987/73,013	30,87/31,13	1,955/1,968	0,038/0,116
				6BB-1269-S	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	68,987/69,013	72,987/73,013	30,87/31,13	1,955/1,968	0,038/0,116
			BC-738-J M01738 6 cilindros	6BC-1386-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	82,993/83,013	87,982/88,008	28,77/29,03	2,456/2,464	0,041/0,103
				1BC-1375-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	82,987/83,013	87,982/88,018	37,28/37,38	2,456/2,464	0,041/0,119
				1BC-1375-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	82,987/83,013	87,982/88,018	37,28/37,38	2,456/2,464	0,041/0,119
				6BC-1386-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	82,993/83,013	87,982/88,008	28,77/29,03	2,456/2,464	0,041/0,103
FPT - MOTOR NEF III N40 (3.9L) - (Euro III e V) TRUCK	4	102,00x120,00	BB-540-J B01540	4BB-1269-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	68,987/69,013	72,987/73,013	30,87/31,13	1,955/1,968	0,038/0,116
				4BB-1269-S	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	68,987/69,013	72,987/73,013	30,87/31,13	1,955/1,968	0,038/0,116
			BC-737-J M01737 4 cilindros	4BC-1386-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	82,993/83,013	87,982/88,008	28,77/29,03	2,456/2,464	0,041/0,103
				4BC-1386-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	82,993/83,013	87,982/88,008	28,77/29,03	2,456/2,464	0,041/0,103
				1BC-1375-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	82,987/83,013	87,982/88,018	37,28/37,38	2,456/2,464	0,041/0,119
				1BC-1375-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	82,987/83,013	87,982/88,018	37,28/37,38	2,456/2,464	0,041/0,119
MOTOR NEF N34 3cil. / NEF N45 4cil (Euro III e V) AGRÍCOLA / ESTACIONA- RIO / MARÍTIMO	3/4	104,00x132,00	BB-536-J B01536 4 cilindros	4BB-1277-S	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	68,987/69,013	72,987/73,013	26,870/27,130	1,955/1,968	0,038/0,116
				4BB-1238-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	68,987/69,013	72,987/73,013	26,870/27,130	1,955/1,968	0,038/0,116



	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR NEF N34 3cil. / NEF N45 4cil (Euro III e V) AGRÍCOLA / ESTACIONÁRIO / MARÍTIMO	3/4	104,00x132,00	BC-737-J M01737 4 cilindros	4BC-1386-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	82,993/83,013	87,982/88,008	28,77/29,03	2,456/2,464	0,041/0,103
				4BC-1386-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	82,993/83,013	87,982/88,008	28,77/29,03	2,456/2,464	0,041/0,103
				1BC-1375-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	82,987/83,013	87,982/88,018	37,28/37,38	2,456/2,464	0,041/0,119
				1BC-1375-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	82,987/83,013	87,982/88,018	37,28/37,38	2,456/2,464	0,041/0,119
MOTOR NEF N67 6cil. (Euro III e V) AGRÍCOLA / ESTACIONÁRIO / MARÍTIMO			BG-146-J G01146	4BG-1084-U	S	STD-S	38,019/38,033	40,987/41,013	33,40	1,63/1,76	
	6	104,00x132,00		6BB-1238-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	68,987/69,013	72,987/73,013	26,870/27,130	1,955/1,968	0,038/0,116
				6BB-1277-S	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	68,987/69,013	72,987/73,013	26,870/27,130	1,955/1,968	0,038/0,116
				6BC-1386-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	82,993/83,013	87,982/88,008	28,77/29,03	2,456/2,464	0,041/0,103
			BC-738-J M01738 6 cilindros	1BC-1375-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	82,987/83,013	87,982/88,018	37,28/37,38	2,456/2,464	0,041/0,119
				1BC-1375-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	82,987/83,013	87,982/88,018	37,28/37,38	2,456/2,464	0,041/0,119
				6BC-1386-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	82,993/83,013	87,982/88,008	28,77/29,03	2,456/2,464	0,041/0,103
				6BG-1084-U	S	STD-S	38,019/38,033	40,987/41,013	33,40	1,63/1,76	
MOTOR 120.08 11050CC (CAMINHAO 180 / CM-210 / D11000)	6	125,00x150,00 4.921x5.906	BB-029-J	6BB-029-P	P	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,27/ 1,50	79,922/79,937 3.1465/3.1471	84,179/84,201 3.3141/3.3150	49,120 1.934	2,083/2,096 0.0820/0.0825	0,0500/0,1130 0.0020/0.0044
				7BC-435-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,27/ 1,50	84,650/84,665 3.3327/3.3333	89,399/89,421 3.5196/3.5205	44,120 1.737	2,333/2,346 0.0919/0.0924	0,0730/0,1360 0.0029/0.0054
MOTOR 120.50 11050CC	6	125,00x150,00 4.921x5.906	BB-029-J	6BB-029-P	P	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,27/ 1,50	79,922/79,937 3.1465/3.1471	84,179/84,201 3.3141/3.3150	49,120 1.934	2,083/2,096 0.0820/0.0825	0,0500/0,1130 0.0020/0.0044
				7BC-435-P	SP	0,25	84,650/84,665 3.3327/3.3333	89,399/89,421 3.5196/3.5205	44,120 1.737	2,333/2,346 0.0919/0.0924	0,0730/0,1360 0.0029/0.0054
MOTOR 8210.02 13797CC	6	137,000x156,00 5.3940x6.1420	BG-515-U* G01515 ATE 1976	BG-515-U	S	STD-S	47,995/48,000 1.8896/1.8898	52,913/52,959 2.0832/2.0850	50,000 1.969	2,830 0.1114	0,0090/0,0300 0.0004/0.0012
MOTOR 8210.22. 13797CC (TURBO) (CAMINHAO 210 S, 190, 190 H, 190.30)	6	137,000x156,00 5.3940x6.1420		BG-515-U	S	STD-S	47,995/48,000 1.8896/1.8898	52,913/52,959 2.0832/2.0850	50,000 1.969	2,830 0.1114	0,0090/0,0300 0.0004/0.0012
MOTOR STAR 360 13797 (TURBO) / (AFTER COOLER)	6	137,000x156,00 5.3940x6.1420		BG-515-U	S	STD-S	47,995/48,000 1.8896/1.8898	52,913/52,959 2.0832/2.0850	50,000 1.969	2,830 0.1114	0,0090/0,0300 0.0004/0.0012


* Itens sob consulta

	Nº Cil		 Códigos Metal Leve MAHLE								
FPT - Motor F1A 2.3L 16v Euro IV (->2012) - (Turbo / Intercooler)	4	88,00x94,00	BB-547-J B0010547	4BB-1330-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	59,015/59,038	62,833/62,848	23,50/23,75	1,878/1,894	0,027/0,060
		4BB-1330-I		C	STD/ 0,25/ 0,50/ 0,75/ 1,00	59,015/59,038	62,833/62,848	23,50/23,75	1,879/1,889	0,027/0,060	
		BC-753-J M0010753	4BC-1495-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	71,182/71,208	75,588/75,614	26,75/27,00	2,169/2,177	0,026/0,094	
			3BC-1495-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	71,182/71,208	75,588/75,614	26,75/27,00	2,169/2,177	0,026/0,094	
			1BC-1496-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	76,182/76,208	80,588/80,614	26,75/27,00	2,169/2,177	0,026/0,094	
			1BC-1496-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	76,182/76,208	80,588/80,614	26,75/27,00	2,169/2,177	0,026/0,094	
			1BC-1497-S(F)	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	71,182/71,208	75,588/75,614	30,81/30,96	2,169/2,177	0,026/0,094	
FPT - Motor F1A 2.3L 16V Euro V Ducato	4	88,00	BB-547-J B0010547	4BB-1330-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	59,015/59,038	62,833/62,848	23,50/23,75	1,878/1,894	0,027/0,060
		4BB-1330-I		C	STD/ 0,25/ 0,50/ 0,75/ 1,00	59,015/59,038	62,833/62,848	23,50/23,75	1,879/1,889	0,027/0,060	
		BC-753-J M0010753	1BC-1496-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	76,182/76,208	80,588/80,614	26,75/27,00	2,169/2,177	0,026/0,094	
			1BC-1496-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	76,182/76,208	80,588/80,614	26,75/27,00	2,169/2,177	0,026/0,094	
			1BC-1497-S(F)	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	71,182/71,208	75,588/75,614	30,81/30,96	2,169/2,177	0,026/0,094	
			3BC-1495-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	71,182/71,208	75,588/75,614	26,75/27,00	2,169/2,177	0,026/0,094	
			4BC-1495-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	71,182/71,208	75,588/75,614	26,75/27,00	2,169/2,177	0,026/0,094	
FPT - Motor F1C 3.0L 16v Euro III Iveco Daily 35S14 - 45S14 - 55C16 - 55C16 CD - 70C16 HD	4	95,80x104,00	BB-549-J B0010549	4BB-1272-S	P	STD/ 0,25/ 0,50	64,015/64,038	67,833/67,848	26,50/26,80	1,878/1,887	
		4BB-1272-I		C	STD/ 0,25/ 0,50	64,015/64,038	67,833/67,848	26,50/26,80	1,874/1,883		
		BC-685-J M0010685	4BC-1423-S(F)	C	STD/ 0,25/ 0,50	76,182/76,208	80,588/80,614	32,38/32,48	2,165/2,174		
			3BC-1421-I	C	STD/ 0,25/ 0,50	76,182/76,208	80,588/80,614	28,25/28,50	2,165/2,174		
			1BC-1421-S	C	STD/ 0,25/ 0,50	76,182/76,208	80,588/80,614	28,25/28,50	2,165/2,174		
			1BC-1422-I	C	STD/ 0,25/ 0,50	83,182/83,208	87,588/87,614	28,25/28,50	2,165/2,174	0,032/0,102	
			1BC-1422-S	C	STD/ 0,25/ 0,50	83,182/83,208	87,588/87,614	28,25/28,50	2,165/2,174	0,032/0,102	
FPT - Motor F1C 3.0L 16V Euro V Daily 70C17	4	95,80	BB-549-J B0010549	4BB-1272-S	P	STD/ 0,25/ 0,50	64,015/64,038	67,833/67,848	26,50/26,80	1,878/1,887	
		4BB-1272-I		C	STD/ 0,25/ 0,50	64,015/64,038	67,833/67,848	26,50/26,80	1,874/1,883		
		BC-685-J M0010685	4BC-1423-S(F)	C	STD/ 0,25/ 0,50	76,182/76,208	80,588/80,614	32,38/32,48	2,165/2,174		
			3BC-1421-I	C	STD/ 0,25/ 0,50	76,182/76,208	80,588/80,614	28,25/28,50	2,165/2,174		
			1BC-1421-S	C	STD/ 0,25/ 0,50	76,182/76,208	80,588/80,614	28,25/28,50	2,165/2,174		


* Itens sob consulta

											
Nº Cil		Códigos Metal Leve MAHLE									
FPT - Motor F1C 3.0L 16V Euro V Daily 70C17	4	95,80	BC-685-J M0010685	1BC-1422-I	C	STD/ 0,25/ 0,50	83,182/83,208	87,588/87,614	28,25/28,50	2,165/2,174	0,032/0,102
				1BC-1422-S	C	STD/ 0,25/ 0,50	83,182/83,208	87,588/87,614	28,25/28,50	2,165/2,174	0,032/0,102
FPT - Motor F3BE0681 CURSOR 13 24v EURO III 12800 STRALIS NR RODOVIÁRIO EXTRA PESADOS) -> 490S38T, 570S38T / TRAKKER (OFF ROAD) -> 380T38, 380T42, 720T42T	6	135,00x150,00	BG-147-J G0010147	6BG-1085-U Trapezoidal		STD-S	53,994/54,000	59,000/59,030	53,10/53,60	2,60/2,80	




											
Nº Cil		Códigos Metal Leve MAHLE									
Motor 1.4 16v J2, J3 - Gasolina	4		BB-744-J B3550744	8BB-2010-C	C	STD/ 0,25/ 0,50	39,994/40,000	43,000/43,015	13,350/13,600	1,487/1,495	0,010/0,047
			BC-861-J M3550861	5BC-2006-S	C	STD/ 0,25/ 0,50	46,004/46,024	50,000/50,018	15,850/16,100	1,981/1,987	0,002/0,052
			5BC-2006-I	C	STD/ 0,25/ 0,50	46,004/46,024	50,000/50,018	15,850/16,100	1,981/1,987	0,002/0,052	


											
Nº Cil		Códigos Metal Leve MAHLE									
MOTOR 148 C.I.D. 2432CC 1947-1950 (U.S.A.)	6	76,20x88,90 3.000x3.500	BB-001-J B23001	6BB-001-P	B	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	47,600/47,625 1.8740/1.8750	50,292/50,305 1.9800/1.9805	22,960 0.904	1,321/1,328 0.0520/0.0523	0,0130/0,0630 0.0005/0.0025
			BC-001-J M23001	2BC-002-P	B	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	57,125/57,150 2.2490/2.2500	61,125/61,138 2.4065/2.4070	27,100 1.067	1,969/1,976 0.0775/0.0778	0,0100/0,0760 0.0004/0.0030
				1BC-001-P(F)	B	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	57,125/57,150 2.2490/2.2500	61,125/61,138 2.4065/2.4070	33,070 1.302	1,969/1,976 0.0775/0.0778	0,0100/0,0760 0.0004/0.0030
				1BC-003-P	B	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	57,125/57,150 2.2490/2.2500	61,125/61,138 2.4065/2.4070	35,840 1.411	1,969/1,976 0.0775/0.0778	0,0100/0,0760 0.0004/0.0030
MOTOR 161 C.I.D. 2639CC 1950-1962 (U.S.A.)	6	79,375x88,900 3.125x3.500	BB-001-J B23001	6BB-001-P	B	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	47,600/47,625 1.8740/1.8750	50,292/50,305 1.9800/1.9805	22,960 0.904	1,321/1,328 0.0520/0.0523	0,0130/0,0630 0.0005/0.0025
			BC-001-J M23001	2BC-002-P	B	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	57,125/57,150 2.2490/2.2500	61,125/61,138 2.4065/2.4070	27,100 1.067	1,969/1,976 0.0775/0.0778	0,0100/0,0760 0.0004/0.0030
				1BC-001-P(F)	B	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	57,125/57,150 2.2490/2.2500	61,125/61,138 2.4065/2.4070	33,070 1.302	1,969/1,976 0.0775/0.0778	0,0100/0,0760 0.0004/0.0030
				1BC-003-P	B	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	57,125/57,150 2.2490/2.2500	61,125/61,138 2.4065/2.4070	35,840 1.411	1,969/1,976 0.0775/0.0778	0,0100/0,0760 0.0004/0.0030





* Itens sob consulta

										
Nº Cil		Códigos Metal Leve MAHLE								
MOTOR 1020/1520/1530		BB-421-P B43421	2BB-421-C	P	STD / .010 / .020 / .030	69,799/69,824	73,660/73,685	30,12	1,889/1,901	0,034/0,108
MOTOR 820/830, 3164G		BC-178-P M43178	2BC-178-C	P	STD / .010 / .020 / .030 / .040	79,324/79,349	84,454/84,480	29,45	2,518/2,530	0,045/0,120
		BC-179-P M43179	2BC-179-C	P	STD / .010 / .020 / .030 / .040	79,324/79,349	84,454/84,480	38,86	2,518/2,530	0,045/0,120
Série 5000 Aspirado / Turbo		BB-1342-P B431342	2BB-1342-C	C	STD/ 0,25/ 0,50/ 0,75		73,660/73,685	29,900/30,100	1,889/1,897	
		BC-1517-P M431517	2BC-1517-C	C	STD/ 0,25/ 0,50/ 0,75		84,455/84,480	29,240/29,440	2,522/2,530	
Série 6000 / 6600 / 7000		BB-1338-P B431338	2BB-1338-C	C	STD/ 0,25/ 0,50/ 0,75	77,800/77,826	82,677/82,702	31,900/32,100	2,398/2,406	
		BC-1512-P M431512	1BC-1512-S	C	STD/ 0,25/ 0,50/ 0,75	79,324/79,350	84,455/84,480	30,350/30,550	2,522/2,530	
			1BC-1512-1	C	STD/ 0,25/ 0,50/ 0,75	79,324/79,350	84,455/84,480	30,350/30,550	2,522/2,530	
Série 6000 / 7000		BC-1510-P M431510	BC-1511-C(F)	C	STD/ 0,25/ 0,50/ 0,75		84,455/84,480	38,790/38,840	2,522/2,530	
			BC-1510-I(F)	C	STD/ 0,25/ 0,50/ 0,75		84,455/84,480	38,790/38,840	2,522/2,530	



* Itens sob consulta

										
Nº Cil		Códigos Metal Leve MAHLE								
MOTOR SERIE 913 TUR-BO		BB-501-J B50501	6BB-419-S	STD/ 0,25/ 0,50/ 0,75	65,971/65,990	70,000/70,019	24,80/25,00	1,973/1,985	0,040/0,103	
			6BB-419-I	STD/ 0,25/ 0,50/ 0,75	65,971/65,990	70,000/70,019	24,80/25,00	1,973/1,985	0,040/0,103	
			14BC-177-C	STD/ 0,25/ 0,50/ 0,75	74,971/74,990	79,000/79,019	24,87/25,13	1,973/1,985	0,040/0,103	
			1BB-364-S	STD/ 0,25/ 0,50/ 0,75/ 1,00	59,941/59,960	64,000/64,019	24,80/25,00	1,988/2,000	0,040/0,103	
			1BB-364-I	STD/ 0,25/ 0,50/ 0,75/ 1,00	59,941/59,960	64,000/64,019	24,80/25,00	1,988/2,000	0,040/0,103	
MOTOR SERIE 913 NA		BB-364-P B50364	2BC-175-C	STD/ 0,25/ 0,50/ 0,75/ 1,00	69,972/69,990	74,500/74,510	26,75/26,95	2,219/2,231	0,048/0,109	

											
Nº Cil		Códigos Metal Leve MAHLE									
MOTOR G4HE 1.0L 12V Gasolina Picanto	3	67,00	AE-365-J L2080365 21030-04000	2AE-2008-C	C	STD	52,950/53,200	66,750/67,000		1,920/1,970	
			BB-742-J B2080742 23060-04000	6BB-2019-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	38,954/38,972	42,000/42,018	13,75/14,00	1,499/1,507	0,014/0,066
			BC-859-J M2080859 21020-04002	4BC-2014-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	47,942/47,960	52,000/52,020	14,75/15,00	2,005/2,013	0,014/0,064
			4BC-2014-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	47,942/47,960	52,000/52,020	14,75/15,00	2,005/2,013	0,014/0,064	
MAGMA / HURICANE BESTA 2.2L	4	86,00x94,00	AE-049-J L211049	2AE-217-S	C	STD/ 0,25/ 0,50	68,88/69,12	83,96/84,20		2,00/2,05	
			2AE-217-I	C	STD/ 0,25/ 0,50	68,88/69,12	83,96/84,20		2,00/2,05		
			BB-084-J B211084	8BB-086-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,934/50,949	53,997/54,018	21,10	1,503/1,509	0,030/0,078
			BC-072-J M211072	8BC-173-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	59,938/59,964	63,997/64,018	19,10	2,001/2,007	0,019/0,078
			2BC-174-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	59,938/59,964	63,997/64,018	21,10	2,001/2,007	0,019/0,078	
MOTOR 2.7L BESTA	4	93,00x98,00	BG-596-J G211596	4BG-596-U	S	STD-S	25,014	28,000/28,029	26,55	1,70/1,80	
			BB-474-J B211474	8BB-1282-C		STD/ 0,25/ 0,50/ 0,75/ 1,00	57,106/57,124	60,860	26,40/26,60	1,828/1,836	0,036/0,057
			BC-680-J M211680	5BC-1436-S		STD/ 0,25/ 0,50/ 0,75/ 1,00	74,995/75,013 74,973/74,993(3º)	80,106	26,900/27,100	2,510/2,518	0,045/0,079 0,067/0,101(3º)
			5BC-1436-I		STD/ 0,25/ 0,50/ 0,75/ 1,00	74,995/75,013 74,973/74,993(3º)	80,106	26,900/27,100	2,510/2,518	0,045/0,079 0,067/0,101(3º)	
MOTOR 2.7L GS BESTA	4	94,47x98,00 3.719x3.858	BB-474-J B211474	8BB-1282-C		STD/ 0,25/ 0,50/ 0,75/ 1,00	57,106/57,124	60,860	26,40/26,60	1,828/1,836	0,036/0,057
			BC-680-J M211680	5BC-1436-S		STD/ 0,25/ 0,50/ 0,75/ 1,00	74,995/75,013 74,973/74,993(3º)	80,106	26,900/27,100	2,510/2,518	0,045/0,079 0,067/0,101(3º)
			5BC-1436-I		STD/ 0,25/ 0,50/ 0,75/ 1,00	74,995/75,013 74,973/74,993(3º)	80,106	26,900/27,100	2,510/2,518	0,045/0,079 0,067/0,101(3º)	

															
Nº Cil		Códigos Metal Leve MAHLE													
MOTOR OM-352 TRATOR DE ESTEIRA MODELO D30E/16B	6	97,00x128,00	SBB-134-J SB48134	12SBB-434-C	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	59,995/60,015	65,000/65,019	32,100	2,460/2,472	0,0410/0,1090				
				1SBC-705-S(F)	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	24,100	2,465/2,477	0,0360/0,1020				
				1SBC-705-I(F)	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	31,810	2,465/2,477	0,0360/0,1020				
				6SBC-664-I	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	23,85/24,05	2,465/2,477	0,0360/0,1020				
				6SBC-664-S	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	23,85/24,05	2,465/2,477	0,0360/0,1020				
			SBG-016-U SG48016 SEC-034-J SH48034	1SBG-016-U	S	STD-S	35,996/36,000	39,000/39,025	34,500	1,850/2,100	0,0300/0,0470				
				1SEC-310-U	S	STD/ 0,25/ 0,50/ 0,50-S/ 0,75-S/ 1,00-S	55,941/55,960	60,000/60,030	26,000	1,992/2,012	0,016/0,105				
				1SEC-213-U	B	STD/ 0,25/ 0,50/ 0,50-S/ 0,75-S/ 1,00-S	55,191/55,210	60,000/60,030	26,250	2,367/2,387	0,016/0,105				
				1SEC-212-U	B	STD/ 0,25/ 0,50/ 0,50-S/ 0,75-S/ 1,00-S	55,441/55,460	60,000/60,030	26,250	2,242/2,262	0,016/0,105				
				1SEC-211-U	B	STD/ 0,25/ 0,50/ 0,50-S/ 0,75-S/ 1,00-S	55,691/55,710	60,000/60,030	26,250	2,117/2,137	0,016/0,105				
				MOTOR OM-352-A TRATOR DE ESTEIRA MODELO D50A/15C	6	97,00x128,00	SBB-134-J SB48134	12SBB-434-C	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	59,995/60,015	65,000/65,019	32,100	2,460/2,472	0,0410/0,1090
								1SBC-705-S(F)	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	24,100	2,465/2,477	0,0360/0,1020
								1SBC-705-I(F)	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	31,810	2,465/2,477	0,0360/0,1020
								6SBC-664-I	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	23,85/24,05	2,465/2,477	0,0360/0,1020
								6SBC-664-S	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	23,85/24,05	2,465/2,477	0,0360/0,1020
							SBG-016-U SG48016 SEC-034-J SH48034	1SBG-016-U	S	STD-S	35,996/36,000	39,000/39,025	34,500	1,850/2,100	0,0300/0,0470
1SEC-310-U	S	STD/ 0,25/ 0,50/ 0,50-S/ 0,75-S/ 1,00-S	55,941/55,960					60,000/60,030	26,000	1,992/2,012	0,016/0,105				
1SEC-211-U	B	STD/ 0,25/ 0,50/ 0,50-S/ 0,75-S/ 1,00-S	55,691/55,710					60,000/60,030	26,250	2,117/2,137	0,016/0,105				
1SEC-212-U	B	STD/ 0,25/ 0,50/ 0,50-S/ 0,75-S/ 1,00-S	55,441/55,460					60,000/60,030	26,250	2,242/2,262	0,016/0,105				
1SEC-213-U	B	STD/ 0,25/ 0,50/ 0,50-S/ 0,75-S/ 1,00-S	55,191/55,210					60,000/60,030	26,250	2,367/2,387	0,016/0,105				



* Itens sob consulta

										
Nº Cil		Códigos Metal Leve MAHLE								
MOTOR CUMMINS N855C RATOR D60A-6B / D60E- B / D65A-6B / D65E-6B	6	139,70x152,40 5.500x6.000	EC-114-J	1EC-109-U	P	STD		68,237/68,275 2.6865/2.6880	43,310 1.705	2,371/2,390 0.0933/0.0941
				4EC-142-U	P	STD		68,237/68,275 2.6865/2.6880	43,310 1.705	2,371/2,390 0.0933/0.0941
				2EC-143-U	P	STD		68,237/68,275 2.6865/2.6880	43,310 1.705	2,371/2,390 0.0933/0.0941



* Itens sob consulta

MAHLE**MAHLE**


M **MAHLE®**
METAL LEVER
354 | © MAHLE 2019/2020




	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR 828 DB1/3 1995CC (MONTECARLO 2000 / SCORPION (USA VERSION) / TREVI 2000, 2000 IE) 1979 EM DIANTE	4	84,00x90,00	BG-098-J G25098 1984 EM DIANTE	4BG-094-U	S	STD-S	21,991/21,997	24,988/25,021	25,10	1,600/1,700	0,007/0,019
			SAE-122-J SL25122	2SAE-122-C	S	STD/ 0,12	59,000/59,250	73,600/73,850	2,335	2,310/2,360	
			SBC-358-J SM25358	8SBC-647-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	52,986/53,004	56,717/56,735	20,75	1,838/1,856	0,025/0,049
				2SBC-648-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	52,986/53,004	56,717/56,735	24,35		
MOTOR 828AB/AC/AF/AS 1756CC (BETA 1800)	4	84,00x79,20	BB-234-J B25234	8BB-1002-C C/ 2 FUROS DE OLEO	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,787/50,805	53,892/53,910	19,25/19,50	1,527/1,536	0,015/0,069
			SAE-122-J SL25122	2SAE-122-C	S	STD/ 0,12	59,000/59,250	73,600/73,850	2,335	2,310/2,360	
			SBC-358-J SM25358	8SBC-647-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	52,986/53,004	56,717/56,735	20,75	1,838/1,856	0,025/0,049
				2SBC-648-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	52,986/53,004	56,717/56,735	24,35		
MOTOR 828AC.3/BB3 1301CC 9:1 (BETA 1300) 1978 ATE 80	4	84,00x71,50	SAE-122-J SL25122	2SAE-122-C	S	STD/ 0,12	59,000/59,250	73,600/73,850	2,335	2,310/2,360	
			SBC-358-J SM25358	2SBC-648-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	52,986/53,004	56,717/56,735	24,25		
				8SBC-647-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	52,986/53,004	56,717/56,735	20,75	1,838/1,856	0,025/0,049
MOTOR 831 D.000 1929CC (PRISMA) 1984 EM DIANTE	4	84,00x79,20	BB-234-J B25234	8BB-1002-C C/ 2 FUROS DE OLEO	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,787/50,805	53,892/53,910	19,25/19,50	1,527/1,536	0,015/0,069
			SAE-122-J SL25122	2SAE-122-C	S	STD/ 0,12	59,000/59,250	73,600/73,850	2,335	2,310/2,360	
			SBC-358-J SM25358	2SBC-648-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	52,986/53,004	56,717/56,735	24,35		
				8SBC-647-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	52,986/53,004	56,717/56,735	20,75	1,838/1,856	0,025/0,049
MOTOR 831A7/A4.000 1585CC (DELTA 1600 HF / DELTA FL83 1600) 1983 ATE 86 (PRISMA 1600) 1982 EM DIANTE	4	84,00x71,50	SAE-122-J SL25122	2SAE-122-C	S	STD/ 0,12	59,000/59,250	73,600/73,850	2,335	2,310/2,360	
			SBC-358-J SM25358	2SBC-648-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	52,986/53,004	56,717/56,735	24,25		
				8SBC-647-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	52,986/53,004	56,717/56,735	20,75	1,838/1,856	0,025/0,049
MOTOR 834B.000 (DELTA 2.0 IE 1990 EM DIANTE / PRISMA 4WD 115 HP 1986 EM DIANTE / THEMA 2000 IE 1984 EM DIANTE)	4	84,00x90,00	BG-098-J G25098	4BG-094-U	S	STD-S	21,991/21,997	24,988/25,021	25,10	1,600/1,700	0,007/0,019
MOTOR 834C1/B2.200 1995CC (THEMA 2.0 IE TURBO 16V 1988 EM DIANTE / THEMA 2.0 IE 16V 1989 EM DIANTE)	4	84,00x90,00	SBB-254-J SB25254	8SBB-199-C S/ FURO	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	50,799/50,805	53,897/53,909	19,375	1,527/1,536	0,030/0,056




* Itens sob consulta


	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR 834C.000 TURBOCHARGED / DELTA 2000 IE TURBO / HF 180 HP INTEGRALE 1987 EM DIANTE / THEMA 2000 IE TURBO)	4	84,00x90,00	BG-098-J G25098	4BG-094-U	S	STD-S	21,991/21,997	24,988/25,021	25,10	1,600/1,700	0,007/0,019
MOTOR 835BA 54A 1585CC DELTA 1600 IE FUEL INJECTION) 1990 EM DIANTE	4	84,00x71,50	SBB-554-J SB25554	8SBB-2002-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	45,502/45,524	48,630/48,646	18,95/19,20	1,538/1,544	0,018/0,068
MOTOR 8144.91. 2445CC DIESEL (THEMA TURBO DIESEL) 1984 EM DIANTE	4	93,00x90,00 3.6614x3.5433	BB-313-J B25313	4BB-1004-I	P	STD	56,520/56,535	60,333/60,345	24,70	1,870	0,028/0,075
				4BB-1004-S	P	STD	56,520/56,535	60,333/60,345	24,70	1,900	0,028/0,075


* Itens sob consulta

	Nº Cil		 Códigos Metal Leve MAHLE								
ENDT 673/C	6	123,84x152,40 4.875x6.000	BB-431-P	1BB-431-S	SP	STD / .010 / .020 / .030	76,124/76,149	80,764/80,785	40,64	2,279/2,291	0,033/0,104
				1BB-431-I	SP	STD / .010 / .020 / .030	76,124/76,149	80,764/80,785	40,64	2,279/2,291	0,033/0,104
ENDT 675/676(11,0L) MOTORES A PARTIR DE 1985 / ENGINES TO EARLY 1985			BB-274-J	6BB-274-P	SP	STD / .010 / .020 / .030	76,124/76,149 2.9970/2.9980	80,759/80,772 3.1795/3.1800	40,39/40,63 1.590/1.600	2,279/2,291 0.0897/0.0902	0,028/0,090 0.0011/0.0036
				4BC-710-P	SP	STD / .010 / .020 / .030	101,549/101,575 3.9980/3.9990	107,975/108,001 4.2510/4.2520	31,63/31,87 1.245/1.255	3,163/3,175 0.1245/0.1250	0,0508/0,1256 0.0020/0.0050
				1BC-711-P	SP	STD / .010 / .020 / .030	101,549/101,575 3.9980/3.9990	107,975/108,001 4.2510/4.2520	55,45/55,69 2.183/2.193	3,163/3,175 0.1245/0.1250	0,051/0,126 0.0020/0.0050
				1BC-712-P	SP	STD / .010 / .020 / .030	101,549/101,575 3.9980/3.9990	107,975/108,001 4.2510/4.2520	52,91/53,15 2.083/2.093	3,163/3,175 0.1245/0.1250	0,0508/0,1256 0.0020/0.0050
				1BC-709-P	SP	STD / .010 / .020 / .030	101,549/101,575 3.9980/3.9990	107,975/108,001 4.2510/4.2520	37,09/37,33 1.460/1.470	3,163/3,175 0.1245/0.1250	0,051/0,126 0.0020/0.0050


	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR OM-314 TRATOR MODELO MD-700	4	97,00x128,00	SBB-174-J SB48174	8SBB-434-C	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	59,995/60,015	65,000/65,019	32,100	2,460/2,472	0,0410/0,1090
			SBC-273-J SM48273 FL. STD SEM CANAL	4SBC-664-P	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	23,85/24,05	2,465/2,477	0,0360/0,1020
				1SBC-704-P(F)	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	31,810	2,465/2,477	0,0360/0,1020
			SBG-016-U SG48016	1SBG-016-U	S	STD-S	35,993/36,000	39,000/39,025	34,500	1,850/2,100	0,0300/0,0470
			SEC-043-J SH48043	1SEC-410-U	S	STD/ 0,25/ 0,50	55,691/55,710	60,000/60,030	26,000	2,117/2,137	0,0160/0,1050
				1SEC-213-U	B	STD/ 0,25/ 0,50	55,191/55,210	60,000/60,030	26,250	2,367/2,387	0,0160/0,1050
				1SEC-212-U	B	STD/ 0,25/ 0,50	55,441/55,460	60,000/60,030	26,250	2,242/2,262	0,0160/0,1050
MOTOR OM-352. TRATORES MODELOS MD-850E / MD-920C / MD-920P / MD-120 / MD-1800	6	97,00x128,00	SBB-134-J SB48134	12SBB-434-C	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	59,995/60,015	65,000/65,019	32,100	2,460/2,472	0,0410/0,1090
			SBC-275-J SM48275 FL. STD COM CANAL	1SBC-705-S(F)	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	24,100	2,465/2,477	0,0360/0,1020
				1SBC-705-I(F)	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	31,810	2,465/2,477	0,0360/0,1020
				6SBC-664-I	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	23,85/24,05	2,465/2,477	0,0360/0,1020
				6SBC-664-S	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	23,85/24,05	2,465/2,477	0,0360/0,1020
			SBG-016-U SG48016	1SBG-016-U	S	STD-S	35,993/36,000	39,000/39,025	34,500	1,850/2,100	0,0300/0,0470
			SEC-034-J SH48034	1SEC-212-U	B	STD/ 0,25/ 0,50/ 0,50-S/ 0,75-S/ 1,00-S	55,441/55,460	60,000/60,030	26,250	2,242/2,262	0,016/0,105
				1SEC-213-U	B	STD/ 0,25/ 0,50/ 0,50-S/ 0,75-S/ 1,00-S	55,191/55,210	60,000/60,030	26,250	2,367/2,387	0,016/0,105
				1SEC-310-U	S	STD/ 0,25/ 0,50/ 0,50-S/ 0,75-S/ 1,00-S	55,941/55,960	60,000/60,030	26,000	1,992/2,012	0,016/0,105
				1SEC-211-U	B	STD/ 0,25/ 0,50/ 0,50-S/ 0,75-S/ 1,00-S	55,691/55,710	60,000/60,030	26,250	2,117/2,137	0,016/0,105
MOTOR N-855 C TRATOR MODELO MD-2100	6	139,70x152,00 5.500x5.984	EC-114-J	4EC-142-U	P	STD		68,237/68,275 2.6865/2.6880	43,310 1.705	2,371/2,390 0.0933/0.0941	
				1EC-109-U	SP	STD		68,237/68,275 2.6865/2.6880	43,310 1.705	2,371/2,390 0.0933/0.0941	
				2EC-143-U		STD		68,237/68,275 2.6865/2.6880	43,310 1.705	2,371/2,390 0.0933/0.0941	

	Nº Cil										
MOTOR MAN D08.34 / D08.36 EURO V	4/6	108,00	AE-373-J L0460373 51.01114-0223	2AE-350-S	C	STD	94,50/94,85	112,45/112,80		2,85/2,90	
			BB-1034-P B0461034 07W105701 / 51024106679	2AE-350-I 1BB-5034-S	C	STD STD/ 0,25/ 0,50	94,50/94,85 69,981/70,000	112,45/112,80 74,000/74,019	28,70/29,00	2,85/2,90 1,980/1,990	0,020/0,078
				1BB-5034-I		STD/ 0,25/ 0,50	69,981/70,000	74,000/74,019	28,70/29,00	1,980/1,990	0,020/0,078
			BC-1095-P M0461095 07W105559	1BC-1095-S	C	STD/ 0,25/ 0,50	86,978/87,000	92,000/92,022	25,70/26,00	2,470/2,482	0,036/0,104
				1BC-1095-I		STD/ 0,25/ 0,50	86,978/87,000	92,000/92,022	25,70/26,00	2,470/2,482	0,036/0,104
			EC-1350-U H0461350 Motores 4cil. e 6cil. utilizam 1 peça	1EC-5350-U		STD-S	54,910/54,940	59,000/59,030	24,50/25,00	2,25/2,43	0,060/0,120
			EC-1351-U H0461351 Motor 4cil. utilizam 3 pçs e 6cil. 5 pçs	1EC-5351-U		STD-S	54,910/54,940	59,000/59,030	24,50/25,00	2,25/2,43	0,060/0,120




										
Nº Cil										
M102										
			L48024	2AE-024-I	C	STD	65,50/65,75	80,50/80,75	4,13/4,18	
				2AE-024-S	C	STD	65,50/65,75	80,50/80,75	4,13/4,18	
COMPRESSOR MOTOR OM 314 / OM 352 - A PARTIR DE 1964	1	77,00x30,00 3.03x1.18	SBB-135-J SB48135	1SBB-135-P	B	STD/ 0,25/ 0,50/ 0,75/ 1,00	31,984/32,00	35,000/35,016	17,000	0,0300/0,0780
MOTOR OM611 LA III ELETRÔNICO 18,0:1 SPRINTER313 CDI e 413 CDI 2150CC - 129CV.	4	88,00 3.465	AE-022-P L48022	1AE-4022-I	C	STD	65,80/66,05	80,75/81,00	2,15/2,20	
				1AE-4022-S	C	STD	65,80/66,05	80,75/81,00	2,15/2,20	
			AE-022-J L48022	2AE-4022-I	C	STD/ 0,10	65,80/66,05	80,75/81,00	2,15/2,20	
				2AE-4022-S	C	STD/ 0,10	65,80/66,05	80,75/81,00	2,15/2,20	
			BB-467-J B48467	4BB-1059-S SPUTTER	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	47,950/47,965	51,600/51,619	21,50/21,80	0,0035/0,0305
				4BB-1060-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	47,950/47,965	51,600/51,619	21,50/21,80	0,0065/0,0295
			BC-661-J M48661	5BC-1131-I SPUTTER	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,940/57,965	62,500/62,519	17,30/17,50	0,0035/0,0355
				5BC-1130-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,940/57,965	62,500/62,519	17,30/17,50	0,0115/0,0395
			BG-888-U G48888	1BG-888-U		STD-S	29,995/30,000	32,500/32,525	21,60/21,90	0,018/0,029
MOTOR OM612 LA 18,0:1 CAMINHÃO ACCELO 715C 2700CC - 156CV	5	88,00 3.465	AE-022-P L48022	1AE-4022-S	C	STD	65,80/66,05	80,75/81,00	2,15/2,20	
				1AE-4022-I	C	STD	65,80/66,05	80,75/81,00	2,15/2,20	
			BB-462-J B48462	5BB-1060-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	47,950/47,965	51,600/51,619	21,50/21,80	0,0065/0,0295
				5BB-1059-S	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	47,950/47,965	51,600/51,619	21,50/21,80	0,0035/0,0305
			BC-656-J M48656	6BC-1130-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,940/57,965	62,500/62,519	17,30/17,50	0,0115/0,0395
				6BC-1131-I	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,940/57,965	62,500/62,519	17,30/17,50	0,0035/0,0355
			BG-888-U G48888	1BG-888-U		STD-S	29,995/30,000	32,500/32,525	21,60/21,90	0,018/0,029
MOTOR OM-312 4580CC 19,8:1 VEICULAR E INDUSTRIAL	6	90,00x120,00	SBG-137-U SG48137 BALANCIM (ROCKER ARM)	1SBG-137-U	S	STD-S	19,950/19,980	22,000/22,052	22,850	0,020/0,062
OM616 / 617 (1979)		91,00	L48091	2AE-091-S	C	STD	78,00/78,25	91,25/91,50	2,15/2,20	
				2AE-091-I	C	STD	78,00/78,25	91,25/91,50	2,15/2,20	
COMPRESSOR MOTOR OM-352 / OM- 352A / OM-352-O / OM- 366 / OM-364 / OM-366A	1	94,00x30,00	SBB-235-J SB48235	1SBB-235-P	B	STD/ 0,25/ 0,50/ 0,75/ 1,00	31,984/32,000	35,000/35,016	20,850	0,0200/0,0680
MOTOR OM-321 (VEICULAR / INDUSTRIAL / AGRICOLA) ATE 1964	6	95,00x120,00	SBG-137-U SG48137 BALANCIM (ROCKER ARM)	1SBG-137-U	S	STD-S	19,950/19,980	22,000/22,052	22,850	0,020/0,062
MOTOR OM-321 / OM-322 (VEICULAR / INDUSTRIAL / AGRICOLA) A PARTIR DE 1964	6	95,00x120,00	BG-011-U* G48011	6BG-011-U	S	STD-S	29,994/30,000	35,000/35,025	34,570	0,0160/0,0350

											
Nº Cil		Códigos Metal Leve MAHLE									
MOTOR OM-321 / OM-322 (VEICULAR / INDUSTRIAL / AGRÍCOLA) A PARTIR DE 1964	6	95,00x120,00	SBG-137-U* SG48137 BALANCIM (ROCKER ARM)	1SBG-137-U	S	STD-S	19,950/19,980	22,000/22,052	22,850	1,140/1,210	0,020/0,062
MOTOR OM-324 (VEICULAR / INDUSTRIAL / AGRÍCOLA) ATE 1964	4	95,00x120,00		1SBG-137-U	S	STD-S	19,950/19,980	22,000/22,052	22,850	1,140/1,210	0,020/0,062
MOTOR OM352/OM352A (VEICULAR, INDUSTRIAL, AGRÍCOLA E MARÍTIMO)	6	97,00x128,00	SBB-134-J SB48134	12SBB-434-C	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	59,995/60,015	65,000/65,019	32,100	2,460/2,472	0,0410/0,1090
			SBB-237-J SB48237 OPCIONAL	12SBB-534-C	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00	59,995/60,015	65,000/65,019	29,400	2,460/2,472	0,0410/0,1040
			SBC-135-J SM48135 FL. +1,00 COM CANAL	1SBC-705-P(F)	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,00/93,022	31,74/31,81	2,465/2,477	0,036/0,102
				6SBC-664-S	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,00/93,022	23,85/24,05	2,465/2,477	0,036/0,102
				6SBC-664-I	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,00/93,022	23,85/24,05	2,465/2,477	0,036/0,102
			SBC-275-J SM48275 FL. STD COM CANAL	6SBC-664-I	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,00/93,022	23,85/24,05	2,465/2,477	0,036/0,102
				6SBC-664-S	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,00/93,022	23,85/24,05	2,465/2,477	0,036/0,102
				1SBC-705-I(F)	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,00/93,022	31,810	2,465/2,477	0,036/0,102
				1SBC-705-S(F)	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	24,100	2,465/2,477	0,0360/0,1020
			SBG-016-U SG48016	1SBG-016-U	S	STD-S	35,993/36,000	39,000/39,025	34,500	1,850/2,100	0,030/0,047
			SBG-017-U SG48017 EXT. +0,20	1SBG-017-U	S	STD-S	35,993/36,000	39,200/39,225	34,500	1,950/2,200	0,030/0,047
			SBG-018-U SG48018 EXT. +0,50	1SBG-018-U	S	STD-S	35,993/36,000	39,500/39,525	34,500	2,100/2,350	0,030/0,047
			SBG-137-U SG48137 BALANCIM (ROCKER ARM)	1SBG-137-U	S	STD-S	19,950/19,980	22,000/22,052	22,850	1,140/1,210	0,020/0,062
			SEC-034-J SH48034	1SEC-211-U	B	STD/ 0,25/ 0,50/ 0,50-S/ 0,75-S/ 1,00-S	55,691/55,710	60,000/60,030	26,250	2,117/2,137	0,016/0,105
				1SEC-310-U	S	STD/ 0,25/ 0,50/ 0,50-S/ 0,75-S/ 1,00-S	55,941/55,960	60,000/60,030	26,000	1,992/2,012	0,016/0,105
				1SEC-212-U	B	STD/ 0,25/ 0,50/ 0,50-S/ 0,75-S/ 1,00-S	55,441/55,460	60,000/60,030	26,250	2,242/2,262	0,016/0,105
				1SEC-213-U	B	STD/ 0,25/ 0,50/ 0,50-S/ 0,75-S/ 1,00-S	55,191/55,210	60,000/60,030	26,250	2,367/2,387	0,016/0,105
MOTOR OM 314 (VEICULAR, INDUSTRIAL, AGRÍCOLA, MARÍTIMO)	4	97,00x128,00	BC-006-J M48006 COM CANAL	4BC-664-S	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	87,990/88,010	93,000/93,022	23,850/24,050	2,465/2,477	0,036/0,102
				4BC-664-I	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	87,990/88,010	93,000/93,022	23,850/24,050	2,465/2,477	0,036/0,102


* Itens sob consulta

														
Nº Cil		Códigos Metal Leve MAHLE												
MOTOR OM 314 (VEICULAR, INDUSTRIAL, AGRÍCOLA, MARÍTIMO)	4	97,00x128,00	BC-006-J M48006 COM CANAL	1BC-705-P	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	87,990/88,010	93,000/93,022	31,810	2,465/2,477	0,036/0,102			
			SBB-174-J SB48174	8SBB-434-C	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	59,995/60,015	65,000/65,019	32,100	2,460/2,472	0,0410/0,1090			
			SBB-236-J SB48236 FL. +1,00 SEM CANAL	8SBB-534-C	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	59,995/60,015	65,000/65,019	29,400	2,460/2,472	0,0410/0,1040			
			SBC-173-J SM48173 FL. +1,00 SEM CANAL	4SBC-664-I	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	23,85/24,05	2,465/2,477	0,036/0,102			
			4SBC-664-S	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	23,85/24,05	2,465/2,477	0,036/0,102				
			1SBC-704-P(F)	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	31,810	2,465/2,477	0,036/0,102				
			SBC-273-J SM48273 FL. STD SEM CANAL	4SBC-664-P	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	23,85/24,05	2,465/2,477	0,0360/0,1020			
			1SBC-704-P(F)	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	31,810	2,465/2,477	0,0360/0,1020				
			SBG-016-U SG48016	1SBG-016-U	S	STD-S	35,993/36,000	39,000/39,025	34,500	1,850/2,100	0,030/0,047			
			SBG-017-U SG48017 EXT. +0,20	1SBG-017-U	S	STD-S	35,993/36,000	39,200/39,225	34,500	1,950/2,200	0,030/0,047			
			SBG-018-U SG48018 EXT. +0,50	1SBG-018-U	S	STD-S	35,993/36,000	39,500/39,525	34,500	2,100/2,350	0,030/0,047			
			SEC-043-J SH48043	1SEC-410-U	S	STD/ 0,25/ 0,50	55,691/55,710	60,000/60,030	26,000	2,117/2,137	0,0160/0,1050			
			1SEC-213-U	B	STD/ 0,25/ 0,50	55,191/55,210	60,000/60,030	26,250	2,367/2,387	0,0160/0,1050				
			1SEC-212-U	B	STD/ 0,25/ 0,50	55,441/55,460	60,000/60,030	26,250	2,242/2,262	0,0160/0,1050				
			MOTOR OM-352-O / OM-352 / OM-352A BLOCO REFORCADO (CAMINHAO 1114 / 1314 / 1318 / 1518 / 2018 / 2214 / 2217 / ONIBUS 365 11R) JANEIRO 87 EM DIANTE	6	97,00x128,00	SBB-237-J SB48237	12SBB-534-C	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00	59,995/60,015	65,000/65,019	29,400	2,460/2,472	0,0410/0,1040
						SBC-333-J SM48333 FL.STD	1SBC-703-P(F)	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	87,990/88,010	93,000/93,022	32,04/32,11	2,465/2,473	0,0360/0,1020
6SBC-664-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00				87,990/88,010	93,000/93,022	24,100	2,465/2,477	0,0360/0,1020				
SBC-375-J SM48375 FL. +1,00	1SBC-703-P(F)	SP				STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	32,87	2,465/2,473	0,0360/0,1020			
6SBC-664-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50				87,990/88,010	93,000/93,022	24,100	2,465/2,477	0,0360/0,1020				
SBG-016-U SG48016	1SBG-016-U	S				STD-S	35,993/36,000	39,000/39,025	34,500	1,850/2,100	0,0300/0,0470			
SBG-017-U SG48017 EXT. +0,20	1SBG-017-U	S				STD-S	35,993/36,000	39,200/39,225	34,500	1,950/2,200	0,0300/0,0470			
SBG-018-U SG48018 EXT. +0,50	1SBG-018-U	S				STD-S	35,993/36,000	39,500/39,525	34,500	2,100/2,350	0,0300/0,0470			



* Itens sob consulta



											
Nº Cil		Códigos Metal Leve MAHLE									
MOTOR OM-352-O / OM-352 / OM-352A BLOCO REFORCADO (CAMINHAO 1114 / 1314 / 1318 / 1518 / 2018 / 2214 / 2217 / ONIBUS 365 11R) JANEIRO 87 EM DIANTE	6	97,00x128,00	SBG-616-U SG48616 TRAPEZOIDAL	1SBG-616-U	S	STD-S	36,993/36,000	39,000/39,025	23,47/34,50	1,850/2,100	0,0300/0,0470
			SBG-617-U SG48617 TRAPEZOIDAL EXT. +0,20	1SBG-617-U	S	STD-S	35,993/36,000	39,000/39,025	23,47	1,950/2,200	0,0300/0,0470
			SEC-034-J SH48034	1SEC-310-U	S	STD/ 0,25/ 0,50/ 0,50-S/ 0,75-S/ 1,00-S	55,941/55,960	60,000/60,030	26,000	1,992/2,012	0,016/0,105
				1SEC-212-U	B	STD/ 0,25/ 0,50/ 0,50-S/ 0,75-S/ 1,00-S	55,441/55,460	60,000/60,030	26,250	2,242/2,262	0,016/0,105
				1SEC-211-U	B	STD/ 0,25/ 0,50/ 0,50-S/ 0,75-S/ 1,00-S	55,691/55,710	60,000/60,030	26,250	2,117/2,137	0,016/0,105
				1SEC-213-U	B	STD/ 0,25/ 0,50/ 0,50-S/ 0,75-S/ 1,00-S	55,191/55,210	60,000/60,030	26,250	2,367/2,387	0,016/0,105
MOTOR OM-364/OM-364A (VEICULAR, AGRICOLA E INDUSTRIAL)	4	97,50x133,00	SBB-236-J SB48236	8SBB-534-C	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	59,995/60,015	65,000/65,019	29,400	2,460/2,472	0,0410/0,1040
			SBC-332-J SM48332	4SBC-664-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	24,100	2,465/2,477	0,0360/0,1020
				1SBC-703-P(F)	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	32,135/32,185	2,465/2,473	0,0360/0,1020
			SBC-374-J SM48374 FL. +1,00	4SBC-664-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	87,990/88,010	93,000/93,022	24,100	2,465/2,477	0,0360/0,1020
				1SBC-703-P(F)	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	87,990/88,010	93,000/93,022	32,870	2,465/2,473	0,0360/0,1020
			SBG-016-U SG48016	1SBG-016-U	S	STD-S	35,993/36,000	39,000/39,025	34,500	1,850/2,100	0,0300/0,0470
			SBG-017-U SG48017 EXT. +0,20	1SBG-017-U	S	STD-S	35,993/36,000	39,200/39,225	34,500	1,950/2,200	0,0300/0,0470
			SBG-018-U SG48018 EXT. +0,50	1SBG-018-U	S	STD-S	35,993/36,000	39,500/39,525	34,500	2,100/2,350	0,0300/0,0470
			SEC-043-J SH48043	1SEC-212-U	B	STD/ 0,25/ 0,50	55,441/55,460	60,000/60,030	26,250	2,242/2,262	0,016/0,105
				1SEC-410-U	S	STD/ 0,25/ 0,50	55,691/55,710	60,000/60,030	26,000	2,117/2,137	0,016/0,105
				1SEC-213-U	B	STD/ 0,25/ 0,50	55,191/55,210	60,000/60,030	26,250	2,367/2,387	0,016/0,105
			MOTOR OM 366 / OM 366G / OM 366A / OM 366LA - VEICULAR BLOCO REFORCADO CAMINHAO 1214 / 1414 / 1614 / ONIBUS 1315 / 1115 / 0371U ASPIRADO	6	97,50x133,00	BG-338-U G48338 Bucha do Patim de freio - Veic. 1314/1315/1418	1BG-338-U	S	STD	19,979/20,000	23,000/23,021
SBB-237-J SB48237	12SBB-534-C	SP				STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00	59,995/60,015	65,000/65,019	29,400	2,460/2,472	0,0410/0,1040
SBC-333-J SM48333 FL.STD	6SBC-664-P	SP				STD/ 0,25/ 0,50/ 0,75/ 1,00	87,990/88,010	93,000/93,022	24,100	2,465/2,477	0,0360/0,1020
	1SBC-703-P(F)	SP				STD/ 0,25/ 0,50/ 0,75/ 1,00	87,990/88,010	93,000/93,022	32,04/32,11	2,465/2,473	0,0360/0,1020



* Itens sob consulta


											
Nº Cil		Códigos Metal Leve MAHLE									
MOTOR OM 366 / OM 66G / OM 366A / OM 66LA - VEICULAR BLOCO REFORCADO CAMINHAO 1214 / 1414 / 614 / ONIBUS 1315 / 1115 / 0371U ASPIRADO	6	97,50x133,00	SBC-375-J SM48375 FL. +1,00	6SBC-664-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	24,100	2,465/2,477	0,0360/0,1020
				1SBC-703-P(F)	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	32,87	2,465/2,473	0,0360/0,1020
			SBG-016-U SG48016	1SBG-016-U	S	STD-S	35,993/36,000	39,000/39,025	34,500	1,850/2,100	0,0300/0,0470
			SBG-017-U SG48017 EXT. +0,20	1SBG-017-U	S	STD-S	35,993/36,000	39,200/39,225	34,500	1,950/2,200	0,0300/0,0470
			SBG-018-U SG48018 EXT. +0,50	1SBG-018-U	S	STD-S	35,993/36,000	39,500/39,525	34,500	2,100/2,350	0,0300/0,0470
			SBG-616-U SG48616 TRAPEZOIDAL	1SBG-616-U	S	STD-S	36,993/36,000	39,000/39,025	23,47/34,50	1,850/2,100	0,0300/0,0470
			SBG-617-U SG48617 TRAPEZOIDAL EXT. +0,20	1SBG-617-U	S	STD-S	35,993/36,000	39,000/39,025	23,47	1,950/2,200	0,0300/0,0470
			SEC-034-J SH48034	1SEC-310-U	S	STD/ 0,25/ 0,50/ 0,50-S/ 0,75-S/ 1,00-S	55,941/55,960	60,000/60,030	26,000	1,992/2,012	0,016/0,105
				1SEC-213-U	B	STD/ 0,25/ 0,50/ 0,50-S/ 0,75-S/ 1,00-S	55,191/55,210	60,000/60,030	26,250	2,367/2,387	0,016/0,105
				1SEC-212-U	B	STD/ 0,25/ 0,50/ 0,50-S/ 0,75-S/ 1,00-S	55,441/55,460	60,000/60,030	26,250	2,242/2,262	0,016/0,105
MOTOR OM 906LA/926LA EURO III e V) OF 1722 - 52 / OF 1722 - 59 / 2432K - 6x4 - 36 / 2432B - 6x4 - 36 / 2428 6x4 - 48 / OH 1725 - L-59 / OH 1725 - 66E - 59 / O 500M (1725/30)	6	102,00x130,00	AE-165-P L48165	2AE-165-U	C	STD	93,65/94,00	117,35/117,85		3,24/3,31	
			BB-367-J B48367 INFERIOR A 280CV	6BB-352-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	69,995/70,015	75,000/75,019	28,30	2,468/2,478	0,029/0,088
				6BB-349-S	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	69,995/70,015	75,000/75,019	28,30	2,468/2,478	0,029/0,088
			BB-546-J B48546 280CV EM DIANTE	6BB-1273-S SPUTTER	P	STD/ 0,25/ 0,50	69,995/70,015	75,000/75,019	26,00/26,30	2,468/2,478	0,029/0,088
				6BB-1274-I	C	STD/ 0,25/ 0,50	69,995/70,015	75,000/75,019	26,00/26,30	2,468/2,478	0,029/0,088
			BC-553-J* M48553 2 Furos Ovais	7BC-5140-S	C	STD/ 0,25/ 0,50	85,990/86,010	91,000/91,022	23,050/23,250	2,465/2,475	0,040/0,102
				7BC-4926-I	P	STD/ 0,25/ 0,50	85,990/86,010	91,000/91,022	23,050/23,250	2,465/2,475	0,040/0,102
			BC-853-J M0480853 Euro V	7BC-1570-I		STD/ 0,25/ 0,50	85,990/86,010	91,000/91,022	23,000/23,300	2,465/2,475	0,040/0,102
				7BC-1570-S	P	STD/ 0,25/ 0,50	85,990/86,010	91,000/91,022	23,000/23,300	2,465/2,475	0,040/0,102

* Itens sob consulta

	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR OM 906LA/926LA EURO III e V) OF 1722 - 52 / OF 1722 - 59 / 2432K - 6x4 - 36 / 2432B - 6x4 - 36 / 2428 6x4 - 48 / OH 1725 - L-59 / OH 1725 - 66E - 59 / O 500M (1725/30)	6	102,00x130,00	BG-923-U G48923 A9060380650 (Euro III)	1BG-923-U COM DIÂMETRO DE PINO 42mm	P	STD-S	41,995/42,000	46,000/46,025	33,20/33,70	2,25/2,50	
			BG-924-U G48924 A9060381150 (Euro III)	1BG-924-U COM DIÂMETRO DE PINO 42mm - EXT + 0,50mm	P	STD-S	41,995/42,000	46,500/46,525	33,20/33,70	2,50/2,75	
			EC-097-J H48097	6EC-281-U		STD-S	67,941/67,960	72,000/72,030	20,00	2,40/2,65	0,040/0,089
				1EC-279-U		STD-S	67,941/67,960	72,000/72,030	29,50	2,40/2,65	0,040/0,089
MOTOR OM 904LA/924LA EURO III e V) 712C - 31,5 / 712C - 37 / 914C - 37 / OF 1417 - 52 / LO 914 - 42,5 / 1214C - 48	4	102,00x130,00	AE-165-P L48165	2AE-165-U	C	STD	93,65/94,00	117,35/117,85		3,24/3,31	
			BB-545-J B48545 170CV EM DIANTE	4BB-1273-S SPUTTER	P	STD/ 0,25/ 0,50	69,995/70,015	75,000/75,019	26,00/26,30	2,468/2,478	0,029/0,088
				4BB-1274-I	C	STD/ 0,25/ 0,50	69,995/70,015	75,000/75,019	26,00/26,30	2,468/2,478	0,029/0,088
			BC-552-J* M48552 2 Furos Ovais	5BC-5140-S	C	STD/ 0,25/ 0,50	85,990/86,010	91,000/91,022	23,050/23,250	2,465/2,475	0,040/0,102
				5BC-4926-I	P	STD/ 0,25/ 0,50	85,990/86,010	91,000/91,022	23,050/23,250	2,465/2,475	0,040/0,102
			BC-852-J M0480852 Euro V	5BC-1570-S	P	STD/ 0,25/ 0,50	85,990/86,010	91,000/91,022	23,000/23,300	2,465/2,475	0,040/0,102
				5BC-1570-I		STD/ 0,25/ 0,50	85,990/86,010	91,000/91,022	23,000/23,300	2,465/2,475	0,040/0,102
			BG-923-U G48923 A9060380650 (Euro III)	1BG-923-U COM DIÂMETRO DE PINO 42mm	P	STD-S	41,995/42,000	46,000/46,025	33,20/33,70	2,25/2,50	
				1BG-923-U COM DIÂMETRO DE PINO 42mm	P	STD-S	41,995/42,000	46,000/46,025	33,20/33,70	2,25/2,50	
			BG-924-U G48924 A9060381150 (Euro III)	1BG-924-U COM DIÂMETRO DE PINO 42mm - EXT + 0,50mm	P	STD-S	41,995/42,000	46,500/46,525	33,20/33,70	2,50/2,75	
			EC-098-J H48098	4EC-281-U		STD-S	67,941/67,960	72,000/72,030	20,00	2,40/2,65	0,040/0,089
				1EC-279-U		STD-S	67,941/67,960	72,000/72,030	29,50	2,40/2,65	0,040/0,089
		BB-369-J B48369 INFERIOR À 170CV	4BB-352-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	69,995/70,015	75,000/75,019	28,30	2,468/2,478	0,029/0,088	
			4BB-349-S	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	69,995/70,015	75,000/75,019	28,30	2,468/2,478	0,029/0,088	
MOTOR BR 900	4/6	102,00	BG-591-U G48591	1BG-591-U		STD-S	39,995/40,000	44,000/44,025	33,20/33,70	2,250/2,500	
			BG-592-U G48592	1BG-592-U		STD-S		24,990/25,040	23,500/23,650	1,680/1,720	
OM 360 VEHICLE SERIES: 1317 / 1517 / 1817 / 1319 / 1419 / 1519 / 1619 / 2219 / O 302 / O 305) 1968 ATE 1977	6	115,00x140,00	BB-329-J B48329	6BB-329-P	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	71,980/72,000	77,000/77,019	34,90/35,10	2,464/2,476	0,048/0,111
			BC-395-J M48395	6BC-604-P PECAS SUPERIO-RES SEM CANAL	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	97,980/98,000	104,000/104,022	28,30/28,50	2,963/2,975	0,050/0,116



	Nº Cil		 Códigos Metal Leve MAHLE														
OM 360 VEHICLE SERIES: 1317 / 1517 / 1817 / 1319 / 1419 / 1519 / 1619 / 2219 / O 302 / O 305) 1968 ATE 1977	6	115,00x140,00	BC-395-J M48395	1BC-605-P(F) PECAS SUPERIO- RES SEM CANAL	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	97,980/98,000	104,000/104,022	41,74/41,81	2,963/2,975	0,050/0,116						
			BG-541-U G48541	6BG-541-U	S	STD-S	42,000	46,000/46,025	41,00/41,50	2,30/2,45							
			EC-080-J H48080	1EC-159-U	B	STD-S	57,951/57,970	62,000/62,030	35,25	2,55/2,63							
				1EC-161-U	B	STD-S	57,351/57,370	62,000/62,030	20,25	2,80/2,88							
				1EC-160-U	B	STD-S	57,651/57,670	62,000/62,030	48,25	2,70/2,78							
				4EC-162-U	B	STD-S	57,451/57,470	62,000/62,030	20,25	2,80/2,88							
			M48604	1BC-604-S	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	97,980/98,000	104,000/104,022	28,30/28,50	2,963/2,975	0,050/0,116						
				1BC-604-I	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	97,980/98,000	104,000/104,022	28,30/28,50	2,963/2,975	0,050/0,116						
				1BC-605-S(F)	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	97,980/98,000	104,000/104,022	41,74/41,81	2,963/2,975	0,050/0,116						
				1BC-605-I(F)	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	97,980/98,000	104,000/104,022	41,74/41,81	2,963/2,975	0,050/0,116						
			OM 360 A (SERIE LKW) 1978 EM DIANTE'	6	115,00x140,00	BB-329-J B48329	6BB-329-P	P	STD/ 0,25/ 0,50	71,980/72,000	77,000/77,019	34,90/35,10	2,464/2,476	0,048/0,111			
BC-395-J M48395	6BC-604-P PECAS SUPERIO- RES SEM CANAL	P				STD/ 0,25/ 0,50/ 0,75/ 1,00	97,980/98,000	104,000/104,022	28,30/28,50	2,963/2,975	0,050/0,116						
	1BC-605-P(F) PECAS SUPERIO- RES SEM CANAL	P				STD/ 0,25/ 0,50/ 0,75/ 1,00	97,980/98,000	104,000/104,022	41,74/41,81	2,963/2,975	0,050/0,116						
BG-541-U G48541	6BG-541-U	S				STD-S	42,000	46,000/46,025	41,00/41,50	2,30/2,45							
EC-080-J H48080	1EC-159-U	B				STD-S	57,951/57,970	62,000/62,030	35,25	2,55/2,63							
	4EC-162-U	B				STD-S	57,451/57,470	62,000/62,030	20,25	2,80/2,88							
	1EC-160-U	B				STD-S	57,651/57,670	62,000/62,030	48,25	2,70/2,78							
	1EC-161-U	B				STD-S	57,351/57,370	62,000/62,030	20,25	2,80/2,88							
M48604	1BC-604-I	P				STD/ 0,25/ 0,50/ 0,75/ 1,00	97,980/98,000	104,000/104,022	28,30/28,50	2,963/2,975	0,050/0,116						
	1BC-604-S	P				STD/ 0,25/ 0,50/ 0,75/ 1,00	97,980/98,000	104,000/104,022	28,30/28,50	2,963/2,975	0,050/0,116						
	1BC-605-S(F)	P				STD/ 0,25/ 0,50/ 0,75/ 1,00	97,980/98,000	104,000/104,022	41,74/41,81	2,963/2,975	0,050/0,116						
	1BC-605-I(F)	P				STD/ 0,25/ 0,50/ 0,75/ 1,00	97,980/98,000	104,000/104,022	41,74/41,81	2,963/2,975	0,050/0,116						
OM 401 VEHICLE SERIES: 1019 / 1219 / 1419 / 1619 / 1719 / 1919 / 2219 / OM 30304) 1972 ATE 1985	6	125,00x130,00				BB-293-J B48293	6BB-435-P	P	STD/ 0,25	89,980/90,000	95,000/95,022	30,80/31,00	2,463/2,473	0,052/0,118			
						OM 402 VEHICLE SERIES: 1424 / 1624 / 1626 / 1926 / 2026 / 2224 / 2226 / 2626 / o303 / 04)1972 ATE 1985	8	125,00x130,00	BB-297-J B48297	8BB-435-P	P	STD/ 0,25	89,980/90,000	95,000/95,022	30,80/31,00	2,463/2,473	0,052/0,118
									BB-435-P B48435	2BB-435-C	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	89,980/90,000	95,000/95,022	30,80/31,00	2,463/2,473	0,052/0,118


											
	Nº Cil		Códigos Metal Leve MAHLE								
OM 402 VEHICLE SERIES: 1424 / 1624 / 1626 / 1926 / 2026 / 2224 / 2226 / 2626 / o303 / 04)1972 ATE 1985	8	125,00x130,00	BC-431-J M48431 PECAS SUPERIORES COM CANAL E 1 FURO	4BC-638-P	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	103,980/104,000	111,000/111,022	30,25/30,50	3,460/3,472	0,056/0,122
				1BC-639-P(F)	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	103,980/104,000	111,000/111,022	37,74/37,81	3,460/3,472	0,044/0,110
				1BG-526-U	P	STD-S	45,995/46,000	50,600/50,630	38,70	2,550/2,650	0,0550/0,0700
OM 403 VEHICLE SERIES: 1632 / 1932 / 2032 / 2232 / 2632 / O 303/ 1969 ATE 04/1972), VEHICLE SERIES: 1632 / 1932 / 2032 / 2232 / 2632 / 3032 / O 303/04/1972 ATE 1985)	10	125,00x130,00	BB-298-J B48298	10BB-435-P	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	89,980/90,000	95,000/95,022	30,80/31,00	2,463/2,473	0,052/0,118
				2BB-435-C	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	89,980/90,000	95,000/95,022	30,80/31,00	2,463/2,473	0,052/0,118
				5BC-638-P	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	103,980/104,000	111,000/111,022	30,25/30,50	3,460/3,472	0,056/0,122
				1BC-639-P(F)	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	103,980/104,000	111,000/111,022	37,74/37,81	3,460/3,472	0,044/0,110
				1BG-526-U	P	STD-S	45,995/46,000	50,600/50,630	38,70	2,550/2,650	0,0550/0,0700
				1BC-639-P(F)	P	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00	103,980/104,000	111,000/111,022	37,74/37,81	3,460/3,472	0,044/0,110
OM 404 1977 ATE 1982	12	125,00x130,00	BC-459-J M48459 PECAS SUPERIORES COM CANAL E 1 FURO	6BC-638-P	P	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00	103,980/104,000	111,000/111,022	30,25/30,50	3,460/3,472	0,056/0,122
				1BG-526-U	P	STD-S	45,995/46,000	50,600/50,630	38,70	2,550/2,650	0,0550/0,0700
				6BC-638-P	P	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00	103,980/104,000	111,000/111,022	30,25/30,50	3,460/3,472	0,056/0,122
OM 404 A 1977 ATE 1982	12	125,00x130,00	BC-459-J M48459 PECAS SUPERIORES COM CANAL E 1 FURO	1BC-639-P(F)	P	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00	103,980/104,000	111,000/111,022	37,74/37,81	3,460/3,472	0,044/0,110
				1BG-526-U	P	STD-S	45,995/46,000	50,600/50,630	38,70	2,550/2,650	0,0550/0,0700
				1BC-639-P(F)	P	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00	103,980/104,000	111,000/111,022	37,74/37,81	3,460/3,472	0,044/0,110
MOTOR OM 355/5 A VEICULAR / INDUSTRIAL / MARITIMO)	5	128,00x150,00	BB-166-J B48166	5BB-166-P	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	77,980/78,000	83,000/83,022	41,750	2,453/2,468	0,064/0,1360
				4BC-348-P	P	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00	94,980/95,000	100,000/100,022	35,150	2,455/2,470	0,0600/0,1320
				1BC-350-P	P	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00	94,980/95,000	100,000/100,022	52,150	2,455/2,470	0,0600/0,1320
				1BC-449-P(F)	P	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00	94,980/95,000	102,000/102,022	64,800	3,455/3,470	0,0600/0,1320
				6BG-069-U	S	STD-S	47,993/48,000	52,000/52,030	44,500/45,000	2,070/2,250	0,0600/0,0770
				4BG-126-U	S	STD-S	17,982/18,000	20,000/20,052	24,000	1,190/1,260	


															
	Nº Cil		Códigos Metal Leve MAHLE												
MOTOR OM 355/5 A (VEICULAR / INDUSTRIAL / MARITIMO)	5	128,00x150,00	EC-041-J H48041	1EC-086-U	B	0,75-S	53,851/53,870	58,000/58,030	33,000	2,500/2,570	0,0300/0,0790				
				1EC-088-U	B	0,75-S	53,551/53,570	58,000/58,030	55,000	2,500/2,570	0,0300/0,0790				
				2EC-087-U	B	0,75-S	53,751/53,770	58,000/58,030	30,000	2,500/2,570	0,0300/0,0790				
				1EC-090-U	B	0,75-S	53,351/53,370	58,000/58,030	30,000	2,550/2,620	0,0300/0,0790				
				1EC-089-U	B	0,75-S	53,451/53,470	58,000/58,030	30,000	2,500/2,570	0,0300/0,0790				
MOTOR OM 355/6 A	6	128,00x150,00	BB-167-J B48167	6BB-166-P	P	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	77,980/78,000	83,000/83,022	41,750	2,453/2,468	0,0640/0,1360				
MOTOR OM 355/6 LA (VEICULAR / INDUSTRIAL / MARITIMO)	6	128,00x155,00	BC-177-J M48177	1BC-449-P(F)	P	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00	94,980/95,000	102,000/102,022	64,800	3,455/3,470	0,0600/0,1320				
				5BC-348-P	P	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00	94,980/95,000	100,000/100,022	35,150	2,455/2,470	0,0600/0,1320				
				1BC-350-P	P	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00	94,980/95,000	100,000/100,022	52,150	2,455/2,470	0,0600/0,1320				
				BG-069-U G48069	6BG-069-U	S	STD-S	47,993/48,000	52,000/52,030	44,500/45,000	2,070/2,250	0,0600/0,0770			
				BG-126-U G48126 BALANCIM (ROCKER ARM)	4BG-126-U	S	STD-S	17,982/18,000	20,000/20,052	24,000	1,190/1,260				
				EC-042-J H48042 MANDRILHAVEL ATE STD	1EC-090-U	B	0,75-S	53,251/53,370	58,000/58,030	30,000	2,87/2,97	0,030/0,079			
				1EC-086-U	B	0,75-S	53,851/53,870	58,000/58,030	33,000	2,83/2,90	0,030/0,079				
				1EC-089-U	B	0,75-S	53,451/53,470	58,000/58,030	30,000	2,83/2,90	0,030/0,079				
				3EC-087-U	B	0,75-S	53,351/53,770	58,000/58,030	30,000	2,83/2,93	0,030/0,079				
				1EC-088-U	B	0,75-S	53,651/53,670	58,000/58,030	55,000	2,83/2,90	0,030/0,079				
				MOTOR OM 457 LA VEI- CULAR	6	128,00x155,00	BB-324-J B48324	6BB-335-C	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	89,980/90,000	95,000/95,022	36,05/36,20	2,468/2,478	0,044/0,106
								6BB-359-S SPUTTER	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	89,980/90,000	95,000/95,022	36,00/36,20	2,468/2,478	0,044/0,106
BC-544-J M48544	1BC-1073-I	P	STD/ 0,25/ 0,50/ 0,75/ 1,00					103,980/104,000	111,000/111,02	45,74/45,81	3,466/3,478	0,044/0,110			
1BC-504-S	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	103,980/104,000					111,000/111,02	45,74/45,81	3,466/3,478	0,044/0,110				
6BC-1072-I SPUTTER	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	103,980/104,000					111,000/111,02	35,80/35,95	3,466/3,478	0,044/0,110				
6BC-503-S	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	103,980/104,000					111,000/111,02	35,80/35,95	3,466/3,478	0,044/0,110				
BG-716-U G48716	6BG-716-U	P	STD-S					51,955/52,000	57,000/57,019	38,20/38,70	2,75/2,93	0,072/0,122			
EC-142-J H48142	5EC-458-U		STD-S					81,893/81,928	87,000/87,035	34,750/35,250	3,060/3,110	0,072/0,142			
1EC-478-U		STD-S	81,893/81,928					87,000/87,035	34,750/35,250	28,750/30,250	0,072/0,142				
1EC-474-U		STD-S	81,000					87,090/87,140	34,750/35,250	2,900/3,150					
COMPRESSOR MERCE- DES BENZ OM400 OM449A/OM449LA/ OM447LA COMPRESSOR KNORR	6	128,00x155,00 5.039x6.102	BB-332-P B48332					2BB-4332-C	P	STD/ 0,25	31,959/31,975	36,000/36,016	18,90/19,10	2,001/2,011	0,003/0,055
MOTOR OM 447 LA (VEICULO 1941, 2635 (360 / 10cv)	6	128,00x155,00 5.039x6.102	BB-327-J B48327	6BB-342-S SPUTTER	P	STD/ 0,25/ 0,50/ 0,75	89,980/90,00	95,000/95,022	36,00/36,20	2,468/2,478	0,044/0,106				
				6BB-335-C	P	STD/ 0,25/ 0,50/ 0,75	89,980/90,00	95,000/95,022	36,00/36,20	2,468/2,478	0,044/0,106				


MAHLE**MAHLE**



© MAHLE 2019/2020 | 371

											
Nº Cil		Códigos Metal Leve MAHLE									
OM 422 VEHICLE SERIES: 1625 / 1628 / 1928 / 2028 / 2225 / 2228 / 2525 / 2528 / 2628 / 3028 / O 303) 1979 EM DIANTE	8	128,00x142,00	BB-435-P B48435	2BB-435-C	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	89,980/90,000	95,000/95,022	30,80/31,00	2,463/2,473	0,052/0,118
			BC-431-J M48431 PECAS SUPERIORES COM CANAL E 1 FURO	1BC-639-P(F)	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	103,980/104,000	111,000/111,022	37,74/37,81	3,460/3,472	0,044/0,110
			BG-526-U G48526	4BC-638-P	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	103,980/104,000	111,000/111,022	30,25/30,50	3,460/3,472	0,056/0,122
			BG-526-U G48526	1BG-526-U	P	STD-S	45,995/46,000	50,600/50,630	38,70	2,550/2,650	0,0550/0,0700
OM 422 A VEHICLE SERIES: 1633 / 1635 / 1933 / 2033 / 2035 / 2233 / 2235 / 2533 / 2633 / 2635 / 3333 / O 303) 1979 EM DIANTE	8	128,00x142,00	BB-297-J B48297	8BB-435-P	P	STD/ 0,25	89,980/90,000	95,000/95,022	30,80/31,00	2,463/2,473	0,052/0,118
			BB-435-P B48435	2BB-435-C	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	89,980/90,000	95,000/95,022	30,80/31,00	2,463/2,473	0,052/0,118
			BC-431-J M48431 PECAS SUPERIORES COM CANAL E 1 FURO	4BC-638-P	P	STD/ 0,25	103,980/104,000	111,000/111,022	30,25/30,50	3,460/3,472	0,056/0,122
			BG-526-U G48526	1BC-639-P(F)	P	STD/ 0,25	103,980/104,000	111,000/111,022	37,74/37,81	3,460/3,472	0,044/0,110
			BG-526-U G48526	1BG-526-U	P	STD-S	45,995/46,000	50,600/50,630	38,70	2,550/2,650	0,0550/0,0700
OM 422 LA VEHICLE SERIES: 1638 / 1644 / 1938 / 2238 / 2244 / 2638 / 2644) 1980 EM DIANTE	8	128,00x142,00	BB-297-J B48297	8BB-435-P	P	STD/ 0,25	89,980/90,000	95,000/95,022	30,80/31,00	2,463/2,473	0,052/0,118
			BB-435-P B48435	2BB-435-C	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	89,980/90,000	95,000/95,022	30,80/31,00	2,463/2,473	0,052/0,118
			BC-431-J M48431 PECAS SUPERIORES COM CANAL E 1 FURO	4BC-638-P	P	STD/ 0,25	103,980/104,000	111,000/111,022	30,25/30,50	3,460/3,472	0,056/0,122
			BG-526-U G48526	1BC-639-P(F)	P	STD/ 0,25	103,980/104,000	111,000/111,022	37,74/37,81	3,460/3,472	0,044/0,110
			BG-526-U G48526	1BG-526-U	P	STD-S	45,995/46,000	50,600/50,630	38,70	2,550/2,650	0,0550/0,0700
OM 423 1981 EM DIANTE	10	128,00x142,00	BB-298-J B48298	10BB-435-P	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	89,980/90,000	95,000/95,022	30,80/31,00	2,463/2,473	0,052/0,118
			BB-435-P B48435	2BB-435-C	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	89,980/90,000	95,000/95,022	30,80/31,00	2,463/2,473	0,052/0,118
			BC-414-J M48414 PECAS SUPERIORES COM CANAL E 1 FURO	1BC-639-P(F)	P	STD/ 0,25/ 0,50/ 0,75	103,980/104,000	111,000/111,022	37,74/37,81	3,460/3,472	0,044/0,110
			BG-526-U G48526	5BC-638-P	P	STD/ 0,25/ 0,50/ 0,75	103,980/104,000	111,000/111,022	30,25/30,50	3,460/3,472	0,056/0,122
			BG-526-U G48526	1BG-526-U	P	STD-S	45,995/46,000	50,600/50,630	38,70	2,550/2,650	0,0550/0,0700
OM 423 LA VEHICLES SERIES: 3250 / 3850 / 4050) 1984 EM DIANTE	10	128,00x142,00	BB-298-J B48298	10BB-435-P	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	89,980/90,000	95,000/95,022	30,80/31,00	2,463/2,473	0,052/0,118


											
Nº Cil		Códigos Metal Leve MAHLE									
OM 423 LA VEHICLES SERIES: 3250 / 3850 / 4050) 1984 EM DIANTE	10	128,00x142,00	BB-435-P B48435	2BB-435-C	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	89,980/90,000	95,000/95,022	30,80/31,00	2,463/2,473	0,052/0,118
			BC-414-J M48414 PECAS SUPERIORES COM CANAL E 1 FURO	5BC-638-P	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	103,980/104,000	111,000/111,022	30,25/30,50	3,460/3,472	0,056/0,122
			BG-526-U G48526	1BC-639-P(F)	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	103,980/104,000	111,000/111,022	37,74/37,81	3,460/3,472	0,044/0,110
OM 424 1981 EM DIANTE	12	128,00x142,00	BC-459-J M48459 PECAS SUPERIORES COM CANAL E 1 FURO	6BC-638-P	P	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00	103,980/104,000	111,000/111,022	30,25/30,50	3,460/3,472	0,056/0,122
			BG-526-U G48526	1BC-639-P(F)	P	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00	103,980/104,000	111,000/111,022	37,74/37,81	3,460/3,472	0,044/0,110
			BG-526-U G48526	1BG-526-U	P	STD-S	45,995/46,000	50,600/50,630	38,70	2,550/2,650	0,0550/0,0700
OM 424 A 1981 EM DIANTE	12	128,00x142,00	BC-459-J M48459 PECAS SUPERIORES COM CANAL E 1 FURO	6BC-638-P	P	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00	103,980/104,000	111,000/111,022	30,25/30,50	3,460/3,472	0,056/0,122
			BG-526-U G48526	1BC-639-P(F)	P	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00	103,980/104,000	111,000/111,022	37,74/37,81	3,460/3,472	0,044/0,110
			BG-526-U G48526	1BG-526-U	P	STD-S	45,995/46,000	50,600/50,630	38,70	2,550/2,650	0,0550/0,0700
OM 424 LA 1980 EM DIANTE	12	128,00x142,00	BC-459-J M48459 PECAS SUPERIORES COM CANAL E 1 FURO	1BC-639-P(F)	P	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00	103,980/104,000	111,000/111,022	37,74/37,81	3,460/3,472	0,044/0,110
			BG-526-U G48526	6BC-638-P	P	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00	103,980/104,000	111,000/111,022	30,25/30,50	3,460/3,472	0,056/0,122
			BG-526-U G48526	1BG-526-U	P	STD-S	45,995/46,000	50,600/50,630	38,70	2,550/2,650	0,0550/0,0700
OM 442 A VEHICLE SERIES: 1635, 1935, 2235, 2535, 3335, O 303)	8	128,00x142,00	BB-297-J B48297	8BB-435-P	P	STD/ 0,25	89,980/90,000	95,000/95,022	30,80/31,00	2,463/2,473	0,052/0,118
			BB-435-P B48435	2BB-435-C	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	89,980/90,000	95,000/95,022	30,80/31,00	2,463/2,473	0,052/0,118
			BC-431-J M48431 PECAS SUPERIORES COM CANAL E 1 FURO	1BC-639-P(F)	P	STD/ 0,25	103,980/104,000	111,000/111,022	37,74/37,81	3,460/3,472	0,044/0,110
OM 442 LA VEHICLE SERIES: 1644, 1748, 1944, 2244, 2644, 1985 EM DIANTE)	8	128,00x142,00	BB-297-J B48297	8BB-435-P	P	STD/ 0,25	89,980/90,000	95,000/95,022	30,80/31,00	2,463/2,473	0,052/0,118
			BB-435-P B48435	2BB-435-C	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	89,980/90,000	95,000/95,022	30,80/31,00	2,463/2,473	0,052/0,118
			BG-526-U G48526	1BG-526-U	P	STD-S	45,995/46,000	50,600/50,630	38,70	2,550/2,650	0,0550/0,0700

											
Nº Cil		Códigos Metal Leve MAHLE									
OM 442 LA VEHICLE SERIES: 1644, 1748, 1944, 2244, 2644, 1985 EM DIANTE)	8	128,00x142,00	BC-431-J M48431 PECAS SUPERIORES COM CANAL E 1 FURO	4BC-638-P	P	STD/ 0,25	103,980/104,000	111,000/111,022	30,25/30,50	3,460/3,472	0,056/0,122
			BG-526-U G48526	1BC-639-P(F)	P	STD/ 0,25	103,980/104,000	111,000/111,022	37,74/37,81	3,460/3,472	0,044/0,110
OM 401/441 LA 11Ltr. (SERIE O 404 / 1831)	6	130,00x142,00	BG-526-U G48526	1BG-526-U	P	STD-S	45,995/46,000	50,600/50,630	38,70	2,550/2,650	0,0550/0,0700
				1BG-526-U	P	STD-S	45,995/46,000	50,600/50,630	38,70	2,550/2,650	0,0550/0,0700
OM 441 LA 11,3 Ltr. (SERIE: O 404 / 1722)	6										
OM501LA V6 24V / OM502LA V8 32V	6/8	130,00	L48051	4AE-239-C	P	STD	117,00	139,00		5,37/5,42	
OM 421 A VEHICLES SERIES: O 303 1985->)		130,00x142,00	BC-458-J M48458 PECAS SUPERIORES COM CANAL E 1 FURO	3BC-638-I	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	103,980/104,000	111,000/111,022	30,25/30,50	3,460/3,472	0,056/0,122
				3BC-638-S	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	103,980/104,000	111,000/111,022	30,25/30,50	3,460/3,472	0,056/0,122
				1BC-639-I(F)	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	103,980/104,000	111,000/111,022	37,74/37,81	3,460/3,472	0,056/0,122
				1BC-639-S(F)	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	103,980/104,000	111,000/111,022	37,74/37,81	3,460/3,472	0,056/0,122
				BG-526-U G48526	1BG-526-U	P	STD-S	45,995/46,000	50,600/50,630	38,70	2,550/2,650


												
	Nº Cil		Códigos Metal Leve MAHLE									
Motor 2.0 16v 4B11 ASX, Lancer, Outlander - Gasolina / Flex	4		BB-768-J B1950768	8BB-2028-C	C	STD/ 0,25/ 0,50	47,952/47,970	50,998/51,013	17,000/17,200	1,500/1,508	0,012/0,061	
			BC-873-J M1950873	5BC-2025-S	C	STD/ 0,25/ 0,50	51,973/51,988	56,000/56,020	18,000/18,200	1,994/2,000	0,014/0,056	
				5BC-2025-I	C	STD/ 0,25/ 0,50	51,973/51,988	56,000/56,020	18,000/18,200	1,994/2,000	0,014/0,056	
Motor 2.8 16v 4M40 / 3.2 6v 4M41 L200, Pajero - Diesel	4		BB-743-J B1950743 1115A500	8BB-2020-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	53,970/53,988	58,000/58,019	27,38/27,63	1,988/1,996	0,020/0,073	
			BC-860-J M1950860 1052B175	5BC-2016-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	67,961/67,978	72,000/72,019	21,88/22,13	1,992/2,000	0,022/0,074	
				5BC-2016-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	67,961/67,978	72,000/72,019	21,88/22,13	1,992/2,000	0,022/0,074	
MOTOR 4M41 3.2L DIESEL L200 TRITON	4	98,50	AE-366-J L1950366 1052A499	2AE-2009-S	C	STD	76,000/76,250	94,350/94,600		2,400/2,450		
				2AE-2009-I	C	STD	76,000/76,250	94,350/94,600		2,400/2,450		
MOTOR 4G94 2.0L Pajero TR4 (Gasolina/Flex)	4	81,50	AE-350-J L1950350 1052A442	2AE-3019-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	56,00/56,25	75,38/75,63		1,925/1,975		
				8BB-720-J B1950720 1115A102	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	46,980/47,000	50,000/50,015	16,55/16,80	1,484/1,492	0,016/0,067	
				5BC-829-J M1950829 1052A437	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	49,982/50,000	54,000/54,018	18,88/19,13	1,983/1,991	0,018/0,070	
				5BC-3018-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	49,982/50,000	54,000/54,018	18,88/19,13	1,983/1,991	0,018/0,070	
MITSUBISHI L200 MOTOR 4D56 1994->	4	91,10	BB-333-J B195333 BC-546-J M195546	1BB-1107-C	C	STD/ 0,25/ 0,50/ 0,75	52,984/53,000	56,000/56,020	24,95/25,15	1,487/1,493	0,014/0,062	
				4BC-1177-S	C	STD/ 0,25/ 0,50/ 0,75	65,985/66,000	70,000/70,020	24,95/25,15	1,983/1,990	0,020/0,069	
				4BC-1177-I	C	STD/ 0,25/ 0,50/ 0,75	65,985/66,000	70,000/70,020	24,95/25,15	1,983/1,990	0,020/0,069	
				2BC-1176-C	C	STD/ 0,25/ 0,50/ 0,75	65,985/66,000	70,000/70,020	30,89/30,95	1,983/1,990	0,020/0,069	
L200 HPE SPORT MOTOR 4D56-2.4L/2.5L	4	91,10	AE-135-J L195135 BB-765-J B1950765 BC-720-J M195720	2AE-297-C		STD	71,900	89,750		2,510		
				8BB-2025-C	S	STD/ 0,25/ 0,50/ 0,75	52,984/53,000	56,000/56,020	24,950/25,150	1,487/1,493	0,014/0,062	
				5BC-1177-I	C	STD/ 0,25/ 0,50/ 0,75	65,985/66,000	70,000/70,020	24,950/25,150	2,260/2,550	0,020/0,069	
				5BC-1177-S	C	STD/ 0,25/ 0,50/ 0,75	65,985/66,000	70,000/70,020	24,950/25,150	2,260/2,550	0,020/0,069	
				AE-320-J L1950320 1052A389	2AE-3022-C	C	STD/ 0,25	70,00/70,25	94,45/94,70		1,93/1,98	
					12BB-3020-C	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,981/55,000	58,000/58,019	15,25/15,50	1,482/1,492	0,016/0,074
MOTOR 6G74 3.5L V6 Flex L200 Triton	6	93,00	BB-685-J B1950685 MD311928	4BC-3021-S	SP	STD/ 0,25/ 0,50/ 0,75	63,983/64,000	68,000/68,019	16,87/17,12	1,982/1,992	0,016/0,072	
				4BC-3021-I	SP	STD/ 0,25/ 0,50/ 0,75	63,983/64,000	68,000/68,019	16,87/17,12	1,982/1,992	0,016/0,072	

															
Nº Cil		Códigos Metal Leve MAHLE													
MOTOR SPRINT 4.07T /4.07TCA 2.8L	4	93,00x103,00	AE-119-P L13119	1AE-119-I	C	STD/ 0,25	69,981/70,000	92,000/92,220	2,42/2,47						
				1AE-119-S	C	STD/ 0,25	69,981/70,000	92,000/92,220			2,42/2,47				
				BB-1066-P B131066	2BB-1066-C	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,981/55,000				59,000/59,019	27,75/28,00	1,975/1,985	0,030/0,088
				BC-927-P M13927	1BC-927-S	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	69,981/70,000				75,000/75,019	22,375	2,470/2,482	0,036/0,098
				1BC-927-I	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	69,981/70,000	75,000/75,019				22,375	2,470/2,482	0,036/0,098	
BG-545-U G13545	1BG-545-U		STD/ STD-S	34,994/35,000	38,500/38,516	27,50/28,00	1,726/1,742	0,016/0,070							
MOTOR SPRINT 4.07TCE EURO III Agrale Furgovan, Nissan Frontier, Chevrolet Blazer, Nissan Xterra, Chevrolet S10, Volare V5/V6	4	93,00x103,00	AE-119-P L13119	1AE-119-I	C	STD/ 0,25	69,981/70,000	92,000/92,220	2,42/2,47						
				1AE-119-S	C	STD/ 0,25	69,981/70,000	92,000/92,220			2,42/2,47				
				BB-1066-P B131066	2BB-1066-C	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,981/55,000				59,000/59,019	27,75/28,00	1,975/1,985	0,030/0,088
				BC-927-P M13927	1BC-927-I	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	69,981/70,000				75,000/75,019	22,375	2,470/2,482	0,036/0,098
				1BC-927-S	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	69,981/70,000	75,000/75,019				22,375	2,470/2,482	0,036/0,098	
BG-545-U G13545	1BG-545-U		STD/ STD-S	34,994/35,000	38,500/38,516	27,50/28,00	1,726/1,742	0,016/0,070							
MOTOR SPRINT 6.07T/ 6.07TCA 4.2L	6	93,00x103,00	AE-119-P L13119	1AE-119-S	C	STD/ 0,25	69,981/70,000	92,000/92,220	2,42/2,47						
				1AE-119-I	C	STD/ 0,25	69,981/70,000	92,000/92,220			2,42/2,47				
				BB-1066-P B131066	2BB-1066-C	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,981/55,000				59,000/59,019	27,75/28,00	1,975/1,985	0,030/0,088
				BC-927-P M13927	1BC-927-S	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	69,981/70,000				75,000/75,019	22,375	2,470/2,482	0,036/0,098
				1BC-927-I	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	69,981/70,000	75,000/75,019				22,375	2,470/2,482	0,036/0,098	
BG-545-U G13545	1BG-545-U		STD/ STD-S	34,994/35,000	38,500/38,516	27,50/28,00	1,726/1,742	0,016/0,070							
MOTOR SPRINT 3.2L EURO V	4	96,00	AE-119-P L13119	1AE-119-I	C	STD/ 0,25	69,981/70,000	92,000/92,220	2,42/2,47						
				1AE-119-S	C	STD/ 0,25	69,981/70,000	92,000/92,220			2,42/2,47				
				BB-719-J B0130719	4BB-1344-S		STD	58,725/58,745				62,433/62,446	27,75/28,00	1,823/1,833	0,022/0,075
				4BB-1345-I	C	STD	58,725/58,745	62,433/62,446				27,75/28,00	1,823/1,833	0,022/0,075	
				BC-827-J M0130827	5BC-1526-I	C	STD	69,981/70,000				75,000/75,019	22,25/22,50	2,470/2,482	0,036/0,098
5BC-1526-S	C	STD	69,981/70,000	75,000/75,019	22,25/22,50	2,470/2,482	0,036/0,098								
BG-1186-J G0131186 7001178C1	4BG-1186-U	P	STD-S	37,995/38,000	42,650/42,675	16,50/17,00; 35,10/35,60	2,45/2,80								
MOTOR SPRINT 4.08 TCE 3200 Dedalus, DELIVERY 5-140E/ 8-150E, Ônibus 5-140/ 8-150	4	96,00x103,00 3.78x4.06	AE-112-P L13112	1AE-112-P	S	STD/ 0,25	95,00/95,25	110,00/110,25	3,42/3,47						


* Itens sob consulta

												
	Nº Cil		Códigos Metal Leve MAHLE									
MOTOR SPRINT 4.08 TCE 3200 Dedalus, DELIVERY 5-40E/ 8-150E, Ônibus 5-40/ 8-150	4	96,00x103,00 3.78x4.06	BB-1215-P B131215	1BB-1024-I	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	62,950/62,970	67,000/67,019	29,75/30,00	1,994/2,002	0,026/0,081	
				1BB-1215-S SPUTTER	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	62,950/62,970	67,000/67,019	29,75/30,00	1,994/2,002	0,026/0,081	
				BC-718-P M13718	1BC-1085-S	STD	85,942/85,964	92,000/92,022	27,800/28,100	3,110/3,150	0,036/0,096	
				1BC-1368-I	STD	85,942/85,964	92,000/92,022	27,800/28,100	3,110/3,150	0,036/0,096		
				G131050	1BG-1050-U Trapezoidal	STD-S	34,994/35,000	38,480/38,496	27,10/27,60; 17,25/17,75	1,87/2,06	0,038/0,062	
MOTOR TD-229EC (TURBO) CAMINHÃO VW 7.110S	4	102,00x120,00	AE-074-J L13074	2AE-074-P	S	STD/ 0,50	79,00/79,25	94,95/95,20		3,42/3,47		
				BG-076-U G13076	1BG-076-U	S	STD-S	34,995/35,000	38,000/38,016	32,000	1,473/1,488	0,0400/0,0890
				EC-031-J H13031	1EC-072-U	S	STD/ 1,00-S	42,940/42,960	47,000/47,025	26,000	1,990/2,005	0,0300/0,1050**
				SBB-220-P SB13220	1SBB-220-P	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	62,950/62,970	67,000/67,019	27,100	1,989/2,002	0,0260/0,0910
				SBC-460-P SM13460	1SBC-460-P	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	69,951/69,970	75,000/75,019	28,100	2,479/2,492	0,0460/0,1100
MOTOR TD-229/6 (TURBO) (VEICULAR / AGRICOLA)	4/6	102,00x120,00	AE-074-J L13074	2AE-074-P	S	STD/ 0,50	79,00/79,25	94,95/95,20		3,42/3,47		
				BG-076-U G13076	1BG-076-U	S	STD-S	34,995/35,000	38,000/38,016	32,000	1,473/1,488	0,0400/0,0890
				EC-031-J H13031	1EC-072-U	S	STD/ 1,00-S	42,940/42,960	47,000/47,025	26,000	1,990/2,005	0,0300/0,1050**
				SBB-220-P SB13220	1SBB-220-P	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	62,950/62,970	67,000/67,019	27,100	1,989/2,002	0,0260/0,0910
				SBC-460-P SM13460	1SBC-460-P	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	69,951/69,970	75,000/75,019	28,100	2,479/2,492	0,0460/0,1100
MOTOR CTR MWM X10 E X12 4000/6000/4800/7200 BETONEIRA E 6CYL 310HP	4/6 X10/ 4/6 X12	103,00/105,00x129,00/137,00 4.06/4.13x5.08/5.39	BC-718-P M13718	1BC-1085-S		STD	85,942/85,964	92,000/92,022	27,800/28,100	3,110/3,150	0,036/0,096	
				1BC-1368-I		STD	85,942/85,964	92,000/92,022	27,800/28,100	3,110/3,150	0,036/0,096	
MOTOR 4.10NA / 4.10T / 4.10TCA 16,0:1 (TURBO (até 210cv)	4	103,00x129,00	AE-112-P L13112	1AE-112-P	S	STD/ 0,25	95,00/95,25	110,00/110,25		3,42/3,47		
				BB-1024-P B131024	1BB-1024-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	62,950/62,970	67,000/67,019	29,75/30,00	1,994/2,002	0,026/0,081
				BC-1084-P M13613	1BC-1084-I PEÇA C/ FURO A 6° + CANAL TOTAL	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	85,942/85,964	92,000/92,022	27,95	2,987/3,000	0,036/0,106
					1BC-1085-S PEÇA C/ FURO A 40° + CANAL TOTAL	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	85,942/85,964	92,000/92,022	27,95	2,987/3,000	0,036/0,106
				BG-528-U G13528	1BG-528-U	S	STD	37,994/38,000	41,000/41,016	31,75	1,469/1,487	0,042/0,094
				EC-126-U H13126	1EC-126-U	S	STD	49,940/49,960	54,000/54,030	25,75	1,987/2,005	0,030/0,110
				EC-226-U H13226	1EC-226-U	S	STD-S	49,920/49,940	54,000/54,030	25,75	2,400/2,480	0,065/0,115
				EC-227-U H13227	1EC-227-U	S	STD-S	49,920/49,940	54,000/54,030	21,75	2,400/2,480	0,065/0,115


* Itens sob consulta



												
Nº Cil		Códigos Metal Leve MAHLE										
MOTOR 6.10NA /6.10T /6.10TCA /6.10TCW ASP./TURBO (até 210cv)	6	103,00x129,00	AE-112-P L13112	1AE-112-P	S	STD/ 0,25	95,00/95,25	110,00/110,25		3,42/3,47		
			BB-1024-P B131024	1BB-1024-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	62,950/62,970	67,000/67,019	29,75/30,00	1,994/2,002	0,026/0,081	
			BC-1085-P M13513	1BC-1085-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	85,942/85,964	92,000/92,022	27,95	2,987/3,000	0,036/0,106	
				PEÇA C/ FURO A 40° + CANAL TOTAL								
				1BC-1085-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	85,942/85,964	92,000/92,022	27,95	2,987/3,000	0,036/0,106	
				PEÇA C/ 2 CANAIS PARCIAIS S/ FURO								
			BG-528-U G13528	1BG-528-U	S	STD	37,994/38,000	41,000/41,016	31,75	1,469/1,487	0,042/0,094	
			EC-126-U H13126	1EC-126-U	S	STD	49,940/49,960	54,000/54,030	25,75	1,987/2,005	0,030/0,110	
			EC-226-U H13226	1EC-226-U	S	STD-S	49,920/49,940	54,000/54,030	25,75	2,400/2,480	0,065/0,115	
			EC-227-U H13227	1EC-227-U	S	STD-S	49,920/49,940	54,000/54,030	21,75	2,400/2,480	0,065/0,115	
MOTOR ACTEON EURO V 16,8:1 MaxxForce 7.2H (7.2L)-> VOLVO VM // MaxxForce 4.8H (4.8L)-> AGRALE	4/6	105,00	AE-337-J L13337	2AE-337-S		STD/ 0,25	95,00/95,25	110,00/110,25		3,42/3,47		
			AE-362-J* L0130362	2AE-337-I		STD/ 0,25	95,00/95,25	110,00/110,25		3,42/3,47		
				2AE-357-I		STD	95,30/95,55	110,00/110,25		3,36/3,43		
				7004759X1								
				2AE-357-S		STD	95,30/95,55	110,00/110,25		3,36/3,43		
				7004760X1								
			BB-671-P B13671	1BB-1378-S		STD	62,950/62,970	67,000/67,019	29,75/30,00	1,994/2,002	0,026/0,081	
				SPUTTER								
			BC-752-P M13752	1BB-1303-I	C	STD	62,950/62,970	67,000/67,019	29,75/30,00	1,994/2,002	0,026/0,081	
				SPUTTER								
MOTOR ACTEON X12 EURO III, 4.12 TCE: Agrale 8500 E-tronic, Agrale 9200 E-tronic, Volvo VM 210, VW 13.180 - Constella-tion, VW 13.180E, VW 15.180 - Constellation, VW 15.180E, Agrale: MA 7.5 E-tronic, MA 8.5 E-tronic, MA 9.2 E-tronic, Volare W8/W9, VW 15.180 EOD, VW 9.150 EOD, VW 8.150 EOD.	4	105,00	AE-112-P L13112	1BC-1368-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	85,942/85,964	92,000/92,022	27,80/28,10	2,992/3,000	0,036/0,096	
					1BC-1368-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	85,942/85,964	92,000/92,022	27,80/28,10	2,992/3,000	0,036/0,096
				EC-153-J H0130153	1EC-535-U		STD	49,920/49,940	54,000/54,030	25,50/26,00	1,987/2,005	0,050/0,130
				7002258C1								
			AE-112-P L13112	1AE-112-P	S	STD/ 0,25	95,00/95,25	110,00/110,25		3,42/3,47		
			BB-1215-P B131215	1BB-1215-S	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	62,950/62,970	67,000/67,019	29,75/30,00	1,994/2,002	0,026/0,081	
				SPUTTER								
			BC-1149-P M131149	1BB-1024-I	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	62,950/62,970	67,000/67,019	29,75/30,00	1,994/2,002	0,026/0,081	
1BC-1149-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00		85,942/85,964	92,000/92,022	27,80/28,10	2,992/3,000	0,036/0,096				
1BC-1085-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00		85,942/85,964	92,000/92,022	27,80/28,10	2,992/3,000	0,036/0,096				

* Itens sob consulta

											
Nº Cil	Códigos Metal Leve MAHLE										
MOTOR ACTEON X12 EURO III, 4.12 TCE: Agrale 8500 E-tronic, Agrale 9200 E-tronic, Volvo VM 210, VW 13.180 - Constellation, VW 13.180E, VW 15.180 - Constellation, VW 15.180E, Agrale: MA 7.5 E-tronic, MA 8.5 E-tronic, MA 9.2 E-tronic, Volare W8/W9, VW 15.180 EOD, VW 9.150 EOD, VW 8.150 EOD.	4	105,00	BG-928-U G13928	1BG-928-U		STD-S	37,994/38,000	41,000/41,016	31,500/32,000	1,820/1,900	0,026/0,084
MOTOR MWM D-226/4 TRATOR MF-85	4	105,000x120,000 4.133x4.724	AE-277-P L13277	2AE-277-S	C	STD	73,05/73,55	89,80/90,20		3,42/3,47	
				2AE-277-I	C	STD	73,05/73,55	89,80/90,20		3,42/3,47	
			BC-764-P M0130764 CENTRAL	1BC-764-P(F) C/ FURO S/ CANAL	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	64,951/64,970	71,000/71,019	35,84/35,88	2,975/2,987	0,056/0,118
			BG-030-U G13030	6BG-030-U	S	STD-S	31,993/32,000	36,000/36,016	30,000	1,975/1,985	0,0300/0,0730
			BG-090-U G13090 EXT. + 0,20	1BG-090-U	S	STD-S	31,993/32,000	36,200/36,216	30,000	2,170/2,300	0,0200/0,0730
			EC-031-J H13031	1EC-072-U	S	STD/ 1,00-S	42,940/42,960	47,000/47,025	26,000	1,990/2,005	0,0300/0,1050
			SBB-144-P SB13144	1SBB-144-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,950/57,970	62,000/62,019	27,100	1,980/1,992	0,0460/0,1090
			SBC-313-P SM13313	1SBC-313-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	64,951/64,970	71,000/71,019	28,100	2,975/2,987	0,056/0,118
			SBC-314-P SM13314 CENTRAL	1SBC-314-P(F) C/ FURO S/ CANAL	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	64,951/64,970	71,000/71,019	35,84/35,88	2,975/2,987	0,056/0,118
MOTOR 4.12 TCAE ACTEON EURO 3, VWC - DELIVERY - MOTORES DE 150-180cv	4	105,00	BB-1090-P B131090	1BB-1090-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	62,950/62,970	67,000/67,019	29,75/30,00	1,994/2,002	0,026/0,081
				1BB-1024-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	62,950/62,970	67,000/67,019	29,75/30,00	1,994/2,002	0,026/0,081
			BC-1149-P M131149	1BC-1149-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	85,942/85,964	92,000/92,022	27,80/28,10	2,992/3,000	0,036/0,096
				1BC-1085-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	85,942/85,964	92,000/92,022	27,80/28,10	2,992/3,000	0,036/0,096
MOTOR ACTEON X12 (Trapezoidal)		105,00	BG-1210-U G0131210	1BG-1210-U 7001468C1		STD-S	37,994/38,000	41,455/41,480	36,15/36,65; 18,40/19,20	1,87/2,17	0,037/0,101


* Itens sob consulta

											
Nº Cil	Códigos Metal Leve MAHLE										
MOTOR 9.3 L I 313 VOLKSWAGEN CONSTEL- LATION 19370 / 25370 / 31370	6	116,00x146,00 4.566x5.748	BB-517-J B38517	12BB-1087-C	P	STD	79,995/80,025	85,131/85,156	39,87/40,13	2,61/2,65	0,030/0,105
			BC-713-J M38713	6BC-1170-S	P	STD	107,935/107,965	116,408/116,434	34,060/34,320	4,186/4,199	0,045/0,127
			7BC-1170-I	P	STD	107,935/107,965	116,408/116,434	34,060/34,320	4,186/4,199	0,045/0,127	
			1BC-1171-S	P	STD	107,935/107,965	116,408/116,434	43,13/43,21	4,186/4,199	0,045/0,127	



												
	Nº Cil		Códigos Metal Leve MAHLE									
MOTOR 1600 E16 TSURU HIKARI, SAMURAI - 1987/93	4		BB-322-J B03322	8BB-1086-C	SP	STD/ 0,25/ 0,50/ 0,75	39,957/39,975	43,000/43,012	16,80/17,00	1,497/1,509	0,007/0,061	
			BC-518-J M03518	4BC-1153-C	SP	STD/ 0,25/ 0,50/ 0,75	49,939/49,969	53,642/53,668	17,80/18,00	1,817/1,829	0,015/0,095	
				4BC-1152-C	SP	STD/ 0,25/ 0,50/ 0,75	49,939/49,969	53,642/53,668	21,95/22,15	1,817/1,829	0,015/0,095	
				2BC-1154-C	SP	STD/ 0,25/ 0,50/ 0,75	49,939/49,969	53,642/53,668	26,90/26,95	1,817/1,829	0,015/0,095	
MOTOR 1600 GA 16 DE TSURU II 16V - 1994/97	4		BB-322-J B03322	8BB-1086-C	SP	STD/ 0,25/ 0,50/ 0,75	39,957/39,975	43,000/43,012	16,80/17,00	1,497/1,509	0,007/0,061	
			BC-543-J M03543	5BC-1155-S	C	STD/ 0,25/ 0,50/ 0,75	49,954/49,964	53,642/53,668	16,80/17,00	1,827/1,833	0,012/0,060	
				5BC-1155-I	C	STD/ 0,25/ 0,50/ 0,75	49,954/49,964	53,642/53,668	16,80/17,00	1,827/1,833	0,012/0,060	
Motor 2.5 YD25DTI Frontier - 2006->2012/13 - Diesel	4		BB-679-J B0030679 12111-AD20B	8BB-3009-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	51,958/51,974	55,000/55,016	22,75/23,00	1,492/1,500	0,026/0,074	
				BC-782-J M0030782 12207-ES60A	5BC-3010-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	62,951/62,975	66,654/66,681	19,75/20,00	1,822/1,830	0,019/0,086
					5BC-3010-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	62,951/62,975	66,654/66,681	19,75/20,00	1,822/1,830	0,019/0,086
				AE-324-J L0030324 12280-ES60A	2AE-3057-C	C	STD/ 0,25	69,50/69,75	88,25/88,50		1,90/1,95	
					AE-349-J L0030349	2AE-3092-C	C	STD	54,700/54,950	74,000/73,750		1,910/1,960
				BB-713-J B0030713 12151-5H70J		4BB-3090-S	C	STD/ 0,25/ 0,50	39,953/39,971	43,000/43,013	14,750/15,000	1,502/1,510
4BB-3090-I	C	STD/ 0,25/ 0,50	39,953/39,971		43,000/43,013	14,750/15,000	1,502/1,510	0,009/0,056				
Motor 1.6 16v HR16DE DOHC Versa, March - Flex	4	78,00	BC-823-J M0030823 12158-CK825	10BC-3091-C	C	STD/ 0,25/ 0,50	47,959/47,979	51,997/52,017	15,750/16,000	1,996/2,004	0,010/0,066	
				AE-319-J L0030319 12280-CK825	2AE-3016-C	C	STD	58,70/58,95	76,75/77,00		2,17/2,22	
					BB-686-J B0030686 12150-CK80A	4BB-3014-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	43,955/43,971	47,000/47,013	15,75/16,00	1,496/1,504
4BB-3014-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	43,955/43,971	47,000/47,013		15,75/16,00	1,496/1,504	0,021/0,066				
MOTOR MR18DE 1.8L 16V FLEX Grand Livina, Livina, Tiida	4	84,00	BC-784-J M0030784 12215-CK800	10BC-3015-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	51,963/51,979	55,998/56,018	16,75/17,00	1,994/2,002	0,015/0,067	
				AE-319-J L0030319 12280-CK825	2AE-3016-C	C	STD	58,70/58,95	76,75/77,00		2,17/2,22	
					BB-686-J B0030686 12150-CK80A	4BB-3014-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	43,955/43,971	47,000/47,013	15,75/16,00	1,496/1,504
4BB-3014-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	43,955/43,971	47,000/47,013		15,75/16,00	1,496/1,504	0,021/0,066				
MOTOR MR20 2.0L 16V FLEX Sentra (2009->2013)	4	84,00	BC-784-J M0030784 12215-CK800	10BC-3015-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	51,963/51,979	55,998/56,018	16,75/17,00	1,994/2,002	0,015/0,067	
				AE-319-J L0030319 12280-CK825	2AE-3016-C	C	STD	58,70/58,95	76,75/77,00		2,17/2,22	
					BB-686-J B0030686 12150-CK80A	4BB-3014-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	43,955/43,971	47,000/47,013	15,75/16,00	1,496/1,504
4BB-3014-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	43,955/43,971	47,000/47,013		15,75/16,00	1,496/1,504	0,021/0,066				



	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR 260-P 4269CC (DIESEL) 1979-1981 (U.S.A.)	8	88,90x85,98 3.500x3.385	BB-604-J	8BB-604-P	SP	STD/ 0,25/ 0,50	53,945/53,970 2.1238/2.1248	57,137/57,150 2.2495/2.2500	21,000 0.827	1,559/1,572 0.0614/0.0619	0,0230/0,0870 0.0009/0.0034
MOTOR 260 C.I.D 4269CC 1975-1983 (U.S.A.)	8	88,90x85,98 3.500x3.385	BC-314-J	8BB-604-P	SP	STD/ 0,25/ 0,50	53,945/53,970 2.1238/2.1248	57,137/57,150 2.2495/2.2500	21,000 0.827	1,559/1,572 0.0614/0.0619	0,0230/0,0870 0.0009/0.0034
				5BC-840-S	SP	STD/ 0,25/ 0,50	63,457/63,482 2.4983/2.4993	68,250/68,275 2.6870/2.6880	24,890 0.980	2,364/3,377 0.0931/0.0936	0,0140/0,0900 0.0006/0.0035
				1BC-840-I	SP	STD/ 0,25/ 0,50	63,457/63,482 2.4983/2.4993	68,250/68,275 2.6870/2.6880	24,890 0.980	2,364/3,377 0.0931/0.0936	0,0140/0,0900 0.0006/0.0035
				1BC-843-P	SP	STD/ 0,25/ 0,50	63,457/63,482 2.4983/2.4993	68,250/68,275 2.6870/2.6880	41,380 1.629	2,354/2,367 0.0927/0.0932	0,0340/0,1100 0.0013/0.0043
				1BC-842-P(F)	SP	STD/ 0,25/ 0,50	63,457/63,482 2.4983/2.4993	68,250/68,275 2.6870/2.6880	30,350 1.195	2,364/3,377 0.0931/0.0936	0,0140/0,0900 0.0006/0.0035
MOTOR 307 C.I.D.. 5033CC 1980-1984 (U.S.A.)	8	96,52x85,98 3.800x3.385	BB-604-J	8BB-604-P	SP	STD/ 0,25/ 0,50	53,945/53,970 2.1238/2.1248	57,137/57,150 2.2495/2.2500	21,000 0.827	1,559/1,572 0.0614/0.0619	0,0230/0,0870 0.0009/0.0034
			BC-314-J	1BC-840-I	SP	STD/ 0,25/ 0,50	63,457/63,482 2.4983/2.4993	68,250/68,275 2.6870/2.6880	24,890 0.980	2,364/3,377 0.0931/0.0936	0,0140/0,0900 0.0006/0.0035
				5BC-840-S	SP	STD/ 0,25/ 0,50	63,457/63,482 2.4983/2.4993	68,250/68,275 2.6870/2.6880	24,890 0.980	2,364/3,377 0.0931/0.0936	0,0140/0,0900 0.0006/0.0035
				1BC-842-P(F)	SP	STD/ 0,25/ 0,50	63,457/63,482 2.4983/2.4993	68,250/68,275 2.6870/2.6880	30,350 1.195	2,364/3,377 0.0931/0.0936	0,0140/0,0900 0.0006/0.0035
				1BC-843-P	SP	STD/ 0,25/ 0,50	63,457/63,482 2.4983/2.4993	68,250/68,275 2.6870/2.6880	41,380 1.629	2,354/2,367 0.0927/0.0932	0,0340/0,1100 0.0013/0.0043
MOTOR 330 C.I.D.. 5405CC 1964-1967 (U.S.A.)	8	100,03x85,98 3.938x3.385	BB-604-J	8BB-604-P	SP	STD/ 0,25/ 0,50	53,945/53,970 2.1238/2.1248	57,137/57,150 2.2495/2.2500	21,000 0.827	1,559/1,572 0.0614/0.0619	0,0230/0,0870 0.0009/0.0034
			BC-314-J	5BC-840-S	SP	STD/ 0,25/ 0,50	63,457/63,482 2.4983/2.4993	68,250/68,275 2.6870/2.6880	24,890 0.980	2,364/3,377 0.0931/0.0936	0,0140/0,0900 0.0006/0.0035
				1BC-843-P	SP	STD/ 0,25/ 0,50	63,457/63,482 2.4983/2.4993	68,250/68,275 2.6870/2.6880	41,380 1.629	2,354/2,367 0.0927/0.0932	0,0340/0,1100 0.0013/0.0043
				1BC-840-I	SP	STD/ 0,25/ 0,50	63,457/63,482 2.4983/2.4993	68,250/68,275 2.6870/2.6880	24,890 0.980	2,364/3,377 0.0931/0.0936	0,0140/0,0900 0.0006/0.0035
				1BC-842-P(F)	SP	STD/ 0,25/ 0,50	63,457/63,482 2.4983/2.4993	68,250/68,275 2.6870/2.6880	30,350 1.195	2,364/3,377 0.0931/0.0936	0,0140/0,0900 0.0006/0.0035
MOTOR 350-N 5737CC (DIESEL) 1978-1981 (U.S.A.)	8	103,05x85,98 4.057x3.385	BB-604-J	8BB-604-P	SP	STD/ 0,25/ 0,50	53,945/53,970 2.1238/2.1248	57,137/57,150 2.2495/2.2500	21,000 0.827	1,559/1,572 0.0614/0.0619	0,0230/0,0870 0.0009/0.0034
MOTOR 350 C.I.D 5736CC 1968-1976 (U.S.A.)	8	103,05x85,98 4.057x3.385	BC-314-J	8BB-604-P	SP	STD/ 0,25/ 0,50	53,945/53,970 2.1238/2.1248	57,137/57,150 2.2495/2.2500	21,000 0.827	1,559/1,572 0.0614/0.0619	0,0230/0,0870 0.0009/0.0034
				1BC-840-I	SP	STD/ 0,25/ 0,50	63,457/63,482 2.4983/2.4993	68,250/68,275 2.6870/2.6880	24,890 0.980	2,364/3,377 0.0931/0.0936	0,0140/0,0900 0.0006/0.0035
				5BC-840-S	SP	STD/ 0,25/ 0,50	63,457/63,482 2.4983/2.4993	68,250/68,275 2.6870/2.6880	24,890 0.980	2,364/3,377 0.0931/0.0936	0,0140/0,0900 0.0006/0.0035
				1BC-843-P	SP	STD/ 0,25/ 0,50	63,457/63,482 2.4983/2.4993	68,250/68,275 2.6870/2.6880	41,380 1.629	2,354/2,367 0.0927/0.0932	0,0340/0,1100 0.0013/0.0043
				1BC-842-P(F)	SP	STD/ 0,25/ 0,50	63,457/63,482 2.4983/2.4993	68,250/68,275 2.6870/2.6880	30,350 1.195	2,364/3,377 0.0931/0.0936	0,0140/0,0900 0.0006/0.0035
MOTOR 350R 1977-1980 (U.S.A.)	8	103,05x85,98 4.057x3.385	BB-604-J	8BB-604-P	SP	STD/ 0,25/ 0,50	53,945/53,970 2.1238/2.1248	57,137/57,150 2.2495/2.2500	21,000 0.827	1,559/1,572 0.0614/0.0619	0,0230/0,0870 0.0009/0.0034
			BC-314-J	5BC-840-S	SP	STD/ 0,25/ 0,50	63,457/63,482 2.4983/2.4993	68,250/68,275 2.6870/2.6880	24,890 0.980	2,364/3,377 0.0931/0.0936	0,0140/0,0900 0.0006/0.0035
				1BC-842-P(F)	SP	STD/ 0,25/ 0,50	63,457/63,482 2.4983/2.4993	68,250/68,275 2.6870/2.6880	30,350 1.195	2,364/3,377 0.0931/0.0936	0,0140/0,0900 0.0006/0.0035
				1BC-843-P	SP	STD/ 0,25/ 0,50	63,457/63,482 2.4983/2.4993	68,250/68,275 2.6870/2.6880	41,380 1.629	2,354/2,367 0.0927/0.0932	0,0340/0,1100 0.0013/0.0043


* Itens sob consulta



	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR 350R 977-1980 (U.S.A.)	8	103,05x85,98 4.057x3.385	BC-314-J	1BC-840-I	SP	STD/ 0,25/ 0,50	63,457/63,482 2.4983/2.4993	68,250/68,275 2.6870/2.6880	24,890 0.980	2,364/3,377 0.0931/0.0936	0,0140/0,0900 0.0006/0.0035
MOTOR 403 C.I.D. 598CC 977-1979 (U.S.A.)	8	110,52x85,98 4.351x3.385	BB-604-J	8BB-604-P	SP	STD/ 0,25/ 0,50	53,945/53,970 2.1238/2.1248	57,137/57,150 2.2495/2.2500	21,000 0.827	1,559/1,572 0.0614/0.0619	0,0230/0,0870 0.0009/0.0034
			BC-314-J	1BC-843-P	SP	STD/ 0,25/ 0,50	63,457/63,482 2.4983/2.4993	68,250/68,275 2.6870/2.6880	41,380 1.629	2,354/2,367 0.0927/0.0932	0,0340/0,1100 0.0013/0.0043
				5BC-840-S	SP	STD/ 0,25/ 0,50	63,457/63,482 2.4983/2.4993	68,250/68,275 2.6870/2.6880	24,890 0.980	2,364/3,377 0.0931/0.0936	0,0140/0,0900 0.0006/0.0035
				1BC-840-I	SP	STD/ 0,25/ 0,50	63,457/63,482 2.4983/2.4993	68,250/68,275 2.6870/2.6880	24,890 0.980	2,364/3,377 0.0931/0.0936	0,0140/0,0900 0.0006/0.0035
				1BC-842-P(F)	SP	STD/ 0,25/ 0,50	63,457/63,482 2.4983/2.4993	68,250/68,275 2.6870/2.6880	30,350 1.195	2,364/3,377 0.0931/0.0936	0,0140/0,0900 0.0006/0.0035

* Itens sob consulta




											
Nº Cil		Códigos Metal Leve MAHLE									
MOTOR 8140.61... 2445CC 22:1 DIESEL (GRINTA VAN 49.10 TURBO / GRINTA VAN 35.10 TURBO / GRINTA VAN 45.10 TURBO / GRINTA VAN 30,32,35,40-3)	4	93,00x90,00 3.6614x3.5433	BB-313-J B25313	4BB-1004-I	P	STD	56,520/56,535 2.2252/2.2258	60,333/60,345 2.3753/2.3758	24,70 0.9724	1,870 0.074	0,028/0,075 0.0011/0.0030
				4BB-1004-S	P	STD	56,520/56,535	60,333/60,345	24,70	1,900	0,028/0,075

								
Nº Cil		Códigos Metal Leve MAHLE						
MOTOR 6.6L DURAMAX		L14059	1AE-182-C	C	STD	89,00/89,25	106,75/107,00	2,95/3,00 0,040/0,205
MOTOR 1.6N 8,2:1 (OPEL ASCONA)	4	BB-479-J B14479	2AE-183-C	C	STD	89,00/89,25	106,75/107,00	2,95/3,00 0,040/0,205
			4BB-479-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	48,971/48,987	52,000/52,012	19,300 1,489/1,497 0,019/0,063
			2SBC-589-C(F)	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,982/57,995	62,000/62,013	25,90 1,986/1,996 0,0130/0,059
			8SBC-588-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,982/57,995	62,000/62,013	19,50 1,986/1,996 0,0130/0,059
MOTOR 1.6S 1598CC 9,2:1 (OPEL ASCONA)	4	BB-479-J B14479	4BB-479-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	48,971/48,987	52,000/52,012	19,300 1,489/1,497 0,019/0,063
			2SBC-589-C(F)	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,982/57,995	62,000/62,013	25,90 1,986/1,996 0,0130/0,059
			8SBC-588-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,982/57,995	62,000/62,013	19,50 1,986/1,996 0,0130/0,059

												
MOTOR HS 2.8L-L4	4	93,00	BG-920-U G57920	1BG-920-U	STD-S	31,995/32,000	36,650/36,675	32,50/33,00	2,45/2,80	0,020/0,040		
MOTOR NGD 3.0L	4	93,00	BB-535-J B57535	4BB-376-C	C	STD	58,725/58,744	62,433/62,446	24,750/25,000	1,827/1,833	0,023/0,067	
				4BB-1116-S	P	STD	58,725/58,744	62,433/62,446	24,750/25,000	1,823/1,833	0,023/0,075	
				1BC-1139-S	C	STD/ 0,25/ 0,50	63,475/63,487	67,704/67,722	34,81/35,06	2,083/2,093	0,030/0,080	
				4BC-1138-S	C	STD/ 0,25/ 0,50	63,475/63,487	67,704/67,722	24,25/24,50	2,083/2,093	0,030/0,080	
				1BC-797-I	C	STD/ 0,25/ 0,50	63,475/63,487	67,704/67,722	34,81/35,06	2,083/2,093	0,030/0,080	
				4BC-796-I	C	STD/ 0,25/ 0,50	63,475/63,487	67,704/67,722	24,25/24,50	2,083/2,093	0,030/0,080	
			BG-920-U G57920	1BG-920-U	STD-S	31,995/32,000	36,650/36,675	32,50/33,00	2,45/2,80	0,020/0,040		
			AE-032-J L57032	2AE-032-P	S	STD/ 0,190	86,87/87,12	104,14/104,24		2,26/2,31		
				1BG-509-U	S	STD-S	38,095/38,100	42,069/42,094	33,930	2,100/2,350	0,0190/0,0430	
				1BG-595-U	S	STD-S	38,095/38,100	42,069/42,094	33,930	2,100/2,350	0,0190/0,0430	
1EC-092-U	S	STD		50,711/50,737	55,563/55,593	31,880	2,370/2,390	0,0460/0,1420				
MOTOR TQ-20-B6 (6.354) 15,5:1 TURBO	6	98,43x127,00 3.875x5.000	AE-032-J L57032	2AE-032-P	S	STD/ 0,190	86,87/87,12	104,14/104,24		2,26/2,31		
				1BG-509-U	S	STD-S	38,095/38,100	42,069/42,094	33,930	2,100/2,350	0,0190/0,0430	
				1BG-595-U	S	STD-S	38,095/38,100	42,069/42,094	33,930	2,100/2,350	0,0190/0,0430	
				1EC-092-U	S	STD	50,711/50,737	55,563/55,593	31,880	2,370/2,390	0,0460/0,1420	
				12SBB-1065-C	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	63,470/63,495 2.4988/2.4998	67,208/67,221 2.6460/2.6465	31,880 1.255	1,831/1,843 0.0721/0.0726	0,0270/0,0890 0.0011/0.0035	
			SBB-485-J SB57485	6SBC-442-P	C	STD/ 0,254/ 0,508/ 0,762	76,159/76,180 2.9984/2.9992	80,416/80,442 3.1660/3.1670	31,120 1.225	2,083/2,091 0.0820/0.0823	0,0540/0,1170 0.0021/0.0046	
			SBC-286-J SM57286	1SBC-443-P	C	STD/ 0,254/ 0,508/ 0,762	76,159/76,180 2.9984/2.9992	80,416/80,442 3.1660/3.1670	36,700 1.445	2,083/2,091 0.0820/0.0823	0,0540/0,1170 0.0021/0.0046	
			AE-032-J L57032	2AE-032-P	S	STD/ 0,190	86,87/87,12	104,14/104,24		2,26/2,31		
				BG-470-U G57470	S	STD	41,148/41,173	45,999/46,038	49,20/50,08	2,318/2,337		
				8SBB-1065-C	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	63,470/63,495	67,208/67,221	31,880	1,831/1,843	0,0270/0,0890	
4SBC-473-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00		76,162/76,175	80,416/80,442	31,880	2,083/2,091	0,0540/0,1170				
1SBC-474-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00		76,162/76,175	80,416/80,442	36,700	2,083/2,091	0,0590/0,1140				
MOTOR TQ-20-B4 (4.236) (TURBO)	4	98,43x127,00 3.875x5.000	AE-032-J L57032	2AE-032-P	S	STD/ 0,190	86,87/87,12	104,14/104,24		2,26/2,31		
				BG-470-U G57470	S	STD	41,148/41,173	45,999/46,038	49,20/50,08	2,318/2,337		
				8SBB-1065-C	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	63,470/63,495	67,208/67,221	31,880	1,831/1,843	0,0270/0,0890	
				4SBC-473-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	76,162/76,175	80,416/80,442	31,880	2,083/2,091	0,0540/0,1170	
				1SBC-474-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	76,162/76,175	80,416/80,442	36,700	2,083/2,091	0,0590/0,1140	
			AE-032-J L57032	2AE-032-P	S	STD/ 0,190	86,87/87,12	104,14/104,24		2,26/2,31		
				BG-036-U G57036	2BG-036-U	S	STD-S	34,920/34,925 1.3748/1.3750	38,895/38,920 1.5313/1.5313	33,930 1.336	2,120/2,200 0.0835/0.0866	0,0190/0,0430 0.0007/0.0017
				1EC-092-U	S	STD	50,711/50,737	55,563/55,593	31,880	2,370/2,390	0,0460/0,1420	
				8SBB-375-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	63,470/63,490 2.4988/2.4996	67,208/67,221 2.6460/2.6465	31,880 1.255	1,960/1,968 0.0320/0.0810 0.0013/0.0032		
				SBC-285-J SM57285	4SBC-473-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	76,162/76,175 2.9985/2.9990	80,416/80,442 3.1660/3.1670	31,880 1.255	2,083/2,091 0.0820/0.0823	0,0540/0,1170 0.0023/0.0045
1SBC-474-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	76,162/76,175 2.9985/2.9990	80,416/80,442 3.1660/3.1670	36,700 1.445	2,083/2,091 0.0820/0.0823	0,0590/0,1140 0.0023/0.0045					
MOTOR 4.236 3864CC 16,0:1	4	98,43x127,00 3.875x5.000	AE-032-J L57032	2AE-032-P	S	STD/ 0,190	86,87/87,12	104,14/104,24		2,26/2,31		
				BG-036-U G57036	2BG-036-U	S	STD-S	34,920/34,925 1.3748/1.3750	38,895/38,920 1.5313/1.5313	33,930 1.336	2,120/2,200 0.0835/0.0866	0,0190/0,0430 0.0007/0.0017
				1EC-092-U	S	STD	50,711/50,737	55,563/55,593	31,880	2,370/2,390	0,0460/0,1420	
				8SBB-375-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	63,470/63,490 2.4988/2.4996	67,208/67,221 2.6460/2.6465	31,880 1.255	1,960/1,968 0.0320/0.0810 0.0013/0.0032		
				SBC-285-J SM57285	4SBC-473-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	76,162/76,175 2.9985/2.9990	80,416/80,442 3.1660/3.1670	31,880 1.255	2,083/2,091 0.0820/0.0823	0,0540/0,1170 0.0023/0.0045
			1SBC-474-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	76,162/76,175 2.9985/2.9990	80,416/80,442 3.1660/3.1670	36,700 1.445	2,083/2,091 0.0820/0.0823	0,0590/0,1140 0.0023/0.0045		

											
	Nº Cil		Códigos Metal Leve MAHLE								
MOTOR 6.354.4	6	98,43x127,00 3.875x5.000	SBC-286-J SM57286	1SBC-443-P	C	STD/ 0,254/ 0,508/ 0,762	76,159/76,180 2.9984/2.9992	80,416/80,442 3.1660/3.1670	36,700 1.445	2,083/2,091 0.0820/0.0823	0,0540/0,1170 0.0021/0.0046
MOTOR Q-20-B4 (4.236) 16,0:1	4	98,43x127,00 3.875x5.000	AE-032-J L57032	2AE-032-P	S	STD/ 0,190	86,87/87,12	104,14/104,24		2,26/2,31	
			BG-036-U G57036	2BG-036-U	S	STD-S	34,920/34,925 1.3748/1.3750	38,895/38,920 1.5313/1.5313	33,930 1.336	2,120/2,200 0.0835/0.0866	0,0190/0,0430 0.0007/0.0017
			EC-044-J H57044	1EC-092-U	S	STD	50,711/50,737	55,563/55,593	31,880	2,370/2,390	0,0460/0,1420
			SBB-375-J SB57375	8SBB-375-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	63,470/63,490 2.4988/2.4996	67,208/67,221 2.6460/2.6465	31,880 1.255	1,960/1,968	0,0320/0,0810 0.0013/0.0032
			SBC-285-J SM57285	1SBC-474-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	76,162/76,175 2.9985/2.9990	80,416/80,442 3.1660/3.1670	36,700 1.445	2,083/2,091 0.0820/0.0823	0,0590/0,1140 0.0023/0.0045
				4SBC-473-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	76,162/76,175 2.9985/2.9990	80,416/80,442 3.1660/3.1670	31,880 1.255	2,083/2,091 0.0820/0.0823	0,0590/0,1140 0.0023/0.0045
MOTOR Q-20-B6 (6.354) 16,0:1	6	98,43x127,00 3.875x5.000	AE-032-J L57032	2AE-032-P	S	STD/ 0,190	86,87/87,12	104,14/104,24		2,26/2,31	
			BG-036-U G57036	2BG-036-U	S	STD-S	34,920/34,925 1.3748/1.3750	38,895/38,920 1.5313/1.5323	33,930 1.336	2,120/2,200 0.0835/0.0866	0,0190/0,0430 0.0007/0.0017
			EC-044-J H57044	1EC-092-U	S	STD	50,711/50,737	55,563/55,593	31,880	2,370/2,390	0,0460/0,1420
			SBB-376-J SB57376	12SBB-375-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	63,470/63,490 2.4988/2.4996	67,208/67,221 2.6460/2.6465	31,880 1.255	1,835/1,843 0.0722/0.0726	0,0320/0,0810 0.0013/0.0032
			SBC-286-J SM57286	6SBC-442-P	C	STD/ 0,254/ 0,508/ 0,762	76,159/76,180 2.9984/2.9992	80,416/80,442 3.1660/3.1670	31,120 1.225	2,083/2,091 0.0820/0.0823	0,0540/0,1170 0.0021/0.0046
				1SBC-443-P	C	STD/ 0,254/ 0,508/ 0,762	76,159/76,180 2.9984/2.9992	80,416/80,442 3.1660/3.1670	36,700 1.445	2,083/2,091 0.0820/0.0823	0,0540/0,1170 0.0021/0.0046
MOTOR S4T, MOTOR 4000 - ASPIRADO 17,5:1 MF630 / MF640	4	100,00x127,00 3.937x5.000	AE-032-J L57032	2AE-032-P	S	STD/ 0,190	86,87/87,12	104,14/104,24		2,26/2,31	
			BG-509-U G57509 BUCHA PARALE- LA	1BG-509-U	S	STD-S	38,095/38,100	42,069/42,094	33,930	2,100/2,350	0,0190/0,0430
			BG-595-U G57595 BUCHA TRAPE- ZOIDAL	1BG-595-U	S	STD-S	38,095/38,100	42,069/42,094	33,930	2,100/2,350	0,0190/0,0430
			EC-044-J H57044	1EC-092-U	S	STD	50,711/50,737	55,563/55,593	31,880	2,370/2,390	0,0460/0,1420
			SBB-486-J SB57486	8SBB-1065-C	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	63,470/63,495	67,208/67,221	31,880	1,831/1,843	0,0270/0,0890
			SBC-285-J SM57285	1SBC-474-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	76,162/76,175 2.9985/2.9990	80,416/80,442 3.1660/3.1670	36,700 1.445	2,083/2,091 0.0820/0.0823	0,0590/0,1140 0.0023/0.0045
MOTOR S4 18,5:1	4	100,00x127,00 3.937x5.000		4SBC-473-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	76,162/76,175 2.9985/2.9990	80,416/80,442 3.1660/3.1670	31,880 1.225	2,083/2,091 0.0820/0.0823	0,0590/0,1140 0.0023/0.0045
			AE-032-J L57032	2AE-032-P	S	STD/ 0,190	86,87/87,12	104,14/104,24		2,26/2,31	
			BG-036-U G57036	2BG-036-U	S	STD-S	34,920/34,925 1.3748/1.3750	38,895/38,920 1.5313/1.5313	33,930 1.336	2,120/2,200 0.0835/0.0866	0,0190/0,0430 0.0007/0.0017
			EC-044-J H57044	1EC-092-U	S	STD	50,711/50,737	55,563/55,593	31,880	2,370/2,390	0,0460/0,1420
			SBB-375-J SB57375	8SBB-375-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	63,470/63,490 2.4988/2.4996	67,208/67,221 2.6460/2.6465	31,880 1.255	1,960/1,968	0,0320/0,0810 0.0013/0.0032
			SBC-285-J SM57285	4SBC-473-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	76,162/76,175 2.9985/2.9990	80,416/80,442 3.1660/3.1670	31,880 1.255	2,083/2,091 0.0820/0.0823	0,0590/0,1140 0.0023/0.0045


* Itens sob consulta

											
	Nº Cil		Códigos Metal Leve MAHLE								
MOTOR S4 18,5:1	4	100,00x127,00 3.937x5.000	SBC-285-J SM57285	1SBC-474-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	76,162/76,175 2.9985/2.9990	80,416/80,442 3.1660/3.1670	36,700 1.445	2,083/2,091 0.0820/0.0823	0,0590/0,1140 0.0023/0.0045
MOTOR S4T PLUS 17,5:1	4	100,00x127,00 3.937x5.000	AE-032-J L57032	2AE-032-P	S	STD/ 0,190	86,87/87,12	104,14/104,24		2,26/2,31	
			EC-044-J H57044	1EC-092-U	S	STD	50,711/50,737	55,563/55,593	31,880	2,370/2,390	0,0460/0,1420
			SBB-486-J SB57486	8SBB-1065-C	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	63,470/63,495	67,208/67,221	31,880	1,831/1,843	0,0270/0,0890
			SBC-285-J SM57285	4SBC-473-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	76,162/76,175 2.9985/2.9990	80,416/80,442 3.1660/3.1670	31,880 1.225	2,083/2,091 0.0820/0.0823	0,0590/0,1140 0.0023/0.0045
				1SBC-474-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	76,162/76,175 2.9985/2.9990	80,416/80,442 3.1660/3.1670	36,700 1.445	2,083/2,091 0.0820/0.0823	0,0590/0,1140 0.0023/0.0045
				2AE-032-P	S	STD/ 0,190	86,87/87,12	104,14/104,24		2,26/2,31	
MOTOR 4.248 16,0:1 (VEICULAR / INDUSTRIAL)	4	100,97x127,00 3.975x5.000	AE-032-J L57032	2AE-032-P	S	STD/ 0,190	86,87/87,12	104,14/104,24		2,26/2,31	
			BG-036-U G57036	2BG-036-U	S	STD-S	34,920/34,925 1.3748/1.3750	38,895/38,920 1.5313/1.5313	33,930 1.336	2,120/2,200 0.0835/0.0866	0,0190/0,0430 0.0007/0.0017
			EC-044-J H57044	1EC-092-U	S	STD	50,711/50,737	55,563/55,593	31,880	2,370/2,390	0,0460/0,1420
			SBB-375-J SB57375	8SBB-375-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	63,470/63,490 2.4988/2.4996	67,208/67,221 2.6460/2.6465	31,880 1.255	1,835/1,843 0.0722/0.0726	0,0320/0,0810 0.0013/0.0032
			SBC-285-J SM57285	4SBC-473-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	76,162/76,175 2.9985/2.9990	80,416/80,442 3.1660/3.1670	31,880 1.255	2,083/2,091 0.0820/0.0823	0,0590/0,1140 0.0023/0.0045
				1SBC-474-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	76,162/76,175 2.9985/2.9990	80,416/80,442 3.1660/3.1670	36,700 1.445	2,083/2,091 0.0820/0.0823	0,0590/0,1140 0.0023/0.0045
MOTOR 4.248 PREMIUM 16,0:1 (VEICULAR / INDUSTRIAL)	4	100,97x127,00 3.975x5.000	AE-032-J L57032	2AE-032-P	S	STD/ 0,190	86,87/87,12	104,14/104,24		2,26/2,31	
			BG-036-U G57036	2BG-036-U	S	STD-S	34,920/34,925 1.3748/1.3750	38,895/38,920 1.5313/1.5313	33,930 1.336	2,120/2,200 0.0835/0.0866	0,0190/0,0430 0.0007/0.0017
			EC-044-J H57044	1EC-092-U	S	STD	50,711/50,737	55,563/55,593	31,880	2,370/2,390	0,0460/0,1420
			SBB-375-J SB57375	8SBB-375-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	63,470/63,490 2.4988/2.4996	67,208/67,221 2.6460/2.6465	31,880 1.255	1,960/1,968	0,0320/0,0810 0.0013/0.0032
			SBC-285-J SM57285	1SBC-474-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	76,162/76,175 2.9985/2.9990	80,416/80,442 3.1660/3.1670	36,700 1.445	2,083/2,091 0.0820/0.0823	0,0590/0,1140 0.0023/0.0045
				4SBC-473-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	76,162/76,175 2.9985/2.9990	80,416/80,442 3.1660/3.1670	31,880 1.255	2,083/2,091 0.0820/0.0823	0,0590/0,1140 0.0023/0.0045
MOTOR 6.340 5560CC 132CV	6	101,05x114,30 3.978x4.500	AE-009-J L57009	2AE-009-P	S	STD/ 0,127/ 0,190	86,87/87,12	103,84/104,09		3,07/3,12	
			BG-002-U G57002	6BG-002-U	S	STD-S	36,514/36,520 1.4376/1.4378	40,183/40,221 1.5820/1.5835	35,180 1.385	1,990/2,070 0.0783/0.0815	0,0180/0,0470 0.0007/0.0019
			EC-027-J H57027	1EC-061-U	S	STD	55,791/55,804 2.1965/2.1970	59,124/59,136 2.3277/2.3282	38,230 1.505	1,616/1,635 0.0636/0.0644	0,0500/0,1130 0.0020/0.0044
			SBB-036-J SB57036	12SBB-036-C	P	STD/ 0,254/ 0,508/ 0,762/ 1,016/ 1,524	62,936/62,944 2.4778/2.4781	66,667/66,688 2.6247/2.6255	32,610 1.284	1,824/1,837 0.0718/0.0723	0,0440/0,1040 0.0017/0.0041
			SBC-037-J SM57037	5SBC-097-P	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016/ 1,524	76,175/76,187 2.9990/2.9995	80,582/80,607 3.1725/3.1735	27,230 1.072	2,159/2,172 0.0850/0.0855	0,0510/0,1140 0.0020/0.0045
				2SBC-098-P	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016/ 1,524	76,175/76,187 2.9990/2.9995	80,582/80,607 3.1725/3.1735	38,350 1.510	2,159/2,172 0.0850/0.0855	0,0510/0,1140 0.0020/0.0045
SERIE 1000(1004 / 4NA) MF 290/610	4	101,06x127,00	AE-032-J L57032	2AE-032-P	S	STD/ 0,190	86,87/87,12	104,14/104,24		2,26/2,31	

* Itens sob consulta

PERKINS (MAXION)




														
	Nº Cil		Códigos Metal Leve MAHLE											
SERIE 1000(1004 / 4NA) MF 290/610	4	101,06x127,00	BC-681-J M57681	4BC-1135-I		STD/ 0,25/ 0,50/ 0,75/ 1,00	76,159/76,190	80,416/80,442	30,860/31,120	2,220/2,260	0,044/0,117			
				4BC-1135-S		STD/ 0,25/ 0,50/ 0,75/ 1,00	76,159/76,190	80,416/80,442	30,860/31,120	2,220/2,260	0,044/0,117			
				1BC-1133-S		STD/ 0,25/ 0,50/ 0,75/ 1,00	76,159/76,190	80,416/80,442	30,860/31,120	2,082/2,093	0,040/0,119			
				1BC-1133-I		STD/ 0,25/ 0,50/ 0,75/ 1,00	76,159/76,190	80,416/80,442	30,860/31,120	2,082/2,093	0,040/0,119			
				SBB-486-J SB57486	8SBB-1065-C	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	63,470/63,495	67,208/67,221	31,880	1,831/1,843	0,0270/0,0890		
SERIE 1000(1006/6NA ; 1006/6T) MF 630/640/650/660/680	6	101,06x127,00	AE-032-J L57032	2AE-032-P	S	STD/ 0,190	86,87/87,12	104,14/104,24		2,26/2,31				
			BC-682-J M57682	6BC-1132-I		STD/ 0,25/ 0,50/ 0,75/ 1,00	76,159/76,190	80,416/80,442	30,730/31,120	2,082/2,093	0,040/0,119			
				1BC-1133-I		STD/ 0,25/ 0,50/ 0,75/ 1,00	76,159/76,190	80,416/80,442	30,860/31,120	2,082/2,091	0,044/0,119			
			6BC-1132-S		STD/ 0,25/ 0,50/ 0,75/ 1,00	76,159/76,190	80,416/80,442	30,860/31,120	2,082/2,093	0,040/0,119				
			1BC-1133-S		STD/ 0,25/ 0,50/ 0,75/ 1,00	76,159/76,190	80,416/80,442	30,860/31,120	2,082/2,091	0,044/0,119				
			SBB-485-J SB57485	12SBB-1065-C	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	63,470/63,495 2.4988/2.4998	67,208/67,221 2.6460/2.6465	31,880 1.255	1,831/1,843 0.0721/0.0726	0,0270/0,0890 0.0011/0.0035			
MOTOR 6.357 / 6.357.2 5840CC 17,0:1 (VEICULAR / AGRICOLA / INDUSTRIAL / MARITIMO)	6	104,14x114,30 4.100x4.500	AE-009-J L57009	2AE-009-P	S	STD/ 0,127/ 0,190	86,87/87,12	103,84/104,09		3,07/3,12				
			BG-002-U G57002	6BG-002-U	S	STD-S	36,514/36,520 1.4376/1.4378	40,183/40,221 1.5820/1.5835	35,180 1.385	1,990/2,070 0.0783/0.0815	0,0180/0,0470 0.0007/0.0019			
				1EC-061-U	S	STD	55,791/55,804 2.1965/2.1970	59,124/59,136 2.3277/2.3282	38,230 1.505	1,616/1,635 0.0636/0.0644	0,0500/0,1130 0.0020/0.0044			
			SBB-036-J SB57036	12SBB-036-C	P	STD/ 0,254/ 0,508/ 0,762/ 1,016/ 1,524	62,936/62,944 2.4778/2.4781	66,667/66,688 2.6247/2.6255	32,610 1.284	1,824/1,837 0.0718/0.0723	0,0440/0,1040 0.0017/0.0041			
			SBC-037-J SM57037	5SBC-097-P	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016/ 1,524	76,175/76,187 2.9990/2.9995	80,582/80,607 3.1725/3.1735	27,230 1.072	2,159/2,172 0.0850/0.0855	0,0510/0,1140 0.0020/0.0045			
				2SBC-098-P	SP	STD/ 0,254/ 0,508/ 0,762/ 1,016/ 1,524	76,175/76,187 2.9990/2.9995	80,582/80,607 3.1725/3.1735	38,350 1.510	2,159/2,172 0.0850/0.0855	0,0510/0,1140 0.0020/0.0045			
			MOTOR 6.358. 5840CC 15,0:1/15,5:1 (VEICULAR / AGRICOLA / INDUSTRIAL)	6	104,14x114,30 4.100x4.500	AE-015-J L57015	2AE-015-P	S	STD/ 0,127/ 0,190	93,00/93,25	109,70/109,95		3,07/3,12	
BG-002-U G57002	6BG-002-U	S				STD-S	36,514/36,520 1.4376/1.4378	40,183/40,221 1.5820/1.5835	35,180 1.385	1,990/2,070 0.0783/0.0815	0,0180/0,0470 0.0007/0.0019			
	1EC-061-U	S				STD	55,791/55,804 2.1965/2.1970	59,124/59,136 2.3277/2.3282	38,230 1.505	1,616/1,635 0.0636/0.0644	0,0500/0,1130 0.0020/0.0044			
SBB-150-J SB57150	12SBB-250-C	SP				STD/ 0,25/ 0,50/ 0,75	62,936/62,949 2.4778/2.4783	66,667/66,688 2.6247/2.6255	28,290 1.114	1,824/1,837 0.0718/0.0723	0,0440/0,1040 0.0017/0.0041			
SBC-153-J SM57153	10SBC-524-C	C				STD/ 0,254/ 0,508/ 0,762/ 1,016	76,175/76,187 2.9990/2.9995	80,582/80,607 3.1725/3.1735	29,010 1.142	2,167/2,180 0.0853/0.0858	0,0350/0,0980 0.0014/0.0039			
	4SBC-525-C	C				STD/ 0,254/ 0,508/ 0,762/ 1,016	76,175/76,187 2.9990/2.9995	80,582/80,607 3.1725/3.1735	37,000 1.457	2,167/2,180 0.0853/0.0858	0,0350/0,0980 0.0014/0.0039			


* Itens sob consulta

PEUGEOT





														
Nº Cil		Códigos Metal Leve MAHLE												
MOTOR 505 (2.0L GR,SR) TODOS A PARTIR DE 1/1981			BB-347-J B44347	4BB-347-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	49,975/49,991	53,655/53,674	23,15/23,40	1,812/1,818	0,015/0,061			
			BC-542-J M44542	1BC-1161-I	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	59,401/59,416	63,227/63,246	29,25/29,50	1,894/1,900	0,011/0,057			
				1BC-1161-S	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	59,401/59,416	63,227/63,246	29,25/29,50	1,894/1,900	0,011/0,057			
				1BC-1162-S	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	58,558/58,573	62,384/62,406	21,25/21,50	1,894/1,900	0,011/0,057			
				1BC-1162-I	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	58,558/58,573	62,384/62,403	21,25/21,50	1,894/1,900	0,011/0,057			
				1BC-1164-S	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	56,150/56,165	59,976/59,995	21,25/21,50	1,894/1,900	0,011/0,057			
				1BC-1163-I	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	57,174/57,189	61,000/61,019	29,25/29,50	1,894/1,900	0,011/0,057			
				1BC-1163-S	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	57,174/57,189	61,000/61,019	29,25/29,50	1,894/1,900	0,011/0,057			
				1BC-1165-S	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	54,915/54,920	58,731/58,750	29,10/29,35	1,894/1,900	0,011/0,057			
				1BC-1164-I	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	56,150/56,165	59,976/59,995	21,25/21,50	1,894/1,900	0,011/0,057			
				1BC-1165-I	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	54,915/54,920	58,731/58,750	29,10/29,35	1,894/1,900	0,011/0,057			
			MOTOR TU3JP 1.4L 8V Peugeot - 206, 207, 208, Hoggar, Partner / Citroën - C3, Berlingo	4	75,00x77,00	AE-351-J L0440351	2AE-326-S	C	STD	55,25/55,50	71,35/71,70		2,40/2,45	
BB-542-J B44542	4BB-1134-I	C				STD/ 0,30/ 0,50/ 0,80/ 1,00	44,975/44,991	48,665/48,671	19,55/19,69	1,814/1,820	0,024/0,068			
	4BB-1134-S	C				STD/ 0,30/ 0,50/ 0,80/ 1,00	44,975/44,991	48,665/48,671	19,55/19,69	1,814/1,820	0,024/0,072			
BC-828-J M44828	4BC-1539-C	C				STD/ 0,30/ 0,50/ 0,80/ 1,00	49,962/49,981	53,655/53,674	17,04/17,29	1,826/1,832	0,010/0,060			
	6BC-1538-C	C				STD/ 0,30/ 0,50/ 0,80/ 1,00	49,962/49,981	53,655/53,674	17,04/17,29	1,826/1,832	0,010/0,060			
MOTOR TU4M 1.5L 8V FLEX Peugeot - 208 Active, 208 Allure, Citroen - C3 Origine, C3 Picasso, C3 Tendance (03/2013->)	4	75,00				AE-351-J L0440351	2AE-326-S	C	STD	55,25/55,50	71,35/71,70		2,40/2,45	
			BB-530-J B44530	8BB-1382-C	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	44,975/44,991	48,655/48,671	19,50/19,75	1,817/1,823	0,018/0,062			
				BC-828-J M44828	6BC-1538-C	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	49,962/49,981	53,655/53,674	17,04/17,29	1,826/1,832	0,010/0,060		
				4BC-1539-C	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	49,962/49,981	53,655/53,674	17,04/17,29	1,826/1,832	0,010/0,060			
				MOTOR TU5JP4 1.6L 16V 206/ C3 / Xsara Picasso	4	78,50	AE-315-J L44315	2AE-315-U		STD/ 0,25	55,250/55,500	71,450/71,700	15,950/16,450	2,300/2,350
			BB-530-J B44530				8BB-1382-C	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	44,975/44,991	48,655/48,671	19,50/19,75	1,817/1,823	0,018/0,062
BC-733-J M44733	6BC-1580-C	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	49,962/49,981	53,712/53,731	17,040/17,290	1,849/1,855	0,021/0,071						


* Itens sob consulta


											
MOTOR TU5JP4 1.6L 16V 206/ C3 / Xsara Picasso	4	78,50	BC-733-J M44733	4BC-1581-C	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	49,962/49,981	53,712/53,731	17,040/17,290	1,849/1,855	0,021/0,071
MOTOR XUD9 / XUD9A	4	83,00	AE-040-J L44040	2AE-132-I	P	STD/ 0,12	66,90/67,40	83,00/83,50	41,75	23,40/2,45	
				2AE-132-S	P	STD/ 0,12	66,90/67,40	83,00/83,50	41,75	23,40/2,45	
			BB-361-J B44361	8BB-429-C	C	STD/ 0,30/ 0,50	49,984/50,000	53,695/53,708	20,00/20,25	1,828/1,836	0,023/0,068
			BC-539-J M44539	5BC-196-S	C	STD/ 0,30/ 0,50	59,981/60,000	63,731/63,750	20,04/20,29	1,837/1,845	0,041/0,095
				5BC-196-I	C	STD/ 0,30/ 0,50	59,981/60,000	63,731/63,750	20,04/20,29	1,837/1,845	0,041/0,095
504 (2.0L) 1971- (ENGINES: XN1 / XN2 / XN3 / 505 (2.0L) GR, SR)	4	84,00x73,00	BB-347-J B44347	4BB-347-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	49,975/49,991	53,655/53,674	23,15/23,40	1,812/1,818	0,015/0,061
			BC-464-J M44464	1BC-957-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	59,401/59,416	63,227/63,246	29,25/29,50	1,882/1,888	0,013/0,056
				1BC-961-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	54,905/54,920	58,731/58,750	29,10/29,35	1,882/1,888	0,036/0,081
				1BC-958-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	58,548/58,573	62,384/62,403	21,25/21,50	1,882/1,888	0,013/0,056
				1BC-960-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	56,140/56,165	59,976/59,995	21,25/21,50	1,882/1,888	0,013/0,056
				1BC-959-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	57,174/57,189	61,000/61,019	29,25/29,50	1,882/1,888	0,013/0,056
404 1.4L 1963-1971 (ENGINES: XB5 / XB5P	4	84,00x71,00	AE-048-J L44048	2AE-216-S	S	STD/ 0,10/ 0,127/ 0,15/ 0,20/ 0,25		72,55/72,80		2,28/2,33	
				2AE-216-I	S	STD/ 0,10/ 0,127/ 0,15/ 0,20/ 0,25		72,55/72,80		2,28/2,33	
			BB-347-J B44347	4BB-347-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	49,975/49,991	53,655/53,674	23,15/23,40	1,812/1,818	0,015/0,061
			BC-465-J M44465	1BC-959-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	57,174/57,189	61,000/61,019	29,25/29,50	1,882/1,888	0,013/0,056
				1BC-962-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	51,161/51,176	54,992/55,011	29,10/29,35	1,882/1,888	0,013/0,056
				1BC-958-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	58,548/58,573	62,384/62,403	21,25/21,50	1,882/1,888	0,013/0,056
				1BC-957-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	59,401/59,416	63,227/63,246	29,25/29,50	1,882/1,888	0,013/0,056
				1BC-960-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	56,140/56,165	59,976/59,995	21,25/21,50	1,882/1,888	0,013/0,056
404 1.6L ENGINES: XC7, XC7P - A PARTIR DE 1981	4	84,00x73,00	BB-347-J B44347	4BB-347-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	49,975/49,991	53,655/53,674	23,15/23,40	1,812/1,818	0,015/0,061
			BC-542-J M44542	1BC-1161-I	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	59,401/59,416	63,227/63,246	29,25/29,50	1,894/1,900	0,011/0,057
				1BC-1161-S	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	59,401/59,416	63,227/63,246	29,25/29,50	1,894/1,900	0,011/0,057
				1BC-1162-S	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	58,558/58,573	62,384/62,406	21,25/21,50	1,894/1,900	0,011/0,057
				1BC-1163-S	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	57,174/57,189	61,000/61,019	29,25/29,50	1,894/1,900	0,011/0,057



* Itens sob consulta



											
404 1.6L (ENGINES: XC7, XC7P - A PARTIR DE 1981)	4	84,00x73,00	BC-542-J M44542	1BC-1162-I	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	58,558/58,573	62,384/62,406	21,25/21,50	1,894/1,900	0,011/0,057
				1BC-1165-S	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	54,915/54,920	58,731/58,750	29,10/29,35	1,894/1,900	0,011/0,057
				1BC-1164-S	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	56,150/56,165	59,976/59,995	21,25/21,50	1,894/1,900	0,011/0,057
				1BC-1163-I	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	57,174/57,189	61,000/61,019	29,25/29,50	1,894/1,900	0,011/0,057
				1BC-1164-I	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	56,150/56,165	59,976/59,995	21,25/21,50	1,894/1,900	0,011/0,057
				1BC-1165-I	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	54,915/54,920	58,731/58,750	29,10/29,35	1,894/1,900	0,011/0,057
404 1.6L. 1971-1974 (ENGINES: XC7 / XC7P)	4	84,00x71,00	BB-347-J B44347	4BB-347-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	49,975/49,991	53,655/53,674	23,15/23,40	1,812/1,818	0,015/0,061
			BC-464-J M44464	1BC-958-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	58,548/58,573	62,384/62,403	21,25/21,50	1,882/1,888	0,013/0,056
				1BC-961-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	54,905/54,920	58,731/58,750	29,10/29,35	1,882/1,888	0,036/0,081
				1BC-959-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	57,174/57,189	61,000/61,019	29,25/29,50	1,882/1,888	0,013/0,056
				1BC-960-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	56,140/56,165	59,976/59,995	21,25/21,50	1,882/1,888	0,013/0,056
				1BC-957-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	59,401/59,416	63,227/63,246	29,25/29,50	1,882/1,888	0,013/0,056
504 1.8L (ENGINES: XM7, XM7P (A PARTIR DE 1981)	4	84,00x81,00	BB-347-J B44347	4BB-347-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	49,975/49,991	53,655/53,674	23,15/23,40	1,812/1,818	0,015/0,061
			BC-542-J M44542	1BC-1161-I	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	59,401/59,416	63,227/63,246	29,25/29,50	1,894/1,900	0,011/0,057
				1BC-1161-S	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	59,401/59,416	63,227/63,246	29,25/29,50	1,894/1,900	0,011/0,057
				1BC-1162-S	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	58,558/58,573	62,384/62,406	21,25/21,50	1,894/1,900	0,011/0,057
				1BC-1164-S	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	56,150/56,165	59,976/59,995	21,25/21,50	1,894/1,900	0,011/0,057
				1BC-1162-I	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	58,558/58,573	62,384/62,406	21,25/21,50	1,894/1,900	0,011/0,057
				1BC-1163-I	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	57,174/57,189	61,000/61,019	29,25/29,50	1,894/1,900	0,011/0,057
				1BC-1164-I	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	56,150/56,165	59,976/59,995	21,25/21,50	1,894/1,900	0,011/0,057
				1BC-1165-S	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	54,915/54,920	58,731/58,750	29,10/29,35	1,894/1,900	0,011/0,057
				1BC-1163-S	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	57,174/57,189	61,000/61,019	29,25/29,50	1,894/1,900	0,011/0,057
				1BC-1165-I	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	54,915/54,920	58,731/58,750	29,10/29,35	1,894/1,900	0,011/0,057
504 1.8L. 1971 EM DIANTE (ENGINES: XM7, XM7P)	4	84,00x73,00	BB-347-J B44347	4BB-347-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	49,975/49,991	53,655/53,674	23,15/23,40	1,812/1,818	0,015/0,061


* Itens sob consulta

	Nº Cil		 Códigos Metal Leve MAHLE												
504 1.8L.. 1971 EM DIANTE (ENGINES: XM7, XM7P)	4	84,00x73,00	BC-464-J M44464	1BC-958-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	58,548/58,573	62,384/62,403	21,25/21,50	1,882/1,888	0,013/0,056				
				1BC-957-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	59,401/59,416	63,227/63,246	29,25/29,50	1,882/1,888	0,013/0,056				
				1BC-959-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	57,174/57,189	61,000/61,019	29,25/29,50	1,882/1,888	0,013/0,056				
				1BC-960-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	56,140/56,165	59,976/59,995	21,25/21,50	1,882/1,888	0,013/0,056				
				1BC-961-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	54,905/54,920	58,731/58,750	29,10/29,35	1,882/1,888	0,036/0,081				
504 (2.0L)- TODOS A PARTIR DE 11/1981 (ENGINES: XN1, KN2, XN3)	4	88,00x81,00	BB-347-J B44347	4BB-347-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	49,975/49,991	53,655/53,674	23,15/23,40	1,812/1,818	0,015/0,061				
				1BC-1162-I	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	58,558/58,573	62,384/62,403	21,25/21,50	1,894/1,900	0,011/0,057				
			BC-542-J M44542	1BC-1161-S	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	59,401/59,416	63,227/63,246	29,25/29,50	1,894/1,900	0,011/0,057				
				1BC-1161-I	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	59,401/59,416	63,227/63,246	29,25/29,50	1,894/1,900	0,011/0,057				
				1BC-1162-S	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	58,558/58,573	62,384/62,406	21,25/21,50	1,894/1,900	0,011/0,057				
				1BC-1165-S	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	54,915/54,920	58,731/58,750	29,10/29,35	1,894/1,900	0,011/0,057				
				1BC-1164-I	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	56,150/56,165	59,976/59,995	21,25/21,50	1,894/1,900	0,011/0,057				
				1BC-1164-S	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	56,150/56,165	59,976/59,995	21,25/21,50	1,894/1,900	0,011/0,057				
				1BC-1163-I	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	57,174/57,189	61,000/61,019	29,25/29,50	1,894/1,900	0,011/0,057				
				1BC-1165-I	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	54,915/54,920	58,731/58,750	29,10/29,35	1,894/1,900	0,011/0,057				
				1BC-1163-S	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	57,174/57,189	61,000/61,019	29,25/29,50	1,894/1,900	0,011/0,057				
				404 1.6L.. 1964-1971 (ENGINES: XC5 / XC5P / XC6 / XC6P / XCKF1 / XCKF2)	4	88,00x81,00	AE-048-J L44048	2AE-216-I	S	STD/ 0,10/ 0,127/ 0,15/ 0,20/ 0,25		72,55/72,80		2,28/2,33	
								2AE-216-S	S	STD/ 0,10/ 0,127/ 0,15/ 0,20/ 0,25		72,55/72,80		2,28/2,33	
BB-347-J B44347	4BB-347-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00				49,975/49,991	53,655/53,674	23,15/23,40	1,812/1,818	0,015/0,061				
	1BC-957-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00				59,401/59,416	63,227/63,246	29,25/29,50	1,882/1,888	0,013/0,056				
BC-465-J M44465	1BC-958-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00				58,548/58,573	62,384/62,403	21,25/21,50	1,882/1,888	0,013/0,056				
	1BC-959-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00				57,174/57,189	61,000/61,019	29,25/29,50	1,882/1,888	0,013/0,056				
	1BC-960-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00				56,140/56,165	59,976/59,995	21,25/21,50	1,882/1,888	0,013/0,056				
	1BC-962-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00				51,161/51,176	54,992/55,011	29,10/29,35	1,882/1,888	0,013/0,056				


	Nº Cil		 Códigos Metal Leve MAHLE								
504 1.8L.. 1968 ATE 1971 / XM6 / XMKF6 / KF2 / KF5 / KF6	4	88,00x81,00	AE-048-J L44048	2AE-216-S	S	STD/ 0,10/ 0,127/ 0,15/ 0,20/ 0,25		72,55/72,80		2,28/2,33	
				2AE-216-I	S	STD/ 0,10/ 0,127/ 0,15/ 0,20/ 0,25		72,55/72,80		2,28/2,33	
			BB-347-J B44347	4BB-347-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	49,975/49,991	53,655/53,674	23,15/23,40	1,812/1,818	0,015/0,061
				BC-465-J M44465	1BC-958-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	58,548/58,573	62,384/62,403	21,25/21,50	1,882/1,888
			1BC-957-P		C	STD/ 0,30/ 0,50/ 0,80/ 1,00	59,401/59,416	63,227/63,246	29,25/29,50	1,882/1,888	0,013/0,056
			1BC-959-P		C	STD/ 0,30/ 0,50/ 0,80/ 1,00	57,174/57,189	61,000/61,019	29,25/29,50	1,882/1,888	0,013/0,056
			1BC-960-P		C	STD/ 0,30/ 0,50/ 0,80/ 1,00	56,140/56,165	59,976/59,995	21,25/21,50	1,882/1,888	0,013/0,056
			1BC-962-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	51,161/51,176	54,992/55,011	29,10/29,35	1,882/1,888	0,013/0,056	
DIESEL ENGINE- 2498CC (XD3 S / 604 TURBO DIESEL) 07/1981 EM DIANTE	4	94,00x83,00	AE-012-J L44012	2AE-154-S	S	STD/ 0,10/ 0,20		84,75/85,00		2,30/2,35	
				2AE-154-I	S	STD/ 0,10/ 0,20		84,75/85,00		2,30/2,35	
			BB-018-J B44018	4BB-315-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	54,994/55,021	58,737/58,750	28,75/29,00	1,832/1,845	0,026/0,092
				BC-015-J M44015	3BC-988-P PEÇAS SUPERIO- RES COM CANAL E 2 FUROS	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	59,994/60,021	63,731/63,750	29,75/30,00	1,829/1,835
			2BC-987-P PEÇAS SUPERIO- RES COM CANAL E 1 FURO		C	STD/ 0,30/ 0,50/ 0,80/ 1,00	59,994/60,021	63,731/63,750	23,75/24,00	1,829/1,835	0,040/0,098
			AE-012-J L44012		2AE-154-S	S	STD/ 0,10/ 0,20		84,75/85,00		2,30/2,35
					2AE-154-I	S	STD/ 0,10/ 0,20		84,75/85,00		2,30/2,35
			BB-018-J B44018	4BB-315-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	54,994/55,021	58,737/58,750	28,75/29,00	1,832/1,845	0,026/0,092
BC-015-J M44015	2BC-987-P	C		STD/ 0,30/ 0,50/ 0,80/ 1,00	59,994/60,021	63,731/63,750	23,75/24,00	1,829/1,835	0,040/0,098		
	3BC-988-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	59,994/60,021	63,731/63,750	29,75/30,00	1,829/1,835	0,040/0,098			
DIESEL ENGINE 2498CC (505 D/ GLD/ GRD/ SRD/ 505 TURBO DIESEL) 07/1981 EM DIANTE	4	94,00x83,00	AE-012-J L44012	2AE-154-S	S	STD/ 0,10/ 0,20		84,75/85,00		2,30/2,35	
				2AE-154-I	S	STD/ 0,10/ 0,20		84,75/85,00		2,30/2,35	
			BB-018-J B44018	4BB-315-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	54,994/55,021	58,737/58,750	28,75/29,00	1,832/1,845	0,026/0,092
				BC-015-J M44015	2BC-987-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	59,994/60,021	63,731/63,750	23,75/24,00	1,829/1,835
			3BC-988-P		C	STD/ 0,30/ 0,50/ 0,80/ 1,00	59,994/60,021	63,731/63,750	29,75/30,00	1,829/1,835	0,040/0,098
			AE-012-J L44012		2AE-154-S	S	STD/ 0,10/ 0,20		84,75/85,00		2,30/2,35
					2AE-154-I	S	STD/ 0,10/ 0,20		84,75/85,00		2,30/2,35
			BB-018-J B44018	4BB-315-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	54,994/55,021	58,737/58,750	28,75/29,00	1,832/1,845	0,026/0,092
BC-015-J M44015	2BC-987-P	C		STD/ 0,30/ 0,50/ 0,80/ 1,00	59,994/60,021	63,731/63,750	23,75/24,00	1,829/1,835	0,040/0,098		

											
Nº Cil	Códigos Metal Leve MAHLE										
DIESEL ENGINE. 2498CC (505 D/ GLD/ GRD/ SRD/ 505 TURBO DIESEL) 07/1981 EM DIANTE	4	94,00x83,00	BC-015-J M44015	3BC-988-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	59,994/60,021	63,731/63,750	29,75/30,00	1,829/1,835	0,040/0,098
DIESEL ENGINE.. 2304CC (XD2 S / 604 TURBO DIESEL)	4	94,00x83,00	AE-012-J L44012	2AE-154-S	S	STD/ 0,10/ 0,20		84,75/85,00		2,30/2,35	
				2AE-154-I	S	STD/ 0,10/ 0,20		84,75/85,00		2,30/2,35	
			BB-018-J B44018	4BB-315-P	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	54,994/55,021	58,737/58,750	28,75/29,00	1,832/1,845	0,026/0,092
			BC-015-J M44015	3BC-988-P PEÇAS SUPERIO- RES COM CANAL E 2 FUROS	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	59,994/60,021	63,731/63,750	29,75/30,00	1,829/1,835	0,040/0,098
				2BC-987-P PEÇAS SUPERIO- RES COM CANAL E 1 FURO	C	STD/ 0,30/ 0,50/ 0,80/ 1,00	59,994/60,021	63,731/63,750	23,75/24,00	1,829/1,835	0,040/0,098



											
	Nº Cil		Códigos Metal Leve MAHLE								
MOTOR 1.8 TURBO 8,0:1 1983-1986 (U.S.A.)	4	84,80x79,50 3.339x3.130	BB-479-J B14479	4BB-479-P	SP	STD/ 0,50/ 0,75/ 1,00	48,971/48,987 1.9280/1.9286	52,000/52,012 2.0472/2.0477	19,300 0.760	1,489/1,497 0.0586/0.0589	0,019/0,063 0.0007/0.0025
			SBC-272-J SM14272	2SBC-589-C(F)	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,988/57,995	62,000/62,006	25,900	1,989/1,995	0,0150/0,0400
			8SBC-588-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,988/57,995 2.2830/2.2833	62,000/62,006 2.4409/2.4412	19,500 0.768	1,989/1,995 0.0783/0.0785	0,0150/0,0400 0.0006/0.0016	
MOTOR 112 / 1.8L (NON-TURBO OHC-4 (PONTIAC ENGINE) / BUICK SKYHAWK / PONTI- AC SUNBIRD (NON- TURBO)) 1982 ATE 1986	4	84,80 3.339	BB-479-J B14479	4BB-479-P	SP	STD/ 0,50/ 0,75/ 1,00	48,971/48,987 1.9280/1.9286	52,000/52,012 2.0472/2.0477	19,300 0.760	1,489/1,497 0.0586/0.0589	0,019/0,063 0.0007/0.0025
			BC-356-J M14356	1BC-860-P(F)	C	STD/ 0,25/ 0,50/ 0,75	57,982/57,995 2.2828/2.2833	62,000/62,013 2.4409/2.4415	25,90 1.020	1,986/1,497 0.0782/0.0786	0,019/0,063 0.0008/0.0023
			4BC-588-P	C	STD/ 0,25/ 0,50/ 0,75	57,982/57,995 2.2828/2.2833	62,000/62,013 2.4409/2.4415	19,51 0.768	1,986/1,497 0.0782/0.0786	0,019/0,063 0.0008/0.0023	
MOTOR 1.8 NH 1796CC 8,8:1	4	84,80x79,50 3.339x3.130	BB-479-J B14479	4BB-479-P	SP	STD/ 0,50/ 0,75/ 1,00	48,971/48,987 1.9280/1.9286	52,000/52,012 2.0472/2.0477	19,300 0.760	1,489/1,497 0.0586/0.0589	0,019/0,063 0.0007/0.0025
			SBC-272-J SM14272	8SBC-588-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,988/57,995 2.2830/2.2833	62,000/62,006 2.4409/2.4412	19,500 0.768	1,989/1,995 0.0783/0.0785	0,0150/0,0400 0.0006/0.0016
			2SBC-589-C(F)	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,988/57,995	62,000/62,006	25,900	1,989/1,995	0,0150/0,0400	
MOTOR 2.0L TURBO PMD 1998CC 8,0:1 1987 EM DIANTE	4	86,00x86,00	BB-287-J* B14287	4BB-287-P	CP	STD/ 0,25/ 0,50/ 0,75/ 1,00	48,971/48,987	52,000/52,012	19,300	1,489/1,497	0,0190/0,0630
			SBC-272-J SM14272	8SBC-588-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,988/57,995 2.2830/2.2833	62,000/62,006 2.4409/2.4412	19,500 0.768	1,989/1,995 0.0783/0.0785	0,0150/0,0400 0.0006/0.0016
			2SBC-589-C(F)	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,988/57,995	62,000/62,006	25,900	1,989/1,995	0,0150/0,0400	
MOTOR 2.0L TBI-PMD 1998CC 8,8:1 1987 EM DIANTE	4	86,00x86,00	BB-479-J B14479	4BB-479-P	SP	STD/ 0,50/ 0,75/ 1,00	48,971/48,987	52,000/52,012	19,300	1,489/1,497	0,019/0,063
			SBC-272-J SM14272	8SBC-588-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,988/57,995 2.2830/2.2833	62,000/62,006 2.4409/2.4412	19,500 0.768	1,989/1,995 0.0783/0.0785	0,0150/0,0400 0.0006/0.0016
			2SBC-589-C(F)	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,988/57,995	62,000/62,006	25,900	1,989/1,995	0,0150/0,0400	
MOTOR 265 C.I.D. 4344CC (4.3S) 1980-1981 (U.S.A.)	8	95,25x76,20 3.750x3.000	BB-602-J B02602	8BB-600-P	SP	STD/ 0,25/ 0,50	50,787/50,813 1.9995/2.0005	53,967/53,980 2.1247/2.1252	18,820 0.741	1,562/1,575 0.0615/0.062	0,0180/0,0810 0.0007/0.0032
MOTOR 151 C.I.D. 2471CC 1977-1986 (U.S.A.)	4	101,60x76,20 4.000x3.000	BB-600-J	4BB-600-P	SP	STD/ 0,25/ 0,50	50,787/50,813 1.9995/2.0005	53,967/53,980 2.1247/2.1252	18,820 0.741	1,562/1,575 0.0615/0.062	0,0180/0,0810 0.0007/0.0032
MOTOR 151 C.I.D. 2,5L 1985-1987 (U.S.A.)	4	101,60x76,20 4.000x3.000		4BB-600-P	SP	STD/ 0,25/ 0,50	50,787/50,813 1.9995/2.0005	53,967/53,980 2.1247/2.1252	18,820 0.741	1,562/1,575 0.0615/0.062	0,0180/0,0810 0.0007/0.0032
			BC-386-J	1BC-885-P(F)	SP	STD/ 0,25/ 0,50	58,377/58,402 2.2983/2.2993	63,261/63,287 2.4906/2.4916	23,880 0.940	2,409/2,422 0.0948/0.0954	0,0150/0,0920 0.0006/0.0036
				4BC-884-S	SP	STD/ 0,25/ 0,50	58,377/58,402 2.2983/2.2993	63,261/63,287 2.4906/2.4916	20,500 0.807	2,409/2,422 0.0948/0.0954	0,0150/0,0920 0.0006/0.0036
				4BC-371-I	SP	STD/ 0,25/ 0,50	58,377/58,402 2.2983/2.2993	63,261/63,287 2.4906/2.4916	20,500 0.807	2,409/2,422 0.0948/0.0954	0,0150/0,0920 0.0006/0.0036
MOTOR 301 4942CC TURBO 1980-1981 (U.S.A.)	8	101,60x76,20 4.000x3.000	BB-602-J B02602	8BB-600-P	SP	STD/ 0,25/ 0,50	50,787/50,813 1.9995/2.0005	53,967/53,980 2.1247/2.1252	18,820 0.741	1,562/1,575 0.0615/0.062	0,0180/0,0810 0.0007/0.0032
MOTOR 301 C.I.D. 4942CC 1977-1981 (U.S.A.)	8	101,60x76,20 4.000x3.000		8BB-600-P	SP	STD/ 0,25/ 0,50	50,787/50,813 1.9995/2.0005	53,967/53,980 2.1247/2.1252	18,820 0.741	1,562/1,575 0.0615/0.062	0,0180/0,0810 0.0007/0.0032


	Nº Cil		 Códigos Metal Leve MAHLE							
Motor 1.0 12v B4D Kwid, Logan, Sandero - Flex	3		AE-377-J L0180377 122807064R	2AE-352-C	C	STD	44,875/45,125	69,875/70,125		1,900/1,950
			BB-758-J B0180758	6BB-1030-C	C	STD	37,990/38,010	41,028/41,043	15,680/15,920	1,499/1,505
			BC-868-J M0180868	4BC-1094-S	C	STD	38,990/39,010	42,616/42,636	14,480/14,730	1,800/1,806
				4BC-1094-I	C	STD	38,990/39,010	42,616/42,636	14,480/14,730	1,800/1,806
Motor 2.3 16v M9T692 Turbo Master - 2013-> - Diesel	4		BB-753-J B0180753 122077021R	4BB-4222-S	P	STD/ 0,25/ 0,50	53,000/53,020	56,587/56,606	19,000/18,750	1,758/1,763
				4BB-4222-I	C	STD/ 0,25/ 0,50	53,000/53,020	56,587/56,606	18,750/19,000	1,769/1,777
			BC-870-J M0180870	5BC-2023-I	C	STD/ 0,25/ 0,50	59,985/60,005	63,998/64,011	16,870/17,130	1,978/1,986
				5BC-2023-S	C	STD/ 0,25/ 0,50	59,985/60,005	63,998/64,011	16,870/17,130	1,978/1,986
D4D 1.0 16V GAS. D4D 1.0 16V FLEX / D7D 1.0 8V GAS. / D7F 1.2 8V GAS. / D4F 1.2 16V GAS. 1000 / 1200 PEUGEOT 206 /CLIO/ LOGAN/SANDERO/ KANGOO EO7701472839	4	69,00x66,80 / 76,80 2.72x2.63 / 3.02	BB-519-J B18519	8BB-1385-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	43,639/43,650	16,000/16,250	1,807/1,813
			BC-719-J M18719	5BC-1586-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	43,990/44,010	47,612/47,625	18,830/18,930	1,787/1,793
				1BC-1473-S(F)	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	43,990/44,010	47,612/47,625	23,830/24,030	1,787/1,793
				4BC-1586-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	43,990/44,010	47,612/47,625	18,830/18,930	1,787/1,793
MOTOR 847 1.4 / 1.6L (PRODUCED IN ARGENTINA)	4	76,00x77,00	AE-120-J L18120	2AE-120-C	C	STD/ 0,25	60,500/60,750	79,750/80,000		2,750/2,800
			BB-265-J B18265	4BB-265-P PECAS SUPERIO- RES E INFERIO- RES S/ FURO E S/ CANAL	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	43,964/43,980	47,614/47,625	17,50/17,75	1,800/1,806
			BC-408-J M18408	5BC-623-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,785/54,805	58,731/58,750	19,25/19,50	1,944/1,950
MOTOR 847 - 1.4 / 1.6L (PRODUCED IN ARGENTI- NA)	4	76,00x77,00	AE-120-J L18120	2AE-120-C	C	STD/ 0,25	60,500/60,750	79,750/80,000		2,750/2,800
			BB-265-J B18265	4BB-265-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	43,964/43,980	47,614/47,625	17,50/17,75	1,800/1,806
			BC-408-J M18408	5BC-623-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,785/54,805	58,731/58,750	19,25/19,50	1,944/1,950
MOTOR K4M 1.6L 16V (Não Repotenciado) GA- SOLINA / FLEX 1600 SCENIC, LAGUNA, MEGA- NE, CLIO, DUSTER	4	79,50x80,50 3.13x3.17	AE-137-J L18137	2AE-314-C		STD/ 0,25/ 0,50	53,500/53,750	73,750/74,000		2,770/2,820
			BB-653-J B18653	8BB-1365-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	43,960/43,980	47,615/47,625	17,50/17,75	1,799/1,805
			BC-676-J M18676	5BC-1553-S	C	STD/ 0,25/ 0,50	47,991/48,011	51,935/51,949	19,55/19,75	1,943/1,949
				5BC-1552-I	C	STD/ 0,25/ 0,50	47,991/48,011	51,935/51,949	19,25/19,50	1,943/1,949
MOTOR K7M 1.6L 8V 1.600CC CLIO, MEGANE, TWINGO	4	79,50	AE-137-J L18137	2AE-314-C		STD/ 0,25/ 0,50	53,500/53,750	73,750/74,000		2,770/2,820




* Itens sob consulta

	Nº Cil		 Códigos Metal Leve MAHLE							
MOTOR K7M 1.6L 8V 1.600CC CLIO, MEGANE, TWINGO	4	79,50	BB-653-J B18653	8BB-1365-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	43,960/43,980	47,615/47,625	17,50/17,75	1,799/1,805
			BC-846-J M0180846 8203-02344	7BC-1553-S	C	STD/ 0,25/ 0,50	47,991/48,011	51,935/51,949	19,55/19,75	1,943/1,949
				3BC-1552-I	C	STD/ 0,25/ 0,50	47,991/48,011	51,935/51,949	19,25/19,50	1,943/1,949
MOTOR R19 - F8Q CLIO / KANGOO (DIESEL)	4	80,00	AE-133-J* L18133	2AE-133-C	C	STD/ 0,12	60,90/61,15	79,60/79,85	39,75/40,00	2,40/2,45
			BB-364-J B18364	8BB-428-C	C	STD/ 0,25/ 0,50/ 0,75	48,000/48,020	51,587/51,600	20,50	1,763/1,771
			BC-535-J M18535	5BC-194-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	51,918/51,938	55,976/56,000	15,45	2,000/2,008
				5BC-194-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	51,918/51,938	55,976/56,000	15,45	2,000/2,008
F4R 2.0 16V Scenic, Megane	4	82,70	BB-529-J B18529	8BB-1339-C		STD/ 0,25/ 0,50/ 0,75/ 1,00	48,000/48,020	51,587/51,600	20,300/20,500	1,768/1,776
			BC-728-J M18728	5BC-1513-S		STD/ 0,25/ 0,50/ 0,75/ 1,00	54,785/54,805	58,731/58,744	18,300/18,500	1,938/1,946
				5BC-1513-I		STD/ 0,25/ 0,50/ 0,75/ 1,00	54,785/54,805	58,731/58,744	18,300/18,500	1,938/1,946
MOTOR M4R 2.0L 16V Hi-Flex Fluence	4	84,00	AE-319-J L0030319 12280-CK825	2AE-3016-C	C	STD	58,70/58,95	76,75/77,00		2,17/2,22
			BB-686-J B0030686 12150-CK80A	4BB-3014-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	43,955/43,971	47,000/47,013	15,75/16,00	1,496/1,504
				4BB-3014-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	43,955/43,971	47,000/47,013	15,75/16,00	1,496/1,504
MOTOR 2.0L.. (PRODUCED IN ARGENTI- NA)	4	88,00x82,00	BC-784-J M0030784 12215-CK800	10BC-3015-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	51,963/51,979	55,998/56,018	16,75/17,00	1,994/2,002
			AE-117-J L18117	2AE-117-C	S	STD/ 0,10/ 0,15	71,200/71,450	87,840/88,090		2,850
			BB-309-J B18309	4BB-399-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	52,267/52,286	56,005/56,019	18,50/18,75	1,842/1,852
MOTOR 2.2L (PRODUCED IN ARGENTI- NA)	4	88,00x89,00	BC-409-J M18409	5BC-603-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	62,873/62,892	66,668/66,687	23,25/23,50	1,873/1,883
			AE-117-J L18117	2AE-117-C	S	STD/ 0,10/ 0,15	71,200/71,450	87,840/88,090		2,850
			BB-310-J B18310	4BB-310-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	56,267/56,286	60,005/60,019	20,50/20,75	1,836/1,842
Motor 2.5 16v DCI G9U.724 Master 2004->2012	4	89,00	BC-409-J M18409	5BC-603-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	62,873/62,892	66,668/66,687	23,25/23,50	1,873/1,883
			AE-374-J L0180374 7701474972	2AE-2012-C	C	STD	63,250/63,500	78,550/78,800		2,300/2,350
			BB-749-J B0180749 7701478679	8BB-2021-C	C	STD/ 0,25/ 0,50	52,971/52,990	56,587/56,606	20,40/20,65	1,774/1,779
			BC-865-J M0180865 7701477777	5BC-2022-S	C	STD/ 0,25/ 0,50	57,990/58,000	61,668/61,681	20,75/21,00	1,809/1,817
				5BC-2022-I	C	STD/ 0,25/ 0,50	57,990/58,000	61,668/61,681	20,750/21,000	1,809/1,817


* Itens sob consulta

											
Nº Cil		Códigos Metal Leve MAHLE									
MOTOR 8140.61... DIESEL (MASTER B70 1981 EM DIANTE / MASTER P30D, P354D 1981 EM DIANTE / MASTER TRACTION T28, 30, 35 1981 EM DIANTE / TRAFIC PROPULSION PA, P5, 8 1982 EM DIANTE)	4	93,00x90,00 3.6614x3.5433	BB-313-J B25313	4BB-1004-I	P	STD	56,520/56,535 2.2252/2.2258	60,333/60,345 2.3753/2.3758	24,70 0.9724	1,870 0.074	0,028/0,075 0.0011/0.0030
				4BB-1004-S	P	STD	56,520/56,535	60,333/60,345	24,70	1,900	0,028/0,075
MOTOR 8144/61/67 DIESEL (B70, MASTER B90 35D 1982 EM DIANTE / MASTER PROPULSION PD30, PD 35D 1981 EM DIANTE / MASTER TRACTION T28D, T30D, T35D 1981 EM DIANTE / P1000D PROPULSION PA, 5, 8, 1982 EM DIANTE / TRAFIC 2.5L 1982 EM DIANTE)	4	93,00x90,00 3.6614x3.5433		4BB-1004-I	P	STD	56,520/56,535	60,333/60,345	24,70	1,870	0,028/0,075
				4BB-1004-S	P	STD	56,520/56,535	60,333/60,345	24,70	1,900	0,028/0,075


											
Nº Cil		Códigos Metal Leve MAHLE									
TRAMBULADOR DA CAIXA DE CAMBIO SCANIA 111/112	6	115,00	BG-364-U G76364	BG-364-U	FT	STD	24,947/24,960	27,991/28,012	12,25/12,75	1,475/1,507	0,017/0,115
			AE-152-J L76152	4AE-338-C		STD	100,30/100,65	125,10/125,50		3,38/3,43	
			BB-541-J B0760541	12BB-1389-C		STD/ 0,25/ 0,50	79,970/80,000	84,230/84,250	42,00/42,25	2,067/2,077	0,074/0,146
MOTOR DN9 / DN9.01 / DS9 / DS9.01 / DS9.02 / DS9.01L01 / DS9.01L02 / DS9.03B01 / DS9.04 / DS9.05B01 / DS9.05 / DS9.06 / DSC9.01L01 / DSC9.01L02 / DSC 9.02	6	127,00	BC-747-J M76747	7BC-1599-S		STD/ 0,25/ 0,50	89,970/90,000	94,200/94,220	35,25/35,50	2,058/2,068	0,064/0,134
				7BC-1599-I		STD/ 0,25/ 0,50	89,970/90,000	94,200/94,220	35,25/35,50	2,058/2,068	0,064/0,134
			AE-175-J L76175	4AE-175-C	S	STD/ 0,127/ 0,25	118,65/119,90	143,691/144,10		3,37/3,43	
MOTOR DC11 / D12 / DC12 / DSC12 Serie 4 01/02/05 2000 CAMINHÃO 114 / 124 / 124E / 124I 01/02/05 12 LITROS	6	127,00	BB-068-J B76068	12BB-1363-C	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	86,978/87,000	91,230/91,252	44,85/45,15	2,080/2,090	0,050/0,114
			BC-093-J M76093	7BC-1086-I	P	STD/ 0,25/ 0,50	107,978/108,00	112,200/112,222	34,17/34,43	2,055/2,070	0,060/0,134
				7BC-1086-S	P	STD/ 0,25/ 0,50	107,978/108,00	112,200/112,222	34,17/34,43	2,055/2,070	0,060/0,134
MOTOR D11 1000CC 16,0:1 (VEICULAR / ESTACIONARIO / MARITIMO) (L 101 / LS 101 / L 111 / S 111 / LS 111 / LT 111 / BR 116)	6	127,00x145,00	BG-563-U G76563	6BG-563-U	S	STD-S	53,995/54,000	57,800/57,830	47,80/48,30	2,08/2,21	0,030/0,048
			EC-141-J H76141	7EC-494-U		STD-S	84,942/84,964	89,000/89,022	34,750/35,250	2,360/2,410	0,046/0,120
			AE-007-J L76007	2AE-007-P	SP	STD/ 0,076/ 0,127/ 0,25/ 0,50	112,65/113,03	129,79/130,17		3,38/3,43	
			AE-011-J L76011 PONTA EIXO	2AE-011-U	S	STD					
			AE-044-J L76044	2AE-044-P	S	STD/ 0,076/ 0,127/ 0,25/ 0,50	112,650/113,030	132,500/132,900		3,430	
			BG-006-U G76006	6BG-006-U	S	STD-S	46,995/47,000	50,790/50,809	47,880	2,010/2,060	
			BG-044-U G76044	4BG-044-U	S	STD-S	49,995/50,000	53,800/53,819	23,60	2,020/2,100	0,0300/0,0480
			BG-118-U G76118 (134 494)	6BG-118-U	FT	STD	37,995/39,020	42,045/42,070	25,30/25,50	1,956/1,991	
			BG-119-U G76119 (141 163)	BG-119-U	FT	STD	31,390/31,415	34,975/35,000	25,30/25,50	1,755/1,788	
			BG-120-U G76120 (141 164)	6BG-120-U	FT	STD	31,390/31,415	34,975/35,000	18,95/19,15	1,755/1,788	
			BG-121-U G76121 (141 168)	2BG-121-U	FT	STD	44,245/44,270	49,209/49,234	15,80/16,00	2,344/2,390	
			BG-122-U G76122 (154 261)	6BG-122-U	FT	STD	24,947/24,960	27,991/28,012	9,90/10,10	1,476/1,514	

	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR D11 11000CC 16,0:1 (VEICULAR / ESTACIONARIO / MARITIMO) (L 101 / LS 101 / L 111 / S 111 / LS 111 / LT 111 / BR 116)	6	127,00x145,00	BG-123-U G76123 (134 488)	2BG-123-U	SP	STD	44,434/44,445	49,212/49,247	56,75/57,00	2,354/2,374	0,014/0,095
			BG-132-U G76132 (171 232)	1BG-132-U	SP	STD	35,964/35,980	40,775/40,810	56,50/57,00	2,370/2,390	0,015/0,096
			BG-163-U G76163 (139 110)	4BG-163-U	SP	STD-S	22,222/22,235	25,407/25,440	18,82/18,92	1,800/1,880	0,030/0,064
			BG-445-U G76445 BALANCIM	6BG-445-U	S	STD-S	24,980/24,993	28,475/28,508	27,100	1,880/1,960	0,0170/0,0510
			BG-529-U G76529 PEÇA ÚNICA	6BG-529-U	SP	STD-S	49,995/50,000	53,800/53,830	49,300		0,0300/0,0480
			BG-544-U G76544 EXT.+0,50	4BG-544-U	S	STD-S	49,995/50,000	54,300/54,319	23,60		0,0300/0,0480
			EC-020-J H76020	1EC-050-U	B	0,50-S	59,951/59,970	63,475/63,525	30,400	2,10/2,18	0,0300/0,0790
				2EC-049-U	B	0,50-S	67,951/68,070	71,438/71,488	30,400	2,10/2,18	0,0300/0,0790
				1EC-048-U	B	0,50-S	68,136/68,155	71,438/71,488	35,310	2,10/2,18	0,0450/0,0940
			EC-082-J H76082	1EC-292-U	B	STD	68,051/68,070	71,438/71,488	30,400	1,880/1,930	0,0300/0,0790
				1EC-294-U	B	STD	59,951/59,970	63,475/63,525	30,400	1,880/1,930	0,0300/0,0790
				1EC-291-U	B	STD	68,136/68,155	71,438/71,488	35,310	1,880/1,930	0,0450/0,0940
				1EC-293-U	B	STD	67,951/67,970	71,438/71,488	30,400	1,880/1,930	0,0300/0,0790
			SBB-082-J SB76082 COM FURO	12SBB-082-C	P	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,25/ 1,50	84,235/84,255	88,483/88,504	48,010	2,083/2,093	0,0420/0,1030
			SBC-200-J SM76200	6SBC-171-P	P	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,25/ 1,50	101,598/101,620	106,261/106,286	35,970	2,280/2,292	0,0570/0,1280
				1SBC-411-P	P	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,25/ 1,50	101,598/101,620	106,261/106,286	44,000	2,280/2,292	0,0570/0,1280
MOTOR D11 / DN11 11000CC 16,0:1 (203CV / VEICULAR / MARITIMO / ESTACIONARIO)	6	127,00x145,00	AE-007-J L76007	2AE-007-P	SP	STD/ 0,076/ 0,127/ 0,25/ 0,50	112,65/113,03	129,79/130,17		3,38/3,43	
			AE-011-J L76011 PONTA EIXO	2AE-011-U	S	STD					
			AE-044-J L76044	2AE-044-P	S	STD/ 0,076/ 0,127/ 0,25/ 0,50	112,650/113,030	132,500/132,900		3,430	
			BG-006-U G76006	6BG-006-U	S	STD-S	46,995/47,000	50,790/50,809	47,880	2,010/2,060	
			BG-044-U G76044	4BG-044-U	S	STD-S	49,995/50,000	53,800/53,819	23,60	2,020/2,100	0,0300/0,0480
			BG-118-U G76118 (134 494)	6BG-118-U	FT	STD	37,995/39,020	42,045/42,070	25,30/25,50	1,956/1,991	
			BG-119-U G76119 (141 163)	BG-119-U	FT	STD	31,390/31,415	34,975/35,000	25,30/25,50	1,755/1,788	


* Itens sob consulta

	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR D11 / DN11 11000CC 16,0:1 (203CV / VEICULAR / MARITIMO / ESTACIONARIO)	6	127,00x145,00	BG-120-U G76120 (141 164)	6BG-120-U	FT	STD	31,390/31,415	34,975/35,000	18,95/19,15	1,755/1,788	
			BG-121-U G76121 (141 168)	2BG-121-U	FT	STD	44,245/44,270	49,209/49,234	15,80/16,00	2,344/2,390	
			BG-122-U G76122 (154 261)	6BG-122-U	FT	STD	24,947/24,960	27,991/28,012	9,90/10,10	1,476/1,514	
			BG-123-U G76123 (134 488)	2BG-123-U	SP	STD	44,434/44,445	49,212/49,247	56,75/57,00	2,354/2,374	0,014/0,095
			BG-132-U G76132 (171 232)	1BG-132-U	SP	STD	35,964/35,980	40,775/40,810	56,50/57,00	2,370/2,390	0,015/0,096
			BG-163-U G76163 (139 110)	4BG-163-U	SP	STD-S	22,222/22,235	25,407/25,440	18,82/18,92	1,800/1,880	0,030/0,064
			BG-445-U G76445 BALANCIM	6BG-445-U	S	STD-S	24,980/24,993	28,475/28,508	27,100	1,880/1,960	0,0170/0,0510
			BG-529-U G76529 PEÇA ÚNICA	6BG-529-U	SP	STD-S	49,995/50,000	53,800/53,830	49,300		0,0300/0,0480
			BG-544-U G76544 EXT.+0,50	4BG-544-U	S	STD-S	49,995/50,000	54,300/54,319	23,60		0,0300/0,0480
			EC-020-J H76020	2EC-049-U	B	0,50-S	67,951/68,070	71,438/71,488	30,400	2,10/2,18	0,0300/0,0790
				1EC-050-U	B	0,50-S	59,951/59,970	63,475/63,525	30,400	2,10/2,18	0,0300/0,0790
				1EC-048-U	B	0,50-S	68,136/68,155	71,438/71,488	35,310	2,10/2,18	0,0450/0,0940
			EC-082-J H76082	1EC-294-U	B	STD	59,951/59,970	63,475/63,525	30,400	1,880/1,930	0,0300/0,0790
				1EC-292-U	B	STD	68,051/68,070	71,438/71,488	30,400	1,880/1,930	0,0300/0,0790
				1EC-291-U	B	STD	68,136/68,155	71,438/71,488	35,310	1,880/1,930	0,0450/0,0940
				1EC-293-U	B	STD	67,951/67,970	71,438/71,488	30,400	1,880/1,930	0,0300/0,0790
			SBB-082-J SB76082 COM FURO	12SBB-082-C	P	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,25/ 1,50	84,235/84,255	88,483/88,504	48,010	2,083/2,093	0,0420/0,1030
			SBC-200-J SM76200	1SBC-411-P	P	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,25/ 1,50	101,598/101,620	106,261/106,286	44,000	2,280/2,292	0,0570/0,1280
				6SBC-171-P	P	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,25/ 1,50	101,598/101,620	106,261/106,286	35,970	2,280/2,292	0,0570/0,1280
MOTOR D9 / D12 / D16 SÉRIE 4 9000 / 12000 / 16000 D9/D12/D16	4	127,00	EC-141-J H76141	7EC-494-U		STD-S	84,942/84,964	89,000/89,022	34,750/35,250	2,360/2,410	0,046/0,120
			AE-175-J L76175	4AE-175-C	S	STD/ 0,127/ 0,25	118,65/119,90	143,691/144,10		3,37/3,43	
MOTOR DC9 EURO III, IV e V	5	127,00	BB-746-J B0760746 1747749	10BB-1363-C	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	86,978/87,000	91,230/91,252	44,80/45,20	2,080/2,090	0,050/0,114
			BC-863-J M0760863 Para 5cil.	6BC-1086-I	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	107,978/108,00	112,200/112,222	34,17/34,43	2,055/2,070	0,060/0,134
				6BC-1086-S	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	107,978/108,00	112,200/112,222	34,17/34,43	2,055/2,070	0,060/0,134





* Itens sob consulta


											
MOTOR DC9 EURO III, IV e V	5	127,00	BG-1211-J G0761211 Para 5cil.	5BG-1211-U Buchá do tipo J		STD-S	57,995/58,000	62,500/62,530	23,70; 46,20	2,43/2,73	0,030/0,048
			EC-155-J H0760155 Para 5cil.	6EC-494-U		STD-S	84,942/84,964	89,000/89,022	34,750/35,250	2,360/2,410	0,046/0,120
MOTOR DS11 / DSH11 11000CC 15,0:1 (VEICULAR / ESTACIONA- RIO / MARITIMO / L 111 / LS 111 / LT 111 / B 111)	6	127,00x145,00	AE-007-J L76007	2AE-007-P	SP	STD/ 0,076/ 0,127/ 0,25/ 0,50	112,65/113,03	129,79/130,17		3,38/3,43	
			AE-011-J L76011 PONTA EIXO	2AE-011-U	S	STD					
			AE-044-J L76044	2AE-044-P	S	STD/ 0,076/ 0,127/ 0,25/ 0,50	112,650/113,030	132,500/132,900		3,430	
			BG-006-U G76006	6BG-006-U	S	STD-S	46,995/47,000	50,790/50,809	47,880	2,010/2,060	
			BG-044-U G76044	4BG-044-U	S	STD-S	49,995/50,000	53,800/53,819	23,60	2,020/2,100	0,0300/0,0480
			BG-118-U G76118 (134 494)	6BG-118-U	FT	STD	37,995/39,020	42,045/42,070	25,30/25,50	1,956/1,991	
			BG-119-U G76119 (141 163)	BG-119-U	FT	STD	31,390/31,415	34,975/35,000	25,30/25,50	1,755/1,788	
			BG-120-U G76120 (141 164)	6BG-120-U	FT	STD	31,390/31,415	34,975/35,000	18,95/19,15	1,755/1,788	
			BG-121-U G76121 (141 168)	2BG-121-U	FT	STD	44,245/44,270	49,209/49,234	15,80/16,00	2,344/2,390	
			BG-122-U G76122 (154 261)	6BG-122-U	FT	STD	24,947/24,960	27,991/28,012	9,90/10,10	1,476/1,514	
			BG-123-U G76123 (134 488)	2BG-123-U	SP	STD	44,434/44,445	49,212/49,247	56,75/57,00	2,354/2,374	0,014/0,095
			BG-132-U G76132 (171 232)	1BG-132-U	SP	STD	35,964/35,980	40,775/40,810	56,50/57,00	2,370/2,390	0,015/0,096
			BG-163-U G76163 (139 110)	4BG-163-U	SP	STD-S	22,222/22,235	25,407/25,440	18,82/18,92	1,800/1,880	0,030/0,064
			BG-445-U G76445 BALANCIM	6BG-445-U	S	STD-S	24,980/24,993	28,475/28,508	27,100	1,880/1,960	0,0170/0,0510
			BG-529-U G76529 PEÇA ÚNICA	6BG-529-U	SP	STD-S	49,995/50,000	53,800/53,830	49,300		0,0300/0,0480
			BG-544-U G76544 EXT.+0,50	4BG-544-U	S	STD-S	49,995/50,000	54,300/54,319	23,60		0,0300/0,0480
			EC-020-J H76020	1EC-050-U	B	0,50-S	59,951/59,970	63,475/63,525	30,400	2,10/2,18	0,0300/0,0790
				2EC-049-U	B	0,50-S	67,951/68,070	71,438/71,488	30,400	2,10/2,18	0,0300/0,0790
				1EC-048-U	B	0,50-S	68,136/68,155	71,438/71,488	35,310	2,10/2,18	0,0450/0,0940
			EC-082-J H76082	1EC-291-U	B	STD	68,136/68,155	71,438/71,488	35,310	1,880/1,930	0,0450/0,0940
				1EC-292-U	B	STD	68,051/68,070	71,438/71,488	30,400	1,880/1,930	0,0300/0,0790
				1EC-294-U	B	STD	59,951/59,970	63,475/63,525	30,400	1,880/1,930	0,0300/0,0790





* Itens sob consulta

											
MOTOR DS11 / DSI11 1000CC 15,0:1 VEICULAR / ESTACIONA- RIO / MARITIMO / L 111 / S 111 / LT 111 / B 111)	6	127,00x145,00	EC-082-J H76082	1EC-293-U	B	STD	67,951/67,970	71,438/71,488	30,400	1,880/1,930	0,0300/0,0790
			SBB-082-J SB76082 COM FURO	12SBB-082-C	P	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,25/ 1,50	84,235/84,255	88,483/88,504	48,010	2,083/2,093	0,0420/0,1030
			SBC-200-J SM76200	6SBC-171-P	P	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,25/ 1,50	101,598/101,620	106,261/106,286	35,970	2,280/2,292	0,0570/0,1280
				1SBC-411-P	P	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,25/ 1,50	101,598/101,620	106,261/106,286	44,000	2,280/2,292	0,0570/0,1280
MOTOR DS11 / DSI11 / DSC11 1000CC 15,0:1 VEICULAR / MARITIMO / ESTACIONARIO / R 112 / T 12 / S 112 / K 112)	6	127,00x145,00	AE-007-J L76007	2AE-007-P	SP	STD/ 0,076/ 0,127/ 0,25/ 0,50	112,65/113,03	129,79/130,17		3,38/3,43	
			AE-011-J L76011 PONTA EIXO	2AE-011-U	S	STD					
			AE-044-J L76044	2AE-044-P	S	STD/ 0,076/ 0,127/ 0,25/ 0,50	112,650/113,030	132,500/132,900		3,430	
			BG-006-U G76006	6BG-006-U	S	STD-S	46,995/47,000	50,790/50,809	47,880	2,010/2,060	
			BG-044-U G76044	4BG-044-U	S	STD-S	49,995/50,000	53,800/53,819	23,60	2,020/2,100	0,0300/0,0480
			BG-118-U G76118 (134 494)	6BG-118-U	FT	STD	37,995/39,020	42,045/42,070	25,30/25,50	1,956/1,991	
			BG-119-U G76119 (141 163)	BG-119-U	FT	STD	31,390/31,415	34,975/35,000	25,30/25,50	1,755/1,788	
			BG-120-U G76120 (141 164)	6BG-120-U	FT	STD	31,390/31,415	34,975/35,000	18,95/19,15	1,755/1,788	
			BG-121-U G76121 (141 168)	2BG-121-U	FT	STD	44,245/44,270	49,209/49,234	15,80/16,00	2,344/2,390	
			BG-122-U G76122 (154 261)	6BG-122-U	FT	STD	24,947/24,960	27,991/28,012	9,90/10,10	1,476/1,514	
			BG-123-U G76123 (134 488)	2BG-123-U	SP	STD	44,434/44,445	49,212/49,247	56,75/57,00	2,354/2,374	0,014/0,095
			BG-132-U G76132 (171 232)	1BG-132-U	SP	STD	35,964/35,980	40,775/40,810	56,50/57,00	2,370/2,390	0,015/0,096
			BG-163-U G76163 (139 110)	4BG-163-U	SP	STD-S	22,222/22,235	25,407/25,440	18,82/18,92	1,800/1,880	0,030/0,064
			BG-445-U G76445 BALANCIM	6BG-445-U	S	STD-S	24,980/24,993	28,475/28,508	27,100	1,880/1,960	0,0170/0,0510
			BG-529-U G76529 PEÇA ÚNICA	6BG-529-U	SP	STD-S	49,995/50,000	53,800/53,830	49,300		0,0300/0,0480
			BG-544-U G76544 EXT.+0,50	4BG-544-U	S	STD-S	49,995/50,000	54,300/54,319	23,60		0,0300/0,0480



* Itens sob consulta

	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR DS11 / DSI11 / DSC11 11000CC 15,0:1 (VEICULAR / MARITIMO / ESTACIONARIO / R 112 / T 112 / S 112 / K 112)	6	127,00x145,00	EC-020-J H76020	1EC-048-U	B	0,50-S	68,136/68,155	71,438/71,488	35,310	2,10/2,18	0,0450/0,0940
				2EC-049-U	B	0,50-S	67,951/68,070	71,438/71,488	30,400	2,10/2,18	0,0300/0,0790
				1EC-050-U	B	0,50-S	59,951/59,970	63,475/63,525	30,400	2,10/2,18	0,0300/0,0790
				1EC-292-U	B	STD	68,051/68,070	71,438/71,488	30,400	1,880/1,930	0,0300/0,0790
			EC-082-J H76082	1EC-291-U	B	STD	68,136/68,155	71,438/71,488	35,310	1,880/1,930	0,0450/0,0940
				1EC-293-U	B	STD	67,951/67,970	71,438/71,488	30,400	1,880/1,930	0,0300/0,0790
				1EC-294-U	B	STD	59,951/59,970	63,475/63,525	30,400	1,880/1,930	0,0300/0,0790
				SBB-082-J SB76082 COM FURO	12SBB-082-C	P	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,25/ 1,50	84,235/84,255	88,483/88,504	48,010	2,083/2,093
			SBC-200-J SM76200	1SBC-411-P	P	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,25/ 1,50	101,598/101,620	106,261/106,286	44,000	2,280/2,292	0,0570/0,1280
				6SBC-171-P	P	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,25/ 1,50	101,598/101,620	106,261/106,286	35,970	2,280/2,292	0,0570/0,1280
MOTOR DS14 14200CC 15,0:1 (VEICULAR / MARITIMO / ESTACIONARIO / LK 140) 350CV	8	127,00x140,00	AE-044-J L76044	2AE-044-P	S	STD/ 0,076/ 0,127/ 0,25/ 0,50	112,650/113,030	132,500/132,900		3,430	
				AE-084-U L76084	1AE-084-U	S	STD	90,120/90,380	124,750/125,250		2,310/2,360
			BG-044-U G76044	4BG-044-U	S	STD-S	49,995/50,000	53,800/53,819	23,60	2,020/2,100	0,0300/0,0480
				BG-118-U G76118 (134 494)	6BG-118-U	FT	STD	37,995/39,020	42,045/42,070	25,30/25,50	1,956/1,991
			BG-119-U G76119 (141 163)	BG-119-U	FT	STD	31,390/31,415	34,975/35,000	25,30/25,50	1,755/1,788	
				BG-120-U G76120 (141 164)	6BG-120-U	FT	STD	31,390/31,415	34,975/35,000	18,95/19,15	1,755/1,788
			BG-121-U G76121 (141 168)	2BG-121-U	FT	STD	44,245/44,270	49,209/49,234	15,80/16,00	2,344/2,390	
				BG-122-U G76122 (154 261)	6BG-122-U	FT	STD	24,947/24,960	27,991/28,012	9,90/10,10	1,476/1,514
			BG-123-U G76123 (134 488)	2BG-123-U	S	STD	44,434/44,445	49,212/49,247	56,75/57,00	2,354/2,374	0,014/0,095
				BG-132-U G76132 (171 232)	1BG-132-U	S	STD	35,964/35,980	40,775/40,810	56,50/57,00	2,370/2,390
			BG-163-U G76163 (139 110)	4BG-163-U	S	STD	22,222/22,235	25,407/25,440	18,82/18,92	1,800/1,880	0,030/0,064
				BG-529-U G76529 PEÇA ÚNICA	6BG-529-U	S	STD-S	49,995/50,000	53,800/53,830	49,300	
			BG-544-U G76544 EXT. +0,50	4BG-544-U	S	STD-S	49,995/50,000	54,300/54,319	23,60		0,0300/0,0480



	Nº Cil		 Códigos Metal Leve MAHLE									
MOTOR DS14 4200CC 5,0:1 VEICULAR / MARITIMO / ESTACIONARIO / LK 140) 350CV	8	127,00x140,00	EC-070-J H76070	5EC-101-U	B	STD-S	68,951/68,970	73,000/73,030	30,000	2,210/2,290	0,0300/0,0790	
				1EC-100-U	B	STD-S	68,951/68,970	73,000/73,030	30,000	2,210/2,290	0,0300/0,0790	
			SBB-319-J SB76319 COM CANAL	8SBB-319-P	P	STD/ 0,25/ 0,50/ 0,75	89,978/90,000	94,000/94,022	41,250	1,965/1,977	0,0460/0,1140	
			SBC-239-J SM76239	5SBC-446-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	101,598/101,620	106,262/106,284	40,000	2,284/2,296	0,0500/0,1180	
MOTOR DS14 / DSI14 4200CC 5,5:1 (375/388/400/485CV) VEICULAR / MARITIMO / ESTACIONARIO) (LK 141 / R 142HS / R142 / T 142 / T 42HS)	8	127,00x140,00	AE-044-J L76044	2AE-044-P	S	STD/ 0,076/ 0,127/ 0,25/ 0,50	112,650/113,030	132,500/132,900		3,430		
			BG-044-U G76044	4BG-044-U	S	STD-S	49,995/50,000	53,800/53,819	23,60	2,020/2,100	0,0300/0,0480	
			BG-118-U G76118 (134 494)	6BG-118-U	FT	STD	37,995/39,020	42,045/42,070	25,30/25,50	1,956/1,991		
			BG-119-U G76119 (141 163)	BG-119-U	FT	STD	31,390/31,415	34,975/35,000	25,30/25,50	1,755/1,788		
			BG-120-U G76120 (141 164)	6BG-120-U	FT	STD	31,390/31,415	34,975/35,000	18,95/19,15	1,755/1,788		
			BG-121-U G76121 (141 168)	2BG-121-U	FT	STD	44,245/44,270	49,209/49,234	15,80/16,00	2,344/2,390		
			BG-122-U G76122 (154 261)	6BG-122-U	FT	STD	24,947/24,960	27,991/28,012	9,90/10,10	1,476/1,514		
			BG-123-U G76123 (134 488)	2BG-123-U	S	STD	44,434/44,445	49,212/49,247	56,75/57,00	2,354/2,374	0,014/0,095	
			BG-132-U G76132 (171 232)	1BG-132-U	S	STD	35,964/35,980	40,775/40,810	56,50/57,00	2,370/2,390	0,015/0,096	
			BG-163-U G76163 (139 110)	4BG-163-U	S	STD	22,222/22,235	25,407/25,440	18,82/18,92	1,800/1,880	0,030/0,064	
			BG-529-U G76529 PECA ÚNICA	6BG-529-U	S	STD-S	49,995/50,000	53,800/53,830	49,30		0,0300/0,0480	
			BG-544-U G76544 EXT. +0,50	4BG-544-U	S	STD-S	49,995/50,000	54,300/54,319	23,60		0,0300/0,0480	
			EC-070-J H76070	1EC-100-U	B	STD-S	68,951/68,970	73,000/73,030	30,000	2,210/2,290	0,0300/0,0790	
				5EC-101-U	B	STD-S	68,951/68,970	73,000/73,030	30,000	2,210/2,290	0,0300/0,0790	
			SBB-219-J SB76219 SEM CANAL E SEM FURO	8SBB-219-P	P	STD/ 0,25/ 0,50/ 0,75	89,978/90,000	94,000/94,022	41,250	1,965/1,977	0,0460/0,1140	
			SBC-239-J SM76239	5SBC-446-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	101,598/101,620	106,262/106,284	40,000	2,284/2,296	0,0500/0,1180	



	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR DS14 / DSI14 / DSC14-07 14000 15,5:1 (350/375/388/400/485CV) (LK 140 / LK 141 / R 142 / T 142 / R 142HS / T 142HS)	8	127,00x140,00	BG-119-U G76119 (141 163)	BG-119-U	FT	STD	31,390/31,415	34,975/35,000	25,30/25,50	1,755/1,788	
MOTOR DS14 / DSI14 / DSC14-07 14000 15,5:1 (350/375/388/400/485CV) (LK 140 / LK 141 / R 142 / T 142 / R 142HS / T 142HS)	8	127,00x140,00	AE-044-J L76044	2AE-044-P	S	STD/ 0,076/ 0,127/ 0,25/ 0,50	112,650/113,030	132,500/132,900		3,430	
			AE-084-U L76084	1AE-084-U	S	STD	90,120/90,380	124,750/125,250		2,310/2,360	
			BG-044-U G76044	4BG-044-U	S	STD-S	49,995/50,000	53,800/53,819	23,60	2,020/2,100	0,0300/0,0480
			BG-118-U G76118 (134 494)	6BG-118-U	FT	STD	37,995/39,020	42,045/42,070	25,30/25,50	1,956/1,991	
			BG-120-U G76120 (141 164)	6BG-120-U	FT	STD	31,390/31,415	34,975/35,000	18,95/19,15	1,755/1,788	
			BG-121-U G76121 (141 168)	2BG-121-U	FT	STD	44,245/44,270	49,209/49,234	15,80/16,00	2,344/2,390	
			BG-122-U G76122 (154 261)	6BG-122-U	FT	STD	24,947/24,960	27,991/28,012	9,90/10,10	1,476/1,514	
			BG-123-U G76123 (134 488)	2BG-123-U	S	STD	44,434/44,445	49,212/49,247	56,75/57,00	2,354/2,374	0,014/0,095
			BG-132-U G76132 (171 232)	1BG-132-U	S	STD	35,964/35,980	40,775/40,810	56,50/57,00	2,370/2,390	0,015/0,096
			BG-163-U G76163 (139 110)	4BG-163-U	S	STD	22,222/22,235	25,407/25,440	18,82/18,92	1,800/1,880	0,030/0,064
			BG-529-U G76529 PECA ÚNICA	6BG-529-U	S	STD-S	49,995/50,000	53,800/53,830	49,300		0,0300/0,0480
			BG-544-U G76544 EXT.+0,50	4BG-544-U	S	STD-S	49,995/50,000	54,300/54,319	23,60		0,0300/0,0480
			EC-070-J H76070	5EC-101-U	B	STD-S	68,951/68,970	73,000/73,030	30,000	2,210/2,290	0,0300/0,0790
				1EC-100-U	B	STD-S	68,951/68,970	73,000/73,030	30,000	2,210/2,290	0,0300/0,0790
			SBB-319-J SB76319 COM CANAL	8SBB-319-P	P	STD/ 0,25/ 0,50/ 0,75	89,978/90,000	94,000/94,022	41,250	1,965/1,977	0,0460/0,1140
			SBC-239-J SM76239	5SBC-446-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	101,598/101,620	106,262/106,284	40,000	2,284/2,296	0,0500/0,1180
MOTOR DSC14-07 (375/388/400/485CV) (VEICULAR / MARITIMO / ESTACIONARIO) (LK 141 / R 142HS / R142 / T 142 / T 142HS)	8	127,00x140,00	AE-044-J L76044	2AE-044-P	S	STD/ 0,076/ 0,127/ 0,25/ 0,50	112,650/113,030	132,500/132,900		3,430	
			BG-044-U G76044	4BG-044-U	S	STD-S	49,995/50,000	53,800/53,819	23,60	2,020/2,100	0,0300/0,0480
			BG-118-U G76118 (134 494)	6BG-118-U	FT	STD	37,995/39,020	42,045/42,070	25,30/25,50	1,956/1,991	
			BG-119-U G76119 (141 163)	BG-119-U	FT	STD	31,390/31,415	34,975/35,000	25,30/25,50	1,755/1,788	




* Itens sob consulta

											
Nº Cil		Códigos Metal Leve MAHLE									
MOTOR DSC14-07 (375/388/400/485CV) (VEICULAR / MARITIMO / ESTACIONARIO) (LK 141 / R 142HS / R142 / T 142 / T 142HS)	8	127,00x140,00	BG-120-U G76120 (141 164)	6BG-120-U	FT	STD	31,390/31,415	34,975/35,000	18,95/19,15	1,755/1,788	
			BG-121-U G76121 (141 168)	2BG-121-U	FT	STD	44,245/44,270	49,209/49,234	15,80/16,00	2,344/2,390	
			BG-122-U G76122 (154 261)	6BG-122-U	FT	STD	24,947/24,960	27,991/28,012	9,90/10,10	1,476/1,514	
			BG-123-U G76123 (134 488)	2BG-123-U	S	STD	44,434/44,445	49,212/49,247	56,75/57,00	2,354/2,374	0,014/0,095
			BG-132-U G76132 (171 232)	1BG-132-U	S	STD	35,964/35,980	40,775/40,810	56,50/57,00	2,370/2,390	0,015/0,096
			BG-163-U G76163 (139 110)	4BG-163-U	S	STD-S	22,222/22,235	25,407/25,440	18,82/18,92	1,800/1,880	0,030/0,064
			BG-529-U G76529 PEÇA ÚNICA	6BG-529-U	S	STD-S	49,995/50,000	53,800/53,830	49,30		0,0300/0,0480
			BG-544-U G76544 EXT. +0,50	4BG-544-U	S	STD-S	49,995/50,000	54,300/54,319	23,60		0,0300/0,0480
			EC-070-J H76070	1EC-100-U	B	STD-S	68,951/68,970	73,000/73,030	30,000	2,210/2,290	0,0300/0,0790
				5EC-101-U	B	STD-S	68,951/68,970	73,000/73,030	30,000	2,210/2,290	0,0300/0,0790
			SBB-219-J SB76219 SEM CANAL E SEM FURO	8SBB-219-P	P	STD/ 0,25/ 0,50/ 0,75	89,978/90,000	94,000/94,022	41,250	1,965/1,977	0,0460/0,1140
			SBC-239-J SM76239	5SBC-446-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	101,598/101,620	106,262/106,284	40,000	2,284/2,296	0,0500/0,1180
MOTOR DC13 EURO III, IV V	6	130,00	AE-175-J L76175	4AE-175-C	S	STD/ 0,127/ 0,25	118,65/119,90	143,691/144,10		3,37/3,43	
			BB-708-J B0760708 1534496	12BB-1364-C	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	92,978/93,000	97,230/97,252	42,85/43,15	2,080/2,090	0,050/0,114
			BC-093-J M76093 Para 6cil.	7BC-1086-I	P	STD/ 0,25/ 0,50	107,978/108,00	112,200/112,222	34,17/34,43	2,055/2,070	0,060/0,134
				7BC-1086-S	P	STD/ 0,25/ 0,50	107,978/108,00	112,200/112,222	34,17/34,43	2,055/2,070	0,060/0,134
			BG-1212-J G0761212 Para 6cil.	6BG-1211-U Bucha do tipo J		STD-S	57,995/58,000	62,500/62,530	23,70/ 46,20	2,43/2,73	0,030/0,048
			EC-141-J H76141 Para 6cil.	7EC-494-U		STD-S	84,942/84,964	89,000/89,022	34,750/35,250	2,360/2,410	0,046/0,120




* Itens sob consulta

											
Nº Cil		Códigos Metal Leve MAHLE									
MOTOR 100D.000 767CC 7,5:1 (600D / 600E)	4	62,00x63,60 2.4409x2.5039	BB-312-J B25312	8BB-1003-C	C	STD/ 0,25/ 0,50	39,988/40,008 1.5743/1.5751	43,657/43,670 1.7188/1.7193	16,55 0.6516	1,810 0.071	0,023/0,068 0.0009/0.0027
MOTOR 100 GBC/GL-146A 903CC 9:1 (127 IBIZA JUNIOR / MAR-BELLA GL, XL, GLX) 1971 EM DIANTE	4	65,00x68,00 2.5591x2.8772		8BB-1003-C	C	STD/ 0,25/ 0,50	39,988/40,008 1.5743/1.5751	43,657/43,670 1.7188/1.7193	16,55 0.6516	1,810 0.071	0,023/0,068 0.0009/0.0027
MOTOR 100GB.000 843CC 8,5:1 (133 / MARBELLA 850)	4	65,00x63,60 2.5591x2.5039		8BB-1003-C	C	STD/ 0,25/ 0,50	39,988/40,008 1.5743/1.5751	43,657/43,670 1.7188/1.7193	16,55 0.6516	1,810 0.071	0,023/0,068 0.0009/0.0027
MOTOR 100G.000 843CC 8,5:1 (850 BERLINA / 850 / 850D / 850D SPECIAL) 1964 ATE 74	4	65,00x63,60 2.5591x2.5039		8BB-1003-C	C	STD/ 0,25/ 0,50	39,988/40,008 1.5743/1.5751	43,657/43,670 1.7188/1.7193	16,55 0.6516	1,810 0.071	0,023/0,068 0.0009/0.0027
MOTOR 8140.61.- 2445CC 22:1 DIESEL (131D) 1981 ATE 85	4	93,00x90,00 3.6614x3.5433		BB-313-J B25313	4BB-1004-I	P	STD	56,520/56,535 2.2252/2.2258	60,333/60,345 2.3753/2.3758	24,70 0.9724	1,870 0.074
			4BB-1004-S		P	STD	56,520/56,535	60,333/60,345	24,70	1,900	0,028/0,075



											
Nº Cil		Códigos Metal Leve MAHLE									
Motor 2.5 16v 2KDFTV / 3.0 8v 1KZTE / 3.0 16v 1KDFTV / 3.0 8v Aspirado Hilux - Diesel	4	72,50	AE-318-J L0630318 11011-0L020	2AE-3013-I	C	STD/ 0,25	76,00/76,25	90,57/90,82		2,44/2,49	
			BB-683-J B0630683 13041-30020-03	2AE-3013-S	C	STD/ 0,25	76,00/76,25	90,57/90,82		2,44/2,49	
			BC-779-J M0630779 11701-30020-03	8BB-3002-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	58,982/59,000	62,014/62,032	24,35/24,60	1,481/1,489	0,036/0,088
				5BC-3003-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	69,982/70,000	75,000/75,018	23,55/23,80	2,477/2,485	0,030/0,082
				5BC-3003-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	69,982/70,000	75,000/75,018	23,55/23,80	2,477/2,485	0,030/0,082
MOTOR 1NR-FE 1.3L 16V FLEX ETIOS	4	72,50	AE-372-J* L0630372 11791-47020	2AE-2010-C	C	STD	56,000/56,250	67,750/68,000		1,900/1,950	
			BB-747-J B0630747 13881-870YL	8BB-1600-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	41,992/42,000	45,000/45,024	13,65/13,90	1,487/1,495	0,010/0,058
			BC-864-J M0630864 11721-870YL	5BC-1605-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	47,988/48,000	52,000/52,016	14,75/15,00	1,988/1,996	0,008/0,052
				5BC-1605-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	47,988/48,000	52,000/52,016	14,75/15,00	1,988/1,996	0,008/0,052
MOTOR 2NR-FE 1.5L 16V FLEX ETIOS	4	72,50	AE-372-J* L0630372 11791-47020	2AE-2010-C	C	STD	56,000/56,250	67,750/68,000		1,900/1,950	
			BB-747-J B0630747 13881-870YL	8BB-1600-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	41,992/42,000	45,000/45,024	13,65/13,90	1,487/1,495	0,010/0,058
			BC-864-J M0630864 11721-870YL	5BC-1605-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	47,988/48,000	52,000/52,016	14,75/15,00	1,988/1,996	0,008/0,052
				5BC-1605-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	47,988/48,000	52,000/52,016	14,75/15,00	1,988/1,996	0,008/0,052
Motor 1ZZFE 1.8L 16V GASOLINA/FLEX 1998-> COROLLA	4	79,00	AE-213-P L63213	2AE-213-C	C	STD	53,50/53,75	69,75/70,00		2,43/2,48	
			BB-507-J B63507	8BB-1072-C	C	STD/ 0,25/ 0,50	43,992/44,000	47,000/47,024	15,50/15,70	1,486/1,498	0,020/0,044
			BC-746-J M63746	5BC-1519-S	C	STD/ 0,25/ 0,50	47,988/48,000	52,000/52,016	16,80/17,00	1,996/2,004	0,004/0,020
				5BC-1519-I	C	STD/ 0,25/ 0,50	47,988/48,000	52,000/52,016	16,80/17,00	1,996/2,004	0,004/0,020
Motor 3ZZFE 1.6L 16V GASOLINA (2002->) COROLLA	4	79,00x81,50	AE-213-P L63213	2AE-213-C	C	STD	53,50/53,75	69,75/70,00		2,43/2,48	
			BB-507-J B63507	8BB-1072-C	C	STD/ 0,25/ 0,50	43,992/44,000	47,000/47,024	15,50/15,70	1,486/1,498	0,020/0,044
			BC-746-J M63746	5BC-1519-S	C	STD/ 0,25/ 0,50	47,988/48,000	52,000/52,016	16,80/17,00	1,996/2,004	0,004/0,020
				5BC-1519-I	C	STD/ 0,25/ 0,50	47,988/48,000	52,000/52,016	16,80/17,00	1,996/2,004	0,004/0,020

												
	Nº Cil		Códigos Metal Leve MAHLE									
MOTOR 2ZRFE 1.8L 16V FLEX COROLLA	4	80,50	AE-367-J L0630367 11791-22020	2AE-2005-C	C	STD/ 0,25	53,500/53,750	69,750/70,000		2,430/2,480		
			BB-737-J B0630737 13041-37010	8BB-2013-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	43,992/44,000	47,000/47,024	14,25/14,50	1,487/1,495	0,010/0,058	
			BC-854-J M0630854 11701-37020-03	5BC-2009-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	47,988/48,000	52,000/52,016	16,80/17,00	1,983/1,991	0,018/0,062	
				5BC-2009-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	47,988/48,000	52,000/52,016	16,80/17,00	1,983/1,991	0,018/0,062	
MOTOR 3ZRFBE 2.0L 16V FLEX COROLLA	4	80,50	AE-367-J L0630367 11791-22020	2AE-2005-C	C	STD/ 0,25	53,500/53,750	69,750/70,000		2,430/2,480		
			BB-736-J B0630736 11791-22020	8BB-2014-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	46,992/47,000	50,000/50,024	14,25/14,50	1,487/1,495	0,010/0,058	
			BC-854-J M0630854 11701-37020-03	5BC-2009-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	47,988/48,000	52,000/52,016	16,80/17,00	1,983/1,991	0,018/0,062	
				5BC-2009-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	47,988/48,000	52,000/52,016	16,80/17,00	1,983/1,991	0,018/0,062	
MOTOR 2.8 3L Aspirado HILUX - DIESEL	4	95,00x105,85	AE-050-J L63050	2AE-219-I	C	STD/ 0,12/ 0,25	69,88/70,12	81,38/81,62		2,43/2,48		
				2AE-219-S	C	STD/ 0,12/ 0,25	69,88/70,12	81,38/81,62		2,43/2,48		
			BB-381-J B63381	8BB-381-C	C	STD/ 0,25/ 0,50	54,988/55,000	58,013/58,023	25,78/26,06	1,481/1,487	0,039/0,073	
			BC-517-J M63517	5BC-975-S	C	STD/ 0,25/ 0,50	61,985/62,000	66,016/66,033	27,36/27,60	1,982/1,988	0,040/0,084	
		5BC-975-I	C	STD/ 0,25/ 0,50	61,985/62,000	66,016/66,033	27,36/27,60	1,982/1,988	0,040/0,084			
	MOTOR OM-314. BANDEIRANTES / JEEP / PICK-UP 1971 EM DIANTE	4	97,00x128,00	SBB-174-J SB48174	8SBB-434-C	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	59,995/60,015	65,000/65,019	32,100	2,460/2,472	0,0410/0,1090
				SBC-273-J SM48273 FL. STD SEM CANAL	1SBC-704-P(F)	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	31,810	2,465/2,477	0,0360/0,1020
					4SBC-664-P	SP	STD/ 0,10/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	87,990/88,010	93,000/93,022	23,85/24,05	2,465/2,477	0,0360/0,1020
SBG-016-U SG48016				1SBG-016-U	S	STD-S	35,993/36,000	39,000/39,025	34,500	1,850/2,100	0,0300/0,0470	
Bandeirante Land Cruiser 14B	4	102,00x112,00	SEC-043-J SH48043	1SEC-410-U	S	STD/ 0,25/ 0,50	55,691/55,710	60,000/60,030	26,000	2,117/2,137	0,0160/0,1050	
				1SEC-212-U	B	STD/ 0,25/ 0,50	55,441/55,460	60,000/60,030	26,250	2,242/2,262	0,0160/0,1050	
				1SEC-213-U	B	STD/ 0,25/ 0,50	55,191/55,210	60,000/60,030	26,250	2,367/2,387	0,0160/0,1050	
	4	102,00x112,00	AE-129-J L63129	2AE-129-J		STD/ 0,25	76,000/76,250	90,450/90,700		2,430/2,480		
			BB-473-J B63473	8BB-1281-C		STD/ 0,25/ 0,50/ 0,75/ 1,00	61,020/61,220	64,000/64,020	29,800/30,000	1,483/1,491		
			BC-679-J M63679	5BC-1435-S		STD/ 0,25/ 0,50/ 0,75/ 1,00	75,500/76,200	75,000/75,020	26,700/26,900	2,482/2,489	0,015/0,040	
				5BC-1435-I		STD/ 0,25/ 0,50/ 0,75/ 1,00	75,500/76,200	75,000/75,020	26,700/26,900	2,482/2,489	0,015/0,040	


* Itens sob consulta



											
Nº Cil		Códigos Metal Leve MAHLE									
MOTOR 8140.61...- 2445CC 22:1 DIESEL (DAILY VANS / GRINTA VANS) 1978 EM DIANTE	4	93,00x90,00 3.6614x3.5433	BB-313-J B25313	4BB-1004-I	P	STD	56,520/56,535 2.2252/2.2258	60,333/60,345 2.3753/2.3758	24,70 0.9724	1,870 0.074	0,028/0,075 0.0011/0.0030
				4BB-1004-S	P	STD	56,520/56,535 2.2252/2.2258	60,333/60,345 2.3753/2.3758	24,70 0.9724	1,900 0.075	0,028/0,075 0.0011/0.0030

* Itens sob consulta




																
Nº Cil		Códigos Metal Leve MAHLE														
MOTOR DS-420 98S - BM110 - BM100	4/6		AE-062-P L31062	2AE-153-S	S	STD/ 0,10/ 0,20	97,66/97,91	119,44/119,84	3,11/3,17							
				2AE-153-I	S	STD/ 0,10/ 0,20	97,66/97,91	119,44/119,84	3,11/3,17							
			BB-180-P B31180	2BB-180-C	P	STD/ 0,25/ 0,50	67,981/68,000	71,730/71,749	29,85/30,10	1,830/1,842	0,046/0,108					
			BC-408-P M31408	5BC-408-S		STD/ 0,25/ 0,50	84,985/85,020	91,000/91,025	31,85/32,10	2,955/2,967	0,046/0,130					
				5BC-408-I		STD/ 0,25/ 0,50	84,985/85,020	91,000/91,025	31,85/32,10	2,955/2,967	0,046/0,130					
			BG-117-J G31117	4BG-717-U		STD-S	39,994/40,000	44,000/44,025	26,70/27,20	2,20/2,38						
			BG-144-J G31144	6BG-717-U		STD-S	39,994/40,000	44,000/44,025	26,70/27,20	2,20/2,38						
			MOTOR DS-620 380/ 1680/ 1880/ BH140/ BH160/ BH180	4/6		AE-062-P L31062	2AE-153-I	S	STD/ 0,10/ 0,20	97,66/97,91	119,44/119,84	3,11/3,17				
							2AE-153-S	S	STD/ 0,10/ 0,20	97,66/97,91	119,44/119,84	3,11/3,17				
						BB-180-P B31180	2BB-180-C	P	STD/ 0,25/ 0,50	67,981/68,000	71,730/71,749	29,85/30,10	1,830/1,842	0,046/0,108		
BC-408-P M31408	5BC-408-S					STD/ 0,25/ 0,50	84,985/85,020	91,000/91,025	31,85/32,10	2,955/2,967	0,046/0,130					
	5BC-408-I					STD/ 0,25/ 0,50	84,985/85,020	91,000/91,025	31,85/32,10	2,955/2,967	0,046/0,130					
BG-144-J G31144	6BG-717-U					STD-S	39,994/40,000	44,000/44,025	26,70/27,20	2,20/2,38						
MOTOR VALTRA 420/ 460	4					EC-247-U H31247 (Part Number - 836322610)	4EC-247-U	S	STD		55,620/55,650	35,50/36,00	2,79/2,812			
						MOTOR D-225/3 TVA TRATOR 62ID / 65ID	3	100,00x120,00	AE-277-P L13277	2AE-277-I	C	STD	73,05/73,55	89,80/90,20	3,42/3,47	
										2AE-277-S	C	STD	73,05/73,55	89,80/90,20	3,42/3,47	
									BC-764-P M0130764 CENTRAL	1BC-764-P(F) C/ FURO S/ CANAL	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	64,951/64,970	71,000/71,019	35,84/35,88	2,975/2,987
			BG-030-U G13030	6BG-030-U	S				STD-S	31,993/32,000	36,000/36,016	30,000	1,975/1,985	0,0300/0,0730		
			BG-090-U G13090 EXT. + 0,20	1BG-090-U	S				STD-S	31,993/32,000	36,200/36,216	30,000	2,170/2,300	0,0200/0,0730		
			EC-031-J H13031	1EC-072-U	S				STD/ 1,00-S	42,940/42,960	47,000/47,025	26,000	1,990/2,005	0,0300/0,1050		
			SBB-144-P SB13144	1SBB-144-P	SP				STD/ 0,25/ 0,50/ 0,75/ 1,00	57,950/57,970	62,000/62,019	27,100	1,980/1,992	0,0460/0,1090		
			SBC-313-P SM13313	1SBC-313-P	SP				STD/ 0,25/ 0,50/ 0,75/ 1,00	64,951/64,970	71,000/71,019	28,100	2,975/2,987	0,056/0,118		
			SBC-314-P SM13314 CENTRAL	1SBC-314-P(F) C/ FURO S/ CANAL	SP				STD/ 0,25/ 0,50/ 0,75/ 1,00	64,951/64,970	71,000/71,019	35,84/35,88	2,975/2,987	0,056/0,118		
MOTOR D-225/3 TVB TRATOR CAFEIEIRO	3	100,00x120,00	AE-277-P L13277	2AE-277-I	C				STD	73,05/73,55	89,80/90,20	3,42/3,47				
				2AE-277-S	C	STD	73,05/73,55	89,80/90,20	3,42/3,47							
			BC-764-P M0130764 CENTRAL	1BC-764-P(F) C/ FURO S/ CANAL	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	64,951/64,970	71,000/71,019	35,84/35,88	2,975/2,987	0,056/0,118					
			BG-030-U G13030	6BG-030-U	S	STD-S	31,993/32,000	36,000/36,016	30,000	1,975/1,985	0,0300/0,0730					

											
Nº Cil		Códigos Metal Leve MAHLE									
MOTOR D-229/6 TV 5883CC 16,6:1 TRATOR 118/118.4	6	102,00x120,00	AE-277-P L13277	2AE-277-S	C	STD	73,05/73,55	89,80/90,20		3,42/3,47	
			BC-764-P M0130764 CENTRAL	1BC-764-P(F) C/ FURO S/ CANAL	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	64,951/64,970	71,000/71,019	35,84/35,88	2,975/2,987	0,056/0,118
			BG-030-U G13030	6BG-030-U	S	STD-S	31,993/32,000	36,000/36,016	30,000	1,975/1,985	0,0300/0,0730
			BG-090-U G13090 EXT. + 0,20	1BG-090-U	S	STD-S	31,993/32,000	36,200/36,216	30,000	2,170/2,300	0,0200/0,0730
			EC-031-J H13031	1EC-072-U	S	STD/ 1,00-S	42,940/42,960	47,000/47,025	26,000	1,990/2,005	0,0300/0,1050
			SBB-144-P SB13144	1SBB-144-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,950/57,970	62,000/62,019	27,100	1,980/1,992	0,0460/0,1090
			SBC-313-P SM13313	1SBC-313-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	64,951/64,970	71,000/71,019	28,100	2,975/2,987	0,056/0,118
			SBC-314-P SM13314 CENTRAL	1SBC-314-P(F) C/ FURO S/ CANAL	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	64,951/64,970	71,000/71,019	35,84/35,88	2,975/2,987	0,056/0,118






										
Nº Cil		Códigos Metal Leve MAHLE								
COMPRESSOR EL-1300	2	70,00x47,50	BB-202-J B68202	2BB-202-P	B	STD/ 0,25/ 0,50/ 0,75	30,099/30,112		25,020	1,600/1,650
COMPRESSOR EL-1030	2	82,00x44,00								
COMPRESSOR EL-1600	2									

											
	Nº Cil		Códigos Metal Leve MAHLE								
Motor 2.0 8v EA113 / CKJA Bora, Jetta - Flex	4		AE-378-J L0700378	2AE-2013-C	C	STD/ 0,25	59,500/59,750	73,200/73,450	1,920/1,970		
			BB-760-J B0700760	8BB-2023-C	C	STD/ 0,25/ 0,50	47,758/47,778	50,600/50,612	18,700/19,000	1,398/1,406	0,010/0,058
			BC-652-J M70652	5BC-1126-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,012	18,20/18,50	2,495/2,501	0,020/0,064
				5BC-1126-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,012	18,20/18,50	2,495/2,501	0,020/0,064
BUCHA DO PINO MESTRE DA MANGA DO EIXO KOMBI			BG-114-U G70114	4BG-114-U	FT	STD		28,00/28,021	24,70/25,00	2,00/2,02	
			BB-766-J B0700766	4BB-5074-S SPUTTER		STD/ 0,25/ 0,50	50,858/50,878	53,700/53,712	20,100/20,400	1,393/1,403	0,020/0,064
				4BB-1016-I		STD/ 0,25/ 0,50	50,858/50,878	53,700/53,712	20,100/20,400	1,393/1,403	0,020/0,064
			BC-871-J M0700871	4BC-5126-I	C	STD/ 0,25/ 0,50	53,985/53,978	59,000/59,012	18,200/18,500	2,495/2,501	0,020/0,064
				4BC-5126-S	C	STD/ 0,25/ 0,50	53,985/53,978	59,000/59,012	18,200/18,500	2,495/2,501	0,020/0,064
				1BC-1026-S	C	STD/ 0,25/ 0,50	53,985/53,978	59,000/59,012	18,200/18,500	2,495/2,501	0,020/0,064
				1BC-1026-I	C	STD/ 0,25/ 0,50	53,985/53,978	59,000/59,012	18,200/18,500	2,495/2,501	0,020/0,064
			SAE-100-P SL70100	1SAE-100-P	C	STD/ 0,25/ 0,50	59,500/59,750	72,920/73,200		1,930/1,970	
MOTOR EA111 1.0L 8V VHT FLEX GOL / VOYAGE (2008->)	4	67,10x70,60 2.641x2.779	BB-1283-J B701283	8BB-1283-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	41,965/41,980	45,000/45,012	16,00/16,30	1,500/1,505	0,010/0,047
			BC-652-J M70652	5BC-1126-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,012	18,20/18,50	2,495/2,501	0,020/0,064
				5BC-1126-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,012	18,20/18,50	2,495/2,501	0,020/0,064
			BG-1132-U G701132	4BG-1132-U		STD-S	16,997/17,000	20,000/20,033	16,500/17,000	1,700/1,800	0,012/0,021
			SAE-100-P SL70100	1SAE-100-P	C	STD/ 0,25/ 0,50	59,500/59,750	72,920/73,200		1,930/1,970	
			BG-715-U G70715	4BG-715-U	S	STD-S		20,000/20,052	19,50/20,00	1,70/1,80	
			SAE-100-P SL70100	1SAE-100-P	C	STD/ 0,25/ 0,50	59,500/59,750	72,920/73,200		1,930/1,970	
MOTOR AT / POWER 1.0L 8V e 16V 1000 10,5:1 GASOLINA/ALCOOL/FLEX (até 03/2008)	4	67,11x70,60 2.64x2.78	SBB-1035-J SB701035	8SBB-1035-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	41,965/41,980	45,000/45,012	17,95	1,499/1,505	0,008/0,047
			SBC-645-J SM70645	5SBC-2590-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	18,20/18,50	2,492/2,503	0,018/0,077
				5SBC-2590-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	18,20/18,50	2,492/2,503	0,018/0,077
MOTOR AE-1000. 9,0:1 GAS. (GOL 1000)	4	70,00x64,20	AE-105-J L59105	1AE-105-P	S	STD/ 0,15	60,000/60,250	80,820/81,070		2,340	
			EC-145-J H59145	2EC-146-U	B	STD-S	39,925/39,950	42,900/42,925	14,550	1,850/1,900	0,0300/0,0800
				2EC-145-U	B	STD-S	39,925/39,950	43,100/43,125	14,550	1,850/1,900	0,0300/0,0800
			SAE-060-J SL59060	2SAE-104-C	S	STD/ 0,10/ 0,15/ 0,30	60,000/60,250	80,820/81,070		2,340	



* Itens sob consulta

											
	Nº Cil		Códigos Metal Leve MAHLE								
MOTOR AE-1000. 9,0:1 GAS. (GOL 1000)	4	70,00x64,20	SBC-405-J SM59405	4SBC-608-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	54,795/54,805	59,000/59,016	24,500	2,080/2,086	0,023/0,071
				6SBC-609-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	54,795/54,805	59,000/59,016	18,500	2,080/2,086	0,023/0,071
MOTOR EA211 1.0L 12V 3 CIL. Flex FOX Bluemotion (2013->) / UP (2014->)	3	74,50	AE-357-J L0700357	2AE-351-U	C	STD		67,75/68,00		2,425/2,475	
				6BB-1031-C	C	STD/ 0,25/ 0,50	41,963/41,978	45,000/45,012	15,90/16,20	1,493/1,499	0,024/0,063
				4BC-1091-S		STD/ 0,25/ 0,50	41,963/41,978	47,007/47,019	16,95/17,15	2,500/2,506	0,017/0,056
				4BC-1091-I		STD/ 0,25/ 0,50	41,963/41,978	47,007/47,019	16,95/17,15	2,500/2,506	0,017/0,056
MOTOR EA111 1.4L FLEX / EA111 1.6L 8V GAS./ FLEX / EA113 1.6L 8V GAS. / 1.8L 20V GAS. 10,8:1 1.4L - KOMBI / 1.6L - GOLF, AUDI A3 (01->), FOX, POLO (04->), GOL, SAVEIRO, VOYAGE (08->) / 1.6L - GOLF (99->01) / 1.8L 20V - AUDI A3 ASP. e 150cv TURBO, GOLF	4	76,50x86,90	BB-503-J B70503	8BB-1054-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	47,763/47,778	50,600/50,612	18,20/18,50	1,401/1,406	0,010/0,047
				5BC-1126-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,012	18,20/18,50	2,495/2,501	0,020/0,064
				5BC-1126-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,012	18,20/18,50	2,495/2,501	0,020/0,064
				1SAE-100-P	C	STD/ 0,25/ 0,50	59,500/59,750	72,920/73,200		1,930/1,970	
				8SBB-370-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	45,963/45,978	49,000/49,012	19,000	1,496/1,506	0,0100/0,0610
				3SBC-2590-I	C	STD/ 0,25	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
MOTOR 1500S 7,4:1/8,8:1/10,5:1 ALCOOL (JUL. 74 ATE JUL. 82)	4	76,50x80,00	SBB-280-J SB70280	5SBC-2590-S	C	STD/ 0,25	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
				1SBC-591-P(F)	SP	STD/ 0,25	53,958/53,978	59,000/59,019	24,910	2,491/2,503	0,0160/0,0790
				3SBC-2590-I	C	0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
				5SBC-2590-S	C	0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
				1SBC-591-P(F)	SP	0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	25,310	2,491/2,503	0,0160/0,0790
				3SBC-2590-I	C	0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
				1SBG-037-U	S	STD-S	21,996/22,000	25,000/25,033	25,000	1,700/1,770	0,0120/0,0220
				1SBG-178-U	B	STD-S	42,959/42,975	46,000/46,025	15,000	1,700/1,770	0,0250/0,0660
				1SBG-179-U	B	STD-S	41,959/41,975	45,000/45,025	15,000	1,700/1,770	0,0250/0,0660
				4BG-080-U	S	STD-S	23,994/24,000	27,000/27,021	25,000	1,700/1,780	0,0160/0,0290
				1SAE-100-P	C	STD/ 0,25/ 0,50	59,500/59,750	72,920/73,200		1,930/1,970	
				MOTOR 1600-DE DIESEL (PICK-UP / FUR-GAO / 1500D / 1600D) A PARTIR No 041.325 - ABRIL DE 1985	4	76,50x86,40	BG-080-J G70080 MOTOR DIESEL	1SAE-100-P	C	STD/ 0,25/ 0,50	59,500/59,750



* Itens sob consulta

			 Códigos Metal Leve MAHLE								
MOTOR 1600-DE DIESEL (PICK-UP / FUR- GAO / 1500D / 1600D) A PARTIR No 041.325 - ABRIL DE 1985	4	76,50x86,40	SBC-326-J SM70326	6SBC-2590-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
				4SBC-2590-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
				1SBG-178-U	B	STD-S	42,959/42,975	46,000/46,025	15,000	1,700/1,770	0,0250/0,0660
				1SBG-179-U	B	STD-S	41,959/41,975	45,000/45,025	15,000	1,700/1,770	0,0250/0,0660
MOTOR 1600 DIESEL BE/ DE PICK-UP / FURGÃO / PASSAT D) FEV. 82 EM DIANTE	4	76,50x86,40	SBB-390-J SB70390	8SBB-2490-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	47,758/47,778	50,600/50,616	18,700/19,000	1,397/1,405	0,012/0,064
				3SBC-2590-I	C	STD/ 0,25	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
				5SBC-2590-S	C	STD/ 0,25	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
				1SBC-591-P(F)	SP	STD/ 0,25	53,958/53,978	59,000/59,019	24,910	2,491/2,503	0,0160/0,0790
MOTOR EA211 1.6L 16V MSI / MOTOR EA211 1.4 TSI 1.6 MSI -> CrossFox, Fox, Gol, Saveiro, SpaceFox (2014->) / 1.4 TSI -> Golf (2014->)	4	76,50	SBC-290-J SM70290 FL. STD	1SBC-591-P(F)	SP	0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	25,310	2,491/2,503	0,0160/0,0790
				5SBC-2590-S	C	0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
				3SBC-2590-I	C	0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
				2AE-351-U	C	STD		67,75/68,00		2,425/2,475	
MOTOR AE-1600- 9,0:1 GAS. (GOL CL / VOYAGE CL / PARATI CL / SAVEI- RO) MODELO 90 EM DIANTE	4	77,00x83,50	BB-725-J B0700725 BC-842-J M0700842	8BB-1037-C	C	STD/ 0,25/ 0,50	47,763/47,778	50,600/50,612	15,90/16,20	1,392/1,398	0,026/0,065
				5BC-1093-S		STD/ 0,25/ 0,50	47,963/47,978	53,007/53,019	17,00/17,20	2,500/2,506	0,017/0,056
				5BC-1093-I		STD/ 0,25/ 0,50	47,963/47,978	53,007/53,019	17,00/17,20	2,500/2,506	0,017/0,056
				8SBB-2228-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	43,964/43,980	47,614/47,625	17,750	1,799/1,812	0,0100/0,0630
MOTOR 1200 1184CC 6,6:1 TIPO 111 30CV	4	77,00x64,00	BG-025-U G70025	1BG-025-U	S	STD-S	19,994/20,000	21,970/22,003	24,000	1,350/1,400	0,0050/0,0260
MOTOR 1200cc Fusca	4	77,00x64,00	BB-007-J B0700007 BC-141-J M70141 EXT. +0,50 e INT. +0,25	8BB-007-C	C	0,25/ 0,50	49,975/49,991	52,800/52,819	17,35/17,60	1,78/1,82	0,015/0,066
				1BC-267-U	A	0,25/ 0,50	49,975/49,991	60,500/60,519	28,75/28,90	5,229/5,241	0,027/0,086
				2BC-6268-C	A	0,25/ 0,50	49,975/49,991	60,500/60,519	17,70/18,00	5,252/5,260	0,011/0,040
				1BC-269-U	A	0,25/ 0,50	49,975/49,991	60,500/60,519	19,70/20,00	5,354/5,364	0,031/0,086
			BC-161-J M70161 EXT. +1,00 e INT. +0,25	1BC-270-U	A	0,25/ 0,50	39,984/40,000	50,500/50,525	17,70/18,00	5,222/5,233	0,034/0,097
				1BC-275-U	A	0,25/ 0,50	49,975/49,991	61,000/61,019	28,75/28,90	5,479/5,491	0,027/0,086
				2BC-6276-C	A	0,25/ 0,50	49,975/49,991	61,000/61,019	17,70/18,00	5,502/5,510	0,011/0,040
				1BC-277-U	A	0,25/ 0,50	49,975/49,991	61,000/61,019	19,70/20,00	5,479/5,489	0,031/0,086



* Itens sob consulta

	Nº Cil		 Códigos Metal Leve MAHLE									
MOTOR 1200cc Fusca	4	77,00x64,00	BC-161-J M70161 EXT. +1,00 e INT. +0,25	1BC-278-U	A	0,25/ 0,50	39,984/40,000	51,000/51,025	17,70/18,00	5,472/5,483	0,034/0,097	
MOTOR 1200. 192CC ,6:1 TIPO 211 30CV (ATE 1966)	4	77,00x64,00	BG-025-U G70025	1BG-025-U	S	STD-S	19,994/20,000	21,970/22,003	24,000	1,350/1,400	0,0050/0,0260	
MOTOR 1200.. 192CC ,0:1 TIPO 113 34CV (1965 EM DIANTE)	4	77,00x64,00		1BG-025-U	S	STD-S	19,994/20,000	21,970/22,003	24,000	1,350/1,400	0,0050/0,0260	
MOTOR 1300-BJ/BF 285CC ,6/6,8/7,3:1 (REFRIGERADO A AR) 1965 EM DIANTE	4	77,00x69,00	BC-204-J M70204 EXT. +STD FL. +1,00 BG-039-U G70039 EXT. +0,20 EC-023-J H70023 EC-029-J H70029 EXT. +0,50 SBB-121-J SB70121 SBC-105-J SM70105 EXT. STD FL. STD SBC-144-J SM70144 EXT. +0,50 FL. +1,00	1BC-390-U(F)	AP	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	26,936	4,977/4,987	0,0360/0,0940	
		77,00x69,00		1BC-233-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	22,000	5,023/5,035	0,0600/0,0120	
				1BC-024-U	AP	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,000/50,016	15,000	4,972/4,983	0,0340/0,0880	
				1BC-023-U	AP	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	22,000	4,980/4,990	0,0300/0,0880	
				BG-039-U	S	STD-S	21,994/22,000	24,170/24,203	23,400	1,350/1,400	0,0050/0,0240	
				1EC-158-S(F)	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	28,000	1,235/1,245	0,0100/0,0640	
				1EC-185-I	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	24,900	1,235/1,245	0,0100/0,0640	
				1EC-186-P	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	19,900	1,235/1,245	0,0100/0,0640	
				1EC-187-P	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	22,900	1,235/1,245	0,0100/0,0640	
				1EC-197-P	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	19,900	1,485/1,495	0,0100/0,0640	
				1EC-198-P	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	22,900	1,485/1,495	0,0100/0,0640	
				1EC-169-S(F)	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	28,000	1,485/1,495	0,0100/0,0640	
				1EC-190-I	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	24,900	1,485/1,495	0,0100/0,0640	
				8SBB-2121-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	54,983/54,996	57,800/57,813	17,600	1,387/1,397	0,0100/0,0560	
				1SBC-023-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	22,000	4,980/4,990	0,0300/0,0880	
				1SBC-024-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,000/50,016	15,000	4,972/4,983	0,0340/0,0880	
				2SBC-6233-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	22,000	5,023/5,035	0,0600/0,0120	
				1SBC-021-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	26,936	4,977/4,987	0,0360/0,0940	
				1SBC-289-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	26,936	5,227/5,237	0,0360/0,0940	
2SBC-6290-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00		54,971/54,990	65,500/65,519	22,000	5,273/5,285	0,0600/0,0120				


* Itens sob consulta


	Nº Cil		 Códigos Metal Leve MAHLE										
MOTOR 1300-BJ/BF 1285CC 6,6/6,8/7,3:1 (REFRIGERADO A AR) 1965 EM DIANTE	4	77,00x69,00	SBC-144-J SM70144 EXT. +0,50 FL +1,00	1SBC-292-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,500/50,516	15,000	5,222/5,233	0,0340/0,0880		
				1SBC-291-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,230/5,240	0,0300/0,0880		
				2SBC-6298-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,523/5,535	0,0600/0,0120		
				1SBC-297-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	26,936	5,477/5,487	0,0360/0,0940		
				1SBC-299-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,480/5,490	0,0300/0,0880		
				1SBC-300-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	51,000/51,016	15,000	5,472/5,483	0,0340/0,0880		
			SBC-164-J SM70164 EXT. +1,00 FL +1,00	2SBC-6290-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,273/5,285	0,0600/0,0120		
				1SBC-291-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,230/5,240	0,0300/0,0880		
				1SBC-326-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	26,936	5,227/5,237	0,0360/0,0940		
				1SBC-292-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,500/50,516	15,000	5,222/5,233	0,0340/0,0880		
				1SBC-343-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,500/66,519	26,936	5,727/5,737	0,0360/0,0960		
				2SBC-6364-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,745/5,755			
			SBC-165-J SM70165 EXT. +0,50 FL STD	1SBC-366-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	51,500/51,516	15,000	5,722/5,733	0,0340/0,0880		
				1SBC-365-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,730/5,740	0,0300/0,0880		
				1SBC-367-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,000/67,019	26,936	5,977/5,987	0,0360/0,0940		
				2SBC-6368-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,000/67,019	22,000	5,995/6,005			
				1SBC-370-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	52,000/52,016	15,000	5,972/5,983	0,0340/0,0880		
				1SBC-369-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,000/67,019	22,000	5,980/5,990	0,0300/0,0880		
			SBC-174-J SM70174 EXT. +1,50 FL +2,00	1SBC-367-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,000/67,019	26,936	5,977/5,987	0,0360/0,0940		
				2SBC-6368-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,000/67,019	22,000	5,995/6,005			
				1SBC-370-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	52,000/52,016	15,000	5,972/5,983	0,0340/0,0880		
				1SBC-369-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,000/67,019	22,000	5,980/5,990	0,0300/0,0880		
				1SBC-299-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,480/5,490	0,0300/0,0880		
				2SBC-6298-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,523/5,535	0,0600/0,0120		
			SBC-184-J SM70184 EXT.+2,00 FL.+2,00	1SBC-300-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	51,000/51,016	15,000	5,472/5,483	0,0340/0,0880		
				1SBC-379-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	26,936	5,477/5,487	0,0360/0,0940		
			SBC-194-J SM70194 EXT. +1,00 FL STD										



* Itens sob consulta

	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR 1300-BJ/BF 285CC ,6/6,8/7,3:1 REFRIGERADO A AR) 965 EM DIANTE	4	77,00x69,00	SBC-214-J SM70214 EXT. +0,25 FL. +2,00	2SBC-6286-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,250/65,269	22,000	5,143/5,155	0,0600/0,0120
				1SBC-398-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,250/65,269	26,936	5,102/5,112	0,0360/0,0940
				1SBC-287-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,250/65,269	22,000	5,105/5,115	0,0300/0,0880
				1SBC-288-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,250/50,266	15,000	5,097/5,108	0,0340/0,0880
				1SBC-400-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	26,936	5,227/5,237	0,0360/0,0940
			SBC-234-J SM70234 EXT. +0,50 FL. +2,00	1SBC-292-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,500/50,516	15,000	5,222/5,233	0,0340/0,0880
				2SBC-6290-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,273/5,285	0,0600/0,0120
				1SBC-291-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,230/5,240	0,0300/0,0880
				2SBC-6294-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,750/65,769	22,000	5,398/5,410	0,0600/0,0120
				1SBC-412-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,750/65,769	26,936	5,352/5,362	0,0360/0,0940
				1SBC-295-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,750/65,769	22,000	5,355/5,365	0,0300/0,0880
			SBC-244-J SM70244 EXT. +0,75 FL. +2,00	1SBC-296-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,750/50,766	15,000	5,347/5,358	0,0340/0,0880
				1SBC-396-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	26,936	5,477/5,487	0,0360/0,0940
				1SBC-300-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	51,000/51,016	15,000	5,472/5,483	0,0340/0,0880
				2SBC-6298-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,523/5,535	0,0600/0,0120
				1SBC-299-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,480/5,490	0,0300/0,0880
				2SBC-6431-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,500/67,519	22,000	6,245/6,255	
			SBC-254-J SM70254 EXT. +1,00 FL.+2,00	1SBC-430-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,500/67,519	26,936	6,227/6,237	0,0360/0,0940
				1SBC-432-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,500/67,519	22,000	6,230/6,240	0,0300/0,0880
				1SBC-433-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	52,500/52,516	15,000	6,222/6,233	0,0340/0,0880
				4SBG-019-U	S	STD-S	21,994/22,000	23,970/24,000	23,400	1,250/1,300	0,0050/0,0240
				2SEC-187-C	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	22,900	1,235/1,245	0,0100/0,0640
				2SEC-186-C	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	19,900	1,235/1,245	0,0100/0,0640
			SBC-264-J SM70264 EXT. +2,50 FL. +2,00								
			SBG-019-J SG70019 SEC-083-J SH70083								


* Itens sob consulta

			 Códigos Metal Leve MAHLE								
MOTOR 1300-BJ/BF 1285CC 6,6/6,8/7,3:1 (REFRIGERADO A AR) 1965 EM DIANTE	4	77,00x69,00	SEC-083-J SH70083	2SEC-188-S(F)	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	28,000	1,235/1,245	0,0100/0,0640
			SEC-084-J SH70084 EXT. +0,50	2SEC-197-C	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	19,900	1,485/1,495	0,0100/0,0640
				2SEC-198-C	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	22,900	1,485/1,495	0,0100/0,0640
				2SEC-199-S(F)	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	28,000	1,485/1,495	0,0100/0,0640
MOTOR 1300-BM/BK 1285CC 10,0:1 ALCOOL REFRIGERADO A AR (BRASILIA / KOMBI / SEDAN)	4	77,00x69,00	BC-204-J M70204 EXT. STD FL. +1,00	1BC-024-U	AP	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,000/50,016	15,000	4,972/4,983	0,0340/0,0880
				1BC-233-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	22,000	5,023/5,035	0,0600/0,0120
				1BC-390-U(F)	AP	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	26,936	4,977/4,987	0,0360/0,0940
				1BC-023-U	AP	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	22,000	4,980/4,990	0,0300/0,0880
			BG-039-U G70039 EXT. +0,20	BG-039-U	S	STD-S	21,994/22,000	24,170/24,203	23,400	1,350/1,400	0,0050/0,0240
				1EC-186-P	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	19,900	1,235/1,245	0,0100/0,0640
				1EC-158-S(F)	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	28,000	1,235/1,245	0,0100/0,0640
				1EC-185-I	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	24,900	1,235/1,245	0,0100/0,0640
			EC-023-J H70023	1EC-187-P	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	22,900	1,235/1,245	0,0100/0,0640
				1EC-169-S(F)	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	28,000	1,485/1,495	0,0100/0,0640
				1EC-197-P	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	19,900	1,485/1,495	0,0100/0,0640
				1EC-190-I	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	24,900	1,485/1,495	0,0100/0,0640
			EC-029-J H70029 EXT. +0,50	1EC-198-P	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	22,900	1,485/1,495	0,0100/0,0640
				8SBB-2121-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	54,983/54,996	57,800/57,813	17,600	1,387/1,397	0,0100/0,0560
				1SBC-021-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	26,936	4,977/4,987	0,0360/0,0940
				1SBC-024-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,000/50,016	15,000	4,972/4,983	0,0340/0,0880
			SBB-121-J SB70121	2SBC-6233-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	22,000	5,023/5,035	0,0600/0,0120
				1SBC-023-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	22,000	4,980/4,990	0,0300/0,0880
				2SBC-6290-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,273/5,285	0,0600/0,0120
				1SBC-292-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,500/50,516	15,000	5,222/5,233	0,0340/0,0880
			SBC-144-J SM70144 EXT. +0,50 FL. +1,00	1SBC-291-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,273/5,285	0,0600/0,0120
				1SBC-292-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,500/50,516	15,000	5,222/5,233	0,0340/0,0880
1SBC-293-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00		54,971/54,990	65,500/65,519	22,000	5,273/5,285	0,0600/0,0120			
1SBC-294-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00		54,971/54,990	65,500/65,519	22,000	5,273/5,285	0,0600/0,0120			


	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR 1300-BM/BK 1285CC 10,0:1 ALCOOL REFRIGERADO A AR (BRASILIA / KOMBI / SEDAN)	4	77,00x69,00	SBC-144-J SM70144 EXT. +0,50 FL. +1,00	1SBC-291-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,230/5,240	0,0300/0,0880
				1SBC-289-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	26,936	5,227/5,237	0,0360/0,0940
			SBC-164-J SM70164 EXT. +1,00 FL. +1,00	1SBC-297-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	26,936	5,477/5,487	0,0360/0,0940
				2SBC-6298-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,523/5,535	0,0600/0,0120
				1SBC-299-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,480/5,490	0,0300/0,0880
				1SBC-300-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	51,000/51,016	15,000	5,472/5,483	0,0340/0,0880
			SBC-165-J SM70165 EXT. +0,50 FL. STD	1SBC-326-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	26,936	5,227/5,237	0,0360/0,0940
				2SBC-6290-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,273/5,285	0,0600/0,0120
				1SBC-291-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,230/5,240	0,0300/0,0880
				1SBC-292-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,500/50,516	15,000	5,222/5,233	0,0340/0,0880
			SBC-174-J SM70174 EXT. +1,50 FL. +2,00	1SBC-343-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,500/66,519	26,936	5,727/5,737	0,0360/0,0960
				2SBC-6364-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,745/5,755	0,0600/0,0120
				1SBC-366-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	51,500/51,516	15,000	5,722/5,733	0,0340/0,0880
				1SBC-365-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,730/5,740	0,0300/0,0880
			SBC-184-J SM70184 EXT. +2,00 FL.+2,00	2SBC-6368-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,000/67,019	22,000	5,995/6,005	0,0600/0,0120
				1SBC-367-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,000/67,019	26,936	5,977/5,987	0,0360/0,0940
				1SBC-369-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,000/67,019	22,000	5,980/5,990	0,0300/0,0880
				1SBC-370-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	52,000/52,016	15,000	5,972/5,983	0,0340/0,0880
SBC-194-J SM70194 EXT. +1,00 FL. STD	2SBC-6298-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,523/5,535	0,0600/0,0120			
	1SBC-379-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	26,936	5,477/5,487	0,0360/0,0940			
	1SBC-299-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,480/5,490	0,0300/0,0880			
1SBC-300-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	51,000/51,016	15,000	5,472/5,483	0,0340/0,0880				

	Nº Cil		 Códigos Metal Leve MAHLE										
MOTOR 1300-BM/BK 1285CC 10,0:1 ALCOOL REFRIGERADO A AR (BRASILIA / KOMBI / SEDAN)	4	77,00x69,00	SBC-214-J SM70214 EXT. +0,25 FL. +2,00	1SBC-398-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,250/65,269	26,936	5,102/5,112	0,0360/0,0940		
				1SBC-288-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,250/50,266	15,000	5,097/5,108	0,0340/0,0880		
				1SBC-287-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,250/65,269	22,000	5,105/5,115	0,0300/0,0880		
				2SBC-6286-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,250/65,269	22,000	5,143/5,155	0,0600/0,0120		
				1SBC-400-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	26,936	5,227/5,237	0,0360/0,0940		
				1SBC-291-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,230/5,240	0,0300/0,0880		
			SBC-234-J SM70234 EXT. +0,50 FL. +2,00	1SBC-292-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,500/50,516	15,000	5,222/5,233	0,0340/0,0880		
				2SBC-6290-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,273/5,285	0,0600/0,0120		
				1SBC-412-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,750/65,769	26,936	5,352/5,362	0,0360/0,0940		
				1SBC-296-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,750/50,766	15,000	5,347/5,358	0,0340/0,0880		
				1SBC-295-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,750/65,769	22,000	5,355/5,365	0,0300/0,0880		
				2SBC-6294-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,750/65,769	22,000	5,398/5,410	0,0600/0,0120		
			SBC-244-J SM70244 EXT. +0,75 FL. +2,00	2SBC-6298-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,523/5,535	0,0600/0,0120		
				1SBC-299-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,480/5,490	0,0300/0,0880		
				1SBC-396-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	26,936	5,477/5,487	0,0360/0,0940		
				1SBC-300-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	51,000/51,016	15,000	5,472/5,483	0,0340/0,0880		
				1SBC-430-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,500/67,519	26,936	6,227/6,237	0,0360/0,0940		
				2SBC-6431-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,500/67,519	22,000	6,245/6,255			
			SBC-254-J SM70254 EXT. +1,00 FL+2,00	1SBC-432-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,500/67,519	22,000	6,230/6,240	0,0300/0,0880		
				1SBC-433-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	52,500/52,516	15,000	6,222/6,233	0,0340/0,0880		
				4SBG-019-U	S	STD-S	21,994/22,000	23,970/24,000	23,400	1,250/1,300	0,0050/0,0240		
				2SEC-186-C	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	19,900	1,235/1,245	0,0100/0,0640		
				2SEC-188-S(F)	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	28,000	1,235/1,245	0,0100/0,0640		
			SBC-264-J SM70264 EXT. +2,50 FL. +2,00										
			SBG-019-J SG70019 SEC-083-J SH70083										



* Itens sob consulta

	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR 1300-BM/BK 1285CC 10,0:1 ALCOOL REFRIGERADO A AR (BRASILIA / KOMBI / SEDAN)	4	77,00x69,00	SEC-083-J SH70083	2SEC-187-C	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	22,900	1,235/1,245	0,0100/0,0640
			SEC-084-J SH70084 EXT. + 0,50	2SEC-198-C	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	22,900	1,485/1,495	0,0100/0,0640
				2SEC-199-S(F)	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	28,000	1,485/1,495	0,0100/0,0640
				2SEC-197-C	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	19,900	1,485/1,495	0,0100/0,0640
MOTOR 1300-BY 1285CC 10,5:1 REFRIGERADO A AR (GOL 1.3 / FURGONETA)	4	77,00x69,00	BC-204-J M70204 EXT. STD FL. +1,00	1BC-233-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	22,000	5,023/5,035	0,0600/0,0120
				1BC-390-U(F)	AP	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	26,936	4,977/4,987	0,0360/0,0940
				1BC-024-U	AP	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,000/50,016	15,000	4,972/4,983	0,0340/0,0880
				1BC-023-U	AP	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	22,000	4,980/4,990	0,0300/0,0880
			BG-039-U G70039 EXT. +0,20	BG-039-U	S	STD-S	21,994/22,000	24,170/24,203	23,400	1,350/1,400	0,0050/0,0240
			EC-023-J H70023	1EC-187-P	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	22,900	1,235/1,245	0,0100/0,0640
				1EC-158-S(F)	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	28,000	1,235/1,245	0,0100/0,0640
				1EC-186-P	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	19,900	1,235/1,245	0,0100/0,0640
				1EC-185-I	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	24,900	1,235/1,245	0,0100/0,0640
			EC-029-J H70029 EXT. +0,50	1EC-169-S(F)	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	28,000	1,485/1,495	0,0100/0,0640
				1EC-190-I	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	24,900	1,485/1,495	0,0100/0,0640
				1EC-197-P	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	19,900	1,485/1,495	0,0100/0,0640
				1EC-198-P	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	22,900	1,485/1,495	0,0100/0,0640
			SBB-121-J SB70121	8SBB-2121-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	54,983/54,996	57,800/57,813	17,600	1,387/1,397	0,0100/0,0560
			SBC-105-J SM70105 EXT. STD FL. STD	1SBC-021-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	26,936	4,977/4,987	0,0360/0,0940
				1SBC-024-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,000/50,016	15,000	4,972/4,983	0,0340/0,0880
			1SBC-023-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	22,000	4,980/4,990	0,0300/0,0880	
			2SBC-6233-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	22,000	5,023/5,035	0,0600/0,0120	
		SBC-144-J SM70144 EXT. +0,50 FL. +1,00	2SBC-6290-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,273/5,285	0,0600/0,0120	
			1SBC-289-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	26,936	5,227/5,237	0,0360/0,0940	


* Itens sob consulta


	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR 1300-BY 1285CC 7,5:1 REFRIGERADO A AR (GOL 1.3 / FURGONETA)	4	77,00x69,00	SBC-144-J SM70144 EXT. +0,50 FL +1,00	1SBC-291-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,230/5,240	0,0300/0,0880
				1SBC-292-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,500/50,516	15,000	5,222/5,233	0,0340/0,0880
				1SBC-297-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	26,936	5,477/5,487	0,0360/0,0940
				1SBC-299-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,480/5,490	0,0300/0,0880
				2SBC-6298-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,523/5,535	0,0600/0,0120
			SBC-164-J SM70164 EXT. +1,00 FL +1,00	1SBC-300-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	51,000/51,016	15,000	5,472/5,483	0,0340/0,0880
				2SBC-6290-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,273/5,285	0,0600/0,0120
				1SBC-326-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	26,936	5,227/5,237	0,0360/0,0940
				1SBC-292-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,500/50,516	15,000	5,222/5,233	0,0340/0,0880
				1SBC-291-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,230/5,240	0,0300/0,0880
			SBC-165-J SM70165 EXT. +0,50 FL STD	1SBC-365-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,730/5,740	0,0300/0,0880
				1SBC-343-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,500/66,519	26,936	5,727/5,737	0,0360/0,0960
				1SBC-366-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	51,500/51,516	15,000	5,722/5,733	0,0340/0,0880
				2SBC-6364-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,745/5,755	
				1SBC-369-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,000/67,019	22,000	5,980/5,990	0,0300/0,0880
			SBC-174-J SM70174 EXT. +1,50 FL +2,00	2SBC-6368-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,000/67,019	22,000	5,995/6,005	
				1SBC-367-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,000/67,019	26,936	5,977/5,987	0,0360/0,0940
				1SBC-370-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	52,000/52,016	15,000	5,972/5,983	0,0340/0,0880
				1SBC-299-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,480/5,490	0,0300/0,0880
				1SBC-300-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	51,000/51,016	15,000	5,472/5,483	0,0340/0,0880
SBC-184-J SM70184 EXT.+2,00 FL.+2,00	1SBC-379-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	26,936	5,477/5,487	0,0360/0,0940			
	2SBC-6298-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,523/5,535	0,0600/0,0120			
SBC-194-J SM70194 EXT. +1,00 FL STD											

* Itens sob consulta

	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR 1300-BY 285CC 5:1 REFRIGERADO A AR (GOL 1.3 / FURGONETA)	4	77,00x69,00	SBC-214-J SM70214 EXT. +0,25 FL. +2,00	1SBC-287-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,250/65,269	22,000	5,105/5,115	0,0300/0,0880
				1SBC-288-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,250/50,266	15,000	5,097/5,108	0,0340/0,0880
				1SBC-398-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,250/65,269	26,936	5,102/5,112	0,0360/0,0940
				2SBC-6286-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,250/65,269	22,000	5,143/5,155	0,0600/0,0120
				1SBC-292-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,500/50,516	15,000	5,222/5,233	0,0340/0,0880
			SBC-234-J SM70234 EXT. +0,50 FL. +2,00	1SBC-400-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	26,936	5,227/5,237	0,0360/0,0940
				1SBC-291-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,230/5,240	0,0300/0,0880
				2SBC-6290-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,273/5,285	0,0600/0,0120
				1SBC-295-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,750/65,769	22,000	5,355/5,365	0,0300/0,0880
				1SBC-296-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,750/50,766	15,000	5,347/5,358	0,0340/0,0880
			SBC-244-J SM70244 EXT. +0,75 FL. +2,00	1SBC-412-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,750/65,769	26,936	5,352/5,362	0,0360/0,0940
				2SBC-6294-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,750/65,769	22,000	5,398/5,410	0,0600/0,0120
				1SBC-396-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	26,936	5,477/5,487	0,0360/0,0940
				2SBC-6298-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,523/5,535	0,0600/0,0120
				1SBC-299-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,480/5,490	0,0300/0,0880
			SBC-254-J SM70254 EXT. +1,00 FL. +2,00	1SBC-300-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	51,000/51,016	15,000	5,472/5,483	0,0340/0,0880
				1SBC-430-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,500/67,519	26,936	6,227/6,237	0,0360/0,0940
				2SBC-6431-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,500/67,519	22,000	6,245/6,255	
				1SBC-433-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	52,500/52,516	15,000	6,222/6,233	0,0340/0,0880
				1SBC-432-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,500/67,519	22,000	6,230/6,240	0,0300/0,0880
SBC-264-J SM70264 EXT. +2,50 FL. +2,00	4SBG-019-U	S	STD-S	21,994/22,000	23,970/24,000	23,400	1,250/1,300	0,0050/0,0240			
	2SEC-186-C	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	19,900	1,235/1,245	0,0100/0,0640			
	2SEC-187-C	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	22,900	1,235/1,245	0,0100/0,0640			
SBG-019-J SG70019 SEC-083-J SH70083											

* Itens sob consulta

			 Códigos Metal Leve MAHLE											
MOTOR 1300-BY 1285CC 7,5:1 REFRIGERADO A AR (GOL 1.3 / FURGONETA)	4	77,00x69,00	SEC-083-J SH70083	2SEC-188-S(F)	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	28,000	1,235/1,245	0,0100/0,0640			
			SEC-084-J SH70084 EXT. + 0,50	2SEC-199-S(F)	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	28,000	1,485/1,495	0,0100/0,0640			
				2SEC-198-C	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	22,900	1,485/1,495	0,0100/0,0640			
				2SEC-197-C	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	19,900	1,485/1,495	0,0100/0,0640			
MOTOR 1300 TIPO 113	4	77,00x69,00	BC-204-J M70204 EXT. STD FL +1,00	1BC-023-U	AP	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	22,000	4,980/4,990	0,0300/0,0880			
				1BC-233-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	22,000	5,023/5,035	0,0600/0,0120			
				1BC-390-U(F)	AP	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	26,936	4,977/4,987	0,0360/0,0940			
				1BC-024-U	AP	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,000/50,016	15,000	4,972/4,983	0,0340/0,0880			
			BG-039-U G70039 EXT. +0,20	BG-039-U	S	STD-S	21,994/22,000	24,170/24,203	23,400	1,350/1,400	0,0050/0,0240			
				EC-023-J H70023	1EC-186-P	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	19,900	1,235/1,245	0,0100/0,0640		
					1EC-158-S(F)	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	28,000	1,235/1,245	0,0100/0,0640		
					1EC-187-P	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	22,900	1,235/1,245	0,0100/0,0640		
			1EC-185-I		B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	24,900	1,235/1,245	0,0100/0,0640			
			EC-029-J H70029 EXT. +0,50	1EC-190-I	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	24,900	1,485/1,495	0,0100/0,0640			
				1EC-169-S(F)	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	28,000	1,485/1,495	0,0100/0,0640			
				1EC-197-P	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	19,900	1,485/1,495	0,0100/0,0640			
				1EC-198-P	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	22,900	1,485/1,495	0,0100/0,0640			
			SBB-121-J SB70121	8SBB-2121-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	54,983/54,996	57,800/57,813	17,600	1,387/1,397	0,0100/0,0560			
			SBC-105-J SM70105 EXT. STD FL STD	1SBC-024-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,000/50,016	15,000	4,972/4,983	0,0340/0,0880			
				1SBC-023-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	22,000	4,980/4,990	0,0300/0,0880			
				1SBC-021-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	26,936	4,977/4,987	0,0360/0,0940			
				2SBC-6233-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	22,000	5,023/5,035	0,0600/0,0120			
			SBC-144-J SM70144 EXT. +0,50 FL +1,00	2SBC-6290-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,273/5,285	0,0600/0,0120			
				1SBC-291-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,230/5,240	0,0300/0,0880			




	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR 1300 TIPO 113	4	77,00x69,00	SBC-144-J SM70144 EXT. +0,50 FL. +1,00	1SBC-289-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	26,936	5,227/5,237	0,0360/0,0940
				1SBC-292-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,500/50,516	15,000	5,222/5,233	0,0340/0,0880
			SBC-164-J SM70164 EXT. +1,00 FL. +1,00	2SBC-6298-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,523/5,535	0,0600/0,0120
				1SBC-300-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	51,000/51,016	15,000	5,472/5,483	0,0340/0,0880
				1SBC-299-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,480/5,490	0,0300/0,0880
				1SBC-297-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	26,936	5,477/5,487	0,0360/0,0940
			SBC-165-J SM70165 EXT. +0,50 FL. STD	1SBC-291-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,230/5,240	0,0300/0,0880
				2SBC-6290-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,273/5,285	0,0600/0,0120
				1SBC-326-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	26,936	5,227/5,237	0,0360/0,0940
				1SBC-292-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,500/50,516	15,000	5,222/5,233	0,0340/0,0880
			SBC-174-J SM70174 EXT. +1,50 FL. +2,00	2SBC-6364-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,745/5,755	
				1SBC-365-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,730/5,740	0,0300/0,0880
				1SBC-366-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	51,500/51,516	15,000	5,722/5,733	0,0340/0,0880
				1SBC-343-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,500/66,519	26,936	5,727/5,737	0,0360/0,0960
			SBC-184-J SM70184 EXT.+2,00 FL.+2,00	1SBC-370-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	52,000/52,016	15,000	5,972/5,983	0,0340/0,0880
				1SBC-367-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,000/67,019	26,936	5,977/5,987	0,0360/0,0940
				1SBC-369-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,000/67,019	22,000	5,980/5,990	0,0300/0,0880
				2SBC-6368-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,000/67,019	22,000	5,995/6,005	
			SBC-194-J SM70194 EXT. +1,00 FL. STD	1SBC-299-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,480/5,490	0,0300/0,0880
				1SBC-300-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	51,000/51,016	15,000	5,472/5,483	0,0340/0,0880
				1SBC-379-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	26,936	5,477/5,487	0,0360/0,0940
				2SBC-6298-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,523/5,535	0,0600/0,0120



											
Nº Cil		Códigos Metal Leve MAHLE									
MOTOR 1300 TIPO 113	4	77,00x69,00	SBC-214-J SM70214 EXT. +0,25 FL. +2,00	2SBC-6286-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,250/65,269	22,000	5,143/5,155	0,0600/0,0120
				1SBC-398-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,250/65,269	26,936	5,102/5,112	0,0360/0,0940
				1SBC-288-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,250/50,266	15,000	5,097/5,108	0,0340/0,0880
				1SBC-287-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,250/65,269	22,000	5,105/5,115	0,0300/0,0880
			SBC-234-J SM70234 EXT. +0,50 FL. +2,00	1SBC-291-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,230/5,240	0,0300/0,0880
				2SBC-6290-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,273/5,285	0,0600/0,0120
				1SBC-400-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	26,936	5,227/5,237	0,0360/0,0940
				1SBC-292-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,500/50,516	15,000	5,222/5,233	0,0340/0,0880
				1SBC-296-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,750/50,766	15,000	5,347/5,358	0,0340/0,0880
				2SBC-6294-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,750/65,769	22,000	5,398/5,410	0,0600/0,0120
			SBC-244-J SM70244 EXT. +0,75 FL. +2,00	1SBC-295-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,750/65,769	22,000	5,355/5,365	0,0300/0,0880
				1SBC-412-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,750/65,769	26,936	5,352/5,362	0,0360/0,0940
				1SBC-300-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	51,000/51,016	15,000	5,472/5,483	0,0340/0,0880
				2SBC-6298-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,523/5,535	0,0600/0,0120
				1SBC-396-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	26,936	5,477/5,487	0,0360/0,0940
				1SBC-299-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,480/5,490	0,0300/0,0880
			SBC-264-J SM70264 EXT. +2,50 FL. +2,00	1SBC-430-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,500/67,519	26,936	6,227/6,237	0,0360/0,0940
				2SBC-6431-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,500/67,519	22,000	6,245/6,255	
				1SBC-432-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,500/67,519	22,000	6,230/6,240	0,0300/0,0880
				1SBC-433-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	52,500/52,516	15,000	6,222/6,233	0,0340/0,0880
			SBG-019-J SG70019	4SBG-019-U	S	STD-S	21,994/22,000	23,970/24,000	23,400	1,250/1,300	0,0050/0,0240
			SEC-083-J SH70083	2SEC-186-C	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	19,900	1,235/1,245	0,0100/0,0640
				2SEC-187-C	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	22,900	1,235/1,245	0,0100/0,0640
				2SEC-188-S(F)	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	28,000	1,235/1,245	0,0100/0,0640

* Itens sob consulta




												
Nº Cil		Códigos Metal Leve MAHLE										
MOTOR 1300 TIPO 113	4	77,00x69,00	SEC-084-J SH70084 EXT. + 0,50	2SEC-199-S(F)	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	28,000	1,485/1,495	0,0100/0,0640	
				2SEC-197-C	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	19,900	1,485/1,495	0,0100/0,0640	
				2SEC-198-C	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	22,900	1,485/1,495	0,0100/0,0640	
MOTOR AE-1600.. 12,0:1 ALC. (GOL CL / VOYAGE CL / PARATI CL / SAVEI- RO) MODELO 90 EM DIANTE	4	77,00x83,50	SBB-223-J SB59223	8SBB-2228-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	43,964/43,980	47,614/47,625	17,750	1,799/1,812	0,0100/0,0630	
MOTOR 1,9 L (AUDI 80 5 / AUDI 90 5 / COUPE 1.9 / AUDI 100 5) 1980 - 1985	5	79,50x77,40	BB-180-J B70180	5BB-370-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	45,958/45,978	49,000/49,012	19,000	1,506	0,010/0,062	
MOTOR 900/1100/1300/1500/1600/1 700/1800	4	79,50x80,00	SAE-100-P SL70100	1SAE-100-P	C	STD/ 0,25/ 0,50	59,500/59,750	72,920/73,200		1,930/1,970		
				SBB-280-J SB70280	8SBB-370-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	45,963/45,978	49,000/49,012	19,000	1,496/1,506	0,0100/0,0610
				SBC-326-J SM70326	6SBC-2590-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
					4SBC-2590-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
				SBG-037-U SG70037	1SBG-037-U	S	STD-S	21,996/22,000	25,000/25,033	25,000	1,700/1,770	0,0120/0,0220
				SBG-178-J SG70178 EIXO AUXILIAR	1SBG-178-U	B	STD-S	42,959/42,975	46,000/46,025	15,000	1,700/1,770	0,0250/0,0660
					1SBG-179-U	B	STD-S	41,959/41,975	45,000/45,025	15,000	1,700/1,770	0,0250/0,0660
				SBB-280-J SB70280	8SBB-370-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	45,963/45,978	49,000/49,012	19,000	1,496/1,506	0,0100/0,0610
				SBC-290-J SM70290 FL. STD	3SBC-2590-I	C	STD/ 0,25	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
					5SBC-2590-S	C	STD/ 0,25	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
MOTOR 1500 DIESEL (PASSAT / VO- YAGE)	4	79,50x80,00	SBB-280-J SB70280 SBC-290-J SM70290 FL. STD	1SBC-591-P(F)	SP	STD/ 0,25	53,958/53,978	59,000/59,019	24,910	2,491/2,503	0,0160/0,0790	
				SBC-292-J SM70292 FL. +0,40	3SBC-2590-I	C	0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
					5SBC-2590-S	C	0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
					1SBC-591-P(F)	SP	0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	25,310	2,491/2,503	0,0160/0,0790
				SBG-037-U SG70037	1SBG-037-U	S	STD-S	21,996/22,000	25,000/25,033	25,000	1,700/1,770	0,0120/0,0220
				SBG-178-J SG70178 EIXO AUXILIAR	1SBG-178-U	B	STD-S	42,959/42,975	46,000/46,025	15,000	1,700/1,770	0,0250/0,0660
					1SBG-179-U	B	STD-S	41,959/41,975	45,000/45,025	15,000	1,700/1,770	0,0250/0,0660
				SBB-280-J SB70280	8SBB-370-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	45,963/45,978	49,000/49,012	19,000	1,496/1,506	0,0100/0,0610
				SBC-290-J SM70290 FL. STD	3SBC-2590-I	C	STD/ 0,25	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
					5SBC-2590-S	C	STD/ 0,25	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
MOTOR 1600 7,5:1/8,2:1	4	79,50x80,00	SBB-280-J SB70280 SBC-290-J SM70290 FL. STD	1SBC-591-P(F)	SP	STD/ 0,25	53,958/53,978	59,000/59,019	24,910	2,491/2,503	0,0160/0,0790	

* Itens sob consulta



	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR 1600. 10,5:1 ALCOOL	4	79,50x80,00	SBG-178-J SG70178 EIXO AUXILIAR	1SBG-178-U	B	STD-S	42,959/42,975	46,000/46,025	15,000	1,700/1,770	0,0250/0,0660
				1SBG-179-U	B	STD-S	41,959/41,975	45,000/45,025	15,000	1,700/1,770	0,0250/0,0660
MOTOR 1,9L (AUDI 80 5 / AUDI 90 5 / COUPE 1.9 / AUDI 100 5) 09. 1980 - 1985	5	79,50x77,40	BB-180-J B70180	5BB-370-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	45,958/45,978	49,000/49,012	19,000	1,506	0,010/0,062
MOTOR 2.15 L (AUDI 100 5S, 5000 (U.S.A.) 03.1978-1982/ COUPE GT 5E, AUDI 80/ QUATTRO, AUDI 90/ QUATTRO, AUDI 100 5E, AUDI 200 5E 08. 1976-1985/ AUDI 200 5T, 5000 TURBO (U.S.A.), 09. 1979-1982/ AUDI QUATTRO, 03. 1980-1988)	5	79,50x77,40 3.129x3.047		5BB-370-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	45,958/45,978	49,000/49,012	19,000	1,506	0,010/0,062
MOTOR TORQUE 1600 12,0:1 ALCOOL (PASSAT TS, LSE / PARATI / VOYAGE)	4	79,50x80,00	SBB-280-J SB70280	8SBB-370-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	45,963/45,978	49,000/49,012	19,000	1,496/1,506	0,0100/0,0610
			SBC-290-J SM70290 FL. STD	3SBC-2590-I	C	STD/ 0,25	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
				5SBC-2590-S	C	STD/ 0,25	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
				1SBC-591-P(F)	SP	STD/ 0,25	53,958/53,978	59,000/59,019	24,910	2,491/2,503	0,0160/0,0790
			SBC-292-J SM70292 FL. +0,40	1SBC-591-P(F)	SP	0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	25,310	2,491/2,503	0,0160/0,0790
				5SBC-2590-S	C	0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
				3SBC-2590-I	C	0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
			SBG-037-U SG70037	1SBG-037-U	S	STD-S	21,996/22,000	25,000/25,033	25,000	1,700/1,770	0,0120/0,0220
			SBG-178-J SG70178 EIXO AUXILIAR	1SBG-178-U	B	STD-S	42,959/42,975	46,000/46,025	15,000	1,700/1,770	0,0250/0,0660
				1SBG-179-U	B	STD-S	41,959/41,975	45,000/45,025	15,000	1,700/1,770	0,0250/0,0660
MOTOR TORQUE UC 1600CC 8,3:1	4	79,50x80,00	SBB-280-J SB70280	8SBB-370-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	45,963/45,978	49,000/49,012	19,000	1,496/1,506	0,0100/0,0610
			SBC-290-J SM70290 FL. STD	3SBC-2590-I	C	STD/ 0,25	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
				5SBC-2590-S	C	STD/ 0,25	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
				1SBC-591-P(F)	SP	STD/ 0,25	53,958/53,978	59,000/59,019	24,910	2,491/2,503	0,0160/0,0790
			SBC-292-J SM70292 FL. +0,40	3SBC-2590-I	C	0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
				5SBC-2590-S	C	0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
				1SBC-591-P(F)	SP	0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	25,310	2,491/2,503	0,0160/0,0790
			SBG-037-U SG70037	1SBG-037-U	S	STD-S	21,996/22,000	25,000/25,033	25,000	1,700/1,770	0,0120/0,0220
			SBG-178-J SG70178 EIXO AUXILIAR	1SBG-178-U	B	STD-S	42,959/42,975	46,000/46,025	15,000	1,700/1,770	0,0250/0,0660
				1SBG-179-U	B	STD-S	41,959/41,975	45,000/45,025	15,000	1,700/1,770	0,0250/0,0660
MOTOR 2,15 LTR. (AUDI 200 TURBO, 5000 S, TURBO, 1983-1988)	5	81,000x86,400	BB-180-J B70180	5BB-370-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	45,958/45,978	49,000/49,012	19,000	1,506	0,010/0,062



	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR 2,2 LTR. (USA) (AUDI 4000 5, 5000, 80 5S, COUPE G5T 5E, 08, 1976-1985)	5	81,00x86,40	BB-180-J B70180	5BB-370-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	45,958/45,978	49,000/49,012	19,000	1,506	0,010/0,062
MOTOR 2.0 LTR. (85KW) (AUDI 80, 90, 100, 1980)	5	81,00x77,40									
MOTOR 1600-UN 8,5:1 BIELA LONGA (AP-600 A PARTIR No 000.110 JUN. 85)	4	81,00x77,40	SAE-100-P SL70100	1SAE-100-P	C	STD/ 0,25/ 0,50	59,500/59,750	72,920/73,200		1,930/1,970	
MOTOR 1600-UP 12,0:1 BIELA LONGA (AP-600 A PARTIR No 000.124 JUN. 85) (GOL L / LS / PARATI / VOYAGE / SAVEIRO / PASSAT)	4		SBB-494-J SB70494	8SBB-2494-C WITH OIL ROLE	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	47,758/47,778	50,600/50,612	18,70/19,00	1,396/1,411	0,010/0,052
MOTOR 1800-UD. 8,5:1 BIELA LONGA (AP-800 A PARTIR No 003.548 MAR- CO 85)	4	81,00x86,40	SBC-326-J SM70326	6SBC-2590-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
MOTOR 1800-UE. 12,0:1 ALC. BIELA LONGA (AP-800 A PARTIR No 003.964 MARCO 85) (GOL / VOYAGE / PARATI / SAVEIRO / SANTANA / QUANTUM / APOLLO)	4			4SBC-2590-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
			SBG-178-J SG70178 EIXO AUXILIAR	1SBG-179-U	B	STD-S	41,959/41,975	45,000/45,025	15,000	1,700/1,770	0,0250/0,0660
				1SBG-178-U	B	STD-S	42,959/42,975	46,000/46,025	15,000	1,700/1,770	0,0250/0,0660
			SBG-598-J SG70598	4SBG-598-U	S	STD-S	19,997/20,000	23,000/23,052	25,000	1,700/1,800	0,0120/0,0210
MOTOR 1800-UD 8,3:1 A PARTIR No 000.999	4	81,00x86,40	SBB-280-J SB70280	8SBB-370-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	45,963/45,978	49,000/49,012	19,000	1,496/1,506	0,0100/0,0610
			SBC-326-J SM70326	6SBC-2590-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
				4SBC-2590-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
			SBG-037-U SG70037	1SBG-037-U	S	STD-S	21,996/22,000	25,000/25,033	25,000	1,700/1,770	0,0120/0,0220
			SBG-178-J SG70178 EIXO AUXILIAR	1SBG-178-U	B	STD-S	42,959/42,975	46,000/46,025	15,000	1,700/1,770	0,0250/0,0660
				1SBG-179-U	B	STD-S	41,959/41,975	45,000/45,025	15,000	1,700/1,770	0,0250/0,0660
MOTOR 1800-UE 12,0:1 A PARTIR No 004.341 (SANTANA - JUN. 84 / GOL GT 1.8 - ABRIL 84 / PASSAT GTS 1.8 - JUL. 84)	4	81,00x86,40	SBB-280-J SB70280	8SBB-370-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	45,963/45,978	49,000/49,012	19,000	1,496/1,506	0,0100/0,0610
			SBC-326-J SM70326	6SBC-2590-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
				4SBC-2590-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
			SBG-037-U SG70037	1SBG-037-U	S	STD-S	21,996/22,000	25,000/25,033	25,000	1,700/1,770	0,0120/0,0220
			SBG-178-J SG70178 EIXO AUXILIAR	1SBG-178-U	B	STD-S	42,959/42,975	46,000/46,025	15,000	1,700/1,770	0,0250/0,0660

* Itens sob consulta



			 Códigos Metal Leve MAHLE								
MOTOR 1800-UE 12,0:1 A PARTIR No 004.341 (SANTANA - JUN. 84 / GOL GT 1.8 - ABRIL 84 / PAS- SAT GTS 1.8 - JUL. 84)	4	81,00x86,40	SBG-178-J SG70178 EIXO AUXILIAR	1SBG-179-U	B	STD-S	41,959/41,975	45,000/45,025	15,000	1,700/1,770	0,0250/0,0660
MOTOR 1,8 L (GOLF / JETTA / SCIROCCO / PASSAT / SANTANA) DE 01/1986 EM DIANTE (GOLF GTI / JETTA GLI / SCIROCCO 16V GT) 1986 EM DIANTE (GOLF GTI 16V / JETTA GT 16V / SCIROCCO 16V) 1986 EM DIANTE	4	81,10x86,40	SBB-494-J SB70494	8SBB-2494-C WITH OIL HOLE	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	47,758/47,778	50,600/50,612	18,70/19,00	1,396/1,411	0,010/0,052
MOTOR 2,3 LTR. (AUDI 80, 90, 100, 1986)	5	82,500x86,400	BB-180-J B70180	5BB-370-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	45,958/45,978	49,000/49,012	19,000	1,506	0,010/0,062
MOTOR 2.0L.- (GOLF / VENTO / PASSAT / CORRADO) 1990 EM DIANTE	4	82,50x92,80	SBB-494-J SB70494	8SBB-2494-C WITH OIL HOLE	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	47,758/47,778	50,600/50,612	18,70/19,00	1,396/1,411	0,010/0,052
MOTOR 2.0L.-. (PASSAT) 1990 EM DIAN- TE (GOLF III) 1991 EM DIANTE	4										
MOTOR AP-2000I 10,0:1 GAS. (GOL GTI / SANTA- NA / EXECUTIVO)	4	82,51x92,80	SAE-100-P SL70100	1SAE-100-P	C	STD/ 0,25/ 0,50	59,500/59,750	72,920/73,200		1,930/1,970	
			SBB-494-J SB70494	8SBB-2494-C WITH OIL ROLE	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	47,758/47,778	50,600/50,612	18,70/19,00	1,396/1,411	0,010/0,052
			SBC-326-J SM70326	6SBC-2590-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
				4SBC-2590-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
			SBG-178-J SG70178 EIXO AUXILIAR	1SBG-179-U	B	STD-S	41,959/41,975	45,000/45,025	15,000	1,700/1,770	0,0250/0,0660
				1SBG-178-U	B	STD-S	42,959/42,975	46,000/46,025	15,000	1,700/1,770	0,0250/0,0660
			SBG-598-J SG70598	4SBG-598-U	S	STD-S	19,997/20,000	23,000/23,052	25,000	1,700/1,800	0,0120/0,0210
MOTOR AP-2000. 1984CC 9,0:1 - GAS. / 12,0:1 - ALC. GAS. / ALC. (SANTANA / QUANTUM)	4	82,51x92,80	SAE-100-P SL70100	1SAE-100-P	C	STD/ 0,25/ 0,50	59,500/59,750	72,920/73,200		1,930/1,970	
			SBB-494-J SB70494	8SBB-2494-C WITH OIL ROLE	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	47,758/47,778	50,600/50,612	18,70/19,00	1,396/1,411	0,010/0,052
			SBC-326-J SM70326	6SBC-2590-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
				4SBC-2590-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	53,958/53,978	59,000/59,019	18,500	2,491/2,503	0,0160/0,0790
			SBG-178-J SG70178 EIXO AUXILIAR	1SBG-178-U	B	STD-S	42,959/42,975	46,000/46,025	15,000	1,700/1,770	0,0250/0,0660
				1SBG-179-U	B	STD-S	41,959/41,975	45,000/45,025	15,000	1,700/1,770	0,0250/0,0660
			SBG-598-J SG70598	4SBG-598-U	S	STD-S	19,997/20,000	23,000/23,052	25,000	1,700/1,800	0,0120/0,0210
MOTOR 1500 TIPO 311 1493CC 6,6:1/6,8:1/7,5:1/8,0:1 REFRIGERADO A AR (SEDAN / KARMANN GUIA / KOMBI)	4	83,00x69,00	BC-204-J M70204 EXT. STD FL. +1,00	1BC-233-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	22,000	5,023/5,035	0,0600/0,0120



* Itens sob consulta

	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR 1500 TIPO 311 1493CC 6,6:1/6,8:1/7,5:1/8,0:1 REFRIGERADO A AR (SEDAN / KARMANN GUIA / KOMBI)	4	83,00x69,00	BC-204-J M70204 EXT. STD FL. +1,00	1BC-390-U(F)	AP	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	26,936	4,977/4,987	0,0360/0,0940
				1BC-023-U	AP	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	22,000	4,980/4,990	0,0300/0,0880
				1BC-024-U	AP	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,000/50,016	15,000	4,972/4,983	0,0340/0,0880
			BG-039-U G70039 EXT. +0,20	BG-039-U	S	STD-S	21,994/22,000	24,170/24,203	23,400	1,350/1,400	0,0050/0,0240
			EC-023-J H70023	1EC-186-P	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	19,900	1,235/1,245	0,0100/0,0640
				1EC-158-S(F)	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	28,000	1,235/1,245	0,0100/0,0640
				1EC-187-P	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	22,900	1,235/1,245	0,0100/0,0640
				1EC-185-I	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	24,900	1,235/1,245	0,0100/0,0640
			EC-029-J H70029 EXT. +0,50	1EC-169-S(F)	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	28,000	1,485/1,495	0,0100/0,0640
				1EC-190-I	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	24,900	1,485/1,495	0,0100/0,0640
				1EC-197-P	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	19,900	1,485/1,495	0,0100/0,0640
				1EC-198-P	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	22,900	1,485/1,495	0,0100/0,0640
			SBB-121-J SB70121	8SBB-2121-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	54,983/54,996	57,800/57,813	17,600	1,387/1,397	0,0100/0,0560
			SBC-105-J SM70105 EXT. STD FL. STD	1SBC-024-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,000/50,016	15,000	4,972/4,983	0,0340/0,0880
				1SBC-021-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	26,936	4,977/4,987	0,0360/0,0940
				2SBC-6233-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	22,000	5,023/5,035	0,0600/0,0120
				1SBC-023-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	22,000	4,980/4,990	0,0300/0,0880
			SBC-144-J SM70144 EXT. +0,50 FL. +1,00	1SBC-289-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	26,936	5,227/5,237	0,0360/0,0940
				1SBC-291-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,230/5,240	0,0300/0,0880
				2SBC-6290-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,273/5,285	0,0600/0,0120
				1SBC-292-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,500/50,516	15,000	5,222/5,233	0,0340/0,0880
			SBC-164-J SM70164 EXT. +1,00 FL. +1,00	1SBC-300-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	51,000/51,016	15,000	5,472/5,483	0,0340/0,0880
				2SBC-6298-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,523/5,535	0,0600/0,0120
				1SBC-297-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	26,936	5,477/5,487	0,0360/0,0940


	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR 1500 TIPO 311 1493CC 6,6:1/6,8:1/7,5:1/8,0:1 REFRIGERADO A AR (SEDAN / KARMANN GUIA / KOMBI)	4	83,00x69,00	SBC-234-J SM70234 EXT. +0,50 FL. +2,00	2SBC-6290-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,273/5,285	0,0600/0,0120
				1SBC-291-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,230/5,240	0,0300/0,0880
				1SBC-400-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	26,936	5,227/5,237	0,0360/0,0940
				1SBC-292-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,500/50,516	15,000	5,222/5,233	0,0340/0,0880
				1SBC-295-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,750/65,769	22,000	5,355/5,365	0,0300/0,0880
				1SBC-296-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,750/50,766	15,000	5,347/5,358	0,0340/0,0880
				2SBC-6294-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,750/65,769	22,000	5,398/5,410	0,0600/0,0120
				1SBC-412-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,750/65,769	26,936	5,352/5,362	0,0360/0,0940
			SBC-244-J SM70244 EXT. +0,75 FL. +2,00	2SBC-6298-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,523/5,535	0,0600/0,0120
				1SBC-396-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	26,936	5,477/5,487	0,0360/0,0940
				1SBC-300-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	51,000/51,016	15,000	5,472/5,483	0,0340/0,0880
				1SBC-299-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,480/5,490	0,0300/0,0880
				1SBC-430-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,500/67,519	26,936	6,227/6,237	0,0360/0,0940
				1SBC-433-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	52,500/52,516	15,000	6,222/6,233	0,0340/0,0880
				2SBC-6431-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,500/67,519	22,000	6,245/6,255	
				1SBC-432-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,500/67,519	22,000	6,230/6,240	0,0300/0,0880
				4SBG-019-U	S	STD-S	21,994/22,000	23,970/24,000	23,400	1,250/1,300	0,0050/0,0240
			SBC-254-J SM70254 EXT. +1,00 FL.+2,00	2SEC-186-C	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	19,900	1,235/1,245	0,0100/0,0640
				2SEC-187-C	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	22,900	1,235/1,245	0,0100/0,0640
				2SEC-188-S(F)	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	28,000	1,235/1,245	0,0100/0,0640
				2SEC-199-S(F)	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	28,000	1,485/1,495	0,0100/0,0640
				2SEC-197-C	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	19,900	1,485/1,495	0,0100/0,0640
				2SEC-198-C	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	22,900	1,485/1,495	0,0100/0,0640
			SBC-264-J SM70264 EXT. +2,50 FL. +2,00	1SBC-430-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,500/67,519	26,936	6,227/6,237	0,0360/0,0940
				1SBC-433-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	52,500/52,516	15,000	6,222/6,233	0,0340/0,0880
				2SBC-6431-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,500/67,519	22,000	6,245/6,255	
				1SBC-432-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,500/67,519	22,000	6,230/6,240	0,0300/0,0880
				4SBG-019-U	S	STD-S	21,994/22,000	23,970/24,000	23,400	1,250/1,300	0,0050/0,0240
				2SEC-186-C	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	19,900	1,235/1,245	0,0100/0,0640
				2SEC-187-C	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	22,900	1,235/1,245	0,0100/0,0640
				2SEC-188-S(F)	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	28,000	1,235/1,245	0,0100/0,0640
				2SEC-199-S(F)	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	28,000	1,485/1,495	0,0100/0,0640
				2SEC-197-C	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	19,900	1,485/1,495	0,0100/0,0640
				2SEC-198-C	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	22,900	1,485/1,495	0,0100/0,0640

* Itens sob consulta



	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR 1600-BX/BP/UJ/UK 1584CC 10:1/11,1:1 ALCOOL REFRIGERADO A AR (GOL / KOMBI / SE-DAN)	4	85,50x69,00	BC-204-J M70204 EXT. +STD FL. +1,00	1BC-390-U(F)	AP	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	26,936	4,977/4,987	0,0360/0,0940
				1BC-233-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	22,000	5,023/5,035	0,0600/0,0120
				1BC-023-U	AP	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	22,000	4,980/4,990	0,0300/0,0880
				1BC-024-U	AP	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,000/50,016	15,000	4,972/4,983	0,0340/0,0880
			BG-039-U G70039 EXT. +0,20 EC-023-J H70023	BG-039-U	S	STD-S	21,994/22,000	24,170/24,203	23,400	1,350/1,400	0,0050/0,0240
				1EC-186-P	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	19,900	1,235/1,245	0,0100/0,0640
				1EC-187-P	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	22,900	1,235/1,245	0,0100/0,0640
				1EC-158-S(F)	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	28,000	1,235/1,245	0,0100/0,0640
				1EC-185-I	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	24,900	1,235/1,245	0,0100/0,0640
				1EC-198-P	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	22,900	1,485/1,495	0,0100/0,0640
				1EC-197-P	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	19,900	1,485/1,495	0,0100/0,0640
				1EC-190-I	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	24,900	1,485/1,495	0,0100/0,0640
				1EC-169-S(F)	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	28,000	1,485/1,495	0,0100/0,0640
				8SBB-2121-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	54,983/54,996	57,800/57,813	17,600	1,387/1,397	0,0100/0,0560
			SBB-121-J SB70121 SBC-105-J SM70105 EXT. STD FL. STD	2SBC-6233-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	22,000	5,023/5,035	0,0600/0,0120
				1SBC-023-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	22,000	4,980/4,990	0,0300/0,0880
				1SBC-024-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,000/50,016	15,000	4,972/4,983	0,0340/0,0880
				1SBC-021-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	26,936	4,977/4,987	0,0360/0,0940
				1SBC-289-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	26,936	5,227/5,237	0,0360/0,0940
				1SBC-292-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,500/50,516	15,000	5,222/5,233	0,0340/0,0880
				2SBC-6290-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,273/5,285	0,0600/0,0120
				1SBC-291-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,230/5,240	0,0300/0,0880
SBC-144-J SM70164 EXT. +1,00 FL. +1,00	1SBC-297-U(F)	A		STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	26,936	5,477/5,487	0,0360/0,0940		

											
MOTOR 1600-BX/BP/UJ/UK 1584CC 10:1/11,1:1 ALCOOL REFRIGERADO A AR (GOL / KOMBI / SE-DAN)	Nº Cil	85,50x69,00	SBC-164-J SM70164 EXT. +1,00 FL +1,00	1SBC-300-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	51,000/51,016	15,000	5,472/5,483	0,0340/0,0880
				2SBC-6298-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,523/5,535	0,0600/0,0120
				1SBC-299-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,480/5,490	0,0300/0,0880
			SBC-165-J SM70165 EXT. +0,50 FL STD	1SBC-291-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,230/5,240	0,0300/0,0880
				2SBC-6290-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,273/5,285	0,0600/0,0120
				1SBC-326-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	26,936	5,227/5,237	0,0360/0,0940
				1SBC-292-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,500/50,516	15,000	5,222/5,233	0,0340/0,0880
			SBC-174-J SM70174 EXT. +1,50 FL +2,00	1SBC-365-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,730/5,740	0,0300/0,0880
				1SBC-366-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	51,500/51,516	15,000	5,722/5,733	0,0340/0,0880
				2SBC-6364-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,745/5,755	
				1SBC-343-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,500/66,519	26,936	5,727/5,737	0,0360/0,0960
			SBC-184-J SM70184 EXT.+2,00 FL.+2,00	1SBC-367-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,000/67,019	26,936	5,977/5,987	0,0360/0,0940
				1SBC-369-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,000/67,019	22,000	5,980/5,990	0,0300/0,0880
				2SBC-6368-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,000/67,019	22,000	5,995/6,005	
				1SBC-370-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	52,000/52,016	15,000	5,972/5,983	0,0340/0,0880
			SBC-194-J SM70194 EXT. +1,00 FL STD	1SBC-299-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,480/5,490	0,0300/0,0880
				2SBC-6298-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,523/5,535	0,0600/0,0120
				1SBC-300-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	51,000/51,016	15,000	5,472/5,483	0,0340/0,0880
				1SBC-379-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	26,936	5,477/5,487	0,0360/0,0940
			SBC-214-J SM70214 EXT. +0,25 FL +2,00	2SBC-6286-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,250/65,269	22,000	5,143/5,155	0,0600/0,0120
				1SBC-398-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,250/65,269	26,936	5,102/5,112	0,0360/0,0940



* Itens sob consulta

												
	Nº Cil											
MOTOR 1600-BX/BP/UJ/UK 1584CC 10:1/11,1:1 ALCOOL REFRIGERADO A AR (GOL / KOMBI / SE-DAN)	4	85,50x69,00	SBC-214-J SM70214 EXT. +0,25 FL. +2,00	1SBC-288-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,250/50,266	15,000	5,097/5,108	0,0340/0,0880	
				1SBC-287-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,250/65,269	22,000	5,105/5,115	0,0300/0,0880	
				2SBC-6290-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,273/5,285	0,0600/0,0120	
				1SBC-292-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,500/50,516	15,000	5,222/5,233	0,0340/0,0880	
				1SBC-291-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,230/5,240	0,0300/0,0880	
				1SBC-400-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	26,936	5,227/5,237	0,0360/0,0940	
			SBC-244-J SM70244 EXT. +0,75 FL. +2,00	1SBC-412-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,750/65,769	26,936	5,352/5,362	0,0360/0,0940	
				2SBC-6294-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,750/65,769	22,000	5,398/5,410	0,0600/0,0120	
				1SBC-296-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,750/50,766	15,000	5,347/5,358	0,0340/0,0880	
				1SBC-295-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,750/65,769	22,000	5,355/5,365	0,0300/0,0880	
				1SBC-396-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	26,936	5,477/5,487	0,0360/0,0940	
				2SBC-6298-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,523/5,535	0,0600/0,0120	
			SBC-254-J SM70254 EXT. +1,00 FL. +2,00	1SBC-300-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	51,000/51,016	15,000	5,472/5,483	0,0340/0,0880	
				1SBC-299-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,480/5,490	0,0300/0,0880	
				1SBC-430-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,500/67,519	26,936	6,227/6,237	0,0360/0,0940	
				1SBC-432-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,500/67,519	22,000	6,230/6,240	0,0300/0,0880	
				1SBC-433-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	52,500/52,516	15,000	6,222/6,233	0,0340/0,0880	
				2SBC-6431-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,500/67,519	22,000	6,245/6,255		
			SBG-019-J SG70019	4SBG-019-U	S	STD-S	21,994/22,000	23,970/24,000	23,400	1,250/1,300	0,0050/0,0240	
				SEC-083-J SH70083	2SEC-186-C	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	19,900	1,235/1,245	0,0100/0,0640
					2SEC-187-C	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	22,900	1,235/1,245	0,0100/0,0640
					2SEC-188-S(F)	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	28,000	1,235/1,245	0,0100/0,0640

* Itens sob consulta

	Nº Cil		 Códigos Metal Leve MAHLE									
MOTOR 1600-BX/BP/UJ/UK 1584CC 10:1/11,1:1 REFRIGERADO A AR (GOL / KOMBI / SEDAN)	4	85,50x69,00	SEC-084-J SH70084 EXT. +0,50	2SEC-197-C	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	19,900	1,485/1,495	0,0100/0,0640	
				2SEC-198-C	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	22,900	1,485/1,495	0,0100/0,0640	
				2SEC-199-S(F)	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	28,000	1,485/1,495	0,0100/0,0640	
MOTOR 1600 BD/BG/BZ/JA/UF/UG/UH 1584CC 6,6:1/7,2:1/7,5:1 REFRIGERADO A AR (BRASILIA / KOMBI / SEDAN / VARIANT / KAR-MANN GUIA)	4	85,50x69,00	BC-204-J M70204 EXT. +STD FL. +1,00	1BC-390-U(F)	AP	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	26,936	4,977/4,987	0,0360/0,0940	
				1BC-023-U	AP	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	22,000	4,980/4,990	0,0300/0,0880	
				1BC-024-U	AP	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,000/50,016	15,000	4,972/4,983	0,0340/0,0880	
				1BC-233-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	22,000	5,023/5,035	0,0600/0,0120	
				BG-039-U G70039 EXT. +0,20	BG-039-U	S	STD-S	21,994/22,000	24,170/24,203	23,400	1,350/1,400	0,0050/0,0240
				EC-023-J H70023	1EC-185-I	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	24,900	1,235/1,245	0,0100/0,0640
					1EC-158-S(F)	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	28,000	1,235/1,245	0,0100/0,0640
					1EC-186-P	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	19,900	1,235/1,245	0,0100/0,0640
					1EC-187-P	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	22,900	1,235/1,245	0,0100/0,0640
				EC-029-J H70029 EXT. +0,50	1EC-190-I	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	24,900	1,485/1,495	0,0100/0,0640
			1EC-169-S(F)		B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	28,000	1,485/1,495	0,0100/0,0640	
			1EC-197-P		B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	19,900	1,485/1,495	0,0100/0,0640	
			1EC-198-P		B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	22,900	1,485/1,495	0,0100/0,0640	
			SBB-121-J SB70121	8SBB-2121-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00/ 1,50	54,983/54,996	57,800/57,813	17,600	1,387/1,397	0,0100/0,0560	
				SBC-105-J SM70105 EXT. STD FL. STD	1SBC-021-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	26,936	4,977/4,987	0,0360/0,0940
					2SBC-6233-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	22,000	5,023/5,035	0,0600/0,0120
					1SBC-024-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,000/50,016	15,000	4,972/4,983	0,0340/0,0880
					1SBC-023-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	22,000	4,980/4,990	0,0300/0,0880
				SBC-144-J SM70144 EXT. +0,50 FL. +1,00	1SBC-289-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	26,936	5,227/5,237	0,0360/0,0940
					1SBC-292-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,500/50,516	15,000	5,222/5,233	0,0340/0,0880


* Itens sob consulta

	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR 1600 BD/BG/BZ/JA/UF/UG/UH 584CC ,6:1/7,2:1/7,5:1 REFRIGERADO A AR BRASILIA / KOMBI / SEDAN / VARIANT / KAR-MANN GUIA)	4	85,50x69,00	SBC-144-J SM70144 EXT. +0,50 FL. +1,00	1SBC-291-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,230/5,240	0,0300/0,0880
				2SBC-6290-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,273/5,285	0,0600/0,0120
				1SBC-300-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	51,000/51,016	15,000	5,472/5,483	0,0340/0,0880
				2SBC-6298-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,523/5,535	0,0600/0,0120
				1SBC-297-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	26,936	5,477/5,487	0,0360/0,0940
				1SBC-299-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,480/5,490	0,0300/0,0880
			SBC-165-J SM70165 EXT. +0,50 FL. STD	1SBC-292-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,500/50,516	15,000	5,222/5,233	0,0340/0,0880
				2SBC-6290-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,273/5,285	0,0600/0,0120
				1SBC-291-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,230/5,240	0,0300/0,0880
				1SBC-326-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	26,936	5,227/5,237	0,0360/0,0940
			SBC-174-J SM70174 EXT. +1,50 FL. +2,00	2SBC-6364-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,745/5,755	
				1SBC-365-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,730/5,740	0,0300/0,0880
				1SBC-343-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,500/66,519	26,936	5,727/5,737	0,0360/0,0960
				1SBC-366-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	51,500/51,516	15,000	5,722/5,733	0,0340/0,0880
			SBC-184-J SM70184 EXT. +2,00 FL. +2,00	1SBC-367-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,000/67,019	26,936	5,977/5,987	0,0360/0,0940
				1SBC-369-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,000/67,019	22,000	5,980/5,990	0,0300/0,0880
				2SBC-6368-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,000/67,019	22,000	5,995/6,005	
				1SBC-370-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	52,000/52,016	15,000	5,972/5,983	0,0340/0,0880
			SBC-194-J SM70194 EXT. +1,00 FL. STD	1SBC-379-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	26,936	5,477/5,487	0,0360/0,0940
				1SBC-299-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,480/5,490	0,0300/0,0880
				1SBC-300-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	51,000/51,016	15,000	5,472/5,483	0,0340/0,0880



* Itens sob consulta

METAL LEVE® **MAHLE®**
448 | © MAHLE 2019/2020


* Itens sob consulta


	Nº Cil		 Códigos Metal Leve MAHLE								
MOTOR ESPECIAL 1850 1834CC REFRIGERADO A AR	4	92,00x69,00	SBC-105-J SM70105 EXT. STD FL. STD	2SBC-6233-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	22,000	5,023/5,035	0,0600/0,0120
				1SBC-021-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	26,936	4,977/4,987	0,0360/0,0940
				1SBC-023-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,000/65,019	22,000	4,980/4,990	0,0300/0,0880
				1SBC-024-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,000/50,016	15,000	4,972/4,983	0,0340/0,0880
				1SBC-291-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,230/5,240	0,0300/0,0880
				1SBC-289-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	26,936	5,227/5,237	0,0360/0,0940
			SBC-144-J SM70144 EXT. +0,50 FL. +1,00	1SBC-292-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,500/50,516	15,000	5,222/5,233	0,0340/0,0880
				2SBC-6290-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,273/5,285	0,0600/0,0120
				2SBC-6298-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,523/5,535	0,0600/0,0120
				1SBC-300-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	51,000/51,016	15,000	5,472/5,483	0,0340/0,0880
				1SBC-299-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,480/5,490	0,0300/0,0880
				1SBC-297-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	26,936	5,477/5,487	0,0360/0,0940
			SBC-165-J SM70165 EXT. +0,50 FL. STD	2SBC-6290-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,273/5,285	0,0600/0,0120
				1SBC-326-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	26,936	5,227/5,237	0,0360/0,0940
				1SBC-291-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,230/5,240	0,0300/0,0880
				1SBC-292-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,500/50,516	15,000	5,222/5,233	0,0340/0,0880
				2SBC-6364-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,745/5,755	
				1SBC-343-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,500/66,519	26,936	5,727/5,737	0,0360/0,0960
			SBC-174-J SM70174 EXT. +1,50 FL. +2,00	1SBC-366-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	51,500/51,516	15,000	5,722/5,733	0,0340/0,0880
				1SBC-365-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,730/5,740	0,0300/0,0880
				1SBC-367-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,000/67,019	26,936	5,977/5,987	0,0360/0,0940
				2SBC-6368-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,000/67,019	22,000	5,995/6,005	
			SBC-184-J SM70184 EXT.+2,00 FL.+2,00								


* Itens sob consulta

	Nº Cil		 Códigos Metal Leve MAHLE									
MOTOR ESPECIAL 1850 834CC REFRIGERADO A AR	4	92,00x69,00	SBC-184-J SM70184 EXT.+2,00 FL.+2,00	1SBC-370-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	52,000/52,016	15,000	5,972/5,983	0,0340/0,0880	
				1SBC-369-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,000/67,019	22,000	5,980/5,990	0,0300/0,0880	
				SBC-194-J SM70194 EXT. +1,00 FL. STD	1SBC-379-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	26,936	5,477/5,487	0,0360/0,0940
					1SBC-299-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,480/5,490	0,0300/0,0880
					1SBC-300-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	51,000/51,016	15,000	5,472/5,483	0,0340/0,0880
					2SBC-6298-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,523/5,535	0,0600/0,0120
			SBC-214-J SM70214 EXT. +0,25 FL. +2,00		1SBC-288-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,250/50,266	15,000	5,097/5,108	0,0340/0,0880
					2SBC-6286-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,250/65,269	22,000	5,143/5,155	0,0600/0,0120
				1SBC-398-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,250/65,269	26,936	5,102/5,112	0,0360/0,0940	
				1SBC-287-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,250/65,269	22,000	5,105/5,115	0,0300/0,0880	
				SBC-234-J SM70234 EXT. +0,50 FL. +2,00	1SBC-400-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	26,936	5,227/5,237	0,0360/0,0940
					1SBC-291-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,230/5,240	0,0300/0,0880
			1SBC-292-U		A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,500/50,516	15,000	5,222/5,233	0,0340/0,0880	
			2SBC-6290-C		A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,500/65,519	22,000	5,273/5,285	0,0600/0,0120	
			SBC-244-J SM70244 EXT. +0,75 FL. +2,00		1SBC-412-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,750/65,769	26,936	5,352/5,362	0,0360/0,0940
					2SBC-6294-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,750/65,769	22,000	5,398/5,410	0,0600/0,0120
				1SBC-296-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	50,750/50,766	15,000	5,347/5,358	0,0340/0,0880	
				1SBC-295-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	65,750/65,769	22,000	5,355/5,365	0,0300/0,0880	
				SBC-254-J SM70254 EXT. +1,00 FL.+2,00	2SBC-6298-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,523/5,535	0,0600/0,0120
					1SBC-396-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	26,936	5,477/5,487	0,0360/0,0940
			1SBC-300-U		A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	51,000/51,016	15,000	5,472/5,483	0,0340/0,0880	
			1SBC-299-U		A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	66,000/66,019	22,000	5,480/5,490	0,0300/0,0880	

* Itens sob consulta

											
Nº Cil		Códigos Metal Leve MAHLE									
MOTOR ESPECIAL 1850 1834CC REFRIGERADO A AR	4	92,00x69,00	SBC-264-J SM70264 EXT. +2,50 FL. +2,00	1SBC-433-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	39,984/40,000	52,500/52,516	15,000	6,222/6,233	0,0340/0,0880
				1SBC-430-U(F)	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,500/67,519	26,936	6,227/6,237	0,0360/0,0940
				1SBC-432-U	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,500/67,519	22,000	6,230/6,240	0,0300/0,0880
				2SBC-6431-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	54,971/54,990	67,500/67,519	22,000	6,245/6,255	
			SBG-019-J SG70019	4SBG-019-U	S	STD-S	21,994/22,000	23,970/24,000	23,400	1,250/1,300	0,0050/0,0240
				2SEC-187-C CARÇAÇA BRASI- LEIRA	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	22,900	1,235/1,245	0,0100/0,0640
				2SEC-186-C CARÇAÇA BRASI- LEIRA	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	19,900	1,235/1,245	0,0100/0,0640
				2SEC-188-S(F) CARÇAÇA BRASI- LEIRA	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	28,000	1,235/1,245	0,0100/0,0640
			SEC-083-J SH70083	2SEC-198-C CARÇAÇA BRASI- LEIRA	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	22,900	1,485/1,495	0,0100/0,0640
				2SEC-197-C CARÇAÇA BRASI- LEIRA	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	19,900	1,485/1,495	0,0100/0,0640
				2SEC-199-S(F) CARÇAÇA BRASI- LEIRA	B	STD/ 0,25/ 0,50	24,987/25,000	28,000/28,021	28,000	1,485/1,495	0,0100/0,0640
			SEC-084-J SH70084 EXT. +0,50								






											
Nº Cil		Códigos Metal Leve MAHLE									
MOTOR 4.236 PREMIUM. CAMINHÃO 7-90P / CAMI- NHAO 6-80	4	98,43x127,00 3.875x5.000	AE-032-J L57032	2AE-032-P	S	STD/ 0,190	86,87/87,12	104,14/104,24	2,26/2,31		
			BG-036-U G57036	2BG-036-U	S	STD-S	34,920/34,925 1.3748/1.3750	38,895/38,920 1.5313/1.5323	33,930 1.336	2,120/2,200 0.0835/0.0866	0,0190/0,0430 0.0007/0.0017
			EC-044-J H57044	1EC-092-U	S	STD	50,711/50,737	55,563/55,593	31,880	2,370/2,390	0,0460/0,1420
			SBB-375-J SB57375	8SBB-375-C	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	63,470/63,490 2.4988/2.4996	67,208/67,221 2.6460/2.6465	31,880 1.255	1,835/1,843 0.0722/0.0726	0,0320/0,0810 0.0013/0.0032
			SBC-285-J SM57285	1SBC-474-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	76,162/76,175 2.9985/2.9990	80,416/80,442 3.1660/3.1670	36,700 1.445	2,083/2,091 0.0820/0.0823	0,0590/0,1140 0.0023/0.0045
			4SBC-473-P	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	76,162/76,175 2.9985/2.9990	80,416/80,442 3.1660/3.1670	31,880 1.255	2,083/2,091 0.0820/0.0823	0,0590/0,1140 0.0023/0.0045	
MOTOR 318-3E CAMINHÃO 22.160	8	99,31x84,10 3.910x3.311	BB-136-J B10136	8BB-246-P	SP	STD/ 0,254/ 0,508/ 0,762	53,950/53,975 2.1240/2.1250	57,150/57,163 2.2500/2.2505	21,530 0.848	1,572/1,585 0.0619/0.0624	0,0050/0,0690 0.0002/0.0027
				8BB-246-P	SP	STD/ 0,254/ 0,508/ 0,762	53,950/53,975 2.1240/2.1250	57,150/57,163 2.2500/2.2505	21,530 0.848	1,572/1,585 0.0619/0.0624	0,0050/0,0690 0.0002/0.0027
MOTOR 318. 0,5:1 CAMINHÃO E-13 / E-21	8	99,31x84,10 3.910x3.311		8BB-246-P	SP	STD/ 0,254/ 0,508/ 0,762	53,950/53,975 2.1240/2.1250	57,150/57,163 2.2500/2.2505	21,530 0.848	1,572/1,585 0.0619/0.0624	0,0050/0,0690 0.0002/0.0027
MOTOR MWM D-229.- 6,6:1 CAMINHÃO 6-90 / 7-90S / CAMINHÃO 11-130 / 13-130	4/6	102,00x120,00	BC-764-P M0130764 CENTRAL	1BC-764-P(F) C/ FURO S/ CANAL	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	64,951/64,970	71,000/71,019	35,84/35,88	2,975/2,987	0,056/0,118
			BG-030-U G13030	6BG-030-U	S	STD-S	31,993/32,000	36,000/36,016	30,000	1,975/1,985	0,0300/0,0730
			BG-090-U G13090 EXT. + 0,20	1BG-090-U	S	STD-S	31,993/32,000	36,200/36,216	30,000	2,170/2,300	0,0200/0,0730
			EC-031-J H13031	1EC-072-U	S	STD/ 1,00-S	42,940/42,960	47,000/47,025	26,000	1,990/2,005	0,0300/0,1050
			SBB-144-P SB13144	1SBB-144-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	57,950/57,970	62,000/62,019	27,100	1,980/1,992	0,0460/0,1090
			SBC-313-P SM13313	1SBC-313-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	64,951/64,970	71,000/71,019	28,100	2,975/2,987	0,056/0,118
			SBC-314-P SM13314 CENTRAL	1SBC-314-P(F) C/ FURO S/ CANAL	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	64,951/64,970	71,000/71,019	35,84/35,88	2,975/2,987	0,056/0,118
MOTOR MWM TD-229EC CAMINHÃO 7.110S TURBO	4	102,00x120,00	AE-074-J L13074	2AE-074-P	S	STD/ 0,50	79,00/79,25	94,95/95,20		3,42/3,47	
			BG-076-U G13076	1BG-076-U	S	STD-S	34,995/35,000	38,000/38,016	32,000	1,473/1,488	0,0400/0,0890
			EC-031-J H13031	1EC-072-U	S	STD/ 1,00-S	42,940/42,960	47,000/47,025	26,000	1,990/2,005	0,0300/0,1050
			SBB-220-P SB13220	1SBB-220-P	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	62,950/62,970	67,000/67,019	27,100	1,989/2,002	0,0260/0,0910
			SBC-460-P SM13460	1SBC-460-P	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	69,951/69,970	75,000/75,019	28,100	2,479/2,492	0,0460/0,1100
MOTOR 4.12 TCAE ACTEON EURO 3, VWC- DELIVERY	4	105,00	BB-1090-P B131090	1BB-1090-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	62,950/62,970	67,000/67,019	29,75/30,00	1,994/2,002	0,026/0,081
				1BB-1024-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	62,950/62,970	67,000/67,019	29,75/30,00	1,994/2,002	0,026/0,081
			BC-1149-P M131149	1BC-1085-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	85,942/85,964	92,000/92,022	27,80/28,10	2,992/3,000	0,036/0,096
				1BC-1149-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	85,942/85,964	92,000/92,022	27,80/28,10	2,992/3,000	0,036/0,096
MOTOR MAN D08.34 / D08.36 EURO V	4/6	108,00	AE-373-J L0460373 51.01114-0223	2AE-350-S	C	STD	94,50/94,85	112,45/112,80		2,85/2,90	

											
MOTOR MAN D08.34 / D08.36 EURO V	Nº Cil		Códigos Metal Leve MAHLE								
	4/6	108,00	AE-373-J L0460373 51.01114-0223	2AE-350-I	C	STD	94,50/94,85	112,45/112,80		2,85/2,90	
			BB-1034-P B0461034 07W105701 / 51024106679	1BB-5034-S		STD/ 0,25/ 0,50	69,981/70,000	74,000/74,019	28,70/29,00	1,980/1,990	0,020/0,078
				1BB-5034-I		STD/ 0,25/ 0,50	69,981/70,000	74,000/74,019	28,70/29,00	1,980/1,990	0,020/0,078
			BC-1095-P M0461095 07W105559	1BC-1095-S	C	STD/ 0,25/ 0,50	86,978/87,000	92,000/92,022	25,70/26,00	2,470/2,482	0,036/0,104
				1BC-1095-I		STD/ 0,25/ 0,50	86,978/87,000	92,000/92,022	25,70/26,00	2,470/2,482	0,036/0,104
			EC-1350-U H0461350 Motores 4cil. e 6cil. utilizam 1 peça	1EC-5350-U		STD-S	54,910/54,940	59,000/59,030	24,50/25,00	2,25/2,43	0,060/0,120
			EC-1351-U H0461351 Motores 4cil. utilizam 3pçs e 6cil. 5pçs	1EC-5351-U		STD-S	54,910/54,940	59,000/59,030	24,50/25,00	2,25/2,43	0,060/0,120







												
	Nº Cil		Códigos Metal Leve MAHLE									
MOTOR 1.9L BOXER (WATER COOL) - GAS (BUS 10/1982 - 06/1985), (CARAVELLE CARAT - 1984-06/1985)			SBC-092-J SM70092	1SBC-023-U	A	STD/ 0,25/ 0,50	54,971/54,990	65,000/65,019	21,70/22,00	4,980/4,990	0,030/0,088	
				2SBC-6233-C	A	STD/ 0,25/ 0,50	54,971/54,990	65,000/65,019	21,70/22,00	5,023/5,035	0,060/0,002	
				1SBC-157-U	A	STD/ 0,25/ 0,50	59,971/59,990	70,000/70,019	25,896/25,936	4,976/4,986	0,038/0,096	
				1SBC-024-U	A	STD/ 0,25/ 0,50	39,984/40,000	50,000/50,016	14,70/15,00	4,972/4,983	0,034/0,088	
MOTOR 1700 TIPO 411 (VW PORCHE 914)	4	90,00x66,00	BB-227-J B70227	4BB-227-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	49,983/49,996	52,800/52,813	20,000	1,380/1,392	0,0200/0,0700	
				BC-265-J M70265 EXT. +0,50 FL.+1,00	1BC-462-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	59,971/59,990	70,500/70,519	25,000	5,260/5,272	0,0340/0,0380
					1BC-463-U	AP	STD/ 0,25/ 0,50/ 0,75/ 1,00	59,971/59,990	70,500/70,519	23,000	5,226/5,236	0,0380/0,0960
					1BC-471-U(F)	AP	STD/ 0,25/ 0,50/ 0,75/ 1,00	59,971/59,990	70,500/70,519	26,936	5,226/5,236	0,0380/0,0960
			BG-089-U G70089	BG-089-U	S	STD-S	23,994/24,000	26,470/26,500	26,200	2,491/2,503	0,0160/0,0740	
				EC-073-J H70073	1EC-185-I	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	24,900	1,235/1,245	0,0100/0,0640
					1EC-158-S	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	28,000	1,235/1,245	0,0100/0,0640
					1EC-187-P	B	STD/ 0,25/ 0,50	24,987/25,000	27,500/27,521	22,900	1,235/1,245	0,0100/0,0640
			SBC-245-J SM70245 EXT. STD FL. STD	2SBC-6452-C	A	STD/ 0,25/ 0,50	59,971/59,990	70,000/70,019	25,000	5,010/5,022	0,0340/0,0380	
				1SBC-451-U(F)	A	STD/ 0,25/ 0,50	59,971/59,990	70,000/70,019	26,936	4,976/4,986	0,0380/0,0960	
				1SBC-394-U	A	STD/ 0,25/ 0,50	39,984/40,000	50,000/50,016	15,000	4,972/4,983	0,0340/0,0880	
				1SBC-453-U	A	STD/ 0,25/ 0,50	59,971/59,990	70,000/70,019	23,000	4,976/4,986	0,0380/0,0960	
			SBC-255-J SM70255 EXT. +0,50 FL.STD	1SBC-461-U(F)	A	STD/ 0,25/ 0,50	59,971/59,990	70,500/70,519	26,936	5,226/5,236	0,0380/0,0960	
				1SBC-463-U	A	STD/ 0,25/ 0,50	59,971/59,990	70,500/70,519	23,000	5,226/5,236	0,0380/0,0960	
				2SBC-6462-C	A	STD/ 0,25/ 0,50	59,971/59,990	70,500/70,519	25,000	5,260/5,272	0,0340/0,0380	
				1SBC-404-U	A	STD/ 0,25/ 0,50	39,984/40,000	50,500/50,516	15,000	5,222/5,233	0,0340/0,0880	
MOTOR 1800 TIPO 411 (VW PORCHE 914)	4	93,00x66,00	BB-227-J B70227	4BB-227-P	SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	49,983/49,996	52,800/52,813	20,000	1,380/1,392	0,0200/0,0700	
				BC-265-J M70265 EXT. +0,50 FL.+1,00	1BC-471-U(F)	AP	STD/ 0,25/ 0,50/ 0,75/ 1,00	59,971/59,990	70,500/70,519	26,936	5,226/5,236	0,0390/0,0960
			1BC-462-P		SP	STD/ 0,25/ 0,50/ 0,75/ 1,00	59,971/59,990	70,500/70,519	25,000	5,260/5,272	0,0340/0,0380	
			1BC-463-U		AP	STD/ 0,25/ 0,50/ 0,75/ 1,00	59,971/59,990	70,500/70,519	23,000	5,226/5,236	0,0380/0,0960	

METAL LEVE® **MAHLE®**
456 | © MAHLE 2019/2020

* Itens sob consulta

											
Nº Cil		Códigos Metal Leve MAHLE									
MOTOR TD 70	6		B71089	12BB-4089-C	P	STD/ 0,25/ 0,50	69,840/69,850	73,740/73,753	36,85/37,05	1,900/1,912	0,066/0,113
D24 / 24-T / 24-TIC				2AE-029-S	C	STD	63,76/64,01	76,71/76,96		1,92/1,97	
				2AE-029-I	C	STD	63,76/64,01	76,71/76,96		1,92/1,97	
IN LINE ENGINE DIESEL D50 A,B/ TD 50A,B/ 5128cm3/ 77/78/86/108/121KW (105/107/117/147/165 OS) 1965,,,	6	95,25x120,00	AE-026-J L71026	4AE-4026-C	P	STD	85,03/85,28	104,23/104,48	52,30	3,07/3,12	
			BB-088-J B71088	12BB-4088-C	P	STD / .010 / .020 / .030 / .040	63,449/63,462	67,323/67,336	33,94	1,890/1,902	0,057/0,107
			BC-025-J M71025	7BC-4055-I	P	STD / .010 / .020 / .030 / .040	76,146/76,162	81,051/81,076	26,50	2,402/2,414	0,061/0,126
				7BC-4055-S	P	STD / .010 / .020 / .030 / .040	76,146/76,162	81,051/81,076	26,50	2,402/2,414	0,061/0,126
IN LINE ENGINE, DIESEL MD 60/ TMD 60/ D 60 A,B,C,D/ TD 60 A,B,C,D/ D 61 ES,F,G,GA,GB,GC,GS/ TD 61 ES,F,G,GA,GB,GC,GS/ TD 63 E,ES,ME/ TWD 63 ME/ TWD 63 ME/ 5475 cm3/ 88- 152KW (120-270 OS) 1975,,,	6	98,42x120,00	AE-026-J L71026	4AE-4026-C	P	STD	85,03/85,28	104,23/104,48	52,30	3,07/3,12	
			BB-088-J B71088	12BB-4088-C	P	STD / .010 / .020 / .030 / .040	63,449/63,462	67,323/67,336	33,94	1,890/1,902	0,057/0,107
			BC-025-J M71025	7BC-4055-S	P	STD / .010 / .020 / .030 / .040	76,146/76,162	81,051/81,076	26,50	2,402/2,414	0,061/0,126
				7BC-4055-I	P	STD / .010 / .020 / .030 / .040	76,146/76,162	81,051/81,076	26,50	2,402/2,414	0,061/0,126
IN LINE ENGINE DIESEL. MD 70/ TMD 70/ D 70 A,B,C,D,E,F,G,H,FS,HA/ TD 70 A,B,C,D,E,F,G,H,FS,HA/ TD 71 F,FD,FQ,FS,FSQ,G/ TD 73 E,ES,ME/ TWD 731 ME/ 6721 cm3 106-180KW (144-245 OS) 1965...	6	104,77x130,00	AE-025-J L71025	4AE-4025-C	P	STD	90,29/90,54	112,50/112,75	56,44	2,31/2,36	
MOTOR TD 71 15,5:1 CAMINHÃO / ÔNIBUS 7,1 TON.	6	104,77x130,00	BG-800-U G71800	1BG-800-U	SP	STD-S	47,984/48,000	53,00/53,046	50,25	2,600/2,680	0,050/0,100
MOTOR DH10/ D10A/ TD10A/B 9600	6	120,65x140,00 4.75x5.51	AE-076-J L71076	2AE-076-P	P	STD/ 0,20	108,700	131,930		2,360	
			SBB-240-J SB71240	12SBB-240-C	A	STD/ 0,25/ 0,50/ 0,75	86,003/86,018	90,925/90,940	45,720	2,408/2,421	0,0650/0,1210
			SBC-278-J SM71278	7SBC-464-P	A	STD/ 0,25/ 0,50/ 0,75	99,978/100,00	104,978/105,003	37,340	2,442/2,455	0,068/0,141
MOTOR 102 FS 9600 (NL10340)	6	120,65x140,00 4.75x5.51	AE-076-J L71076	2AE-076-P	P	STD/ 0,20	108,700	131,930		2,360	
			BG-531-U G71531	1BG-531-U	P	STD-S	51,998/52,004	57,300/57,346	36,35/36,85	2,770/2,950	0,018/0,028
			EC-111-J H71111 Obs: Mandrilhavel até STD	1EC-130-U	B	0,50-S	68,996/69,015	72,225/72,250	33,580	2,050/2,130	0,0350/0,0790




* Itens sob consulta

															
	Nº Cil		Códigos Metal Leve MAHLE												
MOTOR 102 FS 9600 (NL10340)	6	120,65x140,00 4.75x5.51	EC-111-J H71111 Obs: Mandrilhavel até STD	1EC-135-U	B	0,50-S	60,271/60,290	63,500/63,525	26,650	2,050/2,130	0,0350/0,0790				
				1EC-134-U	B	0,50-S	61,058/61,077	64,287/64,313	25,650	2,050/2,130	0,0350/0,0790				
				1EC-132-U	B	0,50-S	64,233/64,252	67,462/67,488	25,650	2,050/2,130	0,0350/0,0790				
				1EC-133-U	B	0,50-S	63,446/63,465	66,675/66,700	25,650	2,050/2,130	0,0350/0,0790				
				1EC-131-U	B	0,50-S	66,621/66,640	69,850/69,875	25,650	2,050/2,130	0,0350/0,0790				
			SBB-240-J SB71240	1EC-136-U	B	0,50-S	56,296/56,315	59,525/59,550	25,650	2,050/2,130	0,0350/0,0790				
				12SBB-240-C	A	STD/ 0,25/ 0,50/ 0,75	86,003/86,018	90,925/90,940	45,720	2,408/2,421	0,0650/0,1210				
				SBC-278-J SM71278	7SBC-464-P	A	STD/ 0,25/ 0,50/ 0,75	99,978/100,000	104,978/105,003	37,340	2,442/2,455	0,0680/0,1410			
				MOTOR TD 100A 9600 15,0:1 (CAMINHAO N10 / N10XH / ONIBUS B-58)	6	120,65x140,00 4.75x5.51	AE-076-J L71076	2AE-076-P	P	STD/ 0,20	108,700	131,930		2,360	
								BG-081-U G71081	6BG-081-U	S	STD-S	52,000/52,004	57,300/57,346	46,150	2,770/2,950
EC-111-J H71111	1EC-132-U	B	0,50-S				64,233/64,252	67,462/67,488	25,650	2,050/2,130	0,0350/0,0790				
	1EC-133-U	B	0,50-S				63,446/63,465	66,675/66,700	25,650	2,050/2,130	0,0350/0,0790				
	1EC-130-U	B	0,50-S				68,996/69,015	72,225/72,250	33,580	2,050/2,130	0,0350/0,0790				
	1EC-131-U	B	0,50-S				66,621/66,640	69,850/69,875	25,650	2,050/2,130	0,0350/0,0790				
	1EC-134-U	B	0,50-S				61,058/61,077	64,287/64,313	25,650	2,050/2,130	0,0350/0,0790				
	1EC-135-U	B	0,50-S				60,271/60,290	63,500/63,525	25,650	2,050/2,130	0,0350/0,0790				
	1EC-136-U	B	0,50-S				56,296/56,315	59,525/59,550	25,650	2,050/2,130	0,0350/0,0790				
	12SBB-340-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00				86,003/86,018	90,925/90,940	45,720	2,408/2,421	0,0650/0,1210				
SBC-278-J SM71278	7SBC-464-P	A	STD/ 0,25/ 0,50/ 0,75	99,978/100,000	104,978/105,003	37,340	2,442/2,455	0,068/0,1410							
MOTOR THD 100D 9600 A PARTIR No 2138	6	120,65x140,00 4.75x5.51	AE-076-J L71076	2AE-076-P	P	STD/ 0,20	108,700	131,930		2,360					
				BG-581-U G71581	6BG-581-U	P	STD-S	52,000/52,004	57,300/57,346	48,850	2,900/2,950	0,0180/0,0260			
			EC-111-J H71111 Obs: Mandrilhavel até STD	1EC-131-U	B	0,50-S	66,621/66,640	69,850/69,875	25,650	2,050/2,130	0,0350/0,0790				
				1EC-134-U	B	0,50-S	61,058/61,077	64,287/64,313	25,650	2,050/2,130	0,0350/0,0790				
				1EC-135-U	B	0,50-S	60,271/60,290	63,500/63,525	26,650	2,050/2,130	0,0350/0,0790				
				1EC-130-U	B	0,50-S	68,996/69,015	72,225/72,250	33,580	2,050/2,130	0,0350/0,0790				
				1EC-133-U	B	0,50-S	63,446/63,465	66,675/66,700	25,650	2,050/2,130	0,0350/0,0790				
				1EC-132-U	B	0,50-S	64,233/64,252	67,462/67,488	25,650	2,050/2,130	0,0350/0,0790				
				1EC-136-U	B	0,50-S	56,296/56,315	59,525/59,550	25,650	2,050/2,130	0,0350/0,0790				
				12SBB-240-C	A	STD/ 0,25/ 0,50/ 0,75	86,003/86,018	90,925/90,940	45,720	2,408/2,421	0,0650/0,1210				
SBC-278-J SM71278	7SBC-464-P	A	STD/ 0,25/ 0,50/ 0,75	99,978/100,000	104,978/105,003	37,340	2,442/2,455	0,0680/0,1410							
MOTOR THD 100D. 9600 (CAMINHAO N10 / N10XH / ONIBUS B-58) ATE No 2137	6	120,65x140,00 4.75x5.51	AE-076-J L71076	2AE-076-P	P	STD/ 0,20	108,700	131,930		2,360					
				BG-081-U G71081	6BG-081-U	S	STD-S	52,000/52,004	57,300/57,346	46,150	2,770/2,950	0,0180/0,0260			


* Itens sob consulta


											
MOTOR THD 100D. 9600 (CAMINHÃO N10 / N10XH / ONIBUS B-58) ATE No 2137	6	120,65x140,00 4.75x5.51	EC-111-J H71111	1EC-130-U	B	0,50-S	68,996/69,015	72,225/72,250	33,580	2,050/2,130	0,0350/0,0790
				1EC-131-U	B	0,50-S	66,621/66,640	69,850/69,875	25,650	2,050/2,130	0,0350/0,0790
				1EC-134-U	B	0,50-S	61,058/61,077	64,287/64,313	25,650	2,050/2,130	0,0350/0,0790
				1EC-136-U	B	0,50-S	56,296/56,315	59,525/59,550	25,650	2,050/2,130	0,0350/0,0790
				1EC-132-U	B	0,50-S	64,233/64,252	67,462/67,488	25,650	2,050/2,130	0,0350/0,0790
				1EC-133-U	B	0,50-S	63,446/63,465	66,675/66,700	25,650	2,050/2,130	0,0350/0,0790
				1EC-135-U	B	0,50-S	60,271/60,290	63,500/63,525	25,650	2,050/2,130	0,0350/0,0790
			SBB-340-J SB71340	12SBB-340-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	86,003/86,018	90,925/90,940	45,720	2,408/2,421	0,0650/0,1210
			SBC-278-J SM71278	7SBC-464-P	A	STD/ 0,25/ 0,50/ 0,75	99,978/100,000	104,978/105,003	37,340	2,442/2,455	0,068/0,1410
MOTOR THD 100E 9600 A PARTIR No 109	6	120,65x140,00 4.75x5.51	AE-076-J L71076	2AE-076-P	P	STD/ 0,20	108,700	131,930		2,360	
			BG-581-U G71581	6BG-581-U	P	STD-S	52,000/52,004	57,300/57,346	48,850	2,900/2,950	0,0180/0,0260
			EC-111-J H71111 Obs: Mandrilhavel até STD	1EC-130-U	B	0,50-S	68,996/69,015	72,225/72,250	33,580	2,050/2,130	0,0350/0,0790
				1EC-133-U	B	0,50-S	63,446/63,465	66,675/66,700	25,650	2,050/2,130	0,0350/0,0790
				1EC-131-U	B	0,50-S	66,621/66,640	69,850/69,875	25,650	2,050/2,130	0,0350/0,0790
				1EC-132-U	B	0,50-S	64,233/64,252	67,462/67,488	25,650	2,050/2,130	0,0350/0,0790
				1EC-135-U	B	0,50-S	60,271/60,290	63,500/63,525	26,650	2,050/2,130	0,0350/0,0790
				1EC-136-U	B	0,50-S	56,296/56,315	59,525/59,550	25,650	2,050/2,130	0,0350/0,0790
				1EC-134-U	B	0,50-S	61,058/61,077	64,287/64,313	25,650	2,050/2,130	0,0350/0,0790
			SBB-240-J SB71240	12SBB-240-C	A	STD/ 0,25/ 0,50/ 0,75	86,003/86,018	90,925/90,940	45,720	2,408/2,421	0,0650/0,1210
			SBC-278-J SM71278	7SBC-464-P	A	STD/ 0,25/ 0,50/ 0,75	99,978/100,000	104,978/105,003	37,340	2,442/2,455	0,0680/0,1410
MOTOR THD 100ED/ THD 100A/ THD 101KC/ THD 101GB/ THD 101GC/ TD101F/ TD100G/ TD101G/ TD102FT 9600 (CAMINHÃO N10XH / NL10280 / B-10M / B-58M / ONIBUS B-58 / B-58E)	6	120,65x140,00 4.75x5.51	AE-076-J L71076	2AE-076-P	P	STD/ 0,20	108,700	131,930		2,360	
			BG-581-U G71581 Série 101	6BG-581-U	P	STD-S	52,000/52,004	57,300/57,346	48,850	2,900/2,950	0,0180/0,0260
			EC-111-J H71111 Obs: Mandrilhavel até STD	1EC-130-U	B	0,50-S	68,996/69,015	72,225/72,250	33,580	2,050/2,130	0,0350/0,0790
				1EC-132-U	B	0,50-S	64,233/64,252	67,462/67,488	25,650	2,050/2,130	0,0350/0,0790
				1EC-135-U	B	0,50-S	60,271/60,290	63,500/63,525	26,650	2,050/2,130	0,0350/0,0790
				1EC-136-U	B	0,50-S	56,296/56,315	59,525/59,550	25,650	2,050/2,130	0,0350/0,0790
				1EC-131-U	B	0,50-S	66,621/66,640	69,850/69,875	25,650	2,050/2,130	0,0350/0,0790
				1EC-134-U	B	0,50-S	61,058/61,077	64,287/64,313	25,650	2,050/2,130	0,0350/0,0790
				1EC-133-U	B	0,50-S	63,446/63,465	66,675/66,700	25,650	2,050/2,130	0,0350/0,0790
			SBB-240-J SB71240	12SBB-240-C	A	STD/ 0,25/ 0,50/ 0,75	86,003/86,018	90,925/90,940	45,720	2,408/2,421	0,0650/0,1210
			SBC-278-J SM71278	7SBC-464-P	A	STD/ 0,25/ 0,50/ 0,75	99,978/100,000	104,978/105,003	37,340	2,442/2,455	0,0680/0,1410


* Itens sob consulta



											
MOTOR THD 100E. 600 CAMINHAO N10 / N10XH / (ONIBUS B-58) ATE No 108	6	120,65x140,00 4.75x5.51	AE-076-J L71076	2AE-076-P	P	STD/ 0,20	108,700	131,930		2,360	
			BG-081-U G71081	6BG-081-U	S	STD-S	52,000/52,004	57,300/57,346	46,150	2,770/2,950	0,0180/0,0260
			EC-111-J H71111	1EC-130-U	B	0,50-S	68,996/69,015	72,225/72,250	33,580	2,050/2,130	0,0350/0,0790
				1EC-135-U	B	0,50-S	60,271/60,290	63,500/63,525	25,650	2,050/2,130	0,0350/0,0790
				1EC-132-U	B	0,50-S	64,233/64,252	67,462/67,488	25,650	2,050/2,130	0,0350/0,0790
				1EC-136-U	B	0,50-S	56,296/56,315	59,525/59,550	25,650	2,050/2,130	0,0350/0,0790
				1EC-134-U	B	0,50-S	61,058/61,077	64,287/64,313	25,650	2,050/2,130	0,0350/0,0790
				1EC-133-U	B	0,50-S	63,446/63,465	66,675/66,700	25,650	2,050/2,130	0,0350/0,0790
				1EC-131-U	B	0,50-S	66,621/66,640	69,850/69,875	25,650	2,050/2,130	0,0350/0,0790
			SBB-340-J SB71340	12SBB-340-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	86,003/86,018	90,925/90,940	45,720	2,408/2,421	0,0650/0,1210
			SBC-278-J SM71278	7SBC-464-P	A	STD/ 0,25/ 0,50/ 0,75	99,978/100,000	104,978/105,003	37,340	2,442/2,455	0,068/0,1410
MOTOR THD 100G 600 CAMINHAO N10 / N10XH / (ONIBUS B-58) ATE No 946	6	120,65x140,00 4.75x5.51	AE-076-J L71076	2AE-076-P	P	STD/ 0,20	108,700	131,930		2,360	
			BG-081-U G71081	6BG-081-U	S	STD-S	52,000/52,004	57,300/57,346	46,150	2,770/2,950	0,0180/0,0260
			EC-111-J H71111	1EC-132-U	B	0,50-S	64,233/64,252	67,462/67,488	25,650	2,050/2,130	0,0350/0,0790
				1EC-136-U	B	0,50-S	56,296/56,315	59,525/59,550	25,650	2,050/2,130	0,0350/0,0790
				1EC-133-U	B	0,50-S	63,446/63,465	66,675/66,700	25,650	2,050/2,130	0,0350/0,0790
				1EC-134-U	B	0,50-S	61,058/61,077	64,287/64,313	25,650	2,050/2,130	0,0350/0,0790
				1EC-130-U	B	0,50-S	68,996/69,015	72,225/72,250	33,580	2,050/2,130	0,0350/0,0790
				1EC-135-U	B	0,50-S	60,271/60,290	63,500/63,525	25,650	2,050/2,130	0,0350/0,0790
				1EC-131-U	B	0,50-S	66,621/66,640	69,850/69,875	25,650	2,050/2,130	0,0350/0,0790
			SBB-340-J SB71340	12SBB-340-C	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	86,003/86,018	90,925/90,940	45,720	2,408/2,421	0,0650/0,1210
			SBC-278-J SM71278	7SBC-464-P	A	STD/ 0,25/ 0,50/ 0,75	99,978/100,000	104,978/105,003	37,340	2,442/2,455	0,068/0,1410
MOTOR THD 100G/101G 600 PARTIR No 947	6	120,65x140,00 4.75x5.51	AE-076-J L71076	2AE-076-P	P	STD/ 0,20	108,700	131,930		2,360	
			BG-581-U G71581	6BG-581-U	P	STD-S	52,000/52,004	57,300/57,346	48,850	2,900/2,950	0,0180/0,0260
			EC-111-J H71111 Obs: Mandrilhavel até STD	1EC-131-U	B	0,50-S	66,621/66,640	69,850/69,875	25,650	2,050/2,130	0,0350/0,0790
				1EC-130-U	B	0,50-S	68,996/69,015	72,225/72,250	33,580	2,050/2,130	0,0350/0,0790
				1EC-132-U	B	0,50-S	64,233/64,252	67,462/67,488	25,650	2,050/2,130	0,0350/0,0790
				1EC-133-U	B	0,50-S	63,446/63,465	66,675/66,700	25,650	2,050/2,130	0,0350/0,0790
				1EC-134-U	B	0,50-S	61,058/61,077	64,287/64,313	25,650	2,050/2,130	0,0350/0,0790
				1EC-135-U	B	0,50-S	60,271/60,290	63,500/63,525	26,650	2,050/2,130	0,0350/0,0790
				1EC-136-U	B	0,50-S	56,296/56,315	59,525/59,550	25,650	2,050/2,130	0,0350/0,0790
			SBB-240-J SB71240	12SBB-240-C	A	STD/ 0,25/ 0,50/ 0,75	86,003/86,018	90,925/90,940	45,720	2,408/2,421	0,0650/0,1210
			SBC-278-J SM71278	7SBC-464-P	A	STD/ 0,25/ 0,50/ 0,75	99,978/100,000	104,978/105,003	37,340	2,442/2,455	0,0680/0,1410

* Itens sob consulta

	Nº Cil		 Códigos Metal Leve MAHLE							
MOTOR TD 120G / TD 121G / F / TD 120GA CAMINHÃO N12	6	130,165x150,00	AE-097-J L71097	4AE-214-C	P	STD/ 0,20	116,59/117,09	139,68/139,93		3,14/3,21
			BB-258-J B71258 FURO DE 45°30' DA LINHA DE CENTRO	6BB-258-P	SP	STD/ 0,25	92,028/92,043	96,835/96,850	46,250	2,352/2,365
			BG-831-U G71831 Trapezoidal	1BG-831-U		STD-S	54,992/55,000	60,300/60,346	45,75/46,25	2,77/2,95
			EC-111-J H71111 Obs: Mandrilhavel até STD	1EC-131-U	B	0,50-S	66,621/66,640	69,850/69,875	25,650	2,050/2,130
				1EC-130-U	B	0,50-S	68,996/69,015	72,225/72,250	33,580	2,050/2,130
				1EC-133-U	B	0,50-S	63,446/63,465	66,675/66,700	25,650	2,050/2,130
				1EC-132-U	B	0,50-S	64,233/64,252	67,462/67,488	25,650	2,050/2,130
				1EC-135-U	B	0,50-S	60,271/60,290	63,500/63,525	25,650	2,050/2,130
				1EC-134-U ..	B	0,50-S	61,058/61,077	64,287/64,313	25,650	2,050/2,130
				1EC-136-U	B	0,50-S	56,296/56,315	59,525/59,550	25,650	2,050/2,130
			SBB-243-J SB71243 FURO DE 24°30' DA LINHA DE CENTRO	12SBB-243-C	A	STD/ 0,25/ 0,50/ 0,75	92,028/92,043	96,835/96,850	46,250	2,352/2,365
			SBC-322-J SM71322	7SBC-489-P	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	107,915/107,937	113,040/113,065	37,080	2,502/2,515
MOTOR TD 122 F/FS/FR (CAMINHAO NL 12 360/ 12 400)	6	130,165x150,00	AE-097-J L71097	4AE-214-C	P	STD/ 0,20	116,59/117,09	139,68/139,93		3,14/3,21
			BB-258-J B71258 FURO DE 45°30' DA LINHA DE CENTRO	6BB-258-P	SP	STD/ 0,25	92,028/92,043	96,835/96,850	46,250	2,352/2,365
			BG-502-U G71502 Paralela	6BG-502-U		STD-S	55,000/55,004	60,300/60,346	47,35/47,85	2,77/2,95
			EC-111-J H71111 Obs: Mandrilhavel até STD	1EC-131-U	B	0,50-S	66,621/66,640	69,850/69,875	25,650	2,050/2,130
				1EC-130-U	B	0,50-S	68,996/69,015	72,225/72,250	33,580	2,050/2,130
				1EC-132-U	B	0,50-S	64,233/64,252	67,462/67,488	25,650	2,050/2,130
				1EC-136-U	B	0,50-S	56,296/56,315	59,525/59,550	25,650	2,050/2,130
				1EC-134-U	B	0,50-S	61,058/61,077	64,287/64,313	25,650	2,050/2,130
				1EC-133-U	B	0,50-S	63,446/63,465	66,675/66,700	25,650	2,050/2,130
				1EC-135-U	B	0,50-S	60,271/60,290	63,500/63,525	25,650	2,050/2,130
			SBB-243-J SB71243 FURO DE 24°30' DA LINHA DE CENTRO	12SBB-243-C	A	STD/ 0,25/ 0,50/ 0,75	92,028/92,043	96,835/96,850	46,250	2,352/2,365
			SBC-322-J SM71322	7SBC-489-P	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	107,915/107,937	113,040/113,065	37,080	2,502/2,515
MOTOR TD 123 EDC 12000 17,8:1 360/410CV - NL12 TD 123 360cv EDC DIESEL	6	130,18x150,00 5.13x5.91	AE-097-J L71097	4AE-214-C	P	STD/ 0,20	116,59/117,09	139,68/139,93		3,14/3,21
			BB-258-J B71258 FURO DE 45°30' DA LINHA DE CENTRO	6BB-258-P	SP	STD/ 0,25	92,028/92,043	96,835/96,850	46,250	2,352/2,365

	Nº Cil		 Códigos Metal Leve MAHLE							
MOTOR TD 123 EDC 12000 17,8:1 360/410CV - NL12 TD 123 360cv EDC DIESEL	6	130,18x150,00 5.13x5.91	BG-831-U G71831 Trapezoidal	1BG-831-U		STD-S	54,992/55,000	60,300/60,346	45,75/46,25	2,77/2,95
			EC-111-J H71111 Obs: Mandrilhavel até STD	1EC-131-U	B	0,50-S	66,621/66,640	69,850/69,875	25,650	2,050/2,130
				1EC-130-U	B	0,50-S	68,996/69,015	72,225/72,250	33,580	2,050/2,130
				1EC-133-U	B	0,50-S	63,446/63,465	66,675/66,700	25,650	2,050/2,130
				1EC-132-U	B	0,50-S	64,233/64,252	67,462/67,488	25,650	2,050/2,130
				1EC-135-U	B	0,50-S	60,271/60,290	63,500/63,525	25,650	2,050/2,130
				1EC-134-U ..	B	0,50-S	61,058/61,077	64,287/64,313	25,650	2,050/2,130
				1EC-136-U	B	0,50-S	56,296/56,315	59,525/59,550	25,650	2,050/2,130
			SBB-243-J SB71243 FURO DE 24°30' DA LINHA DE CENTRO	12SBB-243-C	A	STD/ 0,25/ 0,50/ 0,75	92,028/92,043	96,835/96,850	46,250	2,352/2,365
			SBC-322-J SM71322	7SBC-489-P	A	STD/ 0,25/ 0,50/ 0,75/ 1,00	107,915/107,937	113,040/113,065	37,080	2,502/2,515
Motor D13A/B/C / MD13 - Euro 3 / 5 Eletrônico 400cv, 440cv, 460cv, 480cv, 520cv, 540cv	6	131,00x158,00	AE-097-J L71097	4AE-214-C	P	STD/ 0,20	116,59/117,09	139,68/139,93		3,14/3,21
			BB-520-J B71520	6BB-1205-I	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	98,978/99,000	103,835/103,850	48,550/48,850	2,383/2,395
MOTOR D12 (3039), TD12A, D12A/B/C/D/E	6	131,00		6BB-1205-S	C	STD/ 0,25/ 0,50/ 0,75/ 1,00	98,978/99,000	103,835/103,850	48,550/48,850	2,383/2,395
			BC-714-J M71714	7BC-1330-I	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	107,978/108,000	113,040/113,065	37,500/37,800	2,485/2,497
				7BC-1330-S	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	107,978/108,000	113,040/113,065	37,500/37,800	2,485/2,497
			EC-146-J H71146	12EC-491-C	C	STD	69,970/70,000	73,888/73,913	25,400/25,600	1,916/1,924
				2EC-492-C	C	STD	69,970/70,000	73,888/73,913	42,050/42,170	1,916/1,924
			AE-076-J L71076	2AE-076-P	P	STD/ 0,20	108,700	131,930		2,360
			BB-352-J B71352	12BB-1026-C	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	91,978/92,000	96,835/96,850	48,87/49,03	2,384/2,396
			BC-551-J M71551	7BC-1087-I	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	107,978/108,000	113,040/113,065	38,65/38,90	2,483/2,498
				7BC-1087-S	P	STD/ 0,25/ 0,50/ 0,75/ 1,00	107,978/108,000	113,040/113,065	38,65/38,90	2,483/2,498
			BG-831-U G71831	1BG-831-U		STD-S	54,992/55,000	60,300/60,346	45,75/46,25	2,77/2,95
			EC-101-J H71101 BRONZINA DO EIXO COMANDO	2EC-429-C	C	STD	69,970/70,000	73,888/73,913	42,09/42,21	1,916/1,924
				12EC-428-C	C	STD	69,970/70,000	73,888/73,913	32,87/33,13	1,916/1,924

		 Códigos Metal Leve MAHLE									
COMPRESSOR.. N-700 / W-800 / W-900	Nº Cil		BB-179-U B91179 BG-028-U G91028	1BB-179-U 1BG-028-U	S S	STD-S STD-S	53,950/53,970 25,395/25,400	58,030/58,060 28,052/28,072	32,50/33,00 29,30/29,70	2,010/2,040 1,330/1,355	0,030/0,080 0,010/0,025

											
Nº Cil		Códigos Metal Leve MAHLE									
COMPRESSOR /1010 - 4/1012 - 4/1026 - /1034 - 4/1043 - 4/1510	1	90,00x36,00	BB-270-J	1BB-270-P	SP	STD/ 0,30/ 0,60	34,975/34,991	37,600/37,616	21,000	1,300/1,313	0,0170/0,0410
	2		B42270								
			BC-459-U	1BC-459-U	SP	STD/ 0,30/ 0,60	34,975/34,991	39,000/39,016	16,000	1,975/1,995	0,0190/0,0910
			M42459								

MAHLE[®]
466 | © MAHLE 2019/2020

466 | © MAHLE 2019/2020

MAHLE

MAHLE[®]
© MAHLE 2019/2020 | 467

© MAHLE 2019/2020 | 467

Nº Metal Leve	Nº MAHLE	Marca
BB-620-J	B14620	GENERAL MOTORS
BB-623-J	B14623	GENERAL MOTORS
BB-625-J	B59625	FORD
BB-626-J	B59626	FORD
BB-629-J	B59629	FORD
BB-632-J	B09632	AMERICAN MOTORS
BB-633-J	B14633	GENERAL MOTORS
BB-634-J	B10634	CHRYSLER
BB-652-J	B10652	CHRYSLER
BB-653-J	B18653	RENAULT
BB-665-J	B26665	FORD - NEW HOLLAND
BB-670-J	B25670	FIAT
BB-671-P	B13671	MWM
BB-676-J	B2080676	HYUNDAI
BB-679-J	B0030679	NISSAN
BB-683-J	B0630683	TOYOTA
BB-684-J	B1950684	HYUNDAI
BB-685-J	B1950685	MITSUBISHI
BB-686-J	B0030686	NISSAN
BB-686-J	B0030686	RENAULT
BB-708-J	B0760708	SCANIA
BB-713-J	B0030713	NISSAN
BB-717-J	B0590717	FORD
BB-719-J	B0130719	MWM
BB-720-J	B1950720	MITSUBISHI
BB-721-J	B0140721	GENERAL MOTORS
BB-725-J	B0700725	VOLKSWAGEN
BB-726-J	B0700726	VOLKSWAGEN
BB-729-J	B2080729	HYUNDAI
BB-736-J	B0630736	TOYOTA
BB-737-J	B0630737	TOYOTA
BB-738-J	B2080738	HYUNDAI
BB-739-J	B0440739	CITROEN
BB-740-J	B0140740	GENERAL MOTORS
BB-741-J	B0590741	FORD
BB-742-J	B2080742	HYUNDAI
BB-742-J	B2080742	KIA MOTORS
BB-743-J	B1950743	MITSUBISHI
BB-744-J	B3550744	JAC MOTORS
BB-746-J	B0760746	SCANIA
BB-747-J	B0630747	TOYOTA
BB-748-J	B0590748	FORD
BB-749-J	B0180749	RENAULT
BB-750-J	B0590750	FORD
BB-753-J	B0180753	RENAULT
BB-758-J	B0180758	RENAULT
BB-760-J	B0700760	VOLKSWAGEN
BB-765-J	B1950765	MITSUBISHI
BB-766-J	B0700766	VOLKSWAGEN
BB-768-J	B1950768	MITSUBISHI
SBB-036-J	SB57036	CHRYSLER
SBB-036-J	SB57036	FORD
SBB-036-J	SB57036	GENERAL MOTORS
SBB-036-J	SB57036	PERKINS (MAXION)
SBB-037-J	SB57037	PERKINS (MAXION)
SBB-038-J	SB57038	CIA. BRASILEIRA DE TRATORES
SBB-038-J	SB57038	FORD TRATORES
SBB-038-J	SB57038	PERKINS (MAXION)
SBB-082-J	SB76082	FIAT-ALLIS
SBB-082-J	SB76082	SCANIA
SBB-1035-J	SB701035	VOLKSWAGEN
SBB-121-J	SB70121	VOLKSWAGEN
SBB-1313-J	SB141313	GENERAL MOTORS
SBB-134-J	SB48134	CIA. BRASILEIRA DE TRATORES
SBB-134-J	SB48134	FIAT-ALLIS
SBB-134-J	SB48134	KOMATSU
SBB-134-J	SB48134	MALVES
SBB-134-J	SB48134	MERCEDES BENZ
SBB-135-J	SB48135	MERCEDES BENZ
SBB-144-P	SB13144	CHRYSLER
SBB-144-P	SB13144	FIAT-ALLIS
SBB-144-P	SB13144	FORD
SBB-144-P	SB13144	MWM
SBB-144-P	SB13144	VALMET
SBB-144-P	SB13144	VOLKSWAGEN CAMINHÕES
SBB-150-J	SB57150	FORD
SBB-150-J	SB57150	GENERAL MOTORS

Nº Metal Leve	Nº MAHLE	Marca
BC-001-J	M23001	JEEP
BC-001-J	M23001	WILLYS
BC-006-J	M48006	MERCEDES BENZ
BC-008-J	M14008	GENERAL MOTORS
BC-015-J	M44015	PEUGEOT
BC-025-J	M71025	VOLVO
BC-040-J	M57040	PERKINS (MAXION)
BC-072-J	M211072	KIA MOTORS
BC-093-J	M76093	SCANIA
BC-1084-P	M13613	MWM
BC-1085-P	M13513	MWM
BC-1095-P	M0461095	MAN
BC-1095-P	M0461095	VOLKSWAGEN CAMINHÕES
BC-1149-P	M131149	MWM
BC-1149-P	M131149	VOLKSWAGEN CAMINHÕES
BC-123-J	M59123	FORD
BC-1355-J	M141355	GENERAL MOTORS
BC-138-P		IHC (INTERNATIONAL)
BC-139-P		IHC (INTERNATIONAL)
BC-140-P		IHC (INTERNATIONAL)
BC-141-J	M70141	VOLKSWAGEN
BC-142-P		IHC (INTERNATIONAL)
BC-143-P		IHC (INTERNATIONAL)
BC-1510-P	M431510	JOHN DEERE
BC-1512-P	M431512	JOHN DEERE
BC-1517-P	M431517	JOHN DEERE
BC-161-J	M70161	VOLKSWAGEN
BC-175-J	M14175	GENERAL MOTORS
BC-175-P	M50175	KHD / DEUTZ
BC-176-J	M48176	MERCEDES BENZ
BC-177-J	M48177	MERCEDES BENZ
BC-178-P	M43178	JOHN DEERE
BC-179-P	M43179	JOHN DEERE
BC-204-J	M70204	VOLKSWAGEN
BC-219-J	M26219	FORD TRATORES
BC-220-J	M26220	FORD
BC-220-J	M26220	FORD TRATORES
BC-229-J		IVECO
BC-240-J	M59240	FORD
BC-265-J	M70265	VOLKSWAGEN PORSCHE
BC-289-J	M59289	FORD
BC-296-J	M14296	GENERAL MOTORS
BC-297-J	M14297	GENERAL MOTORS
BC-298-J	M14298	GENERAL MOTORS
BC-300-J		BUICK
BC-302-J	M02302	BUICK
BC-303-J	M59303	FORD
BC-305-J	M59305	FORD
BC-306-J	M59306	FORD
BC-307-J	M59307	FORD
BC-308-J	M59308	FORD
BC-313-J	M10313	CHRYSLER
BC-314-J		OLDSMOBILE
BC-315-J	M09315	AMERICAN MOTORS
BC-317-J	M14317	GENERAL MOTORS
BC-319-J	M14319	GENERAL MOTORS
BC-320-J	M10320	CHRYSLER
BC-321-J	M10321	CHRYSLER
BC-325-J	M26325	FORD
BC-325-J	M26325	FORD - NEW HOLLAND
BC-341-J	M59341	FORD
BC-343-J	M14343	GENERAL MOTORS
BC-356-J	M14356	PONTIAC MOTORS DIVISION
BC-364-J	M14364	GENERAL MOTORS
BC-369-J		CHRYSLER
BC-372-J	M59372	FORD
BC-378-J	M14378	GENERAL MOTORS
BC-380-J	M59380	FORD
BC-382-J	M59382	FORD
BC-384-J	M59384	FORD
BC-385-J		CHRYSLER
BC-386-J		PONTIAC MOTORS DIVISION
BC-395-J	M48395	MERCEDES BENZ
BC-399-J	M48399	MERCEDES BENZ
BC-400-J	M48400	MERCEDES BENZ
BC-408-J	M18408	RENAULT
BC-408-P	M31408	VALMET

Nº Metal Leve	Nº MAHLE	Marca
BC-409-J	M18409	RENAULT
BC-412-J		LADA
BC-414-J	M48414	MERCEDES BENZ
BC-420-J	M59420	FORD
BC-421-J	M14421	GENERAL MOTORS
BC-422-J	M10422	CHRYSLER
BC-424-J	M14424	GENERAL MOTORS
BC-431-J	M48431	MERCEDES BENZ
BC-458-J	M48458	MERCEDES BENZ
BC-459-J	M48459	MERCEDES BENZ
BC-459-U	M42459	WESTINGHOUSE/WABCO
BC-464-J	M44464	PEUGEOT
BC-465-J	M44465	PEUGEOT
BC-471-J	M14471	GENERAL MOTORS
BC-489-J		AUTO BIANCHI
BC-501-J	M50501	KHD / DEUTZ
BC-505-J	M14505	GENERAL MOTORS
BC-517-J	M63517	TOYOTA
BC-518-J	M03518	NISSAN
BC-535-J	M18535	RENAULT
BC-536-J	M24536	ISUZU
BC-537-J	M59537	FORD
BC-539-J	M44539	PEUGEOT
BC-540-J	M72540	ASIA MOTORS
BC-542-J	M44542	PEUGEOT
BC-543-J	M03543	NISSAN
BC-544-J	M48544	MERCEDES BENZ
BC-546-J	M195546	MITSUBISHI
BC-551-J	M71551	VOLVO
BC-552-J	M48552	MERCEDES BENZ
BC-553-J	M48553	MERCEDES BENZ
BC-556-J	M57556	PERKINS (MAXION)
BC-559-J	M0140559	GENERAL MOTORS
BC-644-J	M25644	FIAT
BC-652-J	M70652	VOLKSWAGEN
BC-656-J	M48656	MERCEDES BENZ
BC-661-J	M48661	MERCEDES BENZ
BC-664-J	M14664	GENERAL MOTORS
BC-675-J	M10675	CHRYSLER
BC-676-J	M18676	RENAULT
BC-677-J	M51677	HONDA
BC-678-J	M01678	IVECO
BC-679-J	M63679	TOYOTA
BC-680-J	M211680	KIA MOTORS
BC-681-J	M57681	PERKINS (MAXION)
BC-682-J	M57682	PERKINS (MAXION)
BC-684-J	M0140684	GENERAL MOTORS
BC-685-J	M0010685	IVECO - FIAT
BC-706-J	M14706	GENERAL MOTORS
BC-709-J	M59709	FORD
BC-713-J	M38713	NAVISTAR (IHC)
BC-714-J	M71714	VOLVO
BC-718-P	M13718	MWM
BC-719-J	M18719	RENAULT
BC-720-J	M195720	MITSUBISHI
BC-721-J	M25721	FIAT
BC-724-J	M51724	HONDA
BC-725-J	M51725	HONDA
BC-727-J	M59727	FORD
BC-728-J	M18728	RENAULT
BC-730-J	M14730	GENERAL MOTORS
BC-733-J	M44733	PEUGEOT
BC-735-J	M59735	FORD
BC-736-J	M57736	INTERNATIONAL
BC-737-J	M01737	IVECO
BC-738-J	M01738	IVECO
BC-744-J	M14744	GENERAL MOTORS
BC-745-J	M25745	FIAT
BC-746-J	M63746	TOYOTA
BC-747-J	M76747	SCANIA
BC-751-J	M26751	FORD - NEW HOLLAND
BC-752-P	M13752	MWM
BC-753-J	M0010753	IVECO - FIAT
BC-764-P	M0130764	CHRYSLER
BC-764-P	M0130764	FIAT-ALLIS
BC-764-P	M0130764	FORD
BC-764-P	M0130764	MWM

Nº Metal Leve	Nº MAHLE	Marca
BG-002-U	G57002	CHRYSLER
BG-002-U	G57002	FORD
BG-002-U	G57002	GENERAL MOTORS
BG-002-U	G57002	PERKINS (MAXION)
BG-003-J	G57003	CIA. BRASILEIRA DE TRATORES
BG-003-J	G57003	FORD TRATORES
BG-003-J	G57003	PERKINS (MAXION)
BG-004-J	G57004	ASIA MOTORS
BG-004-J	G57004	PERKINS (MAXION)
BG-006-U	G76006	FIAT-ALLIS
BG-006-U	G76006	SCANIA
BG-011-U	G48011	MERCEDES BENZ
BG-025-U	G70025	VOLKSWAGEN
BG-028-U	G91028	WAYNE/DRESSER
BG-030-U	G13030	CHRYSLER
BG-030-U	G13030	FORD
BG-030-U	G13030	MWM
BG-030-U	G13030	VALMET
BG-030-U	G13030	VOLKSWAGEN CAMINHÕES
BG-036-U	G57036	CHRYSLER
BG-036-U	G57036	GENERAL MOTORS
BG-036-U	G57036	PERKINS (MAXION)
BG-036-U	G57036	VOLKSWAGEN CAMINHÕES
BG-039-U	G70039	VOLKSWAGEN
BG-044-U	G76044	FIAT-ALLIS
BG-044-U	G76044	SCANIA
BG-069-U	G48069	MERCEDES BENZ
BG-076-U	G13076	FIAT-ALLIS
BG-076-U	G13076	MWM
BG-076-U	G13076	VOLKSWAGEN CAMINHÕES
BG-079-U		BENDIX
BG-080-J	G70080	VOLKSWAGEN
BG-081-U	G71081	VOLVO
BG-084-U	G26084	FORD
BG-084-U	G26084	FORD TRATORES
BG-089-U	G70089	VOLKSWAGEN PORSCHE
BG-090-U	G13090	FIAT-ALLIS
BG-090-U	G13090	FORD
BG-090-U	G13090	MWM
BG-090-U	G13090	VALMET
BG-090-U	G13090	VOLKSWAGEN CAMINHÕES
BG-098-J	G25098	FIAT
BG-098-J	G25098	LANCIA
BG-1088-J	G141088	GENERAL MOTORS
BG-1112-U	G571112	INTERNATIONAL
BG-1132-U	G701132	VOLKSWAGEN
BG-114-U	G70114	VOLKSWAGEN
BG-117-J	G31117	VALMET
BG-1186-J	G0131186	MWM
BG-118-U	G76118	SCANIA
BG-119-U	G76119	SCANIA
BG-120-U	G76120	SCANIA
BG-1210-U	G0131210	MWM
BG-1211-J	G0761211	SCANIA
BG-1212-J	G0761212	SCANIA
BG-1218-U	G0481218	MERCEDES BENZ
BG-121-U	G76121	SCANIA
BG-122-U	G76122	SCANIA
BG-123-U	G76123	SCANIA
BG-126-U	G48126	MERCEDES BENZ
BG-132-U	G76132	SCANIA
BG-144-J	G31144	VALMET
BG-145-J	G01145	IVECO
BG-146-J	G01146	IVECO
BG-147-J	G0010147	IVECO - FIAT
BG-163-U	G76163	SCANIA
BG-181-U	G48181	MERCEDES BENZ
BG-338-U	G48338	MERCEDES BENZ
BG-364-U	G76364	SCANIA
BG-384-U	G57384	PERKINS (MAXION)
BG-385-U	G57385	PERKINS (MAXION)
BG-394-U	G36394	EATON
BG-400-U		BENDIX
BG-412-U	G48412	MERCEDES BENZ
BG-417-U	G36417	EATON
BG-418-U	G36418	EATON
BG-419-U	G36419	EATON

Nº Metal Leve	Nº MAHLE	Marca
BG-420-U	G36420	EATON
BG-425-U	G36425	EATON
BG-445-U	G76445	SCANIA
BG-470-U	G57470	PERKINS (MAXION)
BG-476-U	G36476	EATON
BG-502-U	G71502	VOLVO
BG-509-U	G57509	PERKINS (MAXION)
BG-515-U	G01515	IVECO
BG-526-U	G48526	MERCEDES BENZ
BG-528-U	G13528	MWM
BG-529-U	G76529	SCANIA
BG-531-U	G71531	VOLVO
BG-541-U	G48541	MERCEDES BENZ
BG-544-U	G76544	FIAT-ALLIS
BG-544-U	G76544	SCANIA
BG-545-U	G13545	MWM
BG-563-U	G76563	SCANIA
BG-581-U	G71581	VOLVO
BG-591-U	G48591	MERCEDES BENZ
BG-592-U	G48592	MERCEDES BENZ
BG-595-U	G57595	PERKINS (MAXION)
BG-596-J	G211596	KIA MOTORS
BG-715-U	G70715	VOLKSWAGEN
BG-716-U	G48716	MERCEDES BENZ
BG-800-U	G71800	VOLVO
BG-831-U	G71831	VOLVO
BG-862-U	G57862	FORD
BG-862-U	G57862	PERKINS (MAXION)
BG-888-U	G48888	MERCEDES BENZ
BG-920-U	G57920	PERKINS (MAXION)
BG-923-U	G48923	MERCEDES BENZ
BG-924-U	G48924	MERCEDES BENZ
BG-928-U	G13928	MWM
SBG-016-U	SG48016	CIA. BRASILEIRA DE TRATORES
SBG-016-U	SG48016	FIAT-ALLIS
SBG-016-U	SG48016	KOMATSU
SBG-016-U	SG48016	MALVES
SBG-016-U	SG48016	MERCEDES BENZ
SBG-016-U	SG48016	TOYOTA
SBG-017-U	SG48017	MERCEDES BENZ
SBG-018-U	SG48018	MERCEDES BENZ
SBG-019-J	SG70019	VOLKSWAGEN
SBG-037-U	SG70037	CHRYSLER
SBG-037-U	SG70037	VOLKSWAGEN
SBG-137-U	SG48137	MERCEDES BENZ
SBG-178-J	SG70178	FORD
SBG-178-J	SG70178	VOLKSWAGEN
SBG-203-J	SG25203	FIAT
SBG-575-U	SG25575	FIAT
SBG-585-U	SG25585	FIAT
SBG-598-J	SG70598	FORD
SBG-598-J	SG70598	VOLKSWAGEN
SBG-616-U	SG48616	MERCEDES BENZ
SBG-617-U	SG48617	MERCEDES BENZ

Nº Metal Leve	Nº MAHLE	Marca
AE-006-J	L57006	CIA. BRASILEIRA DE TRATORES
AE-006-J	L57006	FORD TRATORES
AE-006-J	L57006	PERKINS (MAXION)
AE-007-J	L76007	FIAT-ALLIS
AE-007-J	L76007	SCANIA
AE-009-J	L57009	CHRYSLER
AE-009-J	L57009	FORD
AE-009-J	L57009	GENERAL MOTORS
AE-009-J	L57009	PERKINS (MAXION)
AE-010-J	L59010	FORD
AE-011-J	L76011	SCANIA
AE-012-J	L44012	PEUGEOT
AE-012-U	L36012	EATON
AE-014-J	L59014	FORD
AE-015-J	L57015	FORD
AE-015-J	L57015	GENERAL MOTORS
AE-015-J	L57015	PERKINS (MAXION)
AE-022-J	L48022	MERCEDES BENZ
AE-022-P	L48022	MERCEDES BENZ
AE-025-J	L71025	VOLVO
AE-026-J	L71026	VOLVO
AE-032-J	L57032	CHRYSLER
AE-032-J	L57032	GENERAL MOTORS
AE-032-J	L57032	PERKINS (MAXION)
AE-032-J	L57032	VOLKSWAGEN CAMINHÕES
AE-036-P	L57036	FORD
AE-036-P	L57036	PERKINS (MAXION)
AE-040-J	L44040	PEUGEOT
AE-042-J	L59042	FORD
AE-044-J	L76044	FIAT-ALLIS
AE-044-J	L76044	SCANIA
AE-045-J	L72045	ASIA MOTORS
AE-048-J	L44048	PEUGEOT
AE-049-J	L211049	KIA MOTORS
AE-049-U	L36049	EATON
AE-050-J	L63050	TOYOTA
AE-062-P	L31062	VALMET
AE-074-J	L13074	FIAT-ALLIS
AE-074-J	L13074	MWM
AE-074-J	L13074	VOLKSWAGEN CAMINHÕES
AE-076-J	L71076	VOLVO
AE-079-U	L36079	EATON
AE-084-U	L76084	SCANIA
AE-094-U	L36094	EATON
AE-097-J	L71097	VOLVO
AE-102-U		BENDIX
AE-105-J	L59105	VOLKSWAGEN
AE-112-P	L13112	MWM
AE-117-J	L18117	RENAULT
AE-119-P	L13119	MWM
AE-120-J	L18120	RENAULT
AE-125-J	L25125	FIAT
AE-126-J		LADA
AE-128-J	L51128	HONDA
AE-129-J	L63129	TOYOTA
AE-133-J	L18133	RENAULT
AE-134-J	L25134	FIAT
AE-135-J	L195135	MITSUBISHI
AE-137-J	L18137	RENAULT
AE-140-J	L51140	HONDA
AE-152-J	L76152	SCANIA
AE-165-P	L48165	MERCEDES BENZ
AE-175-J	L76175	SCANIA
AE-210-P	L59210	FORD
AE-213-P	L63213	TOYOTA
AE-277-P	L13277	MWM
AE-277-P	L13277	VALMET
AE-315-J	L44315	PEUGEOT
AE-316-J	L2080316	HYUNDAI
AE-318-J	L0630318	TOYOTA
AE-319-J	L0030319	NISSAN
AE-319-J	L0030319	RENAULT
AE-320-J	L1950320	MITSUBISHI
AE-324-J	L0030324	NISSAN
AE-337-J	L13337	MWM
AE-349-J	L0030349	NISSAN
AE-350-J	L1950350	MITSUBISHI

Nº Metal Leve	Nº MAHLE	Marca
AE-351-J	L0440351	PEUGEOT
AE-354-J	L2080354	HYUNDAI
AE-357-J	L0700357	VOLKSWAGEN
AE-362-J	L0130362	MWM
AE-363-J	L2080363	HYUNDAI
AE-364-J	L0440364	CITROEN
AE-365-J	L2080365	HYUNDAI
AE-365-J	L2080365	KIA MOTORS
AE-366-J	L1950366	MAZDA
AE-367-J	L0630367	TOYOTA
AE-372-J	L0630372	TOYOTA
AE-373-J	L0460373	MAN
AE-373-J	L0460373	VOLKSWAGEN CAMINHÕES
AE-374-J	L0180374	RENAULT
AE-377-J	L0180377	RENAULT
AE-378-J	L0700378	VOLKSWAGEN
SAE-034-J	SL25034	FIAT
SAE-043-J	SL25043	FIAT
SAE-060-J	SL59060	FORD
SAE-060-J	SL59060	VOLKSWAGEN
SAE-100-P	SL70100	FORD
SAE-100-P	SL70100	VOLKSWAGEN
SAE-122-J	SL25122	FIAT
SAE-122-J	SL25122	LANCIA