

HTML & CSS

Session # 6



developers-organism.com

Alim Ul Karim

alim@developers-organism.com

fb.com/developers-organism

Topics

- Review Selector (again)
- Sudo-Classes
 - Link
 - Hover
 - Visited
 - Active
- Nested Element with Space
 - Sudo-classes
 - First-Child
 - Nth-child(N)

Selector ← `.color` {

`color: red;`

`}`

What is Selector?

Which selects HTML elements in the page.

```
Selector : sudo-class {  
    property: value;  
}
```

Sudo - Classes

You can write sudo class using “:” after any selector.
Mostly sudo-class represents state of anything.

Use colon to write sudo-class, no space required

```
Selector:sudo-class {  
  property: value;  
}
```

Sudo - Classes

You can write sudo class using “:” after any selector.

Mostly sudo-class represents state of anything.

```
Selector : sudo-class {  
    property: value;  
}
```

```
a: hover {  
    background-color: yellow;  
}
```

Sudo - Classes

You can write sudo class using “:” after any selector.
Mostly sudo-class represents state of anything.

Selector : link a: link{ } a { } <a> Hello World Hello World

Selector : hover a: hover{ }

Selector : active a: active{ }

Selector : visited a: visited{ }

Selector : first-child

Selector : nth-child(N) 1 based index

Sudo - Classes

You can write sudo class using ":" after any selector.

Mostly sudo-class represents state of anything.

CSS Selectors = jQuery Selectors

CSS minimizes 80% of jQuery learning effort.

Feedback?

Thank you for watching

Instructor

Alim Ul Karim

alim@developers-organism.com



Find us

fb.com/DevelopersOrganism

developers-organism.com

info@developers-organism.com