

# Computer Vision I

Tim Luchterhand, Paul Nykiel (Group 17)

6. Mai 2018

## 1 Histogram Calculation

1. Matlab-Funktion:

```
1 function H = myHistogram(im)
2     H = zeros(1,256);
3     [width, height] = size(im);
4     for x = 1:width
5         for y = 1:height
6             intensity = im(x,y);
7             assert(intensity >= 0 & intensity <= 255, "Not
              all matrix elements are between 0 and 255");
8             H(intensity+1) = H(intensity+1) + 1;
9         end
10    end
11    H ./= 1/(width*height);
12 end
```

2. Generate the plots:

```
1 % Read the images
2 fruitsA = imread('images/fruitsA.png');
3 fruitsB = imread('images/fruitsB.png');
4
5 % Calculate the histograms
6 histA = myHistogram(fruitsA);
7 histB = myHistogram(fruitsB);
8
9 % Plot the histograms
10 figure();
11
12 subplot(2,2,1);
```

```

13 imshow(fruitsA);
14 title('fruitsA.png');
15
16 subplot(2,2,2);
17 plot(0:255, histA);
18 axis([0 255 0 0.04]);
19 title('Histogramm for fruitsA.png');
20 xlabel('Intensity');
21 ylabel('Probability');
22
23 subplot(2,2,3);
24 imshow(fruitsB);
25 title('fruitsB.png');
26
27 subplot(2,2,4);
28 plot(0:255, histB);
29 axis([0 255 0 0.05]);
30 title('Histogramm for fruitsB.png');
31 xlabel('Intensity');
32 ylabel('Probability');
33
34 print('Histograms', '-depsc')

```

3.




Abbildung 1: Plot of the histograms

4.




Abbildung 2: Plot of the histograms

5.




Abbildung 3: Plot of the rows

## 2 Local weighting

1.

$$\begin{pmatrix} \cdot & \cdot & \cdot \\ 1 \cdot 1 + 1 \cdot 1 & 1 \cdot 1 & -1 \cdot 1 + -1 \cdot 1 + 1 \cdot 1 \\ \cdot & \cdot & \cdot \\ \cdot & \cdot & \cdot \end{pmatrix} = \begin{pmatrix} \cdot & \cdot & \cdot \\ 2 & 1 & -1 \\ \cdot & \cdot & \cdot \\ \cdot & \cdot & \cdot \end{pmatrix}$$

2.




Abbildung 4: Local derivative using  $G_x$

3.

```
1  lena = imread('images/lena.tif');
2  lenaNoise = imread('images/lenaNoise.tif');
3
4  B = ones(3,3) / 9;
5
6  subplot(2,2,1);
7  imshow(lena);
8  title('lena.tif');
9
10 subplot(2,2,2);
11 imshow(imfilter(lena,B));
12 title('Filtered lena.tif');
13
14 subplot(2,2,3);
15 imshow(lenaNoise);
16 title('lenaNoise.tif');
17
18 subplot(2,2,4);
19 imshow(imfilter(lenaNoise,B));
20 title('Filtered lenaNoise.tif');
21
22 print('BoxFilter', '-depvc');
```




Abbildung 5: Original and filtered images