

ScheduTeach (SchEDU Teach) — Production Readiness Review

Comprehensive QA, UX/UI, Security & Database Audit

Product	ScheduTeach — teacher lesson-planning & scheduling app (Expo / React Native, Android-first)
Reviewer role	Senior QA Engineer · Product Manager · UX Designer · Teacher
Review date	20 June 2026
Scope	Full source + full database schema (apps/teach , supabase/functions , database-setup/)
Verdict	Alpha — Do Not Launch publicly (Internal Testing Only)
Production Readiness Score	24 / 100

Methodology & Scope Note

This is a full-source and full-schema audit. Every route, component, library, edge function, and all sixteen SQL files were traced end to end (UI → API → Database). The application was **not** executed on a physical device during this review, so pixel-level visual findings and live-network behaviour are inferred from the source code; every such inference is cited to `file:line` so it can be confirmed on device. Findings that strictly require runtime observation (exact contrast ratios, real-device reflow, animation behaviour) are flagged "verify on device."

The single most important framing fact: ScheduTeach is **not** a Learning Management System. It is a **teacher lesson-planning and scheduling tool** built around the Philippine DepEd academic calendar. The classic LMS feature set — students, parents, attendance, grade entry, messaging, announcements — **does not exist in this codebase**: there is no `students` , `parents` , `attendance` , `grades` , `enrollments` , `announcements` , or `messages` table, and no UI for any of them. This report scores what is actually built and reports the rest as a feature gap, rather than inventing reviews of screens that do not exist.

A. Executive Summary

What is built: email/password and (currently broken) OAuth authentication, an onboarding wizard, subjects / chapters / lessons CRUD, a syllabus auto-parser, a DepEd-aware scheduling algorithm, a month + daily calendar, AI activity generation (Gemini), a "library" of written works / performance tasks / exams, lesson-plan versioning and rebalancing, a tiered billing system (PayMongo / Stripe webhooks plus quota-enforcing database functions), and a read-only school-admin dashboard.

The engineering beneath the billing/quota layer and the scheduling algorithm is genuinely sophisticated. However, the application is **not launch-ready**. There is a **critical privilege-escalation vulnerability**, **core authentication flows (username login, password reset, OAuth) are broken**, **payments do not work in the launch market (Philippines)**, **dark mode is unusable on several core screens**, and a number of headline features (vacancy fill, suspension display, version restore, admin CRUD, add-requirement) are **dead, stubbed, or silently fail**.

Dimension	Score
Production readiness	24 / 100
Database health	55 / 100
Accessibility	28 / 100
Code maintainability	48 / 100
Overall stage	Alpha
Launch recommendation	Internal Testing Only

B. Critical Bugs — Launch Blockers

1. **Privilege escalation — any user can make themselves superadmin.** The RLS policy *"users can update own profile"* (`database-setup/00_users.sql:84-88`) permits a user to update their own row with **no column restriction**, and `role` lives on that table with **no guarding trigger**. Any authenticated user can run `supabase.from('users').update({ role: 'superadmin' }).eq('userid', myId)` and immediately satisfy `is_current_user_admin()`. Exploitable today with nothing but the public anon key.
2. **units table has RLS disabled** (`database-setup/06_rls.sql:7-22` omits it) — any authenticated user can read and write all curriculum units across every tenant.
3. **courses / user_courses tables are never created** — they are referenced by a foreign key (`04_academics.sql:9`), RLS, indexes, and policies, but there is no `CREATE TABLE` anywhere in `database-setup/`. A clean production migration (00 → 11) will **fail**.
4. **Username login is impossible** — the sign-in screen reads `public.users` anonymously (`app/(auth)/index.tsx:45-49`), which RLS forbids; it always returns "Account not found."
5. **Password reset is broken end-to-end** — the reset email deep-links to `auth/update-password`, which does not resolve because `(auth)` is a route group (`app/(auth)/forgot-password.tsx:28`).
6. **OAuth login is broken** — redirects target the unreachable `(auth)/callback` route group and the browser result is never handled (`app/(auth)/index.tsx:34,92-109`).
7. **Payments are non-functional in the launch market (PH)** — the upgrade flow opens a placeholder URL `https://scheduhq.com/ ...` (`lib/pricing.ts:43,57`); the domain is unregistered and the web paywall is undeployed.
8. **Adding a Written Work / Performance Task requirement always fails** — the insert omits five NOT-NULL columns and violates `blocks_session_pair_check` (`app/(tabs)/plans/plan_detail.tsx:512-520` vs `05_planning.sql:72-78`).

9. **Dark mode is unusable** on `create/activities`, `block-editor`, and the `exam/ww/pt_detail` screens — hardcoded `#111111` / `#FFFFFF` ignore the real dark palette in `constants/colors.ts:10-17`.
 10. **Settings can null out the user profile** — a failed load blanks the form (`app/profile/settings.tsx:84-89`) and a subsequent save upserts all-null fields.
 11. **Seed / placeholder files create real accounts with hardcoded passwords** (including an `admin`) — `database-setup/placeholder.sql:38` and `09_test_account_seed.sql:48`. If ever applied to production, these are known-credential backdoors.
-

C. High-Priority Issues

- **Institution "set primary" and "delete" silently fail** — `user_schools` has no UPDATE or DELETE RLS policy (`06_rls.sql:94-105`), so these multi-write flows affect zero rows while the UI reports success.
 - **Admin "teachers on Pro" count and tier badges are always wrong** — `subscriptions` has no admin read policy (`08_billing.sql:97-100`), so cross-teacher joins return null.
 - **Any school member can manage school-wide calendar events** (`06_rls.sql:464-482`); combined with `join_school_by_code` (no rate limit) this is a cross-user disruption vector.
 - **Webhook fail-open** — an unmatched plan/price ID defaults paying users to `tier='free'`, `status='active'` (`paymongo-webhook:127-129`, `stripe-webhook:136-138`).
 - **Cross-tenant suspension query** — `getSlotsForDay` filters suspension events only by type and date, not by school/section/subject (`lib/rebalance-service.ts:824-860`).
 - **Rebalance re-derives terms and requirement counts from surviving blocks** (`rebalance-service.ts:136-210`), so any delete can re-flow the whole plan and permanently lower requirement counts.
 - **DepEd calendar hardcodes a single school year** (2026-2027) with month-boundary terms (`lib/depended-calendar.ts:26-37`); degrades silently afterward.
 - **No server-side overlap enforcement** — conflict detection is in-memory editor-only; two devices can double-book a time.
 - **"Restore version" is lossy** — it repositions surviving blocks but never re-adds deleted or removes added blocks (`rebalance-service.ts:786-808`), contradicting its own confirmation dialog.
 - **Term edits are silently dropped** — `term` is omitted from the `lesson_plans.update` payload (`plan_detail.tsx`).
 - **Incomplete JS-injection escaping** into the editor WebView (`library/lesson_editor.tsx:152-153`).
 - **Syllabus auto-parser is heuristic and science-biased** — hardcoded vocabulary and OCR typo dictionaries, rewrites sequence numbers (`create/subject.tsx`).
 - **ww_detail renders any block type** (no `session_category` filter, `library/ww_detail.tsx:196-200`).
 - **Sign-up can orphan a half-created account** on profile-update failure and handles duplicate usernames by string-matching the error (`app/(auth)/sign-up.tsx:83-100`).
 - **Performance: N+1 and unscoped fetches** — dashboard loads all slots/blocks for all plans every focus; library signs every image individually; subject detail fully reloads on focus and is unvirtualized.
 - **No version history in the Library** — all lesson/exam/WW/PT saves are destructive overwrites.
-

D. Medium-Priority Issues

- Session persistence not explicitly configured (`lib/supabase.ts:18`); verify sessions survive cold start.
 - Onboarding/admin route gating is racy (`app/_layout.tsx` and `app/index.tsx` both redirect).
 - `ErrorBoundary` only logs to console (no Sentry) and uses dark hardcoded colors with failing contrast.
 - Hardcoded tier/feature tables in the paywall and subscription screens can drift from server limits.
 - Errors swallowed into empty states across nearly every loader.
 - No webhook timestamp/freshness window; replays limited only by event-id idempotency.
 - Rate limiting is per-isolate and IP-based on a spoofable `x-forwarded-for` (`_shared/rate-limit.ts`).
 - `extract-text` has no rate limit and leaks the extractor URL and upstream error text.
 - Admin term-card date math is inverted ("0 days left", wrong progress %) (`(admin)/index.tsx:264-277`).
 - Plan status computed differently on dashboard vs plans list.
 - AI prompt injection / unbounded input (cost risk) in `generate-activity` .
 - Dead buttons & fake controls — plans filter is `() ⇒ {}` ; the exam stepper is non-pressable `View s`.
 - Fabricated demo data shown to real new users (Home, calendar).
 - Migration ordering hazard (`09_test_account_seed.sql:123` vs `10_billing_v2.sql:243`).
 - `plan_history.tsx` is a 0-byte file (latent crash if routed).
 - Inconsistent creation status defaults (draft vs published) across paths.
 - Orphaned storage objects on failed inserts.
-

E. Low-Priority Issues

- No `accessibilityLabel` / `accessibilityRole` on icon-only controls anywhere; toast has no live region.
 - WebView remount keyed on `html.length` (fragile).
 - Env-var name mismatch in `lib/supabase.ts:6` vs its error message.
 - Duplicate helpers (four `formatTime12` , two `todayISO`); pervasive local-vs-UTC date handling.
 - Stale scaffolding comments; `@ts-nocheck` on every edge function.
 - Cache files written to `cacheDirectory` are never cleaned up.
-

F. Security Findings

Each finding lists Severity / Impact / Likelihood / Recommendation.

1. **Role self-escalation** — *Critical* / full admin takeover / High (trivial via the public anon key) / add a `BEFORE UPDATE` trigger rejecting `NEW.role <> OLD.role` for non-admins, or move `role` off the user-writable table and `REVOKE UPDATE(role)` .

2. **units RLS disabled** — *High* / cross-tenant read/write of curriculum / *High* / enable RLS and add a subject-membership policy mirroring `chapters`.
3. **Schema not reproducible (courses missing)** — *High (operational)* / production migration fails / *High* on cutover / add `CREATE TABLE courses/user_courses` or remove the references.
4. **Username-lookup leak risk** — *Medium* / if anyone "fixes" username login by opening anon SELECT on `users`, it leaks emails by username / *Medium* / resolve username→email via a `security_definer` RPC returning an opaque token.
5. **Webhook fail-open + no replay window** — *High / Medium* / revenue loss; stale-but-valid replays accepted / *Medium* / fail closed on unknown plan/price; reject `|now - t| > 300s`.
6. **Ineffective rate limiting** — *Medium* / per-isolate in-memory + spoofable IP; `extract-text` and `delete-account` unthrottled / *Medium* / shared store; rely on signature + idempotency, not IP.
7. **Client-side-only admin gating** — *Medium* / any user can render `(admin)` by deep link (RLS otherwise protects data — except finding #1 nullifies that) / *Medium* / add a server-verified role gate.
8. **Prompt injection / unbounded AI input** — *Medium (abuse, not breach)* / user text overrides the system prompt and can balloon token cost / *Medium* / cap input length; keep the system prompt authoritative.
9. **Information disclosure** — *Low-Medium* / edge functions echo upstream error `details` and `extractorUrl` to clients / *Medium* / return generic client errors, log server-side.
10. **Weak password policy** — *Low-Medium* / 8-char minimum only / *High* to occur / add a strength/breach check.

Positive confirmations (verified): webhooks verify HMAC signatures with constant-time comparison and are idempotent; `delete-account` deletes only the authenticated id (no IDOR); quota functions execute as the user (not service role); `subscriptions` / `usage_quotas` / `billing_events` have client INSERT/UPDATE/DELETE revoked. **Aside from finding #1, there is no client-reachable path to self-grant a subscription tier.**

G. Database Audit

Overall: the schema is, structurally, the strongest part of the project — consistent `public_id` patterns, thorough indexing, sensible foreign-key `on delete` rules, meaningful `CHECK` constraints, `updated_at` triggers, tier-enforcing `security_definer` RPCs, and webhook idempotency tables. It nonetheless carries several serious correctness and security defects.

Database Findings

#	Issue	Affected tables	Risk	Recommendation
DB-1	<code>users</code> self-update has no column restriction; <code>role</code> is unguarded	<code>users</code> + all RLS that trusts role	Critical	Guard the <code>role</code> column (trigger or REVOKE)
DB-2	RLS never enabled	<code>units</code>	High-Critical	Enable RLS + subject-membership policy

#	Issue	Affected tables	Risk	Recommendation
DB-3	Tables referenced but never created	<code>courses</code> , <code>user_courses</code>	Critical (cutover)	Add <code>CREATE TABLE</code> or remove references
DB-4	No UPDATE/DELETE policy → set-primary & delete silently fail	<code>user_schools</code>	High	Add UPDATE/DELETE policies
DB-5	No admin read policy → admin tier data always 0	<code>subscriptions</code>	High	Admin read policy or a <code>security definer</code> RPC
DB-6	Any member can manage school-wide events	<code>school_calendar_events</code>	High	Scope writes to creator/admin
DB-7	Webhook defaults unknown plan/price to free	<code>subscriptions</code>	High	Fail closed
DB-8	Seed/placeholder create known-credential accounts	<code>auth.users</code>	Critical if run in prod	Quarantine from prod
DB-9	Migration ordering hazard (<code>period_month</code> dropped)	<code>usage_quotas</code>	Medium	Document & enforce 00→11
DB-10	<code>is_default</code> modeling + non-atomic multi-writes	<code>schools</code> , <code>user_schools</code> , <code>lesson_plans</code>	Medium	Move to <code>security definer</code> RPCs
DB-11	No audit/history except plan rebalance; "restore" lossy	<code>lesson_plan_versions</code> and all detail tables	Medium	General audit log; fix restore

Scalability assessment

- **1,000 users:** fine.
- **10,000 users:** mostly fine; watch the unscoped dashboard fetch and N+1 image signing (both client-side, not DB).
- **100,000 users:** the per-isolate in-memory rate limiter and the `x-forwarded-for`-based webhook limiting must move to a shared store; the RLS helper subqueries are `stable` (cached per-statement) and acceptable. Indexing is good; no materialized aggregates required yet.

Database Health Score: 55 / 100. Database Production Readiness: Alpha.

Required DB changes before launch: (1) guard `users.role` ; (2) enable RLS + policy on `units` ; (3) add `courses` / `user_courses` ; (4) add UPDATE/DELETE policies on `user_schools` ; (5) admin read policy on `subscriptions` ; (6) scope `school_calendar_events` writes; (7) make webhooks fail closed; (8) quarantine seed/placeholder from prod; (9) verify migration order; (10) move multi-writes server-side.

H. Per-Screen Scorecard

Scores are 1–10. "Func" reflects whether the screen's actions work end to end (UI → API → DB).

Screen	Purpose	UX	UI	Func	Headline issues
Sign-in	Email/username + OAuth	4	6	2	Username login impossible; OAuth dead; no show-password/keyboard submit
Sign-up	Register	5	6	4	Duplicate handled by string-match; orphan account on partial failure
Forgot / Update password	Reset flow	5	6	2	Reset link deep-links to an unreachable route group
Onboarding	2-step wizard	6	6	7	Skip silently drops input; no curriculum-size validation
Home	Upcoming + overview	7	6	6	Shows fabricated demo data to new users; unscoped fetch
Calendar (month)	Month grid	6	5	3	Vacancy banner dead; suspended dots never supplied; demo always injected
Calendar (daily)	Day timeline + CRUD	6	4	4	Demo days blank except one date; light-mode-only editor; no overlap guard
Block editor	Create/edit block	5	3	4	Can't create exam/buffer; Android date picker wrong; hardcoded colors
Suspend sheet	Suspend a day	5	6	2	Suspends but never renders as suspended; cross-tenant query
Create activity (AI)	AI generator	6	3	6	Unusable in dark mode; orphaned storage on failure; best error handling
Create lesson	New lesson	5	6	5	Free-text chapter/lesson numbers; silent "General" chapter
Create lesson plan	Build plan	6	4	5	Non-transactional multi-table write → partial/duplicate plans
Create subject	Subject + syllabus parse	6	7	5	Heuristic science-biased parser; dev debug alert
Library index	Subject grid	6	6	5	N+1 image signing; errors swallowed
Subject detail	Chapters/lessons/items	5	6	4	Full reload every focus; unvirtualized; relabel overwrites sort
Lesson editor	Rich-text edit	5	5	4	Incomplete JS-injection escaping; destructive overwrite
Exam/WW/PT detail	View generated item	5	3	4	Dark-mode broken; <code>ww_detail</code> renders any block type; no versions
Plans list	Plan cards	6	6	5	Filter button no-op; drops rows missing subject_code
Plan detail	Requirements/rebalance	5	5	2	Add requirement always fails; Term edit lost; restore lossy; fake stepper

Screen	Purpose	UX	UI	Func	Headline issues
Plan history	Version history	—	—	0	0-byte file — latent crash
Profile	Institutions, sign-out	5	6	3	Set-primary & delete silently fail under RLS; new institution hardcoded "university"
Institution edit	Edit/delete school	5	6	3	Delete cascade non-atomic & RLS-unsafe; edit not scoped to creator
Settings	Profile edit, delete acct	4	6	3	Can null out the profile; no error handling
Subscription	My Plan	6	5	4	Hardcoded tier table; PH upgrade is a placeholder URL
Admin dashboard	School overview	5	5	4	Term date math inverted; rows look tappable but aren't
Admin teachers	Roster	5	6	3	Tier badge always FREE; read-only
Admin plans	All plans	5	6	4	Wasted placeholder query; status differs from dashboard; read-only
Admin settings	School/depts/join code	6	5	6	"X of Y on Pro" ~always 0; depts CRUD works; no admin sign-out

Cross-cutting UI / accessibility: dark mode broken on several core screens; no accessibility labels on icon-only buttons anywhere; no keyboard submit or show-password on auth; pervasive error-swallowing that disguises failures as "no data."

I. Teacher Workflow Testing

Workflow	Works?	Notes
Register	Partial	No password strength; fragile duplicate handling; no confirm-email message
Login (email)	✓	Fine
Login (username)	✗ Broken	Anon cannot read <code>users</code> under RLS
Login (Google/Apple/FB)	✗ Broken	Callback route group unreachable; no result handling
Reset password	✗ Broken	Reset email deep-links to an unreachable route
Complete profile	⚠	Can be nulled by save-after-failed-load
Create class (institution + section)	⚠	New institution hardcoded "university"; set-primary silently fails
Edit class	⚠	Edit not scoped to creator → "saved" while 0 rows change
Archive / delete class	✗ likely fails	Cascade non-atomic; missing RLS DELETE policy

Workflow	Works?	Notes
Add / edit / import students	✗ Not implemented	No student model
Create / edit / reschedule schedule	⚠	Works, but non-transactional; two different engines
Handle conflicts (holidays)	✗ Visually broken	Compresses schedule but never renders as suspended
Create assessments	✓ (text only)	No points/scoring/structured grading
Enter / edit grades, reports	✗ Not implemented	No grades model
Send announcements / contact students/parents	✗ Not implemented	No communication model
Export data / analytics	✗ Not implemented	No export anywhere

Net: the *planning* workflows are mostly present (with serious bugs). Every *classroom-management* workflow (students, attendance, grading, communication, reporting) is **entirely absent**.

J. Feature Gap Analysis

- **Must-have (missing):** working username/OAuth login and password reset; functional PH payment; export/print a lesson plan; honest empty states; password-strength validation; email-confirmation gating; an admin sign-out path.
- **Should-have:** attendance, gradebook/scoring, student roster, announcements (only if positioning as a classroom platform); admin write/CRUD (currently read-only by design); notification preferences.
- **Nice-to-have:** parent access, analytics dashboards, calendar (.ics) export, collaborative/department plan sharing.

K. Competitive Positioning

As a **planner**, ScheduTeach has a real differentiator: a DepEd-calendar-aware scheduler that auto-distributes lessons, quizzes, performance tasks, and exams, then rebalances around suspensions — plus AI activity generation tied to the curriculum. None of Google Classroom, Canvas, Moodle, or Schoology offers automatic schedule generation as a first-class feature; that is the moat.

Against those platforms it lacks everything classroom-facing (roster, gradebook, submissions, attendance, announcements, parent portal, analytics). This is acceptable **only if** the product is positioned strictly as a teacher's personal planning companion. Decide the positioning before launch and make the marketing match.

L. End-to-End Feature Verification — Stubbed / Fake / Dead

- **Vacancy "fill open slots"** — fully wired UI but `vacancies` is never populated; entire feature unreachable.
 - **Suspension display** — suspend writes `school_calendar_events`, but the UI reads suspension state from `metadata.lock_reason`, which that path never sets.
 - **Add WW/PT requirement** — insert violates DB constraints; always fails.
 - **Restore version** — lossy no-op for adds/deletes.
 - **Term edit** — UI updates but the value is never persisted.
 - **Plans filter button** — dead (`() ⇒ {}`); **exam stepper** — non-pressable `View`s.
 - `plan_history.tsx` — 0-byte file (latent crash).
 - `components/pdf-extractor.tsx` — orphaned, superseded screen.
 - `packages/supabase/src/index.ts` — `export {}` stub → the whole codebase is untyped against the DB.
 - **Demo/fake data** shown to real new users (Home, calendar).
 - **Admin teachers/plans** — read-only by design.
 - **Two scheduling engines** — creation uses the legacy engine; the modular engine that the tests cover is never used to create a plan (only to rebalance, via re-derived rules).
-

M. Top 50 Improvements Before Launch

1. Guard `users.role` against self-update (trigger or column REVOKE).
2. Enable RLS + membership policy on `units`.
3. Add `CREATE TABLE courses/user_courses`; test a clean 00→11 apply on a scratch DB.
4. Add UPDATE/DELETE RLS policies on `user_schools` (fixes set-primary & delete).
5. Make both webhooks fail closed on unknown plan/price IDs.
6. Fix username login (server-side `security definer` resolver) or remove the username field.
7. Fix the password-reset deep link (add a non-grouped route or correct the redirect).
8. Fix OAuth callback routing + handle the browser auth result.
9. Wire the PH PayMongo paypal, or hard-disable the upgrade UI for PH.
10. Fix the add-WW/PT-requirement insert (required columns + valid subcategory).
11. Make dark mode work on `activities`, `block-editor`, and `exam/ww/pt_detail`.
12. Stop save-after-failed-load from nulling the profile; add real error handling to Settings.
13. Quarantine `placeholder.sql` and the test seed from prod; rotate/remove hardcoded passwords.
14. Verify session persistence across cold start (explicit AsyncStorage adapter).
15. Admin read policy on `subscriptions` (or compute Pro counts via a `security definer` RPC).
16. Scope `school_calendar_events` writes to creator/admin; rate-limit `join_school_by_code`.
17. Make set-primary, institution delete, and plan creation atomic `security definer` RPCs.
18. Pick one scheduling engine; delete or fully wire the other.

19. Implement the vacancy-fill feature or remove its dead UI.
20. Make suspension actually render (unify on `school_calendar_events`).
21. Fix cross-tenant `getSlotsForDay` (filter by school/section/subject).
22. Fix "restore version" to truly restore, or rename it "reposition."
23. Include `term` in the plan update payload.
24. Add a category filter to `ww_detail`.
25. Replace fake demo data with honest empty states + the existing CTA.
26. Wire Sentry and report from `ErrorBoundary` + `componentDidCatch`.
27. Add password-strength validation at sign-up.
28. Add "confirm your email" messaging after sign-up and email change.
29. Add an admin sign-out path.
30. Fix the inverted admin term-date math; unify plan-status logic across screens.
31. Add webhook timestamp tolerance (± 5 min).
32. Move rate limiting to a shared store; stop trusting `x-forwarded-for`.
33. Add rate limits to `extract-text` and `delete-account`; stop leaking the extractor URL/upstream errors.
34. Cap AI input length; keep the system prompt authoritative.
35. Generate and ship DB types (`packages/supabase`); remove `@ts-nocheck`.
36. Fix or remove the no-op plans filter and fake exam stepper.
37. Delete or complete `plan_history.tsx` and the orphan `pdf-extractor.tsx`.
38. Scope the dashboard fetch by date range; batch image signing.
39. Virtualize the subject-detail tree.
40. Add accessibility labels/roles to all icon-only controls + a toast live region.
41. Use platform-correct date/time pickers (Android dialog vs inline spinner).
42. Reconcile pricing: PH MAX ₱199 (code) vs ₱149 (business) — pick one.
43. Sync hardcoded payroll/tier tables to server limits or fetch them.
44. Stop `useSubscription` from downgrading to free limits on transient RPC failure.
45. Add lesson-plan export/print (PDF).
46. De-duplicate the four detail screens into one component.
47. Standardize date handling (one local-vs-UTC convention; one helper set).
48. Make creation `status` consistent (draft vs published) across paths.
49. Clean up orphaned storage on failed inserts; sweep the cache directory.
50. Publish privacy policy + Terms of Service; finalize EAS build + provision the prod Supabase project.

N. Scores & Recommendation

Metric	Score
Production Readiness	24 / 100

Metric	Score
Database Health	55 / 100
Accessibility	28 / 100
Code Maintainability	48 / 100
Stage	Alpha

Launch Recommendation: Internal Testing Only — Do Not Launch publicly

Do not run even a closed beta until at minimum launch-blockers B1–B10 are fixed — above all the role-escalation hole, the `units` / `courses` schema defects, and the three broken login paths. Once those are resolved and PH payments work, this becomes a credible **closed beta** candidate. The scheduler and billing foundations are strong; the surrounding application needs one more focused hardening cycle before thousands of teachers depend on it.

This report reflects static source and schema analysis as of 20 June 2026. Findings marked "verify on device" require runtime confirmation on a physical Android device.