



STATISTICAL ANALYSIS PIPELINE

ADMIXTURE DATA FROM A HUMAN POPULATION SETTLEMENT MODEL

Aurélien LUCIANI

Master 2 Bioinformatique

Université de Bordeaux

11 September 2015

INTRODUCTION

TABLE OF CONTENTS

Context

Geological and anthropological context

Model

Measures and comparisons

Observed data

Comparison functions

Pipeline

Overview

Statistical analysis

Grid search

Approximate Bayesian Computation



AROUND 100,000 YEARS AGO

This map illustrates the global distribution of ice sheets during the Last Glacial Maximum, approximately 100,000 years ago. The ice is represented by white and light blue areas, indicating different types of glacial coverage. Major ice sheets were present in North America (the Laurentide and Cordilleran ice sheets), Eurasia (the Eurasian ice sheet), and Australia. The ice-free regions, shown in green and brown, include the southern continents (South America, Africa, and Australia) and various island arcs and landmasses in the Northern Hemisphere.



AROUND 45,000 YEARS AGO



AROUND 12,000 YEARS AGO



AROUND 4,500 YEARS AGO

CONTEXT

MODEL

TABLE OF CONTENTS

Context

Measures and comparisons

Observed data

Comparison functions

Mean Square Distance

Partial Mantel Correlation

Pipeline

Statistical analysis

MEASURES & COMPARISONS

OBSERVED DATA

MEASURES & COMPARISONS

COMPARISON FUNCTIONS

MEASURES & COMPARISONS

COMPARISON FUNCTIONS

MEASURES & COMPARISONS

COMPARISON FUNCTIONS

TABLE OF CONTENTS

Context

Measures and comparisons

Pipeline
Overview

Statistical analysis

PIPELINE

OVERVIEW

TABLE OF CONTENTS

Context

Measures and comparisons

Pipeline

Statistical analysis

Grid search

Approximate Bayesian Computation

STATISTICAL ANALYSIS

GRID SEARCH

STATISTICAL ANALYSIS

ABC

THANK YOU

Context

Measures and comparisons

Any question?

Pipeline

Statistical analysis



Appendix

