

Sleep Health and Lifestyle Report

Analyzing Wellness Data for Skilled Workers

Presented by Aurelia Okafor

SUMMARY

Profile of Surveyed Skilled Workers

This report analyzes the health metrics and sleep patterns of 374 skilled workers across 11 diverse professions, highlighting key demographic and physical data points.

374

Total Skilled Workers

Analyzed across 11 professions

216

Normal BMI

Majority of the surveyed population

148

Overweight


Significant portion of the cohort

10

Obese

Smallest group in the study

Gender Distribution




Age Range Distribution



Daily Activity Levels: Steps Taken

A high percentage of workers fall within recommended daily step ranges, indicating a moderately active population, but a minority remains sedentary.



Normal BMI Group: Health Status (n=216)

While the normal BMI group shows generally good health indicators, a small but notable number of individuals already exhibit elevated blood pressure and diagnosed sleep disorders.




Elevated Blood Pressure

2 workers recorded BP in the 131-140/81-90 range, indicating a need for monitoring even in this category.




Sleep Apnea Cases

7 individuals reported diagnosed Sleep Apnea, suggesting these conditions are not exclusively linked to higher BMI.





Insomnia Prevalence

9 workers reported chronic Insomnia, highlighting stress and lifestyle factors contributing to poor sleep.





Overweight Group: Elevated Health Risks (n=148)

The overweight category demonstrates a significant increase in associated health risks, particularly hypertension and sleep-related breathing disorders, compared to the normal BMI cohort. Nearly half of the overweight population struggles with chronic sleep difficulty and sleep apnea. A substantial majority experience Blood Pressure in the 131-140/81-100 range (Stage 1/2 Hypertension).



Obese Group: Highest Risk Profile (n=10)

While a small group, the obese cohort shows 100% saturation in elevated blood pressure, underlining extreme health vulnerability. All 10 individuals recorded BP in the critical 131-150/81-100 range, requiring immediate intervention. Sleep-disordered breathing is extremely common in this group, severely impacting restorative sleep quality. Insomnia is prevalent, compounding other health problems.



Recommendations:

Targeted strategies are necessary to address the high incidence of hypertension and sleep disorders observed, especially in the overweight and obese cohorts.



1: Nutrition & Weight Management

Implement personalized dietary coaching and weight reduction programs. Focus on reducing sodium intake to directly address elevated blood pressure.



2: Physical Activity Promotion

Incentivize workers in the **3,000–4,999 steps** range to cross the 5,000 threshold. Introduce workplace walking challenges and ergonomic workstations.



3: Sleep Health Optimization

Offer education on sleep hygiene and provide resources for screening and treating Sleep Apnea and Insomnia, particularly for high-risk groups (Overweight/Obese).