

How to start

doximity-client-vue with James & Awrélien



commands



package.json.circleci/config.yml

```
"name": "doximity-client-vue",
"version": "0.0.1",
"description": "Doximity Vue.js Client",
"author": "Austin Story <astory@doximity.com>",
"private": true,
"engines": {
                                              package.json
 "node": ">= 8.9.1",
 "npm": ">= 3.0.0"
"scripts": {
  "dev": "lint-staged && yarn run server",
 "build": "rimraf dist && yarn run build:client && yarn ru
  "build:client": "NODE_ENV=production webpack --config bui
  "build:server": "NODE_ENV=production webpack --config bui
"dependencies": {
  "apollo-client": "^1.9.2",
  "vue": "^2.5.2",
  "vue-apollo": "^2.1.0-rc.4",
  "vuex": "^3.0.0",
  "vuex-router-sync": "^4.2.0",
  "whatwg-fetch": "^2.0.3",
  "xhr": "^2.4.0"
"devDependencies": {
  "eslint": "^4.6.1",
  "eslint-config-airbnb-base": "^12.0.0",
  "eslint-config-doximity-base": "^0.2.0",
  "prettier": "^1.5.2",
```

checkout


.circleci/config.yml

```
name: Karma Unit Tests
  command: if ! [ $CIRCLE_BRANCH = 'master' ]; then yarn run ci:client; fi
run:
  name: SauceLab unit Tests
  command: if [ $CIRCLE_BRANCH = 'master' ]; then yarn run ci:client:sauce; fi
run:
  name: Jest Server Tests
  command: yarn run ci:server
run:
  name: End To End Webdriver Tests
  command: yarn run ci:e2e
run:
```

yarn run

```
precommit
     lint-staged
   - server
      yarn run checkNodeVersion && node ./server/server
   - start
      NODE_ENV=production yarn run server
   - sync:graphql
      cd ../doximity && bundle exec rake graphql:dump_s
a.json ../doximity-client-vue/__mock__
   - sync:graphql:fragments
      node filterSchemaInterfaceTypes
   - sync:styles
      cd src/dox_assets && ./styles_sync.sh
   test
     yarn run lint && yarn run unit:jest && SINGLE_RUN
   unit
      karma start test/unit/karma.conf.js
   - unit:debug
      DEBUG=true karma start test/unit/karma.conf.js
   - unit:jest
      GRAPHQL_URL=http://localhost:9991/graphql jest
question Which command would you like to run?:
```

just go on circleci



yarn run mock:endpoints

fake server

yarn run mockidev

yarn run dev

testing commands

Wait for James!

Webpack

```
const webpackConfig = {
  entry: './src/entry-client.js',
 module: {
    rules: [
        test: /\.vue$/,
        loader: 'vue-loader'
      },
        test: /\.(eot|woff|woff2|ttf|svg|png|jpe?g|gif)(\?\$*)?$/,
        loader: 'url-loader',
        options: {
          limit: 10000,
          name: '[name].[ext]?[hash]'
    plugins: [
    new webpack.optimize.UglifyJsPlugin({
      sourceMap: true
};
```

Tree Shaking



different configurations

```
103
.github
                                                     function configFactory(baseConf, conf = {}) {
                                               104
.gitignore
                                                       const config = baseConf();
                                               105
                                                       return () => Object.freeze(Object.assign({}, config, conf));
                                               106
  .idea
                                               107
  .nvmrc
                                               108
  .prettierignore
                                                     const baseDevConfig = configFactory(baseConfig, {
                                               109
                                                       plugins: baseConfig().plugins.concat([new FriendlyErrorsPlugin()]),
                                               110
  .rubocop.yml
                                                       rules:
                                               111
    mock
                                               112
  build
                                                           test: /\.(js|vue)$/,
                                               113
                                                           loader: 'eslint-loader',
                                               114
   dist
                                                           enforce: 'pre',
                                               115
   dlls
                                                           include: [resolvePath('src'), resolvePath('test')],
                                               116
   envSpecificConfigFactory.js
                                                           options: {
                                               117
                                                             formatter: require('eslint-friendly-formatter'),
   setup-dev-server.js
                                               118
                                                             fix: false,
                                               119
      utils.js
                                                             emitError: false.
                                               120
                                                             emitWarning: true,
      vue-loader.config.js
                                               121
                                               122
                                                          },
      webpack.base.config.js
                                                         },
                                               123
      webpack.client.config.js
                                               124
                                               125
                                                     });
      webpack.dll.config.babel.js
                                               126
      webpack.server.config.js
                                               127
                                                     module.exports = {
   webpack.test.config.js
                                                       baseConfig: isProduction ? baseProductionConfig(): baseDevConfig(),
                                               128
                                                       clientConfig: isProduction ? clientProductionConfig() : clientDevConfig(),
                                               129
  Capfile
                                                       serverConfig: isProduction ? serverProductionConfig() : serverDevConfig(),
                                               130
   config
                                                     };
                                               131
   coverage
                                               132
```

Visiting Vue

doximity.com/profiles doximity.com/colleagues

Naive request path



doximity.com/profiles

SSR file: src/entry-server

doximity.com/profiles/uuid/occupation/edit

SPA

SPA boots up file: src/entry-client

src .eslintrc.js app.js **Y** App.vue assets dox_assets entry-client entry-client.js entry-server.js graphql lib mixins packages analytics articles auth base colleagues __tests__ components constants.js mutations pages queries routes.js store.js

Files & Dirs

pages

routes

queries

store

mutations

components

components

components

src/lib/vue-genome

