

AURIC ARTISAN · USER DOCUMENTATION

Auric Artisan browser extension

What the Auric Artisan browser extension is, who it is for, where to get it and how to start using it.

Updated 2026-09-25 · auricartisan.com

Contents

Auric Artisan browser extension

Browser extension documentation

Getting started

Hindi interface

Permissions

Reference

Troubleshooting

FAQ

Check tools

Findings

Audit rules

Audit

Contrast

Vision

Code tools

Code export formats

Inspect

Snippets

Tokens

Colour tools

Convert

Gradient

Harmony

Image

Mix

Page palette

Picker

Scale

Install the extension

Install on Chrome and Chromium browsers

Install on Microsoft Edge

Install on Firefox

Load from a ZIP

Install on Opera

Safari

Update and remove

On websites

Browser menu items

[Colour picker on pages](#)

[For site owners](#)

[Right-click menu](#)

[Website pickers](#)

Saved

[History](#)

[Library](#)

[On the web](#)

Settings

[Appearance settings](#)

[Data settings](#)

[Pickers settings](#)

[Right-click settings](#)

[Tools settings](#)

[Shortcuts settings](#)

Surfaces

[Home](#)

[Element inspector](#)

[On the page](#)

[The popup](#)

[Search](#)

[Side panel](#)

Workflows

[Audit a page and fix contrast](#)

[Back up and move your data](#)

[Build a colour scale for Tailwind](#)

[Check and fix a brand colour](#)

[Extract a site's design system](#)

[Inspect and debug an element](#)

[Review a page for colour blindness](#)

Other material

[Keyboard shortcuts](#)

[Glossary](#)

[Limits and accuracy](#)

[Privacy](#)

[Release notes](#)

[Related tools](#)

BROWSER EXTENSION

Auric Artisan browser extension

What the Auric Artisan browser extension is, who it is for, where to get it and how to start using it.

Auric Artisan for the browser puts colour, accessibility and front-end tools on every page you open. You pick a colour from the screen, check a colour pair against WCAG and APCA contrast, audit a whole page for accessibility problems, inspect any element, read a site's design tokens, and see the page as people with different kinds of vision see it. It is one extension, published as **Auric Artisan**, and every tool ships in the same install: there is no paid edition and no second download.

The extension runs entirely on your device. It has no account, no sign-in, no analytics and makes no network requests of its own. Everything you pick, audit or save stays in your browser's extension storage. The only traffic it causes is a page you choose to open, such as a link to auricartisan.com or a web search you start from the right-click menu.

The tools live in a workspace you open from the toolbar icon or dock beside the page in the browser's side panel (the sidebar in Firefox). The workspace has a **Home** screen and four spaces, **Colour**, **Check**, **Code** and **Saved**, and a search field that finds any tool, setting or auricartisan.com page. Two optional features work on websites themselves, and both are off until you turn them on: Auric pickers for a page's form controls, and a right-click menu built around what you clicked. The interface is available in English and Hindi (हिन्दी).

Note: These pages describe version 1.0.2. To see which version you have, open your browser's extensions page. Changes that are built but not yet released are listed as upcoming in the [release notes](#).

Who it is for

- **Designers** who need to sample colours from live sites, build scales and harmonies, and check that a palette is readable.
- **Front-end and full-stack developers** who inspect elements, copy CSS and selectors, and export colours and tokens as CSS, Tailwind, SwiftUI, Jetpack Compose or Android code.
- **Accessibility specialists and testers** who audit pages against WCAG 2.2 A and AA, check contrast in WCAG and APCA, and simulate colour-vision deficiencies and low vision.
- **Students and colour enthusiasts** who want to read a colour in twelve formats and learn how colour spaces relate.

Where to find it

Browser	Where to get it
Chrome, Brave, Vivaldi, Arc	Chrome Web Store: https://chromewebstore.google.com/detail/auric-artisan/bpmkaljljnlmbjfbmkbbbgiinlbpcocp

Browser	Where to get it
Microsoft Edge, Opera	The same Chrome Web Store listing, or the Edge or Opera package from https://auricartisan.com/extension
Firefox 115 and later	Firefox Add-ons: https://addons.mozilla.org/en-US/firefox/addon/auric-artisan/
Safari on macOS	Not published. You can convert the Chromium package yourself with Xcode.

The product page is <https://auricartisan.com/extension>. It also offers the packages as ZIP files for anyone who prefers to load the extension from a folder. The extension is free. Full steps for each browser are in [Install](#).

Quick start

1. Install the extension from your browser's store (see [Install](#)) and pin **Auric Artisan** to the toolbar.
2. Open a normal web page, then click the toolbar icon or press **Alt + Shift + A**. The first-run tour shows you around in five steps.
3. On **Home**, choose **Pick a colour** and click any pixel on the screen. The colour opens in the Picker in twelve formats.
4. Press **Alt + Shift + C** to open **Contrast**. Enter a text colour and a background colour, then choose **Fix text** to find the nearest colour that passes.
5. On **Home**, choose **Audit**. The page is checked against WCAG 2.2 A and AA; choose **Outline on page** to see where the contrast problems are.
6. On **Home**, choose **Inspect**, then click anything on the page. Press **C** to copy its CSS.
7. Press **Alt + Shift + V** to see the page with a deuteranopia simulation. Press it again to clear it.
8. Choose **Open the side panel** in the header if you want the workspace to stay open while you browse.

What you can do

- Pick any pixel on screen and read it as HEX, RGB, HSL, HSV, HWB, CMYK, LAB, LCH, OKLAB, OKLCH, XYZ or Display P3.
- Copy a colour as code for CSS, wide-gamut CSS, Tailwind v4, SwiftUI, Jetpack Compose or Android.
- Read every colour a page uses and export it as Tailwind, **@theme**, SCSS, W3C design tokens, JSON, ASE, SVG or PNG.
- Build a palette from an image or a capture of the visible tab.
- Build gradients, mix colours, generate harmonies and Tailwind or Material scales, and convert between formats.
- Check any colour pair in WCAG 2.2 and APCA, and find the nearest passing text or background colour in one click.
- Audit a page with the 78 WCAG 2.2 A and AA rules of an 80-rule engine plus a fast contrast scan, and export the results as JSON or CSV.
- See the page through twelve simulations: eight colour-vision deficiencies and four low-vision conditions.

- Inspect any element: contrast first, then its box model, colours, layout, type, effects, accessibility and CSS.
 - Read a site's design tokens: CSS variables, type scale and fonts.
 - Keep a colour library, a history of your last 50 colours and a vault of code snippets.
 - Give a website's form controls Auric pickers, and use a right-click menu that knows what you clicked.
 - Use the whole interface in English or Hindi.
-

In this folder

- [docs/](#) — how to install and use the extension
 - [Getting started](#)
 - [Install](#): Chrome and Chromium browsers, Edge, Opera, Firefox, Safari, loading from a ZIP, updating and removing
 - [Surfaces](#): the popup, Home, search, the side panel, what appears on the page, the element inspector
 - [Colour tools](#): Picker, Page palette, Image, Gradient, Mix, Harmony, Scale, Convert
 - [Check tools](#): Contrast, Vision, Audit, the audit rules, Findings
 - [Code tools](#): Inspect, Tokens, Snippets, code export
 - [Saved](#): Library, History, On the web
 - [On websites](#): website pickers, the colour picker on pages, the right-click menu, items in the browser's menu, notes for site owners
 - [Workflows](#): end-to-end tasks
 - [Settings](#): every section of Settings
 - [Hindi interface](#)
 - [Permissions](#)
 - [Reference](#)
 - [Troubleshooting](#)
 - [FAQ](#)
- [others/](#) — background material
 - [Glossary](#)
 - [Keyboard shortcuts](#)
 - [Limits and accuracy](#)
 - [Related tools](#)
 - [Release notes](#)
 - [Privacy](#)

BROWSER EXTENSION

Browser extension documentation

The contents of the browser extension's how-to documentation, from installing to every tool and setting.

This folder explains how to install the Auric Artisan browser extension and use every part of it: the popup and side panel, each tool in the Colour, Check, Code and Saved spaces, the features that work on websites, and every setting. Start with [Getting started](#) if you are new, or go straight to the tool you need.

Files

Page	What it covers
Getting started	Open the extension, take the tour, and do a first task in each space
Hindi interface	Switch the interface to हिन्दी, and what does and does not change
Permissions	Every permission the extension asks for, when, and why
Reference	Every control, option, output and limit in one place
Troubleshooting	Symptoms, causes and fixes
FAQ	Short answers to common questions

Folders

- **install/**: Installing on Chrome and other Chromium browsers, Edge, Opera, Firefox and Safari; loading from a ZIP; updating and removing
- **surfaces/**: The popup, Home, search, the side panel, what the extension draws on a page, and the element inspector
- **colour/**: Picker, Page palette, Image, Gradient, Mix, Harmony, Scale and Convert
- **check/**: Contrast, Vision, Audit, the audit's rules, and Findings
- **code/**: Inspect, Tokens, Snippets, and every code format the extension exports
- **saved/**: Library, History and On the web
- **on-websites/**: Website pickers, the colour picker on pages, the right-click menu, the items in the browser's own menu, and notes for site owners
- **workflows/**: End-to-end tasks that use several tools together
- **settings/**: Appearance, Pickers, Right-click, Tools, Data and Shortcuts

BROWSER EXTENSION

Getting started

Open the extension, learn the layout of the workspace, take the tour and complete a first task in each space.

This page takes you from a fresh install to your first result in each part of the extension. If the extension is not installed yet, follow [Install](#) first.

Before you start

- **Pin the icon.** Browsers hide new extensions behind a puzzle-piece or extensions menu. Pin **Auric Artisan** so its icon stays on the toolbar.
- **Use an ordinary web page.** Browsers do not let extensions run on their own pages, such as settings pages, the new-tab page, `chrome://` and `about:` addresses, or the extension stores. Page tools also cannot reach `file://` pages unless you allow file access for the extension in the browser. Open any normal `http` or `https` site to try the page tools.
- **Nothing on websites changes until you ask.** The website pickers and the custom right-click menu are off after install. You turn them on in Settings when you want them.

Open the extension

You have three ways to open the same workspace:

Where	How	Best for
The popup	Click the toolbar icon, or press <code>Alt + Shift + A</code>	Quick checks; it closes when you click elsewhere
The side panel (Chromium) or sidebar (Firefox)	Choose Open the side panel in the header, or open it from the browser's own side panel or sidebar menu	Longer sessions; it stays open while you browse
Its own window	Choose Open in its own window in the header	A resizable 620 × 700 window that stays open

Installing the extension also opens auricartisan.com once, in a new tab.

Take the tour

The first time you open the extension, a five-step tour starts:

1. **Search anything:** press `/` or `Ctrl + K` and type to find any tool, setting or page on auricartisan.com.
2. **Pick & convert:** the Colour space opens the Picker, which samples any pixel and reads it in twelve formats.
3. **Inspect the page:** Code > Inspect reads any element's colours, type, box model and contrast.
4. **Grab design tokens:** Code > Tokens reads a site's CSS variables, type scale and fonts.
5. **Check accessibility:** the Check space holds Contrast, Vision and the Audit.

Choose **Next** to move on, **Skip** to close it, or **Get started** on the last step. You can replay it any time with the **?** button (**Take the tour**) beside the spaces, or from Settings > Shortcuts > **Replay the tour**.

The layout

From top to bottom, the popup shows:

1. The header.

- The **Auric Artisan** wordmark opens auricartisan.com in a new tab.
- The search field (**Search tools, colours, settings**). Press **/** or **Ctrl** + **K** to jump into it.
- Four buttons: **Open the side panel**, **Open in its own window**, **Switch between light and dark** and **Settings**.

2. The spaces bar.

- **Home**, **Colour**, **Check**, **Code** and **Saved**.
- The site chip names the site the page tools act on, or says **No page** where the tools cannot reach.
- The **?** button replays the tour.

3. The main area.

Home shows a dashboard. In a space, a row of tool chips sits at the top and the chosen tool fills the rest.

The spaces hold these tools:

Space	Tools
Colour	Picker, Page palette, Image, Gradient, Mix. Harmony, Scale and Convert open from inside the Picker or from search.
Check	Contrast, Vision, Audit, Findings
Code	Inspect, Tokens, Snippets
Saved	Library, History. On the web opens from search.

Each space remembers the last tool you used in it. The full tour of each surface is in [Surfaces](#).

A first task in each space

Colour: pick a colour from the page

1. Open a web page and open the extension.
2. On **Home**, choose **Pick a colour**.
3. Click any pixel on the screen. Press **Esc** to cancel.

The colour opens in the Picker, with its value in twelve formats and tabs for specs, harmony, scale, contrast, vision and code. It is also added to your history. In Firefox the screen eyedropper is not available; see [Picker](#) for the alternative.

Check: audit the page

1. On **Home**, choose **Audit**. The audit starts at once.
2. Read the four counts: **Tested**, **Failing**, **Borderline** and **Review**.

3. Choose **Outline on page** to mark the failing text on the page for 15 seconds.
4. Click a finding to load its colour pair into **Contrast**, then choose **Fix text**.

The rest of the audit's findings, beyond contrast, are listed in **Check > Findings**. See [Audit](#).

Code: inspect an element

1. On **Home**, choose **Inspect**.
2. Move the pointer over the page. A small card follows it with the element's name, size, contrast, font and colours.
3. Click the element, or press **P**, to pin the full card.
4. Press **C** to copy its CSS, **S** for its selector or **J** for its data as JSON. Press **Esc** to unpin, and **Esc** again to stop.

When you open the extension again, **Code > Inspect** shows the same element in depth. See [Element inspector](#).

Saved: keep a colour

1. In the Picker, choose the bookmark button (**Save to library**).
2. Open **Saved > Library**. The colour is there; click it to copy it.

The toolbar icon's badge counts the colours in your library.

Next steps

- Dock the workspace: [Side panel](#).
- Turn on the pickers or the right-click menu for websites: [On websites](#).
- Choose a theme, accent colour, popup size or language: [Appearance settings](#).
- Learn every key: [Keyboard shortcuts](#).

BROWSER EXTENSION

Hindi interface

Switch the extension's interface to Hindi (हिन्दी), what is translated, what stays as it is and why, and how the browser's own texts follow its language.

Auric Artisan speaks **English** and हिन्दी (Hindi). The whole interface switches together, including what it draws on websites and every accessibility finding.

Switch the language

1. Open **Settings > Appearance**.
2. Under **Language**, choose हिन्दी.

Each option is written in its own language, so you can always find your way back. You can also search for "language", "hindi" or "भाषा".

- Switching to Hindi applies at once. Open tabs follow without a reload.
- Switching back to English reloads the popup.
- Once Hindi is chosen, the popup opens in Hindi straight away; it never shows English first.

What changes

- the popup, the side panel and the separate window;
- Settings, search results, toasts and the tour;
- the website pickers, including the calendar's month and day names;
- the custom right-click menu;
- the element inspector's cards and bar;
- every accessibility finding, including messages built from live values, such as "8 failing";
- the entries in the browser's own right-click menu.

Search works in both languages: a Hindi interface finds tools by their Hindi or English names.

What stays as it is

Some text is deliberately never translated, because translating it would misreport what the page or the standard says:

- values read from the page, such as `display: block`, `#f0f0f0`, `15px` or a font name like `Manrope`;
- format names and code, such as `oklch()`, JSON and CSS;
- the names of standards and scales, such as WCAG AA, AAA, APCA Lc 75, sRGB, Tailwind 50–950 and `@theme`;
- CSS colour names and the AMD abbreviation in Vision;
- the brand name Auric Artisan.

The extension never translates the website you are visiting. Only its own panels change language.

The browser's own texts

A few texts are shown by the browser, not by the extension: the store description, the toolbar tooltip, the shortcut names on the browser's shortcuts page and the sidebar title in Firefox. These follow your **browser's** language setting, not the extension's. A browser set to Hindi shows them in Hindi even while the extension's interface is English.

Related pages

- [Appearance settings](#)
- [Glossary](#)

BROWSER EXTENSION

Permissions

Every permission Auric Artisan asks for, when the browser asks, why each is needed, and how to review or revoke them.

When you install Auric Artisan, the browser warns that it can "read and change your data on all websites". This page explains exactly what the extension declares, when each permission is asked for, and what it is used for.

The short version

- The tools work on whatever page you use them on, so the extension needs access to all sites.
- A small script loads on each page and waits. Until you start a tool, it only reads your settings and listens for your commands. It does not read your content or change the page.
- Everything that changes a page, the website pickers and the custom right-click menu, is off until you turn it on.
- Three extra permissions are asked for only if you turn on the custom right-click menu.
- Nothing is sent anywhere. See [Privacy](#).

Asked for at install

Permission	What the browser calls it	Why it is needed
Host access to all sites	Read and change your data on all websites	The page tools work on any page you choose; the optional pickers and menu must be ready before you use a page
<code>activeTab</code>	—	Access to the tab you are on when you use the popup, a shortcut or a menu item
<code>scripting</code>	—	Starts the page script in tabs opened before install, and runs the eyedropper in the page when needed
<code>storage</code>	—	Keeps your settings, history, library, snippets and pinned tools in your browser
<code>clipboardWrite</code>	—	The copy buttons: colour values, CSS, selectors and exports
<code>contextMenus</code>	—	Adds the extension's entries to the browser's own right-click menu (you can turn them off in Settings › Right-click)

Permission	What the browser calls it	Why it is needed
<code>sidePanel</code> (Chromium only)	—	Docks the workspace in the side panel

Firefox gets the same list without `sidePanel`. Its sidebar needs no permission. The Firefox package also declares to Mozilla that it collects no data.

Asked for only when you turn on the custom right-click menu

When you turn on Settings › Right-click › **Custom right-click menu**, the browser asks for three optional permissions. If you decline, the menu stays off.

Permission	Only for	Without it
<code>clipboardRead</code> (read the clipboard)	Paste in text fields	Paste shows an Allow chip
<code>downloads</code> (manage downloads)	Save link as... , Save image as... , Save media as... and Save screenshot	Those rows show an Allow chip
<code>sessions</code> (recently closed tabs)	Reopen closed tab	The row shows an Allow chip

Save page as... works without `downloads`: it then saves the page's current HTML as a file instead of using the browser's Save dialog.

Nothing else in the extension asks for these. You can grant them one at a time in Settings › Right-click › **Permissions**.

Where the page script does not run

- Browser pages (such as `chrome://` and `about:` pages) and the extension stores, where browsers forbid it.
- Frames inside a page: the script runs in the top page only.
- `file://` pages, unless you allow file access for the extension in the browser.

Review or revoke permissions

- **Chromium browsers:** open the extensions page, choose **Details** on Auric Artisan, and review **Site access** and **Permissions**. You can limit site access, but the page tools then work only on the sites you allow.
- **Firefox:** open `about:addons`, choose Auric Artisan, then the **Permissions** tab.

Revoking an optional permission turns the matching right-click actions back to **Allow** chips.

Related pages

- [Privacy](#)
- [Right-click settings](#)
- The extension privacy policy: <https://auricartisan.com/legal/extension-privacy/>

BROWSER EXTENSION

Reference

Every control, option, output, setting, shortcut and limit of the Auric Artisan browser extension in one place.

This page lists every part of the extension in tables, for quick lookup. Each section links to the page that explains it in full. It describes version 1.0.2.

Product facts

Fact	Value
Name	Auric Artisan
Version described	1.0.2
Extension format	Manifest V3
Browsers	Chrome, Edge, Opera, Brave, Vivaldi and other Chromium browsers; Firefox 115 and later
Interface languages	English, हिन्दी (Hindi)
Price	Free
Account	None
Network requests	None of its own; only pages you choose to open
Tools	18
Accessibility rules	80 in the engine; 78 run by the audit (WCAG 2.2 A and AA)
Vision simulations	12 (8 colour-vision, 4 low-vision)
Colour formats in the Picker	12

Header and navigation (**The popup**)

Control	What it does
Auric Artisan wordmark	Opens auricartisan.com
Search field	Finds tools, settings and web pages (/ or Ctrl + K)

Control	What it does
Open the side panel	Docks the workspace; hidden in the side panel
Open in its own window	A 620 × 700 resizable window; hidden at Compact size
Switch between light and dark	Flips the theme
Settings	Opens Settings
Spaces	Home, Colour, Check, Code, Saved
Site chip	The site the page tools act on, or No page
Take the tour (?)	Replays the tour
Tool chips	The tools of the current space

Home (**Home**)

Block	Contents
Colour of the day	Swatch, date, HEX, OKLCH, name; Open in picker ; copy
On this page	Pick a colour, Inspect, Audit, Palette
Recent	Up to 12 recent colours; History link
Continue	The last tool and what you were doing
Pinned	Up to 8 tools; Edit / Done
On auricartisan.com	Collections, Accessibility Library, Learning Library, Documentation

Tools

Tool	Space	Page
Picker	Colour	Picker
Page palette	Colour	Page palette
Image	Colour	Image
Gradient	Colour	Gradient
Mix	Colour	Mix
Harmony	Colour (from the Picker)	Harmony
Scale	Colour (from the Picker)	Scale
Convert	Colour (from the Picker)	Convert
Contrast	Check	Contrast

Tool	Space	Page
Vision	Check	Vision
Audit	Check	Audit
Findings	Check	Findings
Inspect	Code	Inspect
Tokens	Code	Tokens
Snippets	Code	Snippets
Library	Saved	Library
History	Saved	History
On the web	Saved (from search)	On the web

Picker

Control	Values
Formats	HEX, RGB, HSL, HSV, HWB, CMYK, LAB, LCH, OKLAB, OKLCH, XYZ, P3
Panes	Specs, Harmony, Scale, Contrast, Vision, Code; Page and Recent in the side panel
Harmony rotation	HSL or OKLCH
Contrast background	White, Black, Page
Code rows	CSS, CSS · wide gamut, Tailwind v4, SwiftUI, Jetpack Compose, Android XML
Actions	Pick from page, Save to library, Check as text, Check as background

Page palette and Image

Control	Values
Read the page's colours	Up to 6 000 elements, 12 colour properties, up to 48 colours
View	Strip or grid
Mode	Most used, Dominant (k-means), Sort by hue, Sort by lightness
Copy	HEX, CSS, oklch(), JSON, ASE (downloaded)
Framework	Tailwind, @theme, SCSS, Tokens
Export	SVG (copied), PNG (downloaded), Save, Open
Image input	Drop, paste, browse (PNG, JPG, WebP, GIF), Capture the visible tab
Image colours	6, 8 (default), 12, 16

Control	Values
Image actions	Open in Page palette, Copy HEX, Save palette

Gradient, Mix, Harmony, Scale, Convert

- **Gradient:** Stops (at least 2) with colour and 0–100% position; + **Stop**; type Linear, Radial, Conic; angle 0–360°; space sRGB, OKLCH, HSL; **Copy, Save snippet, Random, Reverse**
- **Mix:** Colours A and B; Mix 0–100% (50%); space sRGB, Linear RGB, LAB (default), OKLAB, HSL; blend Normal, Multiply, Screen, Overlay, Darken, Lighten
- **Harmony:** Base colour; Complementary, Split complement, Analogous, Triadic (default), Tetradic, Square, Monochromatic, Double split, Compound; **Copy, Send, Save**
- **Scale:** Base; Tailwind 50–950 (default), Material 50–900, Tints, Shades, Tones; **Scale name** (32 characters, **brand**); CSS, SCSS, oklch(), JSON, Tailwind, @theme, Tokens, SVG, PNG, Save
- **Convert:** HEX, RGB, HSL, HSV, CMYK, LAB, LCH, OKLCH, HWB, Name; **Random, Invert, Complement**

Contrast

Control	Values
Inputs	Text, Background
Verdict	AAA, AA, AA Large, Fail
WCAG checks	AA Body 4.5, AA Large 3, AAA Body 7, AAA Large 4.5, AA UI 3, Gfx 3
APCA tiers	Lc 90 Any, Lc 75 Body, Lc 60 Large, Lc 45 XL/Bold, Lc 30 UI
APCA readable sizes	14, 16, 18, 24, 36, 48 px at normal and bold
Colour-vision check	Normal, Protan, Deutan, Tritan
Fix target	AA 4.5:1 (default), AA Large 3:1, AAA 7:1, APCA Lc 60, APCA Lc 75
Buttons	Swap, Fix text, Fix background, Copy report
Suggestions	Up to 6 on-brand text and 6 on-brand background colours

Vision

- **Simulations:** Protanopia, Deuteranopia, Tritanopia, Achromatopsia, Protanomaly, Deuteranomaly, Tritanomaly, Achromatomaly, Cataracts, Low vision, Glaucoma, AMD
- **Strength:** 0–100% (100%); colour-vision types only
- **Buttons:** **Clear, Side-by-side, Capture** (PNG)

Audit and Findings

Item	Values
Buttons	Run the audit (then Run audit), Outline on page , Export JSON , Export CSV
Counts	Tested, Failing, Borderline, Review
Thresholds	4.5:1 body, 3:1 large; borderline within 1.5
Outlines	Red failing, amber borderline; clear after 15 seconds
Findings counts	Failing, Warnings, Total
Finding actions	Show on page , Copy selector , Inspect , Check contrast
Impacts	critical, serious, moderate, minor

Inspector and Inspect

Item	Values
Hover card	Name, size, display/role/landmark, contrast with AA and AAA, Font, Size, Text, Background, Padding
Pinned card sections	Box model, Colours, Layout, Typography, Effects, Accessibility, CSS
Inspector keys	Arrows, P , C , S , J , Enter , Esc
Inspect views	Overview, Styles, A11y, DOM, Live CSS
Inspect navigation	Breadcrumbs, Parent , Child , Prev , Next
Inspect actions	Show on page , Selector , JSON , Use text colour , Use background
Locators	CSS, JavaScript, Playwright
Live CSS	Apply to page , Reset , Copy CSS , Save snippet

Tokens and Snippets

Item	Values
Tokens scan	Up to 240 variables, 8 fonts, 16 sizes; 4 000 elements
Tokens export	CSS vars, W3C tokens, Tailwind @theme, JSON, Save snippet
Snippet sources	Gradient, Scale, Tokens, Live CSS, + New
Snippet types	CSS, Gradient, Shades, Tokens, Palette, Contrast, Note
Snippet actions	Search, This site , Copy, Delete, Copy all , Export file , Clear all

Settings

Section	Setting	Values	Default
Appearance	Theme	System, Light, Dark	Dark
Appearance	Accent	12 presets or custom hex	Auric gold <code>#d3af37</code>
Appearance	Popup size	Compact 460 × 520, Standard 560 × 600, Large 760 × 600	Standard
Appearance	Language	English, हिन्दी	English
Pickers	Auric pickers on websites	On, off	Off
Pickers	Leave designed controls alone	On, off	On
Pickers	Picker types	13 chips	All on
Pickers	Never on	Up to 100 sites; auricartisan.com locked	Empty
Right-click	Custom right-click menu	On, off	Off
Right-click	Step aside for a site's own menu	On, off	On
Right-click	Items in the browser's menu	On, off	On
Right-click	Quick bar	Up to 6 actions; Reset	Back, Forward, Reload, Copy page URL, Copy screenshot
Right-click	Menu layout	Focused, Everything	Focused
Right-click	Row height	Standard, Compact	Standard
Right-click	Never on	Up to 100 sites; auricartisan.com locked	Empty
Right-click	Permissions	Paste, Save as..., Reopen closed tab	Not granted
Tools	Copy colours as	HEX, RGB, HSL, OKLCH	HEX
Tools	Colour names	CSS names, XKCD, Off	CSS names
Tools	Show APCA beside WCAG	On, off	On
Tools	Keep a colour history	On, off	On
Tools	Sound on pick	On, off	Off
Tools	Deep page audit	On, off	On
Tools	Outline issues after an audit	On, off	Off

Section	Setting	Values	Default
Data	Backup	Download a backup, Restore from a file	—
Data	Settings only	Copy settings, Paste settings	—
Data	Start over	Clear history & library, Reset all settings	—
Shortcuts	Buttons	Change them in the browser, Replay the tour	—

Keyboard shortcuts

Keys	Action
Alt + Shift + A	Open Auric Artisan
Alt + Shift + C	Open the contrast checker
Alt + Shift + E	Extract the page palette
Alt + Shift + V	Toggle the deuteranopia simulation
Unassigned	Inspect an element on the page
Unassigned	Run a full accessibility audit

All keys, including the inspector and menu keys, are in [Keyboard shortcuts](#).

Limits

What	Limit
History	50 colours
Library colours	500
Saved palettes	30 (100 in a restored backup)
Colours per palette	64 (restored backup)
Pinned tools	8
Quick bar	6 actions
Snippets	200, 20 000 characters each, titles 80
Never on lists	100 sites each
Contrast scan	3 500 elements and 160 issues (deep); 1 800 and 80 (normal)
Rule audit	25 000 elements and 250 issues per rule; 30 seconds
Page palette	6 000 elements; 48 colours

What	Limit
Tokens	4 000 elements; 240 variables, 8 fonts, 16 sizes
Inspector markup	12 KB
Queued shortcut or menu command	Dropped after 30 seconds

Files the extension writes

File	From
<code>auric-artisan-backup-YYYY-MM-DD.json</code>	Settings › Data › Download a backup
<code>auric-snippets-YYYY-MM-DD.txt</code>	Snippets › Export file
<code>auric-palette-YYYY-MM-DD.ase</code>	Page palette › ASE
<code>palette-....png</code>	Page palette › PNG
<code>aa-vision-<simulation>-....png</code>	Vision › Capture

BROWSER EXTENSION

Troubleshooting

Symptoms, causes and fixes for the Auric Artisan browser extension — page tools, the eyedropper, pickers, the right-click menu, shortcuts, audits and data.

Find your symptom, read why it happens, and try the fix. If nothing here helps, reload the page, then reload the extension from your browser's extensions page.

Page tools

Symptom	Why	What to do
The site chip says No page , or a page tool does nothing	Browsers do not let extensions run on their own pages (settings, new tab, <code>chrome://</code> , <code>about:</code>) or on the web stores	Open an ordinary web page
Page tools do nothing on a local file	Extensions cannot reach <code>file://</code> pages by default	In a Chromium browser: extensions page › Auric Artisan › Details › Allow access to file URLs
A tool worked on other tabs but not on one opened before you installed	The page was loaded before the extension existed	Reload the tab. The extension also tries to start itself there when you use a tool.
"Could not scan this page" or "No active tab"	The page is protected, still loading, or no normal tab is active	Wait for the page to load, click into it, and try again

Symptom	Why	What to do
Nothing is found inside an embedded frame	The extension runs in the top page only	Open the frame's own address in a tab
You limited the extension's site access	Page tools work only on sites you allowed	Allow the site from the extension's toolbar menu or details page

Eyedropper and colours

Symptom	Why	What to do
Pick from page shows "This browser has no screen eyedropper"	Firefox, and some other browsers, do not offer the eyedropper feature	Use Page palette , which reads every colour the page uses
The right-click menu says "Eyedropper needs Chromium"	Same reason	As above
The picked colour is slightly different from the design file	The screen eyedropper reads rendered pixels, after colour management, scaling and anti-aliasing	Pick from a flat area, or read the CSS value with the inspector or Page palette
Image says "Could not read this image (cross-origin protected)"	The image's site does not allow its pixels to be read	Save the image and drop the file in, or use Capture the visible tab
"Can't capture this tab"	The tab is a browser page or cannot be captured	Try an ordinary page

Website pickers

Symptom	Why	What to do
Pickers do not appear	The master switch, the type, or the site list stops them	In Settings > Pickers, check the master switch, the type's chip and Never on ; then reload the page
Pickers never appear on auricartisan.com	By design: the site has its own pickers	—
A dropdown still looks like the site's own	It is probably a custom widget, not a real form control, or the site designed it	Pickers only enhance real controls. To override designed controls, turn off Leave designed controls alone .
A site's form behaves oddly with pickers on	A rare conflict with the site's own scripts	Add the site to Never on in Settings > Pickers

Right-click menu

Symptom	Why	What to do
The custom menu does not appear	It is off, or the permission prompt was declined	Turn on Settings › Right-click › Custom right-click menu and accept the prompt
It does not appear on one site	The site is under Never on , opts out, or shows its own menu	With Step aside on, a site's own menu wins where it has one. Remove the site from Never on if you added it.
It replaced a site's own menu	Step aside for a site's own menu is off	Turn it on, or add the site to Never on
You need spellcheck or the dictionary	Only the browser's menu has them	Shift + right-click, or choose Browser's own menu and right-click again
Paste, Save or Reopen closed tab shows Allow	The optional permission is not granted	Settings › Right-click › Permissions › Allow
"Clipboard blocked — press Ctrl+V to paste."	The browser refused clipboard access for this page	Press Ctrl + V
Open link in private window fails	The extension is not allowed in private browsing	Allow it in private or incognito windows on the extension's details page
Items are missing from the browser's own menu	Items in the browser's menu is off	Turn it on in Settings › Right-click

Shortcuts

Symptom	Why	What to do
A shortcut does nothing	Another extension or the browser uses the same keys	Reassign it: Settings › Shortcuts › Change them in the browser
Inspect or full-audit shortcuts do nothing	They have no key by default	Assign one on the browser's shortcuts page
A shortcut opened the wrong thing much later	It cannot: queued commands are dropped after 30 seconds	—
Alt + Shift + C or E did not open the popup	Some browsers do not let an extension open its popup by itself	Open the popup within 30 seconds; it goes straight to the tool

Inspector

Symptom	Why	What to do
The inspector closed when I clicked	You went to another page, pressed Back or Forward, or the site changed route	Start it again. Before 1.0.2 it also closed on sites that rewrite their address on each click; update.

Symptom	Why	What to do
The card lost its element	The page removed the element	Pin another element
The ratio has "~" in front	The text sits on an image or gradient	Check the lightest area under the text by eye
Live CSS changes stay on the page	Previews last until you reset	Choose Reset or Stop , or reload the page

Audit

Symptom	Why	What to do
Few results on a large page	Scan limits were reached	Turn on Settings › Tools › Deep page audit
Some text is never checked	Text in frames, images or canvas cannot be measured, and some modern colour functions are skipped	Check those areas with Contrast and the inspector
Findings disappeared	Results live only while the extension is open	Export JSON or CSV before closing
Outlines vanished	They clear after 15 seconds	Choose Outline on page again

Data and appearance

Symptom	Why	What to do
The popup is too small or too big	Popup size setting, or the browser's popup limits	Settings › Appearance › Popup size , or use the side panel
Something broke after changing settings	A setting combination you do not want	Settings › Data › Reset all settings . History, library and snippets are kept.
"Restore failed — invalid file"	The file is not an Auric Artisan backup, or it is damaged	Choose a file made by Download a backup
"Import failed"	The pasted text is not valid settings JSON	Copy the settings again with Copy settings
My colours are gone after reinstalling	Uninstalling deletes everything the extension stored	Restore from a backup if you made one
The toolbar badge shows a number	It counts the colours in your library	Remove colours from the library, or ignore it
The side panel button does nothing	Some browsers open side panels only from their own controls	Open it from the browser's side panel or sidebar menu

Related pages

- [FAQ](#)
- [Permissions](#)
- [Limits and accuracy](#)

BROWSER EXTENSION

FAQ

Short answers to common questions about the Auric Artisan browser extension.

Getting it

Where do I install it from?

The Chrome Web Store for Chrome, Edge, Opera, Brave, Vivaldi and Arc, and Firefox Add-ons for Firefox. Links are on <https://auricartisan.com/extension> and in [Install](#).

Is it free?

Yes. Every tool ships in the one install. There is no paid edition and no account.

Do I need an Auric Artisan account?

No. There is no sign-in anywhere in the extension, and it does not talk to auricartisan.com or anything else.

What is the difference between the Chrome, Edge and Opera ZIPs?

Nothing: they are identical copies of the same Chromium package, named for their stores. Any of them works in any Chromium browser. The Firefox package is a separate build.

Does it work in Safari?

It is not published for Safari. On a Mac you can convert the Chromium package with Apple's tools yourself, without a side panel. See [Safari](#).

Does it survive a Firefox restart?

From Firefox Add-ons, yes. A copy loaded with **Load Temporary Add-on** is removed when Firefox quits, because Firefox keeps only signed add-ons.

Privacy and permissions

Why does it need access to all websites?

The tools work on whatever page you are looking at, and the extension cannot know in advance which pages those will be. A small script loads on each page and waits until you start a tool; everything that changes a page is off until you turn it on. See [Permissions](#).

Does it send anything to a server?

No. There are no analytics, accounts or remote calls. Everything stays in your browser's extension storage. Links, web searches and translations open only when you choose them. See [Privacy](#).

Does it change the websites I visit?

Only if you ask. The inspector, vision filters and audit outlines appear when you start them. The website pickers and the custom right-click menu stay off until you turn them on in Settings.

Does it slow pages down?

The page script only registers a listener and reads your settings until you use a tool. The audit is the heavy part, and it runs only when you start it, in small slices so the page stays responsive.

Using it

Why does Pick from page not work in Firefox?

Firefox does not offer the screen eyedropper that extensions use. Use **Page palette** instead, which reads every colour the page uses.

How do I keep the extension open while I click around the page?

Open the side panel: **Open the side panel** in the header, or the browser's own side panel menu. Or use **Open in its own window**.

The audit says 80 rules, but only 78 ran. Why?

The engine has 80 rules. The audit checks WCAG 2.2 levels A and AA, so the two AAA-level rules are not run.

Does a clean audit mean my page is accessible?

No. An automated audit finds many problems but cannot judge everything, such as whether alt text is accurate or whether content makes sense. Test with real assistive technology and people too.

Where do my audit results go when I close the popup?

They are not kept. Use **Export JSON** or **Export CSV** before closing.

Can I change the keyboard shortcuts?

Yes, in the browser: Settings › Shortcuts › **Change them in the browser**. You can also give keys to Inspect and the full audit, which have none by default.

How do I get the browser's own right-click menu back?

Shift + right-click always opens it. To stop the custom menu altogether, turn off Settings › Right-click › **Custom right-click menu**.

How do I move my colours and snippets to another computer?

Settings › Data › **Download a backup**, then **Restore from a file** on the other computer. See [Back up and move your data](#).

Can I use it in Hindi?

Yes. Settings › Appearance › Language › हिन्दी. See [Hindi interface](#).

Is there a VS Code version?

Auric Artisan has separate VS Code extensions. See the VS Code extensions section of these docs.

[BROWSER EXTENSION](#) > [CHECK](#)

Check tools

The tools in the Check space — Contrast, Vision, Audit and Findings — and the rules the audit applies.

The **Check** space holds the accessibility tools. **Contrast** checks any colour pair and fixes it. **Vision** shows the live page through twelve simulations. **Audit** checks the current page against WCAG 2.2, and **Findings** gathers everything wrong into one list.

Files in this folder

Page	What it covers
Contrast	Check a pair in WCAG and APCA, read the verdict, and find the nearest passing colour
Vision	Colour-vision and low-vision simulations on the live page, side by side, and capture
Audit	Run an audit, read the contrast results, outline problems on the page, and export
Audit rules	The 80 rules of the accessibility engine, by category, with their WCAG criteria
Findings	The pooled list of problems, by severity, with actions for each

Key ideas

- **WCAG contrast ratio** compares the relative luminance of two colours, from 1:1 (no contrast) to 21:1 (black on white). WCAG 2.2 asks for 4.5:1 for body text and 3:1 for large text at level AA, and 7:1 and 4.5:1 at AAA.
- **APCA Lc** (Accessible Perceptual Contrast Algorithm, lightness contrast) is the contrast method in the WCAG 3 drafts. It gives a signed score, where a higher absolute value reads more easily, and its guidance depends on font size and weight.
- **Large text** means at least 24 px, or at least 18.66 px when bold.

The [glossary](#) defines these and other terms, and [Limits and accuracy](#) explains what the checks can and cannot tell you.

[BROWSER EXTENSION](#) > [CHECK](#)

Findings

One list of everything the tools found — accessibility, contrast and inspection problems — ordered by severity, with actions for each.

Findings (All Findings) pools the problems the extension found in this session into one list, most serious first. It fills from three sources:

Source	Label	What it adds
The accessibility audit	a11y	Every rule failure and warning from the last audit
The contrast scan	color	Every failing or borderline piece of text from the last audit
The element inspector	inspect	The inspected element's text contrast, when it fails

Until you run an audit, the list reads "No findings yet. Run a page audit to fill this in."

Read the list

Three counts sit at the top: **Failing**, **Warnings** and **Total**. The Findings chip in the Check space shows the number of open failures and warnings.

Findings are ordered with failures before warnings, then by impact: critical, serious, moderate and minor. Each finding shows:

- its source label;
- its title, such as "Form field has no label" or "Contrast 3.12:1";
- a message naming the element and the problem, such as **"Sign up" needs 4.5:1**;
- the element's CSS selector;
- action buttons.

Actions

Button	Appears on	What it does
Show on page	All	Outlines the page's contrast problems for 15 seconds (for an inspected element, highlights that element)
Copy selector	All	Copies the element's CSS selector
Inspect	Accessibility findings	Opens Code > Inspect
Check contrast	Contrast and inspection findings	Loads the colour pair into Contrast

Keeping findings

Findings live only while the popup or side panel stays open. Closing the popup clears them. To keep a record, use **Export JSON** in **Audit** before you close it.

Related pages

- [Audit](#)
- [Audit rules](#)
- [Element inspector](#)

[BROWSER EXTENSION](#) > [CHECK](#)

Audit rules

Every rule in the extension's accessibility engine, grouped by category, with its impact, WCAG 2.2 success criteria and whether the audit runs it.

The accessibility engine behind Audit and Findings has **80 rules** in eight categories, mapped to **32 WCAG 2.2 success criteria**. The audit runs at level AA, so it applies the **78 rules** that test levels A and AA. The two AAA rules, enhanced text contrast (1.4.6) and reduced motion (2.3.3), are part of the engine but are not run by the audit.

The engine uses the WCAG 2.2 success criteria, the ARIA 1.2 role and attribute definitions and the HTML accessibility mappings bundled in the extension, so questions such as "is this attribute allowed on this role" are answered from the specifications rather than guessed. Accessible names are computed with the standard accessible-name algorithm, following `aria-labelledby`, labels, `title` and content.

Impact

Each finding has an impact, the same scale most accessibility tools use:

Impact	Meaning
critical	Blocks some people from using the content at all
serious	A significant barrier; fix soon
moderate	Makes the content harder to use
minor	A nuisance or a best-practice gap

A finding is either a **failure** or a **warning**. A warning means a person must decide, for example contrast over an image.

How the score is calculated

The score, from 0 to 100, counts **distinct failing rules**, not each failing element, so one unlabelled button repeated down a long table is one problem to fix. Each failing rule costs points by impact (critical 10, serious 6, moderate 3, minor 1), multiplied by 1 plus the base-10 logarithm of how many times it failed. For example, one critical rule failing on 10 elements costs $10 \times 2 = 20$ points. Warnings never lower the score. The score appears in the JSON export.

Rules

The ID is how each rule appears in an exported JSON report. "Page" rules check the document once; the others check each matching element.

ARIA (17)

ID	Rule	Impact	WCAG
<code>aria-role-unknown</code>	Role must be a valid ARIA role (typos get a "did you mean" suggestion)	serious	4.1.2
<code>aria-role-abstract</code>	Abstract roles must not be used in markup	serious	4.1.2
<code>aria-role-deprecated</code>	Deprecated ARIA role	minor	4.1.2
<code>aria-role-redundant</code>	Explicit role duplicates the element's native role	minor	4.1.2
<code>aria-on-roleless-element</code>	ARIA is not allowed on this element	moderate	4.1.2
<code>aria-attr-unknown</code>	<code>aria-*</code> attribute is not in the specification	serious	4.1.2
<code>aria-attr-unsupported</code>	<code>aria-*</code> attribute is not supported on this role	serious	4.1.2
<code>aria-attr-invalid-value</code>	<code>aria-*</code> attribute has an invalid value	serious	4.1.2
<code>aria-attr-deprecated</code>	Deprecated ARIA attribute	minor	4.1.2
<code>aria-required-attr</code>	Role is missing a required attribute	critical	4.1.2
<code>aria-required-children</code>	Role is missing its required child roles	critical	1.3.1
<code>aria-required-parent</code>	Role is missing its required parent role	critical	1.3.1
<code>aria-idref-broken</code>	ARIA reference points at an element that does not exist	serious	1.3.1, 4.1.2
<code>aria-hidden-focusable</code>	<code>aria-hidden</code> element is still keyboard focusable	critical	1.3.1, 4.1.2
<code>aria-hidden-body</code>	<code>aria-hidden</code> must not be applied to <code><body></code>	critical	4.1.2
<code>aria-prohibited-name</code>	Role does not support an accessible name	moderate	4.1.2
<code>aria-presentation-focusable</code>	Focusable element has a presentational role	serious	4.1.2

Names (5)

ID	Rule	Impact	WCAG
<code>control-has-name</code>	Interactive element has no accessible name	critical	4.1.2
<code>name-is-whitespace</code>	Accessible name is only whitespace	serious	4.1.2
<code>label-in-name</code>	Accessible name does not contain the visible label	serious	2.5.3

ID	Rule	Impact	WCAG
<code>link-name-descriptive</code>	Link text is not descriptive ("click here", "read more")	moderate	2.4.4
<code>identical-links-differ</code> (page)	Links with the same name point to different destinations	moderate	2.4.4

Structure (12)

ID	Rule	Impact	WCAG
<code>heading-order</code> (page)	Heading levels skip a rank	moderate	1.3.1
<code>heading-empty</code>	Heading has no text	serious	1.3.1, 2.4.6
<code>page-has-h1</code> (page)	Page has no level-one heading	moderate	1.3.1, 2.4.6
<code>landmark-singleton</code> (page)	Duplicate top-level landmark	moderate	1.3.1
<code>landmark-main-exists</code> (page)	Page has no main landmark	moderate	1.3.1, 2.4.1
<code>landmark-duplicates-labelled</code> (page)	Repeated landmarks need distinguishing labels	moderate	1.3.1
<code>list-structure</code>	List contains elements other than list items	serious	1.3.1
<code>definition-list-structure</code>	Definition list has invalid children	moderate	1.3.1
<code>table-has-headers</code>	Data table has no header cells	serious	1.3.1
<code>th-has-text</code>	Header cell is empty	moderate	1.3.1
<code>duplicate-id</code> (page)	Duplicate id used by an ARIA reference or label	serious	1.3.1, 4.1.2
<code>content-outside-landmarks</code> (page)	Content sits outside any landmark	minor	1.3.1

Forms (10)

ID	Rule	Impact	WCAG
<code>form-field-has-label</code>	Form field has no label	critical	1.3.1, 3.3.2, 4.1.2
<code>label-for-broken</code>	<code><label for></code> points at no element	serious	1.3.1, 3.3.2
<code>label-orphaned</code>	<code><label></code> wraps or targets no form control	moderate	1.3.1
<code>placeholder-as-label</code>	Placeholder used instead of a label	serious	3.3.2
<code>autocomplete-valid</code>	<code>autocomplete</code> value is not a valid autofill field name	serious	1.3.5 (AA)
<code>autocomplete-missing</code>	Personal-data field has no <code>autocomplete</code> attribute	minor	1.3.5 (AA)
<code>radio-group-fieldset</code> (page)	Radio group has no group label	moderate	1.3.1, 3.3.2
<code>required-field-indicated</code>	Required field is not programmatically marked	moderate	3.3.2
<code>error-message-associated</code>	Invalid field does not reference its error message	serious	3.3.1
<code>select-has-options</code>	Select element has no options	moderate	4.1.2

Media (13)

ID	Rule	Impact	WCAG
<code>image-has-alt</code>	Image has no alt attribute	critical	1.1.1
<code>image-alt-meaningless</code>	Image alt text is not descriptive	serious	1.1.1
<code>image-alt-redundant</code>	Alt text repeats that this is an image	minor	1.1.1
<code>image-alt-duplicates-link</code>	Linked image alt duplicates the link text	moderate	1.1.1, 2.4.4
<code>input-image-alt</code>	Image button has no alt text	critical	1.1.1, 4.1.2
<code>area-has-alt</code>	Image map area has no alt text	serious	1.1.1, 2.4.4
<code>svg-has-name</code>	Meaningful SVG has no accessible name	serious	1.1.1
<code>svg-decorative-unhidden</code>	Decorative SVG is not hidden from assistive technology	minor	1.1.1
<code>video-has-captions</code>	Video has no captions track	critical	1.2.2
<code>video-has-audio-description</code>	Video has no audio description track	serious	1.2.3, 1.2.5
<code>media-autoplay-audible</code>	Media autoplays with sound	serious	1.4.2
<code>object-has-alt</code>	Embedded object has no text alternative	serious	1.1.1
<code>iframe-has-title</code>	Frame has no title	serious	2.4.1, 4.1.2

Keyboard (8)

ID	Rule	Impact	WCAG
<code>tabindex-positive</code>	Positive tabindex overrides the natural focus order	serious	2.4.3
<code>interactive-not-focusable</code>	Element behaves as a control but cannot be focused	critical	2.1.1
<code>focus-outline-removed</code> (page)	Focus indicator is removed by a stylesheet	serious	2.4.7 (AA)
<code>target-size-minimum</code> (page)	Touch target is smaller than 24 × 24 px	serious	2.5.8 (AA)
<code>accesskey-duplicate</code> (page)	<code>accesskey</code> value is used more than once	moderate	2.1.1
<code>focusable-hidden-offscreen</code>	Off-screen element is still in the tab order	moderate	2.4.3, 2.4.7
<code>autofocus-used</code>	<code>autofocus</code> moves focus on page load	minor	2.4.3
<code>nested-interactive</code>	Interactive element nested inside another	serious	4.1.2

`interactive-not-focusable` understands "roving tabindex": a composite widget such as a tab list passes when one of its items holds the Tab stop. `target-size-minimum` respects WCAG's spacing exception for small targets that are well separated.

Contrast (4)

ID	Rule	Impact	WCAG
<code>color-contrast</code>	Text contrast is below the AA threshold	serious	1.4.3 (AA)
<code>color-contrast-enhanced</code>	Text contrast is below the AAA threshold (not run by the audit)	moderate	1.4.6 (AAA)
<code>non-text-contrast</code>	Control boundary has insufficient contrast	serious	1.4.11 (AA)
<code>link-distinguishable</code>	Link in text is identified by colour alone	serious	1.4.1

Text over an image or gradient is reported as a warning for manual review, not a failure. Checkboxes and radio buttons drawn by the browser are exempt from `non-text-contrast`, as WCAG allows.

Document (11)

ID	Rule	Impact	WCAG
<code>html-has-lang</code> (page)	Page has no <code>lang</code> attribute	serious	3.1.1
<code>html-lang-valid</code> (page)	<code>lang</code> attribute is not a valid language tag	serious	3.1.1
<code>lang-parts-valid</code>	Inline <code>lang</code> attribute is not a valid language tag	moderate	3.1.2 (AA)
<code>page-has-title</code> (page)	Page has no title	serious	2.4.2
<code>page-title-descriptive</code> (page)	Page title is not descriptive	minor	2.4.2
<code>viewport-scalable</code> (page)	Viewport prevents zooming	critical	1.4.4, 1.4.10 (AA)
<code>skip-link-present</code> (page)	No mechanism to skip repeated content	moderate	2.4.1
<code>text-spacing-overrideable</code> (page)	Text spacing is locked with <code>!important</code>	moderate	1.4.12 (AA)
<code>meta-refresh</code> (page)	Page refreshes or redirects on a timer	serious	2.2.1, 2.2.4
<code>blink-marquee</code>	Auto-moving or blinking content cannot be paused	serious	2.2.2
<code>reduced-motion-respected</code> (page)	Long animation ignores <code>prefers-reduced-motion</code> (not run by the audit)	minor	2.3.3 (AAA)

Related pages

- [Audit](#)
- [Findings](#)
- [Limits and accuracy](#)

Audit

Audit the current page against WCAG 2.2 A and AA, read the contrast results, outline problems on the page, and export the results.

Audit (the Page audit) checks the current tab's colours and accessibility against WCAG 2.2. One run does two things:

- a **contrast scan** of the page's text, shown in the Audit tool itself;
- an **accessibility audit** by an 80-rule engine, run at level AA, so the 78 rules that test levels A and AA apply. Its findings go to **Findings**.

Everything runs in your browser. Nothing is sent anywhere, and results are kept only while the popup or side panel is open.

Run an audit

1. Open the page you want to check and wait for it to finish loading.
2. Open Check > **Audit** and choose **Run the audit**. (Home > **Audit** opens it and starts at once.)
3. The button reads **Auditing...** while it works. Large pages take longer; the page stays responsive.

When it finishes, the button reads **Run audit**, so you can run it again after you change the page.

Read the contrast results

Four counts sit at the top:

- **Tested**: Pieces of text the scan measured
- **Failing**: Text below its WCAG AA threshold: 4.5:1, or 3:1 for large text
- **Borderline**: Text that passes, but by less than 1.5 (for example 5.2:1 against 4.5:1)
- **Review**: Text over a background image, gradient or text shadow, where the true contrast cannot be measured exactly; check these by eye

Below, each flagged piece of text is a row:

- two swatches: the text colour and the background it sits on;
- the tag and whether the text counts as **large** or **body**, with its font size, and **review** when it needs a manual check;
- an excerpt of the text, in quotes;
- a CSS selector for the element;
- the measured ratio and the ratio it needs.

Choose a row to load its colour pair into **Contrast**, where **Fix text** finds the nearest passing colour. If nothing fails, the list says "No contrast issues found."

The background used for each piece of text is the colour actually behind it, found by walking up through its parent elements. Translucent layers are combined.

Outline problems on the page

Choose **Outline on page**. Each failing piece of text on the page gets a red outline, each borderline one an amber outline, and each carries a label such as **3.12:1 needs 4.5:1**. The outlines clear after 15 seconds; choose the button again to redraw them.

To outline automatically after every audit, turn on Settings › Tools › **Outline issues after an audit**.

The accessibility audit

The rule engine checks ARIA, accessible names, structure, forms, media, keyboard access, contrast and page-level criteria such as language, title and zoom. Its findings are not listed in the Audit tool itself. Open Check › **Findings** to see them, sorted by severity, with the contrast findings; the Findings chip shows how many are open. See [Findings](#) and [Audit rules](#).

The engine also calculates a score from 0 to 100 and totals by severity. They are included in the JSON export and announced to screen readers.

Export

- **Export JSON**: The whole result: the contrast scan (counts and every flagged item) and the accessibility audit (score, totals, results by WCAG criterion, every finding with its rule, impact, criteria, message and selector, the time taken and whether limits were reached)
- **Export CSV**: The contrast findings, one per row, with the columns **tag**, **selector**, **text**, **fg**, **bg**, **ratio**, **threshold**, **severity** and **manualReview**

Paste the result into a file, a ticket or a spreadsheet.

Limits

Setting	Contrast scan
Settings › Tools › Deep page audit on (the default)	Up to 3 500 elements and 160 issues
Deep page audit off	Up to 1 800 elements and 80 issues

The rule engine has its own limits: up to 25 000 elements and 250 issues per rule, and 30 seconds in all. What cannot be checked automatically:

- text inside embedded frames, images and canvas;
- text coloured with some modern colour functions, which the contrast check skips rather than reporting;

- anything that needs human judgement, such as whether alt text is accurate.

An automated audit finds many problems but cannot prove a page accessible. See [Limits and accuracy](#).

Other ways to audit

- **Audit contrast on page** in the browser's own right-click menu outlines the contrast problems and opens the popup at Audit.
- The **Run a full accessibility audit** shortcut, once you assign a key in the browser, opens the popup at Audit and runs it.
- **Check contrast on page** in the custom right-click menu runs the contrast outlines.

Related pages

- [Findings](#)
- [Audit rules](#)
- [Audit a page and fix contrast](#)

BROWSER EXTENSION > CHECK

Contrast

Check a text and background colour pair against WCAG 2.2 and APCA, read the verdict and size guidance, and fix the pair to the nearest passing colour.

Contrast (the Contrast checker) tells you whether a text colour is readable on a background, in WCAG 2.2 and APCA, and finds the nearest colour that passes if it is not.

Open it

- Check > **Contrast**;
- **Alt** + **Shift** + **C**;
- **Check as text** or **Check as background** in the Picker;
- clicking a finding in Audit, or **Check contrast** in Findings;
- **Contrast** in a colour's detail card (Page palette, Image, Scale);
- **Use text colour** or **Use background** in Code > Inspect.

Set the pair

1. Set **Text** with its swatch or by typing a HEX value.
2. Set **Background** the same way.

The pair starts as near-black on gold. A **Recent** strip loads one of your latest colours as the text colour.

A live preview shows the pair as large "Aa", a sentence, 14 px body text, and a button, a link and a chip.

Read the results

Verdict

A banner shows the strongest WCAG level the pair clears and what that means:

Verdict	Ratio	Meaning shown
AAA	7:1 or more	Excellent, fine for body text at any size
AA	4.5:1 or more	Passes for normal body text and everything larger
AA Large	3:1 or more	Large text and UI elements only
Fail	Below 3:1	Decorative use only, not for text

The banner also shows the ratio and, when APCA is on, the APCA Lc score.

WCAG table

The ratio (**WCAG ratio**) and six checks, each marked pass or fail:

Check	Needs
AA Body	4.5:1
AA Large	3:1
AAA Body	7:1
AAA Large	4.5:1
AA UI 3:1	3:1, for user-interface components
Gfx 3:1	3:1, for meaningful graphics

APCA

With Settings › Tools › **Show APCA beside WCAG** on (the default):

- the APCA Lc score beside the ratio;
- five tiers, each marked pass or fail: **Lc 90** (any text), **Lc 75** (body), **Lc 60** (large), **Lc 45** (extra-large or bold) and **Lc 30** (UI);
- **APCA readable sizes**: for 14, 16, 18, 24, 36 and 48 px text, whether the pair is readable at normal and at bold weight.

The extension uses a simplified APCA calculation that is accurate enough for design feedback; see [Limits and accuracy](#).

Colour-vision check

"Contrast as about 8% of men see it": the ratio of the pair as it appears with normal vision and with protan, deutan and tritan colour-vision deficiency, each with an "Aa" sample and a pass, warning or fail mark.

Fix the pair

1. Choose a target in the fix menu: **AA 4.5:1** (the default), **AA Large 3:1**, **AAA 7:1**, **APCA Lc 60** or **APCA Lc 75**.
2. Choose **Fix text** to find the nearest text colour that passes, or **Fix background** to find the nearest background.

The tool keeps the colour's hue and saturation and moves its lightness until the pair passes, then applies the result and tells you what changed (for example "Adjusted fg to #6B5A1F (4.5:1)"). If the pair already passes, it says so.

Below, **On-brand text** and **On-brand background** show up to six suggestions each: colours with the same hue that pass the target. Click one to apply it.

Other buttons

- **Swap**: Exchanges the text and background colours
- **Copy report**: Copies a plain-text report: both colours, the ratio and level, the APCA score, each WCAG threshold with PASS or FAIL, and the colour-vision ratios

Note: The copied report labels its thresholds "WCAG 2.1". The thresholds are the same in WCAG 2.1 and 2.2.

Related pages

- [Audit](#)
- [Picker](#)
- [Check and fix a brand colour](#)

BROWSER EXTENSION > CHECK

Vision

See the live page through eight colour-vision deficiency and four low-vision simulations, compare side by side, and capture the result.

Vision (the Vision simulator) filters the live page so you can see it the way people with different vision do. It helps you spot information carried by colour alone, low-contrast areas and layouts that depend on

peripheral vision.

Simulations

Group	Simulation	What it shows
Colour blindness	Protanopia	No red-sensitive cones
	Deuteranopia	No green-sensitive cones, the most common form
	Tritanopia	No blue-sensitive cones, rare
	Achromatopsia	No colour vision
Weaker forms	Protanomaly	Weak red sensitivity
	Deuteranomaly	Weak green sensitivity
	Tritanomaly	Weak blue sensitivity
	Achromatomaly	Weak colour vision overall
Low vision	Cataracts	Blur with a yellowed, washed-out look
	Low vision	Strong blur with reduced brightness
	Glaucoma	Tunnel vision: the edges of the view darken
	AMD	Age-related macular degeneration: loss in the centre of the view

Use it

1. Open the page, then Check > **Vision**.
2. Choose a simulation. The page is filtered at once.
3. Drag **Strength** (0 to 100%, 100% by default) to weaken or strengthen the effect. Strength applies to the eight colour-vision simulations; the four low-vision ones have a fixed strength.
4. Choose another simulation to switch, or **Clear** to remove the filter.

The filter stays on while you move around a single-page site. Reloading the page removes it.

Compare side by side

Choose **Side-by-side**. The page shows the original on the left and the filtered version on the right, labelled "Original / " and the simulation's name. Choose its **X** to close it. With no simulation chosen, it compares deuteranopia.

Capture

Choose **Capture** to download a PNG of the visible tab, named after the simulation (for example **aa-vision-deutanopia-...png**).

Other ways to start a simulation

- **Alt** + **Shift** + **V** toggles deutanopia on the current tab.
 - The browser's own right-click menu has **Simulate · Protanopia, Deutanopia, Tritanopia, Achromatopsia** and **Clear vision filter** (while Settings › Right-click › **Items in the browser's menu** is on).
 - The custom right-click menu has **Simulate colour vision**, with a preview of how four everyday colours look in each type, and **Side by side** (see [Right-click menu](#)).
-

Limits

Simulations are approximations based on published models. They show the kind of difficulty a person may have, not exactly what any individual sees. See [Limits and accuracy](#).

Related pages

- [Contrast](#), whose colour-vision check gives ratios for protan, deutan and tritan vision
- [Picker](#), whose Vision pane previews one colour

BROWSER EXTENSION > CODE

Code tools

The tools in the Code space — **Inspect**, **Tokens** and **Snippets** — and every code format the extension can export.

The **Code** space is for developers. **Inspect** reads one element in depth and lets you try CSS on it live. **Tokens** reads a site's design tokens. **Snippets** keeps the code you want to reuse. Every colour tool also exports code; the formats are collected in one reference.

Files in this folder

Page	What it covers
Inspect	The element snapshot: Overview, Styles, A11y, DOM and Live CSS
Tokens	CSS variables, fonts and type scale from any page, and their exports
Snippets	The on-device code vault: saving, searching, copying and exporting
Code export formats	Every format each tool can copy or download, with examples

BROWSER EXTENSION > CODE

Code export formats

Every format the extension can copy or download, which tool produces it, and what the output looks like.

This page collects every format the extension exports, so you can find the tool that gives you the code you need. Unless a row says "downloaded", the output is copied to the clipboard.

One colour

From the Picker's **Code** pane. Values below are for Auric gold, `#d3af37`.

Format	Output
CSS	<code>--brand: #d3af37;</code>
CSS · wide gamut	<code>--brand: oklch(...);</code>
Tailwind v4	<code>@theme { --color-brand: oklch(...); }</code>
SwiftUI	<code>Color(red: 0.827, green: 0.686, blue: 0.216)</code>
Jetpack Compose	<code>Color(0xFFD3AF37)</code>
Android XML	<code><color name="brand">#FFD3AF37</color></code>

Transparent colours carry their opacity: SwiftUI adds **opacity:**, and Compose and Android put the alpha first.

The Picker's value field copies the colour as a CSS value in any of its twelve formats. History and Library chips copy in the format set in Settings > Tools > **Copy colours as:** HEX, RGB, HSL or OKLCH.

A palette

From **Page palette** (and anything sent to it: Image, Harmony).

Format	Output
HEX	One #RRGGBB per line
CSS	<code>:root { --color-1: #...; --color-2: #...; }</code>
oklch()	The same <code>:root</code> block with <code>oklch()</code> values
JSON	<code>["#...", "#..."]</code>
ASE	An Adobe Swatch Exchange file, downloaded
Tailwind	<code>module.exports = { theme: { extend: { colors: { "color-1": "#..." } } } };</code>
@theme	<code>@theme { --color-1: #...; }</code>
SCSS	<code>\$color-1: #...;</code>
Tokens	W3C design tokens JSON
SVG	An SVG strip of swatches, as text
PNG	A PNG strip of swatches, downloaded

Harmony's **Copy** gives a comma-separated HEX list, and Image's **Copy HEX** one HEX per line.

A scale

From **Scale**, named after the **Scale name** you type (for example **brand**):

Format	Output
CSS	CSS variables for each step
SCSS	SCSS variables for each step
oklch()	CSS variables with <code>oklch()</code> values
JSON	The steps as JSON
Tailwind	A Tailwind colour object
@theme	A Tailwind v4 <code>@theme</code> block

Format	Output
Tokens	W3C design tokens JSON
SVG	An SVG of the scale with labels, as text
PNG	A PNG of the scale with labels

A gradient

From **Gradient**: a **background:** declaration using **linear-gradient**, **radial-gradient(circle, ...)** or **conic-gradient(from ...deg, ...)**.

A page's tokens

From **Tokens**: a **:root** block of CSS variables, W3C design tokens JSON (grouped into colour, dimension and other), a Tailwind v4 **@theme** block, or the raw scan as JSON.

An element

From	Format
Inspector card, C key or Copy CSS	A CSS block for the element
Inspector, S key or Selector	A CSS selector
Inspector, J key or JSON	The element's snapshot as JSON
Code › Inspect › DOM › Copy locator	CSS selector, document.querySelector(...) or page.locator(...)
Code › Inspect › DOM › Copy HTML	The element's markup (up to 12 KB)
Right-click menu › Copy selector	CSS, JavaScript (document.querySelector(...)), Playwright (page.locator(...)) or XPath
Right-click menu › Copy computed styles	The element's computed styles as text

Checks and audits

From	Format
Contrast › Copy report	A plain-text contrast report
Audit › Export JSON	The full audit as JSON
Audit › Export CSV	The contrast findings as CSV
Vision › Capture	A PNG of the filtered tab, downloaded

Saved data

From	Format
Library › Export	Your colours and palettes as JSON
Snippets › Export file	Every snippet in a <code>.txt</code> file, downloaded
Settings › Data › Download a backup	A <code>.json</code> backup of settings, history, library and snippets, downloaded
Settings › Data › Copy settings	Your settings as JSON

Related pages

- [Reference](#)
- [Glossary](#)

BROWSER EXTENSION > CODE

Inspect

Select an element on the page and read its full snapshot in the popup — box model, styles, matched rules, accessibility, DOM, locators — and try CSS on it live.

Code › **Inspect** (Inspect Element) is the in-depth view of one element. You select the element on the page with the [element inspector](#), and the extension shows its full snapshot, including every computed style and the rules that set them, and a Live CSS editor that changes the element on the page reversibly.

Select an element

1. Open Code › **Inspect**. The panel explains: "Pick an element on the page to read its rules, box model and accessibility, then try CSS on it live."
2. Choose **Select element**. The status reads "Selection mode active · click an element on the page".
3. Hover the page and click the element you want.
4. In the side panel or the separate window, the snapshot appears as soon as you click. In the popup, clicking the page closes the popup; open it again and Code › Inspect shows the element.

The side panel is the most comfortable place to inspect, because it stays open while you click around the page.

Until you select one, the panel says **No element selected** and lists the inspector's keys: **P** pin, **C** copy CSS, **S** selector and **J** JSON. **Stop** ends inspecting and undoes any Live CSS previews.

The header

- Swatches for the text colour and background colour.
 - The element's name and its size.
 - Its contrast.
 - **Breadcrumbs**: the path of ancestors down to the element. Choose one to jump to that ancestor.
 - **Parent**, **Child**, **Prev** and **Next** move the selection.
 - **Show on page** highlights the element, **Selector** copies its CSS selector and **JSON** copies the whole snapshot as JSON.
-

The five views

Overview

- **Box model**: a diagram of margin, border, padding and content, with the element's size.
- **Layout**: display, flex and grid details, position, offsets, overflow and z-index.
- **Colors**: text, background, border and background image.
- **Typography**: family, size and weight, line height, letter spacing, text alignment and text transform.
- **Effects**: radius, shadow, transform, filter, backdrop filter, transition, opacity and cursor.
- **Page metrics**: bounding rectangle, content, client, scroll and offset sizes, number of children, and its index among its siblings.
- **Use text colour** and **Use background** send the element's colours to Contrast.

Styles

- **Filter properties or values...** narrows the lists as you type, with a count.
- **Matched rules**: the CSS rules that apply to the element, in cascade order, with the rule count.
- **Computed**: every computed property.

Stylesheets from another site that the browser does not let the page read are noted, for example "2 cross-origin stylesheets could not be read. Their computed values are still shown below."

A11y (Accessibility)

- A summary of the element's accessibility: its role, accessible name, states and contrast, with any problems found.
- **ARIA attributes**: every `aria-*` attribute on the element.

DOM

- **Attributes**: every attribute and its value, with a count.
- **Copy locator**: **CSS** (the selector), **JavaScript** (`document.querySelector(...)`) or **Playwright** (`page.locator(...)`).

- **Pseudo-elements:** `::before` and `::after`, when the element has them.
- **Markup:** the element's HTML, up to 12 KB, with **Copy HTML**. Larger markup is cut off and the panel says so.

Live CSS

Edit CSS for this element and see it on the page.

1. Type or change declarations in the editor. It starts with the element's current CSS.
2. Choose **Apply to page**. The declarations apply to this element only.
3. Choose **Reset** to restore the element's own styles, or **Stop** in the header to end inspecting and undo every preview.

The panel calls this a **Reversible page preview**: "Declarations apply to this element only. Reset or Stop restores what the inspector changed without touching anything else on the page." Changes are never saved to the site; reloading the page also removes them.

Copy CSS copies the editor's contents and **Save snippet** saves them to Snippets.

Findings from inspection

If the element's text fails contrast, a finding is added to **Findings**, with **Show on page**, **Copy selector** and **Check contrast**. Text on an image or gradient is added as a warning, to be verified by eye.

Related pages

- [Element inspector](#)
- [Contrast](#)
- [Snippets](#)

BROWSER EXTENSION > CODE

Snippets

Keep reusable code in the extension's on-device vault — save from tools or paste your own, search, filter by site, copy and export.

Snippets is a vault for code you want to keep: CSS, gradients, scales, tokens and your own notes. It is stored on this device only, in the browser's extension storage.

Save a snippet

From a tool:

Tool	Button	Saves
Gradient	Save snippet	The gradient declaration
Scale	Save	The scale's CSS
Tokens	Save snippet	The CSS variables
Inspect > Live CSS	Save snippet	The CSS in the editor

Or your own:

1. Open Code > **Snippets** and choose **+ New**.
2. Paste or type the code when asked.
3. Give it a title, or leave it blank for "Note".

Each snippet records its type, a title, the page and site it was saved from, and when.

Find a snippet

- **Search snippets...** matches titles, types, code and site names.
- **This site** shows only snippets saved from the site in the current tab.

Each card shows its type (CSS, Gradient, Shades, Tokens, Palette, Contrast or Note), its title, how long ago it was saved and the site. Long code is shown shortened.

Use snippets

Button	What it does
Copy (on a card)	Copies that snippet's code
Delete (on a card)	Deletes that snippet at once
Copy all	Copies every snippet, each headed by a comment with its title, type and site
Export file	Downloads every snippet as a <code>.txt</code> file (<code>auric-snippets-</code> and the date)
Clear all	Deletes every snippet, after you confirm

The Snippets chip shows how many snippets you have. The list updates live if you add snippets in another window.

Limits

- Up to **200** snippets; saving more drops the oldest.
- Each snippet's code is kept up to **20 000** characters, and titles up to 80.

Snippets are included in a backup from Settings › Data › **Download a backup**. Because each snippet records the page it came from, a backup contains those addresses.

Related pages

- [Data settings](#)
- [Privacy](#)

BROWSER EXTENSION › CODE

Tokens

Read a web page's design tokens — CSS custom properties, font families and type scale — and export them as CSS, W3C tokens, a Tailwind @theme block or JSON.

Tokens (Design Tokens) reads the design decisions a site has written down as CSS: its custom properties (CSS variables), the font families it uses and its type scale. Use it to learn a design system, to start a theme from an existing site, or to check that a site uses its tokens consistently.

Read the tokens

1. Open the page, then Code › **Tokens**.
2. Choose **Read the tokens**.

A summary line appears, such as "86 CSS variables · 3 font families · 9 sizes". If the page defines no variables, a message says "No CSS variables found on this page". Some pages cannot be read, such as browser pages; the tool then says "Could not scan this page".

After a scan, the button is labelled **Scan design tokens**; choose it to read the page again.

What it finds

Section	What it lists	Limit
CSS variables	Every custom property the page's readable stylesheets define, with its value. Colour values get a swatch.	240
Fonts	The font families used by elements with text, most used first, each shown in its own font with a use count	8
Type scale	The font sizes used by elements with text, smallest first	16

Fonts and sizes are counted across up to 4 000 elements. Stylesheets from another site that the browser does not let the page read are skipped.

Copy one token

On	Click	Shift-click
A CSS variable	Copies <code>var(--name)</code>	Copies its value
A font	Copies the full font-family list	—
A size	Copies the size	—

Export

The export buttons appear when the page has CSS variables. Each copies to the clipboard.

Button	Output
CSS vars	A <code>:root { ... }</code> block with every variable
W3C tokens	W3C design tokens JSON, grouped into <code>color</code> , <code>dimension</code> and <code>other</code> . Colours are resolved to HEX where possible.
Tailwind @theme	A Tailwind v4 <code>@theme { ... }</code> block with every variable
JSON	Everything found: page title and address, variables, fonts and sizes
Save snippet	Saves the CSS variables to Snippets

Example of the **W3C tokens** output:

```
{
  "color": {
    "brand": { "$value": "#d3af37", "$type": "color" }
  },
  "dimension": {
    "radius-md": { "$value": "8px", "$type": "dimension" }
  }
}
```

Related pages

- [Snippets](#)
- [Code export formats](#)

BROWSER EXTENSION > COLOUR

Colour tools

The tools in the Colour space — Picker, Page palette, Image, Gradient, Mix, and the Harmony, Scale and Convert tools behind the Picker.

The **Colour** space holds everything for picking, reading and building colours. Its chips are Picker, Page palette, Image, Gradient and Mix. Three deeper tools, Harmony, Scale and Convert, open from links inside the Picker (and from search), and each has a **Picker** back button.

Most tools show a **Recent** strip of your latest colours; choose a swatch to load it into that tool.

Files in this folder

Page	What it covers
Picker	Sample from the screen, read twelve formats, and use Specs, Harmony, Scale, Contrast, Vision and Code
Page palette	Read every colour a page uses, view and sort it, and export it
Image	Build a palette from an image or a capture of the visible tab
Gradient	Build linear, radial and conic CSS gradients
Mix	Mix two colours in five colour spaces, or blend them
Harmony	Nine harmony schemes on a colour wheel you can drag
Scale	Tailwind and Material scales, tints, shades and tones, with exports
Convert	Ten formats at once, each editable

BROWSER EXTENSION > COLOUR

Convert

Type a colour in any of ten formats and read it in all the others at once, with random, invert and complement helpers.

Convert (the Colour converter, "every format at once") shows one colour in ten formats. Type into any field and the others follow. Open it from the Picker's Specs pane (**Open the converter** →) or search for "Convert".

Fields

Field	Example input
HEX	#d3af37
RGB	rgb(211,175,55)
HSL	hsl(43,65%,52%)

Field	Example input
HSV	<code>hsv(43,74%,83%)</code>
CMYK	<code>cmyk(0,17,74,17)</code>
LAB	<code>lab(72 5 60)</code>
LCH	<code>lch(72 60 85)</code>
OKLCH	<code>oklch(76% 0.13 85)</code>
HWB	<code>hwb(43 22% 17%)</code>
Name	<code>goldenrod</code>

Commas or spaces both work as separators. A swatch shows the current colour.

Helpers

Button	What it does
Random	A random colour
Invert	The colour's inverse
Complement	The colour opposite on the hue wheel

Picker at the top returns to the Picker.

Note: CMYK here is a simple conversion from RGB, not a colour-managed print profile. Use it as a starting point for print, not a proof.

Related pages

- [Picker](#), which reads twelve formats including OKLAB, XYZ and Display P3
- [Glossary](#)

BROWSER EXTENSION > COLOUR

Gradient

Build a linear, radial or conic CSS gradient from two or more stops, choose the interpolation space, and copy or save the CSS.

Gradient builds a CSS background gradient and writes the declaration for you.

Build a gradient

1. Open Colour › **Gradient**. It starts with two stops: gold at 0% and near-black at 100%.
2. For each stop, set its colour and its position with the slider or the number field (0 to 100%).
3. Choose **+ Stop** to add a stop between the last two. Choose a stop's **X** button to remove it; a gradient keeps at least two stops.
4. Choose the type: **Linear**, **Radial** or **Conic**.
5. Set the angle in degrees (0 to 360). It sets the direction of a linear gradient and the starting angle of a conic one.
6. Choose the interpolation space: **sRGB**, **OKLCH** or **HSL**.

The preview and a colour track update as you change anything, and the CSS appears below them.

Interpolation spaces

- **sRGB** uses your stops as they are; the browser blends between them. Blends between very different hues can look grey in the middle.
- **OKLCH** and **HSL** write out 13 evenly spaced stops calculated in that space, so the middle of the gradient stays vivid.

Note: The OKLCH option currently mixes in OKLab, the rectangular form of the same colour space. Results are close to OKLCH but hue paths between distant hues can differ.

The CSS

The output is a **background:** declaration, for example:

```
background: linear-gradient(90deg, #d3af37 0%, #0d080b 100%);
```

Radial gradients are written as **radial-gradient(circle, ...)** and conic ones as **conic-gradient(from 90deg, ...)**.

Buttons

Button	What it does
Copy	Copies the declaration
Save snippet	Saves the declaration to Code › Snippets, titled by its type (for example "linear gradient")
Random	Makes a new gradient of 2 to 4 random stops at a random angle

Button	What it does
Reverse	Reverses the order and positions of the stops

Related pages

- [Snippets](#)
- [Mix](#)

BROWSER EXTENSION > COLOUR

Harmony

Build a colour harmony from a base colour in nine schemes on a wheel you can drag, then copy, send or save it.

Harmony (the Harmony builder) finds colours that go with a base colour, using the standard colour-wheel schemes. Open it from the Picker's Harmony pane (**Open the full harmony builder** →) or search for "Harmony".

Use it

1. Set the base colour with its swatch or type a HEX value.
2. Choose a scheme (Triadic is the default).
3. Drag on the wheel to change the base colour's hue and saturation; its lightness stays the same.

The wheel marks each colour in the harmony and draws lines between them. A strip below shows the colours.

Schemes

Scheme	What it gives
Complementary	The base and the colour opposite it
Split complement	The base and the two neighbours of its opposite
Analogous	The base and its neighbours on the wheel
Triadic	Three colours evenly spaced around the wheel
Tetradic	Four colours forming a rectangle on the wheel
Square	Four colours evenly spaced
Monochromatic	Variations of the base hue
Double split	Split complements on both sides

Scheme	What it gives
Compound	A mix of analogous and complementary colours

Buttons

Button	What it does
Copy	Copies the colours as a comma-separated HEX list
Send	Loads the colours into Page palette, where every export is available
Save	Saves them to Saved › Library as a palette labelled with the scheme

Picker at the top returns to the Picker.

Related pages

- [Picker](#)
- [Page palette](#)
- [Library](#)

BROWSER EXTENSION › COLOUR

Image

Build a palette from an image you drop, paste or choose, or from a capture of the visible tab, entirely on your device.

Image builds a palette from a picture. The image is read on your device and never uploaded.

Get a palette from an image

1. Open Colour › **Image**.
2. Choose how many colours to read: **6 colours**, **8 colours** (the default), **12 colours** or **16 colours**.
3. Give it an image, in any of these ways:
 - drop an image file on the drop area;
 - paste an image from the clipboard;
 - click the drop area (or focus it and press **Enter**) to browse for a file;
 - choose **Capture the visible tab** to use a screenshot of what the current tab shows.

The drop area accepts PNG, JPG, WebP and GIF. A file that is not an image is refused with "Not an image file". Some tabs cannot be captured, such as browser pages; the tool then says "Can't capture this tab".

The image appears with a line such as "8 colors from your image", and the colours below it. To keep extraction fast, the image is scaled down before its colours are counted, and similar colours are merged.

Look at one colour

Choose a colour to open its detail card, with its name, values and the buttons **Pick**, **Contrast**, **Shades** and **Harmony**, as in [Page palette](#).

Use the palette

Button	What it does
Open in Page palette	Loads the colours into Page palette, where every export is available
Copy HEX	Copies the colours as a HEX list, one per line
Save palette	Saves the colours to Saved > Library

Related pages

- [Page palette](#)
- [Library](#)

BROWSER EXTENSION > COLOUR

Mix

Mix two colours at any percentage in sRGB, linear RGB, LAB, OKLAB or HSL, or blend them with a blend mode, and copy the result.

Mix combines two colours, either by mixing them in a colour space or by blending one over the other.

Use it

1. Open Colour > **Mix**.
2. Set colour **A** and colour **B** with their swatches or by typing a HEX value. They start as gold and blue.
3. Drag the **Mix** slider (0 to 100%, 50% by default) to set how much of B goes into the result.
4. Choose the colour space to mix in: **sRGB**, **Linear RGB**, **LAB** (the default), **OKLAB** or **HSL**.
5. Choose a blend mode: **Normal** (plain mixing, the default), **Multiply**, **Screen**, **Overlay**, **Darken** or **Lighten**.

An 11-step strip shows the path from A to B, and the result swatch shows the current mix.

6. Choose the result swatch to copy the mixed colour.

Choosing a space

Space	Good for
sRGB	Matching how most software and older CSS mix colours
Linear RGB	Physically based light mixing; midpoints look brighter
LAB	Perceptual mixing with even lightness steps
OKLAB	Perceptual mixing that keeps hues cleaner than LAB
HSL	Travelling around the hue wheel between two hues

Related pages

- [Gradient](#)
- [Glossary](#)

BROWSER EXTENSION > COLOUR

Page palette

Read every colour a web page uses, switch between views and sorting modes, inspect a colour, and copy or export the palette.

Page palette reads the colours a web page actually uses, from its computed styles and its CSS variables, and turns them into a palette you can copy, export or save. It is also the way to sample page colours in Firefox, which has no screen eyedropper.

Read a page's colours

1. Open the page, then open Colour > **Page palette**. (Home > **Palette**, or **Alt** + **Shift** + **E**, opens it and starts reading straight away.)
2. Choose **Read the page's colours**.

A line above the palette summarises the scan, for example "18 distinct · 42 unique · 1830 elements · 6 CSS vars": how many distinct colours remain after merging near-duplicates, how many unique values were found, how many elements were read, and how many colours came from CSS variables.

What it reads

- Up to 6 000 elements on the page.
- Twelve colour properties of each: text colour, background colour, the four border colours, outline colour, SVG fill and stroke, box shadow, caret colour and text-decoration colour.

- CSS custom properties (variables) in the page's stylesheets whose value is a hex or `rgb()` colour. These count three times, so brand and theme colours rise to the top.
- Nearly invisible colours (under 5% opacity) are skipped, and near-duplicate colours are merged.
- Up to 48 colours are kept.

Stylesheets from another site that the browser does not let the page read are skipped.

View and sort

- **Switch between strip and grid:** Strip (one scrolling row) or grid
- **Palette mode:** **Most used** (the default), **Dominant (k-means)** (eight representative colours), **Sort by hue**, **Sort by lightness**

Look at one colour

Choose a colour to open its detail card:

- its nearest colour name;
- HEX, RGB, HSL and `oklch()` values, each with a copy button;
- its contrast on white and on black, with the WCAG level (AAA, AA, AA large or Fail);
- **Pick** (open in the Picker), **Contrast** (use as text colour), **Shades** (open in Scale) and **Harmony**.

Close the card with its close button.

Copy and export

Group	Button	Result
Copy	HEX	One HEX value per line, copied
	CSS	A <code>:root</code> block of <code>--color-1</code> , <code>--color-2</code> ... variables, copied
	<code>oklch()</code>	The same <code>:root</code> block with <code>oklch()</code> values, copied
	JSON	A JSON array of the colours, copied
	ASE	An Adobe Swatch Exchange file (<code>auric-palette-</code> and the date <code>.ase</code>), downloaded
Framework	Tailwind	A <code>module.exports</code> Tailwind config that extends <code>colors</code> , copied
	@theme	A Tailwind v4 <code>@theme</code> block, copied
	SCSS	<code>\$color-1: ...;</code> variables, copied
	Tokens	W3C design tokens JSON, copied
Export	SVG	An SVG strip of swatches, copied as text
	PNG	A PNG strip of swatches, downloaded

Group	Button	Result
	Save	Saves the palette to Saved > Library (the newest 30 palettes are kept)
	Open	Opens the palette on auricartisan.com's palette library, with the colours in the address

Open sends the palette's hex colours to auricartisan.com in the page address; nothing else about the page is sent.

Related pages

- [Image](#) for palettes from pictures
- [Library](#)
- [Code export formats](#)

BROWSER EXTENSION > COLOUR

Picker

Sample a colour from the screen or set one by hand, read it in twelve formats, and use the Picker's Specs, Harmony, Scale, Contrast, Vision and Code panes.

The Picker is the same colour picker auricartisan.com uses, with extra panes for accessibility and code. Open it from Colour > **Picker**, from Home > **Pick a colour**, from the colour of the day, or by choosing any colour swatch in Recent, History, Page palette, Image, Scale or Harmony.

The colour core

- Spectrum (**Saturation and brightness**): Drag to set saturation and brightness
- **Hue** slider: Drag to set the hue
- **Opacity** slider: Sets transparency. The opacity is carried into every value you copy.
- Value field and **Colour format** menu: Shows the colour in one of twelve formats. Every field is editable. The format menu searches as you type (type "ok" for OKLAB and OKLCH).
- Copy button (**Copy the CSS value**): Copies the ready-to-paste CSS value in the current format

The twelve formats are **HEX**, **RGB**, **HSL**, **HSV**, **HWB**, **CMYK**, **LAB**, **LCH**, **OKLAB**, **OKLCH**, **XYZ** and **P3** (Display P3). The Picker starts in the format chosen in Settings > Tools > **Copy colours as** (HEX, RGB, HSL or OKLCH).

Actions

- **Pick from page**: Starts the screen eyedropper. Click any pixel on the screen; press **Esc** to cancel. The colour loads into the Picker and joins your history.
- **Save to library** (the bookmark): Adds the colour to Saved > Library, or says it is already there
- **Check as text**: Opens Contrast with this colour as the text colour

- **Check as background:** Opens Contrast with this colour as the background

When the eyedropper is not available

The screen eyedropper relies on a browser feature that Chromium browsers have and Firefox does not. The Picker first uses its own eyedropper, then asks the page to run one. Where neither exists, it shows: "This browser has no screen eyedropper. The Page palette tool reads every colour the page uses instead." Use [Page palette](#), then choose a colour from it.

The detail panes

In the popup the Picker is split: the core on the left and six tabbed panes on the right. In the side panel and the separate window it is one column, and the panes are sections one below another. The pane you last opened is remembered.

- **Specs** (Specifications): Luminance; contrast against white and black; WCAG pass levels; APCA on white and black; hue family; nearest CSS colour name; **Chroma room sRGB** and **Chroma room P3** (how much more saturated the colour can go before it leaves each gamut); CSS values. Click any value to copy it. **Copy as CSS variables** copies them as a block. **Open the converter** → opens Convert.
- **Harmony** (Harmonies): Complementary, analogous, split complementary, triadic and tetradic partners. **Rotate hue in** HSL (like most tools) or OKLCH (every partner keeps the same perceived lightness). Click a swatch to use it. **Open the full harmony builder** → opens Harmony.
- **Scale** (Tints & shades): An 11-step scale from 50 to 950, built in OKLCH so each step is an even perceptual jump and the hue does not drift. The step nearest your colour is marked. Click a step to use it. **Open the scale generator** → opens Scale.
- **Contrast:** How readable the colour is as text on **White**, **Black** or **Page** (the current page's background): the WCAG 2 ratio and the APCA score. If it fails AA, the closest colour that passes is one click away.
- **Vision** (Colour vision): The colour as people with the four main colour-vision deficiencies see it (protanopia, deuteranopia, tritanopia and achromatopsia), each with ΔE , the perceptual distance from what you picked. Under about 2 the difference is hard to notice.
- **Code:** Ready-to-paste code (see below)
- **Page** (On this page): The colours the current page uses, most frequent first (up to twelve). Click one to pick it. Side panel and window only.
- **Recent:** Colours you picked recently, kept in the extension. Side panel and window only.

Code formats

Row	Example output for a colour
CSS	<code>--brand: #d3af37;</code>
CSS · wide gamut	<code>--brand: oklch(...);</code>
Tailwind v4	<code>@theme { --color-brand: oklch(...); }</code>
SwiftUI	<code>Color(red: 0.827, green: 0.686, blue: 0.216)</code> , with <code>opacity:</code> when the colour is transparent

Row	Example output for a colour
Jetpack Compose	<code>Color(0xFFD3AF37)</code> (alpha first)
Android XML	<code><color name="brand">#FFD3AF37</color></code>

Tips

- Every colour you finish choosing is added to your history, unless Settings › Tools › **Keep a colour history** is off.
- **Sound on pick** in Settings › Tools plays a short tick when a pick or copy lands.
- Colours are also sampled in the right-click menu (**Pick colour, Pick colour from image**) and copied straight to the clipboard; see [Right-click menu](#).

Related pages

- [Contrast](#)
- [Harmony, Scale, Convert](#)
- [Code export formats](#)

BROWSER EXTENSION › COLOUR

Scale

Generate Tailwind and Material colour scales, tints, shades and tones from one colour, inspect each step, and export the scale.

Scale (the Scale generator) turns one colour into a full set of steps you can use as a design system's colour scale. Open it from the Picker's Scale pane (**Open the scale generator** →) or search for "Scale".

Build a scale

1. Set the base colour with its swatch or type a HEX value.
2. Choose the scale type:

Type	Steps	Built in
Tailwind 50–950 (the default)	11 steps, labelled 50 to 950	OKLCH, fitted to the sRGB gamut
Material 50–900	10 steps, labelled 50 to 900	OKLCH, fitted to the sRGB gamut
Tints	11 steps toward white	HSL
Shades	11 steps toward black	HSL
Tones	11 steps of saturation at the same lightness	HSL

A chip beside the name shows **OKLCH** · **perceptual** or **HSL**. The Tailwind and Material scales use even steps of perceived lightness with the hue held constant, so neighbouring steps look evenly spaced.

3. Type a **Scale name** (up to 32 characters; **brand** by default). Every export uses it.

Each step shows its label in black or white, whichever is more readable on it. The step nearest your base colour is marked, and its tooltip says "your color".

Look at one step

Choose a step for its detail card: HEX, RGB, HSL and **oklch()** values with copy buttons, and:

- **Make base**: rebuild the scale around this step;
- **Pick, Contrast** and **Harmony**: open the step in that tool.

Export

Group	Button	Result
Copy	CSS	CSS variables named after the scale, copied
	SCSS	SCSS variables, copied
	oklch()	CSS variables with oklch() values, copied
	JSON	JSON, copied
Framework	Tailwind	A Tailwind colour object, copied
	@theme	A Tailwind v4 @theme block, copied
	Tokens	W3C design tokens, copied
Export	SVG	An SVG of the scale with its labels, copied
	PNG	A PNG of the scale with its labels
	Save	Saves the scale's CSS to Code > Snippets

Related pages

- [Picker](#)
- [Snippets](#)
- [Code export formats](#)

BROWSER EXTENSION > INSTALL

Install the extension

Which browsers the extension supports and how to install it on each one, from a store or from a ZIP package.

The Auric Artisan extension is one product with two store listings: the Chrome Web Store, which serves every Chromium-based browser, and Firefox Add-ons. Installing from a store is one click, survives restarts and updates itself. The product page, <https://auricartisan.com/extension>, also offers the packages as ZIP files, for anyone who prefers to load the extension from a folder they can read first.

Supported browsers

Browser	Support	Install from
Google Chrome	Full, with the side panel	Chrome Web Store
Brave, Vivaldi	Full, with the side panel	Chrome Web Store
Arc	Installs from the Chrome listing	Chrome Web Store
Microsoft Edge	Full, with the side panel	Chrome Web Store or the Edge ZIP
Opera	Full, with the side panel	Chrome Web Store or the Opera ZIP
Firefox 115 and later	Full, with the sidebar. The screen eyedropper is not available.	Firefox Add-ons
Safari on macOS	Not published. You can convert the Chromium package yourself. There is no side panel.	Convert with Xcode

The extension is built on Manifest V3, the current extension format in Chromium browsers and Firefox. The Chrome, Edge and Opera ZIPs are identical copies of the same Chromium package, named for their stores. The Firefox package is a separate build.

What the browser asks when you install

Every browser shows a permission prompt before it installs the extension. It says that Auric Artisan can read and change your data on all websites. That is the host access the tools need to work on whatever page you use them on. A small script loads on each page and waits until you start a tool, and every feature that changes a page is off until you turn it on. [Permissions](#) explains each permission.

Files in this folder

Page	What it covers
Chrome and Chromium browsers	Chrome, Brave, Vivaldi and Arc from the Chrome Web Store
Microsoft Edge	Edge from the Chrome Web Store, or from the Edge ZIP
Opera	Opera from the Chrome Web Store, or from the Opera ZIP
Firefox	Firefox from Firefox Add-ons, and the temporary add-on route
Safari	Converting the Chromium package with Xcode on macOS
Load from a ZIP	Loading an unpacked copy in any Chromium browser or Firefox
Update and remove	Keeping the extension current, reloading a ZIP copy, and uninstalling

BROWSER EXTENSION > INSTALL

Install on Chrome and Chromium browsers

Install Auric Artisan from the Chrome Web Store in Chrome, Brave, Vivaldi or Arc, pin it and open it.

Chrome, Brave, Vivaldi and Arc all install Auric Artisan from the same Chrome Web Store listing. None of them needs a separate store, and updates arrive automatically.

Install from the Chrome Web Store

1. Open the listing: <https://chromewebstore.google.com/detail/auric-artisan/bpmkaljljnlmbjfbmkbbggiinlbpcocp>
2. Choose **Add to Chrome**. Other Chromium browsers show the same button, sometimes with their own name.
3. Read the permission prompt and confirm. It says the extension can read and change your data on all websites; see [Permissions](#) for what that means in practice.
4. The browser adds the extension and opens auricartisan.com once in a new tab.
5. Open the browser's extensions menu (the puzzle-piece icon in Chrome) and pin **Auric Artisan** to the toolbar.
6. Open any normal web page and click the icon, or press **Alt** + **Shift** + **A**.

You should see the popup with **Home** selected and the first-run tour on top.

Open the side panel

Chromium browsers can dock the workspace beside the page, where it stays open while you browse.

1. Open the popup.

2. Choose **Open the side panel** in the header.

The popup closes and the workspace opens in the browser's side panel. You can also open it from the browser's own side panel menu, where Auric Artisan appears with the other side panels. See [Side panel](#).

Keyboard shortcuts

Chrome allows an extension to suggest four default shortcuts. Auric Artisan suggests:

Shortcut	Does
Alt + Shift + A	Open Auric Artisan
Alt + Shift + C	Open the contrast checker
Alt + Shift + E	Extract the page palette
Alt + Shift + V	Toggle the deuteranopia simulation

Inspect an element and **Run a full accessibility audit** have no default key. To assign one, or to change any of them, open `chrome://extensions/shortcuts`. In the extension, Settings > Shortcuts > **Change them in the browser** opens that page for you. A shortcut another extension already uses may not take effect until you change one of them.

Allow the extension on local files

Page tools cannot reach pages opened from your disk (`file://` addresses) unless you allow it.

1. Open `chrome://extensions`.
2. Choose **Details** on Auric Artisan.
3. Turn on **Allow access to file URLs**.

If something goes wrong

- **The icon does nothing on a page:** browsers block extensions on their own pages and on the store. Try a normal website.
- **The shortcut does not work:** another extension or the browser may own it. Reassign it on `chrome://extensions/shortcuts`.
- More in [Troubleshooting](#).

BROWSER EXTENSION > INSTALL

Install on Microsoft Edge

Install Auric Artisan in Microsoft Edge from the Chrome Web Store listing, or load the Edge package from a ZIP.

Edge is a Chromium browser, so it installs the Chrome Web Store listing directly and gets every feature, including the side panel. The product page also offers an Edge-named ZIP, which is an identical copy of the Chromium package.

Install from the Chrome Web Store

1. In Edge, open <https://chromewebstore.google.com/detail/auric-artisan/bpmkaljljnlmbjfbmkbbggiinlbpccp>
2. If Edge asks whether to allow extensions from other stores, allow it. Edge asks this once, the first time you install from the Chrome Web Store.
3. Choose the store's add button, then confirm the permission prompt.
4. Open the extensions menu on Edge's toolbar and show **Auric Artisan** on the toolbar.
5. Open a normal web page and click the icon, or press **Alt** + **Shift** + **A**.

You should see the popup with **Home** selected and the first-run tour on top.

Install from the Edge ZIP instead

1. Download the Edge package from <https://auricartisan.com/extension>. Its name starts with **auric-suite-edge-**.
2. Unzip it into a folder you will keep. Edge loads the extension from that folder every time it starts.
3. Open **edge://extensions**.
4. Turn on **Developer mode**.
5. Choose **Load unpacked** and select the unzipped folder, the one with **manifest.json** at its top level.

A copy loaded this way does not update itself. See [Update and remove](#).

Side panel and shortcuts

- **Open the side panel** in the popup's header docks the workspace in Edge's side panel. See [Side panel](#).
- The default shortcuts are the same as in Chrome. Change them on **edge://extensions/shortcuts**.
Settings › Shortcuts › **Change them in the browser** opens the shortcuts page.

Related pages

- [Load from a ZIP](#)
- [Permissions](#)
- [Troubleshooting](#)

[BROWSER EXTENSION](#) > [INSTALL](#)

Install on Firefox

Install Auric Artisan from Firefox Add-ons, open the sidebar, and understand what differs in Firefox.

Firefox has its own package of Auric Artisan, published on Firefox Add-ons (AMO). It needs Firefox 115 or later. Because Mozilla signs it, it installs permanently like any other add-on and updates itself.

Install from Firefox Add-ons

1. Open <https://addons.mozilla.org/en-US/firefox/addon/auric-artisan/>
2. Choose **Add to Firefox**.
3. Read the permission prompt and choose **Add**.
4. Firefox confirms the add-on is installed and opens auricartisan.com once in a new tab.
5. Pin the extension to the toolbar from Firefox's extensions menu if it is not already shown.
6. Open a normal web page and click the icon, or press **Alt** + **Shift** + **A**.

Open the sidebar

In Firefox the docked workspace is a sidebar, titled **Auric Artisan workspace**.

- Choose **Open the side panel** in the popup's header, or
- open it from Firefox's own sidebar menu, where Auric Artisan appears with the other sidebars.

See [Side panel](#).

What differs in Firefox

- Screen eyedropper (**Pick from page, Pick a colour**): Not available: Firefox does not offer the eyedropper interface extensions use. The Picker shows a hint instead. Use **Page palette**, which reads every colour the page uses.
- **Side panel**: A sidebar instead, with the same workspace
- **Pick colour in the right-click menu**: Shows a message that the eyedropper needs a Chromium browser
- **Permissions**: The same list, minus the side-panel permission, which Firefox does not need
- **Data collection**: The package declares to Mozilla that it collects no data

Keyboard shortcuts

The defaults are the same as in Chromium browsers: **Alt** + **Shift** + **A**, **C**, **E** and **V**. To change them:

1. Open `about:addons`.
2. Choose the gear menu, then **Manage Extension Shortcuts**.

Settings › Shortcuts › **Change them in the browser** opens `about:addons` for you.

Temporary install from a ZIP

You can also load the Firefox package from <https://auricartisan.com/extension> through `about:debugging#/runtime/this-firefox` > **Load Temporary Add-on**. A temporary add-on is removed when you quit Firefox, because Firefox keeps only signed add-ons across restarts. If you find yourself reinstalling it every day, use the Add-ons listing instead. Steps are in [Load from a ZIP](#).

BROWSER EXTENSION > INSTALL

Load from a ZIP

Load an unpacked copy of Auric Artisan from the ZIP packages on the product page, in a Chromium browser or in Firefox.

The store listings are the easiest way to install and keep the extension current. The product page, <https://auricartisan.com/extension>, also offers the same packages as ZIP files. An unpacked extension is a folder of plain files you can read before you trust it. Browsers do not let a website open their internal extension pages, so you copy those addresses into the address bar yourself.

The packages

Package	File name starts with	Use it in
Chromium	<code>auric-suite-chrome-</code>	Chrome, Brave, Vivaldi, Arc and any Chromium browser
Edge	<code>auric-suite-edge-</code>	Edge (identical to the Chromium package)
Opera	<code>auric-suite-opera-</code>	Opera (identical to the Chromium package)
Firefox	<code>auric-suite-firefox-</code>	Firefox 115 and later

The Chrome, Edge and Opera files are byte-for-byte the same package, named for their stores. Take any one of them for any Chromium browser. The Firefox package is a different build.

Chromium browsers

1. **Download and unzip.** Unzip the package into a folder you will keep. The browser loads the extension from that folder every time it starts, so do not leave it in a Downloads folder you clear out.
2. **Open the extensions page.** Paste `chrome://extensions` into the address bar (in Edge, `edge://extensions`; in Opera, `opera://extensions`).
3. **Turn on Developer mode.**
4. **Load it.** Choose **Load unpacked** and select the unzipped folder, the one with `manifest.json` at its top level.
5. **Pin it.** Pin Auric Artisan to the toolbar, then click the icon or press `Alt + Shift + A`.

The extension appears in the list with its version. It works exactly like a store install, except that it does not update itself.

Firefox

1. **Download and unzip** the Firefox package.
2. **Open the debugging page.** Paste `about:debugging#/runtime/this-firefox` into the address bar.
3. **Load it.** Choose **Load Temporary Add-on** and select the `manifest.json` file inside the unzipped folder.
4. Open a web page and click the icon, or press `Alt + Shift + A`.

Important: A temporary add-on lasts only until you quit Firefox. Firefox keeps only signed add-ons across restarts, which is Firefox's rule rather than a limit of this extension. For a permanent install, use [Firefox Add-ons](#).

After loading

- Allow file access if you want page tools on `file://` pages (Chromium: **Details** > **Allow access to file URLs**).
- Your settings and data live in the browser profile, not in the folder. Removing the extension removes them; see [Update and remove](#).

BROWSER EXTENSION > INSTALL

Install on Opera

Install Auric Artisan in Opera from the Chrome Web Store listing, or load the Opera package from a ZIP.

Opera is a Chromium browser. It can install Auric Artisan from the Chrome Web Store listing, and the product page also offers an Opera-named ZIP that is an identical copy of the Chromium package.

Install from the Chrome Web Store

1. In Opera, open <https://chromewebstore.google.com/detail/auric-artisan/bpmkaljljnlmbjfbmkbbggiinlbpccp>
2. If Opera asks you to add its helper for Chrome Web Store extensions, follow its prompt, then return to the listing.
3. Choose the store's add button and confirm the permission prompt.
4. Pin **Auric Artisan** from Opera's extensions menu.
5. Open a normal web page and click the icon, or press `Alt + Shift + A`.

Install from the Opera ZIP instead

1. Download the Opera package from <https://auricartisan.com/extension>. Its name starts with **auric-suite-opera-**.
2. Unzip it into a folder you will keep.
3. Open **opera://extensions**.
4. Turn on **Developer mode**.
5. Choose **Load unpacked** and select the unzipped folder, the one with **manifest.json** at its top level.

A copy loaded this way does not update itself. See [Update and remove](#).

Side panel and shortcuts

- **Open the side panel** in the popup's header docks the workspace in Opera's side panel.
- The default shortcuts are the same as in Chrome: **Alt** + **Shift** + **A**, **C**, **E** and **V**. Change them in Opera's extension shortcuts settings; Settings › Shortcuts › **Change them in the browser** tries to open that page for you.

Related pages

- [Load from a ZIP](#)
- [Permissions](#)
- [Troubleshooting](#)

BROWSER EXTENSION > INSTALL

Safari

Auric Artisan is not published for Safari; how to convert the Chromium package yourself on macOS, and what to expect.

Auric Artisan is not published for Safari, and there is no Safari listing. Safari takes web extensions through an Xcode project rather than a ZIP, so you can build a copy yourself on a Mac from the Chromium package. This route is for people comfortable with Apple's developer tools.

What you need

- A Mac with Xcode installed.
- The Chromium package from <https://auricartisan.com/extension> (its name starts with **auric-suite-chrome-**).

Convert and run it

1. Unzip the Chromium package.
2. Open Terminal and run Apple's converter against the unzipped folder. Replace the folder name with the one you unzipped:

```
xcrun safari-web-extension-converter ./auric-suite-chrome-1.0.2
```

3. The converter creates an Xcode project. Open it, then build and run it.
4. In Safari, enable the extension in Safari's extension settings.

The product page has a **Copy command** button that copies the converter command for the package version it offers.

What to expect

- **There is no side panel.** Safari has no equivalent of the Chromium side panel or the Firefox sidebar, so the workspace is available only as the popup.
- **The build is yours.** Auric Artisan does not build, test or support a Safari version. Features that rely on Chromium or Firefox interfaces may not work.
- **Updates are manual.** To update, convert the newer package and build again.

If you need the full feature set, use a Chromium browser or Firefox. See [Install](#).

BROWSER EXTENSION > INSTALL

Update and remove

How Auric Artisan updates, how to update a copy loaded from a ZIP, how to keep your data across a reinstall, and how to uninstall.

Updating

How you installed	How it updates
Chrome Web Store (Chrome, Brave, Vivaldi, Arc, Edge, Opera)	Automatically. The store reviews each version before it ships.
Firefox Add-ons	Automatically, signed by Mozilla
ZIP, loaded unpacked in a Chromium browser	Manually: see below
ZIP, temporary add-on in Firefox	Load the newer package after each restart
Safari conversion	Convert and build the newer package

Update a copy loaded from a ZIP

1. Download the newer package from <https://auricartisan.com/extension>.
2. Replace the contents of the folder you loaded with the newly unzipped files. Keep the same folder location.
3. Open the browser's extensions page (`chrome://extensions`, `edge://extensions` or `opera://extensions`).
4. Choose the reload button on the Auric Artisan card.
5. Reload any tabs that were open before the update, so the page tools use the new version.

To check your version, look at the Auric Artisan card on the extensions page.

Keep your data across a reinstall

Your settings, colour history, library and snippets live in the browser's extension storage. Removing the extension deletes them. Before you remove it, or before moving to another browser or computer:

1. Open **Settings** > **Data**.
2. Choose **Download a backup**. A file named `auric-artisan-backup-` followed by the date is saved.
3. After reinstalling, open **Settings** > **Data** > **Restore from a file** and choose that file.

See [Data settings](#) and [Back up and move your data](#).

Remove the extension

1. Open the browser's extensions page, or right-click the toolbar icon.
2. Choose **Remove** (in Firefox, **Remove Extension**).
3. Confirm.

Removing the extension deletes everything it stored in your browser. Nothing else is left behind: the extension never writes to websites' storage.

Turn off parts instead of removing

If one feature is in the way, you can switch it off without uninstalling:

- the website pickers: Settings > Pickers > **Auric pickers on websites**;
- the custom right-click menu: Settings > Right-click > **Custom right-click menu**;
- the entries in the browser's own right-click menu: Settings > Right-click > **Items in the browser's menu**;
- a single site: add it to the **Never on** list in Settings > Pickers or Settings > Right-click.

BROWSER EXTENSION > ON WEBSITES

On websites

The optional features that work on websites themselves — Auric pickers for form controls, the compact colour picker, the custom right-click menu — and the entries in the browser's own menu.

Two optional features change how websites behave, and both are **off** until you turn them on:

- **Auric pickers on websites** give a page's colour, select, date, time, number, range, file and other form controls Auric versions. The site still receives every value exactly as before.
- **The custom right-click menu** replaces the browser's menu with one built around what you clicked, while stepping aside for sites that have their own.

A third, smaller feature is on by default: a few Auric Artisan entries in the **browser's own** right-click menu.

Neither optional feature runs on auricartisan.com, which has its own pickers and menu.

Files in this folder

Page	What it covers
Website pickers	Turning the pickers on, each control type, search in long lists, theme, and where pickers stay native
Colour picker on pages	The compact 296 px colour picker that replaces a page's colour inputs
Right-click menu	Scenes, the header, the quick bar, filtering, submenus, pinning, the gear, keys, and stepping aside
Browser menu items	The Auric Artisan entries in the browser's own right-click menu
For site owners	How a site can keep its controls native or keep the browser's menu

BROWSER EXTENSION > ON WEBSITES

Browser menu items

The Auric Artisan entries added to the browser's own right-click menu and toolbar-icon menu, what each does, and how to turn them off.

Separately from the optional custom menu, the extension adds a few entries to the **browser's own** right-click menu, on pages and on the extension's toolbar icon. They are on by default.

The entries

Entry	What it does
Inspect element	Starts the element inspector on the page
Extract page palette	Opens the extension at Page palette and reads the page's colours
Audit contrast on page	Outlines the page's contrast problems, then opens the extension at Audit and runs it

Entry	What it does
Simulate · Protanopia	Filters the page for protanopia
Simulate · Deuteranopia	Filters the page for deuteranopia
Simulate · Tritanopia	Filters the page for tritanopia
Simulate · Achromatopsia	Filters the page for achromatopsia
Clear vision filter	Removes the vision filter

The entries are translated when the interface is set to Hindi.

If the extension's popup cannot open by itself, open it within 30 seconds and it goes straight to the tool you chose. After 30 seconds the request is dropped, so an old action never runs later on another page.

Turn them off

Turn off Settings › Right-click › **Items in the browser's menu** ("Add Auric Artisan entries to the browser's own right-click menu too."). The entries disappear at once.

Related pages

- [Right-click menu](#), the optional custom menu
- [Vision](#)

BROWSER EXTENSION › ON WEBSITES

Colour picker on pages

The compact Auric colour picker that replaces a website's colour inputs — its layout, formats, the five panes, opacity and theme.

With the website pickers on and the **Colour** type switched on, every colour input on a page opens the Auric colour picker, the same picker auricartisan.com uses, in a compact 296 px popover. The page keeps a small swatch in place of its colour input; everything else lives in an isolated panel that the site's styles cannot affect.

Layout

From top to bottom:

1. The spectrum and the **Hue** slider, plus an **Opacity** slider when the page's input asks for one.
2. The value field, with a **Colour format** menu. The menu lists the twelve formats (HEX, RGB, HSL, HSV, HWB, CMYK, LAB, LCH, OKLAB, OKLCH, XYZ and P3) and searches as you type: type "ok" for OKLAB and OKLCH.

3. Five toggles: **Shades**, **Harmony**, **Contrast**, **Vision** and **Page** (or **Recent**).

The five panes

At most one pane is open at a time.

- **Shades**: An 11-step OKLCH scale from 50 to 950 around the colour
- **Harmony**: Partner colours, rotated in HSL or OKLCH
- **Contrast**: How readable the colour is as text on white, black or the page's own background, with the closest passing colour when it fails AA
- **Vision**: The colour as people with the four main colour-vision deficiencies see it
- **Page / Recent**: Colours the page uses, or colours you picked recently in the extension

The pane you last opened comes back on every colour picker on that page, until you leave the page.

Behaviour

- Near the bottom of the window the picker opens upward, and it stays anchored when a pane opens.
 - **Esc** closes it.
 - The page receives the new value through its normal events, as if you had used the browser's picker.
 - The picker never writes to the website's storage. Recent colours are kept by the extension, not by the site.
-

Theme

On **Dark** or **Light** the picker uses that theme. On **System** it matches the page behind it. Your accent colour tints it.

Related pages

- [Website pickers](#)
- [Picker](#), the full version inside the extension

BROWSER EXTENSION > ON WEBSITES

For site owners

How a website can keep its form controls native and keep the browser's right-click menu for visitors who use the Auric Artisan extension.

Visitors who use Auric Artisan can turn on its website pickers and its right-click menu. Both are designed to leave designed sites alone, but you can also opt out explicitly with a few attributes. None of these affect visitors who do not have the extension.

Keep form controls native

Where	What to add	Works
On the control itself	<code>data-aa-picker-skip</code>	Always
On an ancestor of the control	<code>data-aa-picker-skip</code>	While the visitor keeps Leave designed controls alone on (the default)
On the control or an ancestor	<code>data-native-control</code> , <code>data-aa-native</code> or <code>data-no-enhance</code>	While Leave designed controls alone is on
On a colour input	<code>data-cp-skip</code>	Always. Colour inputs follow their own rule; the attributes above do not apply to them.

Example:

```
<select data-aa-picker-skip>
  <option>Keep the browser's list</option>
</select>
<input type="color" data-cp-skip>
```

Controls you have restyled (for example with `appearance: none`) or hidden behind your own widget are already left alone while **Leave designed controls alone** is on. Hidden, disabled and read-only colour inputs are never replaced.

Keep the browser's right-click menu

For the whole page, add either attribute to the `<html>` element:

```
<html data-aa-no-ext-menu>
```

```
<html data-native-context-menu>
```

or add a meta tag:

```
<meta name="auric-extension-menu" content="off">
```

For one area, mark the element or an ancestor:

```
<div data-aa-own-menu>...</div>
```

A page that shows its own right-click menu by cancelling the browser's (calling `preventDefault()` on the `contextmenu` event) is left alone automatically, while the visitor keeps **Step aside for a site's own menu** on (the default).

What the extension never does on your site

- It does not read or write your site's cookies, local storage or other storage.
- It does not send anything from your pages anywhere.
- Its pickers write values into your real controls through the normal `input` and `change` events, and the native controls stay in the page for form submission.

Related pages

- [Website pickers](#)
- [Right-click menu](#)
- [Privacy](#)

BROWSER EXTENSION > ON WEBSITES

Right-click menu

The extension's optional right-click menu for websites — turning it on, scenes and their actions, the header, quick bar, filter, submenus, pinning, the gear, keys, and stepping aside.

The custom right-click menu replaces the browser's menu on websites with one built around what you clicked. It puts that thing's own actions first, spelled out, and folds everything else into a few rows that open submenus, so the menu fits on one screen. It adds actions browsers bury or lack: QR codes, screenshots, read aloud, searching a selection on six engines, copying as Markdown, reopening a closed tab, and the extension's own tools.

It is **off** by default.

Turn it on

1. Open **Settings** > **Right-click**.
2. Turn on **Custom right-click menu**.
3. The browser asks for three optional permissions: reading the clipboard (for **Paste**), downloads (for **Save as**) and sessions (for **Reopen closed tab**). Accept to finish.

If you decline, the switch turns itself off again and the message says "Permission declined — custom menu stays off". You can grant a single permission later from Settings > Right-click > **Permissions**.

Shift + right-click always opens the browser's own menu, even with the custom menu on.

Anatomy

From top to bottom:

1. **The header** names what you right-clicked, with the detail that matters.
 2. **The quick bar**: one-click buttons you choose.
 3. **The filter field** ("Type to filter N actions"). It has focus when the menu opens.
 4. **The context section**: the clicked thing's own actions, spelled out.
 5. **One row per other group**, each opening a submenu: **Auric tools**, **Page**, **Tab & window** and **View**.
 6. **Browser's own menu**, the last row.
 7. **The footer**: key hints, confirmations and the gear.
-

Scenes

What you right-click decides the header and the context section. Each scene below lists what the header shows and the actions in the context section.

An element

- **Header**: its tag and size, such as `div.card · 1180 × 64`.
- **Actions (Auric tools)**: Inspect element; Copy selector (CSS, JavaScript, Playwright or XPath, each previewed); Copy computed styles; Pick colour; Check contrast on page; Simulate colour vision.

Selected text

- **Header**: the text, with its word and character count.
- **Actions**: Copy; Copy as plain text; Search the web; Translate; Read aloud; QR code; Share... (where the browser supports sharing).

A selected colour value

When the selection is a colour such as `#1a73e8`:

- **Header**: the colour, a swatch and its `rgb()` value.
- **Actions**: Copy HEX, Copy RGB, Copy HSL and Copy OKLCH (each value shown); Copy; Search the web.

A link

- **Header**: its address, and **This site** or **Another site**.
- **Actions**: Open link in new tab; Open link in new window; Open link in private window; Copy link address; Copy link text; Copy link as Markdown; QR code for link; Save link as....

An image

- **Header**: its file name, pixel size and file type.
- **Actions**: Open image in new tab; Copy image; Copy image address; Copy alt text (shown, or "None"); Copy its palette (four swatches shown, when the image allows it); Pick colour from image; QR code for image; Save image as....

- An image inside a link also offers Open link in new tab and Copy link address.

A video or audio

- **Header:** **Video** or **Audio**, and its length.
- **Actions:** Play or Pause; Mute or Unmute; Loop; Playback speed (0.5×, 1× (normal), 1.25×, 1.5×, 2×); Picture-in-picture (videos); Full screen; Copy media address; Save media as... (not for streams).

A text field

- **Header:** its name or label, and its type.
- **Actions:** Undo; Redo; Cut; Copy; Paste; Delete; Select all; Clear field.

The page itself

- **Header:** the page title and site.
- **Actions (Page):** Copy page URL; Copy page title; Copy as Markdown link; QR code for this page; View page source; Save page as...; Print...; Translate page.

The groups

- **Auric tools:** As in the element scene above, when it is not already the context
- **Page:** As in the page scene above
- **Tab & window:** New tab; Duplicate tab; Pin or unpin tab; Mute or unmute tab; Save screenshot; Copy screenshot; Reopen closed tab; Close tab
- **View:** Scroll to top; Scroll to bottom; Zoom in; Zoom out; Actual size; Full screen; Read page aloud (Stop reading while it reads); Hard reload

Rows show the matching browser keyboard shortcut where there is one, such as **Ctrl** + **U** for View page source.

Submenus inside submenus

Some rows inside a group open their own submenu:

- **Copy selector** previews each form: the CSS selector, `querySelector(...)`, `locator(...)` and the XPath.
- **Search the web** lists Google, Bing, DuckDuckGo, Wikipedia, YouTube and Google Images. Press **1** to **6** to choose one.
- **Simulate colour vision** lists **Colour blindness** (protanopia, deuteranopia, tritanopia, achromatopsia) and **Weaker forms** (the four anomalies), each with a preview of how four everyday colours look to someone with it. **Side by side** filters half the page, and **Reset simulation** clears it.

The quick bar

The quick bar holds up to six one-click actions. It starts with **Back**, **Forward**, **Reload**, **Copy page URL** and **Capture** (Copy screenshot).

To pin any action:

1. Point at its row and choose its star, or press **Right** to reach the star and then **Enter**.
2. The footer confirms "Pinned to the quick bar". Do the same again to unpin it.

If the bar is full, the footer says "The quick bar holds 6: unpin one first".

Filter

Start typing as soon as the menu opens. The list shows every matching action, including the ones inside groups, with the group's name beside each result. **Enter** runs the first result. **Esc** clears the filter.

The gear

The gear in the footer opens the menu's own settings:

- **Quick bar**: the pinned actions, each removable, and **Reset**.
- **Layout: Focused** (the default) shows what you clicked, then one row per group; **Everything** opens every group in one list.
- **Row height: Standard** or **Compact**.

Choose **Done** to go back. The same settings, and more, are in Settings > Right-click.

Keys

Key	What it does
Type	Filter the actions
Up / Down	Move between the quick bar and the rows
Right	Open a group, or reach a row's star
Left	Close a group, or go back from the star
Enter	Run the row (in the field: the first result)
1 to 6	Choose a search engine in its submenu
Esc	Clear the filter, then close a submenu, then close the menu

While the menu has focus, the site's own keyboard shortcuts do not fire.

Actions that need a permission

Paste, the **Save** actions and **Reopen closed tab** need the three optional permissions. Until one is granted, its rows show an **Allow** chip. Grant it in Settings > Right-click > **Permissions**.

When the browser's menu appears instead

- **Shift** + right-click, always.
 - **Browser's own menu**: the next right-click goes to the browser, for spellcheck, the dictionary and writing direction. The footer says "Right-click again for the browser's menu".
 - **Sites with their own menu**. With **Step aside for a site's own menu** on (the default), a page that shows its own right-click menu, such as Figma or Google Docs, keeps it. The extension's menu still opens everywhere else on that page. Turn the setting off to take every right-click.
 - **Sites on the Never on list** in Settings > Right-click (up to 100; subdomains included).
 - **auricartisan.com**, always, and sites that opt out; see [For site owners](#).
-

Messages you may see

Message	Meaning
"Clipboard blocked — press Ctrl+V to paste."	The browser refused to let the page read the clipboard
"Cross-origin image — copied its URL instead"	The image's site does not allow copying its pixels
"Screenshot needs a permitted, visible tab"	The tab cannot be captured
"Enable "Allow in Incognito" for the extension"	Opening a private window needs the extension allowed in private browsing
"That text is too long for a QR code"	The text exceeds what a QR code can hold
"Eyedropper needs Chromium — use the toolbar picker instead."	Pick colour in Firefox

QR codes open in a small panel with **Download**, **Copy** and **Close**.

Related pages

- [Right-click settings](#)
- [Browser menu items](#)
- [Permissions](#)

[BROWSER EXTENSION](#) > [ON WEBSITES](#)

Website pickers

Give a website's form controls Auric pickers — colour, select, multi-select, suggestions, dates, times, number, range, file, checkbox and radio — and control where they apply.

With the website pickers on, a page's own form controls open Auric panels instead of the browser's. The page's native control stays in place for form submission, and the site's code receives every value through the same **input** and **change** events it always does, so forms built with frameworks keep working.

Turn them on

1. Open **Settings** > **Pickers**.
2. Turn on **Auric pickers on websites** ("Colour, date, select and ten more open Auric panels instead of the browser's own.").
3. Reload any page that was already open.

Controls

Each type has its own chip under **Picker types**, all on by default. The heading shows how many are on, for example "13 of 13 on".

Chip	Enhances	What you get
Colour	Colour inputs	The compact colour picker; see Colour picker on pages
Select	Drop-down lists	A dropdown. Lists with more than 7 options open with a search field.
Multi-select	Lists that allow several choices	A dropdown with checkboxes, chips for what is chosen, an "N/M chosen" count, Select all and Clear
Suggestions	Text fields with a suggestion list	A searchable suggestion list
Date	Date fields	A calendar in your interface language
Date & time	Date-and-time fields	Calendar and time panels
Month	Month fields	A month panel
Week	Week fields	A week panel
Time	Time fields	A time panel
Number	Number fields	A stepper whose buttons switch off at the minimum and maximum
Range	Sliders	A slider with an editable value beside it
File	File fields	A themed button with the chosen file's name. The browser's own file dialog still opens.
Checkbox & radio	Checkboxes and radio buttons	Themed marks; the native control still handles the keyboard and the form

Search in long lists

Dropdowns with **more than 7 options** open with a search field:

- typing filters the list and underlines the matching text;
- groups keep their headings;
- when nothing matches, "No options match" offers to clear the search.

Shorter lists stay plain, and typing a letter jumps to the first match. In a multi-select with a search typed, **Select all** selects only the matches.

Theme

- With the theme set to **Dark** or **Light** (Settings > Appearance), every picker uses that theme.
- On **System**, pickers match the page they are on: dark on a dark site, light on a light one.

Pickers also use your accent colour.

Where pickers stay native

- **auricartisan.com**, always. The site ships its own pickers; it appears locked at the top of the **Never on** list.
- **Sites on the Never on list.** In Settings > Pickers > **Never on**, type a site such as **example.com** and choose **Add**. Subdomains are included, and a leading **www.** is ignored. Remove a site with its **X**. The list holds up to 100 sites.
- **Types you switch off** under **Picker types**.
- **Controls the site designed**, while **Leave designed controls alone** is on (the default): "If a site already styles a control, it keeps its own." A control the site restyled, or hid behind its own widget, is left exactly as it is. Colour inputs are the exception: they are replaced unless hidden, disabled or read-only.
- **Controls the site opted out**; see [For site owners](#).
- **Frames inside a page**, which the extension does not reach.

Related pages

- [Colour picker on pages](#)
- [Pickers settings](#)
- [Troubleshooting](#)

BROWSER EXTENSION > SAVED

Saved

The Saved space — your colour library and palettes, your colour history, and links to the full-size tools on auricartisan.com.

The **Saved** space keeps what you want to come back to. **Library** holds colours and palettes you saved on purpose, **History** holds the colours you picked recently, and **On the web** links to the full-size tools on auricartisan.com. Everything is stored in your browser only.

Files in this folder

Page	What it covers
Library	Saved colours (up to 500) and palettes (the newest 30): using, removing and exporting them
History	Your last 50 colours, copying and reusing them, and turning history off
On the web	The fourteen auricartisan.com tools and libraries the extension links to

BROWSER EXTENSION > SAVED

History

The extension's colour history — your last 50 colours, how to copy or reopen them, clear them, or turn history off.

History keeps the last 50 colours you picked or chose in the Picker, newest first, so a colour is never lost to a stray click.

What goes into history

- colours you pick with the screen eyedropper;
- colours you finish choosing in the Picker;
- colours you open in the Picker from elsewhere, such as Recent, Page palette or the colour of the day.

The same colour is kept once, whatever its letter case. The newest 50 are kept.

Use it

Open Saved > **History** ("Your last 50 colours.").

- **Click** a colour to copy it in the format set in Settings > Tools > **Copy colours as**.
- **Double-click** a colour to open it in the Picker.

Your most recent colours also appear on Home under **Recent**, and in the **Recent** strip of the Picker, Contrast, Harmony, Scale, Gradient and Mix.

Clear it

- **Clear** empties the history at once. It does not ask first.
- Settings › Data › **Clear history & library** clears history and the library together, after you confirm.

Turn history off

Turn off Settings › Tools › **Keep a colour history**. New colours are then not recorded. Colours already in history stay until you clear them.

Related pages

- [Library](#)
- [Picker](#)
- [Tools settings](#)

BROWSER EXTENSION › SAVED

Library

Save colours and palettes to the extension's library, reuse them, remove them and export them as JSON.

The Library keeps the colours and palettes you choose to save. It is stored in your browser's extension storage and is not synced between devices.

Add to the library

From	Button	Adds
Picker	Save to library (the bookmark)	The current colour. If it is already there, the extension says so.
Page palette	Save	The whole palette
Image	Save palette	The image's colours
Harmony	Save	The harmony, labelled with its scheme

The toolbar icon's badge shows how many colours are in the library.

Use the library

Open Saved › **Library**. It has two sections.

Colours

- **Click** a colour to copy it in the format set in Settings › Tools › **Copy colours as**.
- **Right-click** a colour, or focus it and press **Delete** or **Backspace**, to remove it.

"Nothing saved yet." appears while the section is empty.

Palettes

- **Click** a palette to open it in Page palette, where every export is available.
- Choose its **×** to delete it.

"No saved palettes." appears while the section is empty.

Export

Export copies the whole library as JSON, with a **colors** list and a **palettes** list:

```
{
  "colors": ["#d3af37"],
  "palettes": [{ "id": 1790000000000, "colors": ["#d3af37", "#1a73e8"], "label": "triadic" }]
}
```

To keep the library with your settings, history and snippets in one file, use Settings › Data › **Download a backup**.

Limits

What	Limit
Colours	500
Palettes	The newest 30 are kept when you save; a restored backup can hold up to 100
Colours in a palette	64 in a restored backup

Clear it

Settings › Data › **Clear history & library** removes all colours, palettes and your history, after you confirm. Snippets are kept.

Related pages

- [History](#)
- [Data settings](#)

BROWSER EXTENSION > SAVED

On the web

The links from the extension to the full-size tools and libraries on auricartisan.com.

On the web ("Open on the Web") lists the full-size tools on auricartisan.com, each opening in a new tab. Open it by searching for "web" or "On the web"; it belongs to the Saved space.

Links

Link	Opens
Analyzer	The URL analyzer, https://auricartisan.com/tool/analyzer/
Palettes	The palette library
Harmony	The harmony library
Gradients	The gradient library
Shades	The shades library
Colour library	The colour library
Vision lab	The vision simulation tool
Ishihara plates	The Ishihara plate generator
Science lab	The Color Science Lab
Colour atlas	The colour atlas generator
Personalise	The personalisation generator
Accessibility	The accessibility library
Learn	The Learn articles
Workspace	The library workspace

Other links to auricartisan.com

- The **Auric Artisan** wordmark in the header opens the home page.
- Home > **On auricartisan.com**: Collections, Accessibility Library, Learning Library and Documentation.
- Search results under **On the web**: Full Search, Collections, URL Analyzer, Tools, Color Science Lab, Accessibility Library, Documentation, API Reference and Learning Library.
- Page palette > **Open** opens the palette on auricartisan.com with its colours in the address.

Each link is an ordinary page visit that you start. The extension sends nothing else to the site. See [Privacy](#).

Related pages

- [Related tools](#)

BROWSER EXTENSION > SETTINGS

Settings

How to open the extension's Settings view, how it saves, and what each of its six sections holds.

Settings is a two-pane view inside the popup, side panel or separate window: the section names on the left and the controls on the right.

Open and close it

- Choose **Settings** (the sliders button) in the header, or
- search for a setting by name and choose it: Settings opens at that section with the control focused.

A plain open always starts at **Appearance**. Move between sections with the arrow keys, **Home** and **End**. "Saved as you change them": every change is stored the moment you make it, and open tabs pick up changes without a reload. Press **Esc** or choose **Back to the tools** to close Settings.

Sections

Section	What it holds	Page
Appearance	Theme, accent colour, popup size, language	Appearance
Pickers	The website pickers: master switch, designed controls, 13 types, Never on list	Pickers
Right-click	The custom menu, stepping aside, browser menu items, quick bar, layout, row height, sites, permissions	Right-click
Tools	Copy format, colour names, APCA, history, sound, deep audit, automatic outlines	Tools
Data	Storage use, backup and restore, copy and paste settings, clearing and resetting	Data
Shortcuts	The keyboard map, changing shortcuts in the browser, replaying the tour	Shortcuts

Defaults at a glance

Setting	Default
Theme	Dark
Accent	Auric gold #d3af37
Popup size	Standard (560 × 600)
Language	English
Auric pickers on websites	Off
Leave designed controls alone	On

Setting	Default
Picker types	All 13 on
Custom right-click menu	Off
Step aside for a site's own menu	On
Items in the browser's menu	On
Menu layout / Row height	Focused / Standard
Copy colours as	HEX
Colour names	CSS names
Show APCA beside WCAG	On
Keep a colour history	On
Sound on pick	Off
Deep page audit	On
Outline issues after an audit	Off

The full list with values is in the [Reference](#).

BROWSER EXTENSION > SETTINGS

Appearance settings

Choose the extension's theme, accent colour, popup size and interface language.

Settings > **Appearance** controls how the extension looks, in the popup and side panel and in everything it draws on websites.

Theme

- **System:** Follows your operating system's light or dark mode, and changes when it does. On websites, the pickers and panels match the page they are on.
- **Light:** Always light
- **Dark** (the default): Always dark

The **Switch between light and dark** button in the header flips between Light and Dark.

Accent

The accent colour tints buttons, focus rings, the website pickers, the right-click menu and the inspector, and sets the starting colour of several tools. Text on the accent turns black or white, whichever reads better.

Twelve presets:

Preset	Colour
Auric gold (the default)	#d3af37
Champagne	#d6b56d
Bronze	#b99355
Copper	#c57a32
Rose	#bd707b
Pink	#e45183
Ruby	#a3002d
Jade	#48ae8b
Sapphire	#3768b3
Amethyst	#9666ce
Platinum	#b8bdc6
Graphite	#9aa0ac

For any other colour, use **Custom**: pick with the swatch, which previews while you drag and saves when you let go, or type a six-digit hex value. The heading shows the preset's name, or "Custom" and the hex value.

Popup size

Choice	Size
Compact	460 × 520
Standard (the default)	560 × 600
Large	760 × 600

At Compact, the header hides its tagline and the **Open in its own window** button. The side panel and separate window ignore this setting and fill their space.

Language

English (the default) or **हिन्दी** (Hindi). Each option is written in its own language. Switching changes the popup, the side panel, the website pickers, the right-click menu, the inspector and the accessibility findings; open tabs follow without a reload. Switching back to English reloads the popup. See [Hindi interface](#).

Related pages

- [Settings](#)

- Hindi interface

BROWSER EXTENSION > SETTINGS

Data settings

See how much the extension stores, back up and restore everything, move settings through the clipboard, and clear or reset data.

Settings > **Data** shows what the extension keeps in your browser and lets you back it up, move it or clear it. Everything stays on your device.

Stored in this browser

- A storage meter: "N used of M (P%)". The bar turns to a warning colour at 80% of the browser's allowance for extension storage.
- Counts of **History**, **Colors**, **Palettes** and **Snippets**.
- **Refresh storage usage** (the circular arrow) recounts.

Backup

"Settings, history, library and snippets in one file. Nothing leaves your device."

Button	What it does
Download a backup	Saves auric-artisan-backup-YYYY-MM-DD.json
Restore from a file	Opens a file chooser for a backup .json, then restores it

What a backup contains

```
{
  "app": "Auric Artisan",
  "kind": "aa-backup",
  "schema": 1,
  "exportedAt": "2026-09-23T10:00:00.000Z",
  "settings": { "themeMode": "dark", "accentColor": "#d3af37" },
  "history": ["#D3AF37", "#1A73E8"],
  "libColors": ["#D3AF37"],
  "libPalettes": [{ "id": 1790000000000, "colors": ["#D3AF37", "#1A73E8"], "label": "triadic" }],
  "snippets": [{ "type": "css", "title": "...", "code": "...", "url": "...", "host": "..." }]
}
```

Snippets carry the address of the page they were saved from, so a backup contains those addresses. Keep it private if that matters.

What restoring does

- Everything in the file replaces what is stored now: settings, history, library colours, palettes and snippets, each where present.
- Values are checked and cleaned first: unknown settings are ignored, colours must be valid hex values, and every list is capped at its limit (history 50, colours 500, palettes 100 of up to 64 colours, snippets 200 of up to 20 000 characters).
- A file of another kind, or a newer backup format, is refused with "Restore failed — invalid file".
- A file holding only a settings object is accepted too.

Settings only

Button	What it does
Copy settings	Copies your settings as JSON
Paste settings	Asks you to paste settings JSON, then applies it. Invalid text says "Import failed".

Use these to copy your theme, accent and switches to another browser without moving your colours.

Start over

- **Clear history & library:** After you confirm, removes your colour history, library colours and palettes. Snippets stay.
- **Reset all settings:** After you confirm, returns every setting to its default. History, library and snippets stay, and the tour does not reappear.

To remove everything, uninstall the extension; see [Update and remove](#).

Related pages

- [Back up and move your data](#)
- [Privacy](#)

BROWSER EXTENSION > SETTINGS

Pickers settings

Turn the website pickers on or off, choose which control types they enhance, respect designed controls, and list sites where they never run.

Settings > **Pickers** controls the Auric pickers that replace a website's form controls. What the pickers do is described in [Website pickers](#).

Switches

Switch	Default	What it does
Auric pickers on websites	Off	The master switch: Auric panels replace the browser's own. Nothing below applies while it is off.
Leave designed controls alone	On	Controls the site restyled, or replaced with its own widget, keep their own look

Picker types

Thirteen chips, all on by default. The heading counts them ("13 of 13 on"). Untick a chip to keep that type native everywhere.

Colour, Select, Multi-select, Suggestions, Date, Date & time, Month, Week, Time, Number, Range, File, Checkbox & radio (one chip for both).

"A file picker still opens the browser's own dialog — only the button is ours."

Never on

Sites where every picker stays native.

1. Type a site into **Add a site, e.g. example.com**. You can paste a full address; only the site name is kept, without **www.**.
 2. Choose **Add**. A message confirms "Pickers stay native on example.com".
 3. Remove a site with its **×** button.
- Subdomains are included: adding **example.com** also covers **shop.example.com**.
 - The list holds up to 100 sites.
 - **auricartisan.com** is always on the list and cannot be removed ("has its own pickers").
 - Text that is not a site address is refused ("That is not a site address"), and a site already listed says "Already on the list".

Related pages

- [Website pickers](#)
- [For site owners](#)

BROWSER EXTENSION > SETTINGS

Right-click settings

Turn the custom right-click menu on or off, let sites keep their own menus, control the browser menu entries, and set the quick bar, layout, row height, excluded sites and permissions.

Settings › **Right-click** controls both the extension's custom right-click menu and its entries in the browser's own menu. How the menu works is in [Right-click menu](#).

Switches

Switch	Default	What it does
Custom right-click menu	Off	Replaces the browser's menu on websites. Asks for three optional permissions; if you decline, it stays off.
Step aside for a site's own menu	On	A page's own right-click menu (Figma, Google Docs) wins. Off: the extension's menu takes every right-click.
Items in the browser's menu	On	Adds entries to the browser's own menu; see Browser menu items

Quick bar

The actions pinned across the top of the menu, with a count such as "5 / 6". "One-click actions across the top of the menu. Pin more with the star on any row."

- Remove one with its ✕ (**Unpin**).
- **Reset** restores the defaults: Back, Forward, Reload, Copy page URL and Copy screenshot.

When the bar is empty it reads "Empty: pin actions with the star".

Menu layout

Choice	Effect
Focused (the default)	What you clicked, then one row per group
Everything	Every group opened in one list

Row height

Standard (the default) or **Compact**.

Never on

Sites where the browser's own menu always stays. Add and remove sites as in the Pickers list: type a site, choose **Add**, and remove it with ✕. The message confirms "The browser's menu stays on example.com".

Subdomains are included, the list holds up to 100 sites, and **auricartisan.com** is always on it ("has its own menu").

Permissions

The three optional permissions, each marked **Allowed** or with an **Allow** button:

Row	Permission	Needed for
Paste	clipboard	Paste in text fields
Save as...	downloads	Save link, image, media and screenshot through the browser's Save dialog
Reopen closed tab	sessions	Reopen closed tab

"Asked for only for these three actions. Everything else in the menu needs none." To take a permission back, use the browser's extension details page. See [Permissions](#).

The menu's own gear

The gear in the menu's footer offers the quick bar, layout and row height too. Changes made in either place apply in both.

Related pages

- [Right-click menu](#)
- [For site owners](#)

[BROWSER EXTENSION](#) > [SETTINGS](#)

Tools settings

Set how colours are copied and named, whether APCA is shown, history and sound, and how deep the page audit goes.

Settings > **Tools** changes how the tools behave.

Control	Choices	Default	What it does
Copy colours as	HEX, RGB, HSL, OKLCH	HEX	The format used when you click a colour in History or Library, and the Picker's starting format
Colour names	CSS names, XKCD, Off	CSS names	The nearest colour name shown in colour details. Off hides names. XKCD currently gives the same names as CSS names.
Show APCA beside WCAG	On or off	On	Shows the APCA Lc score, tiers and readable sizes in Contrast

Control	Choices	Default	What it does
Keep a colour history	On or off	On	"The last 50 colours you picked or copied." Off stops recording new colours.
Sound on pick	On or off	Off	"A short tick when the eyedropper lands." Also plays on copy.
Deep page audit	On or off	On	Contrast scan limits: 3 500 elements and 160 issues on; 1 800 and 80 off. Slower on large pages.
Outline issues after an audit	On or off	Off	"Marks failing elements on the page as soon as the audit finishes."

Related pages

- [Audit](#)
- [Contrast](#)
- [History](#)

BROWSER EXTENSION > SETTINGS

Shortcuts settings

The keyboard map in Settings, how to change the browser-level shortcuts, and how to replay the tour.

Settings > **Shortcuts** lists the keys the extension answers to and links to where you change them.

The keyboard map

Action	Keys
Open Auric Artisan	Alt + Shift + A
Open the contrast checker	Alt + Shift + C
Read the page palette	Alt + Shift + E
Toggle vision simulation	Alt + Shift + V
Search in the popup	/ or Ctrl + K
Inspector: pin · CSS · selector · JSON	P , C , S , J
Close a picker, panel or menu	Esc

The first four are browser-level shortcuts and work from any page. **Inspect an element on the page** and **Run a full accessibility audit** are also available but have no key until you assign one.

Buttons

- **Change them in the browser:** Opens your browser's extension shortcuts page:
`chrome://extensions/shortcuts` in Chromium browsers, `about:addons` in Firefox (then the gear menu › **Manage Extension Shortcuts**)
- **Replay the tour:** Closes Settings and starts the five-step tour

The complete list, including the inspector's and the right-click menu's keys, is in [Keyboard shortcuts](#).

BROWSER EXTENSION > SURFACES

Surfaces

The places the extension appears — the popup, Home, search, the side panel, the page itself and the element inspector.

The extension shows one workspace in several places. The popup opens from the toolbar icon. The side panel (the sidebar in Firefox) holds the same workspace beside the page and stays open while you browse. A separate window holds it too. On the page itself, the extension draws only what you ask for: the element inspector, vision filters, audit outlines, and, if you turn them on, website pickers and a right-click menu.

Files in this folder

Page	What it covers
The popup	The header, the spaces bar, the site chip, tool chips, sizes, the separate window and the keys that move around
Home	Colour of the day, the four on-this-page actions, Recent, Continue, Pinned and the auricartisan.com links
Search	Finding tools, settings and auricartisan.com pages by name
Side panel	Docking the workspace beside the page in Chromium browsers and Firefox
On the page	Everything the extension draws on a website, and how to remove it
Element inspector	The hover card, the pinned card, its seven sections and its keys

Note: A redesign of these surfaces is built but not yet released: the side panel gains a rail of spaces and a "This tab" card, the popup becomes a quick launcher, and audit outlines become numbered pins drawn over the page. See [Release notes](#).

BROWSER EXTENSION > SURFACES

Home

What Home shows — colour of the day, one-click actions for the current page, recent colours, Continue, pinned tools and links to auricartisan.com.

Home is the first screen in the popup, the side panel and the separate window. It starts work on the current page in one click and brings back what you were doing.

Colour of the day

A card at the top shows one colour, the same for everyone on a given date, with its date, HEX value, OKLCH value and nearest colour name.

- Choose the swatch or **Open in picker** to open it in the Picker.
- Choose the copy button to copy its HEX value.

On this page

Four actions that do the work, not just open a tool. Each acts on the tab named in the site chip.

Action	Subtitle	What happens
Pick a colour	Any pixel on screen	Opens the Picker and starts the screen eyedropper
Inspect	Styles, box, contrast	Opens Code > Inspect and starts selecting an element on the page
Audit	Contrast and WCAG	Opens Check > Audit and runs the audit
Palette	Every colour used	Opens Colour > Page palette and reads the page's colours

In Firefox, **Pick a colour** opens the Picker, which explains that the screen eyedropper is not available. See [Picker](#).

Recent

Up to twelve of the colours you picked or copied most recently, newest first. Choose one to open it in the Picker. **History** opens the full list of 50. Until you pick a colour, this reads "Colours you pick or copy collect here."

Continue

After you have used a tool, a **Continue** row names it and what you were doing, so one click takes you back. For example:

- Contrast: the pair and its ratio, such as **#1f1b14 on #d3af37 · 8.19 : 1, AA**;
- Picker: the colour and its nearest name;
- Scale: the base colour and scale type;
- Harmony: the base colour and harmony type.

Pinned

Shortcuts to the tools you use most. The defaults are Colour Picker, Page Palette, Contrast Checker and Scale Generator.

1. Choose **Edit**. Every tool appears as a checkbox chip.
2. Tick the tools to pin, and untick the ones to remove. Up to 8 tools stay pinned; pinning a ninth drops the oldest.
3. Choose **Done**.

If you unpin everything, Home reads "Pin the tools you use most. Choose Edit."

On auricartisan.com

Links that open in a new tab: **Collections**, **Accessibility Library**, **Learning Library** and **Documentation**.

Related pages

- [The popup](#)
- [Search](#)
- [Picker](#)
- [Audit](#)

BROWSER EXTENSION > SURFACES

Element inspector

Inspect any element on a page — the hover card, the pinned card with contrast first, its seven sections, copying, and every key.

The element inspector reads any element on a web page and shows what matters to a designer, developer or accessibility tester, with contrast first. It works in two states: a light **hover card** that follows the pointer, and a **pinned card** with everything. The same element is then available in depth in Code > Inspect (see [Inspect](#)).

Start it

Any of these starts the inspector on the current tab:

- Home > **Inspect**;
- Code > Inspect > **Select element**;
- the custom right-click menu > **Inspect element** (see [Right-click menu](#));
- **Inspect element** in the browser's own right-click menu;
- the **Inspect an element on the page** shortcut, once you assign a key in the browser (it has none by default).

A bar appears at the bottom of the page. It says **Inspecting** (or **Pinned**), names the element, lists the main keys and has a **Stop** button.

The hover card

Move the pointer over the page. A highlight box outlines the element under it, and a small card follows the pointer with:

- the element's name (tag, id and classes) and its size in pixels;
- its **display**, role and landmark;
- **contrast**: a small "Aa" sample in the element's own colours, the ratio, and **AA** and **AAA** marks (a tick or a cross);
- a warning when an image has no alt text or a control has no accessible name;
- **Font**, **Size** (size/line height · weight), **Text** colour, **Background** colour and **Padding**.

The card's footer says "Click or P to pin · Esc stop". An element with no text of its own says contrast does not apply.

The pinned card

Click the element, or press **P**, to pin it. The full card docks to the side of the window away from the element. Drag its grip to move it, or focus the grip and use the arrow keys.

Header

- **Inspector · Pinned**, a grip (**Move the card**) and a close button (**Close the inspector**).
- The element's name: click it to copy its CSS selector. Its width × height beside it.
- A toolbar: **Unpin** (**P**), **Selector** (**S**), **JSON** (**J**) and **CSS** (**C**).
- Chips for **display**, **position**, role, landmark, the number of children, and which sibling it is ("sibling 2 of 5").

Contrast comes first

- An "Aa" sample in the element's own colours and font.
- Whether the text counts as **large text** or **normal text**, with its size and weight.
- The ratio. Click it to copy it. A "≈" in front means the ratio is an estimate, because the text sits on an image or gradient; check the lightest area under it by eye.
- **AA** and **AAA** badges: *pass*, or what it needs, such as *needs 7:1*.
- When AA fails, **Nearest text colour that passes AA**: the current colour, an arrow, the suggested colour and its ratio, with a **Copy** button.
- For an element with no text of its own, contrast "Does not apply", and **Inspect the first child with text** moves to the first descendant that has text.

Seven sections

Each section can be opened and closed, and shows a one-line summary even when closed (for example **146** × **74**, **16/22** · **600** or "3 pass").

- **Box model**: A diagram of margin, border, padding and content, with every side's value
- **Colours**: Text, background and border colours
- **Layout**: Display, position, flow, gap, alignment, columns, rows, overflow and offsets, as they apply
- **Typography**: Family, size, weight, line height and spacing, with a specimen in the element's own font

- **Effects:** Radius, shadow (with its layer count), transform, filter, backdrop, transitions as chips, cursor and opacity. "Everything here is at its default" when nothing is set.
- **Accessibility:** Checks with a verdict and a fix: accessible name, keyboard reachability, alt text, text contrast. Then role (explicit or implicit), heading level, landmark, tab index and ARIA attributes as chips you can click to copy.
- **CSS:** A ready-to-copy CSS block for the element, with **Copy CSS** and **Copy JSON**

Click any value to copy it.

The accessibility checks

Check	When it appears
Has an accessible name / No accessible name	For interactive elements. Without a name a screen reader announces only the role.
Reachable by keyboard / Not reachable by keyboard	For interactive elements. "It acts like a control, but Tab skips it."
Has alt text / Missing alt text / Decorative image	For images. <code>alt=""</code> marks an image as decorative.
Text contrast passes AA (and AAA) / Text contrast fails AA	For elements with text; the failing case shows the ratio and the target
Contrast is an estimate	For text on an image or gradient
Contrast does not apply	For elements with no text of their own

Keys

Key	What it does
Up	Move to the parent element
Down	Move to the first child
Left / Right	Move to the previous / next sibling
P	Pin or unpin
C	Copy the CSS
S	Copy the selector
J	Copy the element's data as JSON
Enter	Copy the CSS
Esc	Unpin; press again to stop inspecting
Arrow keys on the grip	Move the pinned card

Keys are ignored while you are typing in a field on the page.

When it closes

The inspector stays open while a page rewrites its own address as you click or scroll, as auricartisan.com does. It closes when you go to another page, press Back or Forward, or the site changes route. If the page removes the pinned element, the card lets go of it.

After inspecting

The pinned element is kept as the last inspected element. Open Code > Inspect in the popup or side panel to see its full snapshot: every computed style, the matched rules, accessibility, attributes, markup and a Live CSS editor. See [Inspect](#). If its text fails contrast, a finding is added to [Findings](#).

Related pages

- [Inspect](#)
- [On the page](#)
- [Keyboard shortcuts](#)

BROWSER EXTENSION > SURFACES

On the page

Everything the extension can draw on a website, when it appears, how it is isolated from the site, and how to remove it.

Most of the extension lives in the popup and side panel. A few features appear on the website itself. This page lists each one, when it appears, and how to make it go away.

What can appear on a page

What	Appears when	Goes away when
Element inspector: a highlight box, a card and a bar at the bottom	You start Inspect (Home, Code > Inspect, the right-click menu or a shortcut)	You press Esc (twice if a card is pinned), choose Stop , or go to another page
Vision filter: the page recoloured or blurred, with a small status strip	You choose a simulation in Check > Vision, the browser's right-click menu, or press Alt + Shift + V	You choose Clear , Clear vision filter , press Alt + Shift + V again, or reload
Side-by-side comparison: half the page filtered	You choose Side-by-side in Check > Vision, or Side by side in the right-click menu	You clear the filter
Audit outlines: a red or amber outline and a label on each flagged piece of text	Outline on page , Outline issues after an audit , or Audit contrast on page in the browser's menu	After 15 seconds, or when you run the outlines again

What	Appears when	Goes away when
Live CSS preview: your CSS applied to one element	You choose Apply to page in Code › Inspect › Live CSS	You choose Reset or Stop
Website pickers	Settings › Pickers › Auric pickers on websites is on	You turn the setting off, or add the site to Never on
Custom right-click menu	Settings › Right-click › Custom right-click menu is on and you right-click	You press Esc , click away, or run an action
Screen eyedropper	You choose Pick from page or Pick a colour (Chromium only)	You click a pixel or press Esc

The audit outlines

In this version, the outlines mark the page's own elements:

- **Red** outlines mark text that fails its contrast threshold.
- **Amber** outlines mark borderline text that passes but by less than 1.5.
- Each outline carries a label with the measured ratio and the one it needs, such as **3.12:1 needs 4.5:1**, and "+ manual review" where the text sits on an image, gradient or shadow.

They clear themselves after 15 seconds. Running them again replaces the old set.

Kept apart from the site

The inspector card, the website pickers, the colour picker on pages and the right-click menu each live in their own isolated area of the page (a shadow root). The site's CSS cannot change how they look, and their styles cannot change the site's layout. They also follow your theme and accent colour.

- The extension never writes to a website's storage: it does not read or change the site's cookies, local storage or databases.
- The inspector's Live CSS changes only the element you inspect, and **Reset** or **Stop** restores it exactly.
- A page removing an element you pinned does not leave a stale card: the inspector lets go of it.

Where nothing appears

- **Browser pages and the web stores.** Extensions cannot run there.
- **Frames inside a page.** The extension's page script runs in the top page only, so content inside an embedded frame is not inspected, audited or given pickers.
- **auricartisan.com.** The website pickers and the custom right-click menu stay off there, because the site has its own.

Related pages

- [Element inspector](#)
- [Vision](#)
- [Audit](#)
- [On websites](#)

BROWSER EXTENSION > SURFACES

The popup

A tour of the popup — header, search, spaces, the site chip, tool chips, sizes, the separate window and keyboard movement.

The popup is the workspace that opens from the toolbar icon or with **Alt + Shift + A**. It closes when you click outside it. Everything in it is also available in the [side panel](#) and in a separate window.

Header

- **Auric Artisan** wordmark (with the line "Colour intelligence studio"): Opens auricartisan.com in a new tab
- Search field (**Search tools, colours, settings**): Finds any tool, setting or auricartisan.com page. Press **/** or **Ctrl + K** to focus it. See [Search](#).
- **Open the side panel**: Docks the workspace in the browser's side panel or sidebar, then closes the popup. Hidden when you are already in the side panel.
- **Open in its own window**: Opens the workspace in a separate, resizable 620 × 700 window and closes the popup. Hidden at the Compact popup size.
- **Switch between light and dark**: Flips the theme. Settings > Appearance adds a third choice, System.
- **Settings**: Opens the two-pane Settings view. See [Settings](#).

Spaces bar

Below the header:

- **Home, Colour, Check, Code** and **Saved**. Each is a tab; use the arrow keys, **Home** and **End** to move between them when one has focus.
- **The site chip** names the site the page tools will act on, for example **fieldnote.app**. It reads **No page** on pages extensions cannot reach, such as browser settings pages and the web stores. Hover it for the reason.
- **Take the tour** (the **?** button) replays the five-step tour.

Tool chips

When you open a space, a row of chips shows its tools. Choose a chip to switch tools. Chips can carry a count badge. The space remembers the tool you last used in it, so returning to Colour reopens the tool you left.

Space	Chips	Also in this space
Colour	Picker, Page palette, Image, Gradient, Mix	Harmony, Scale and Convert open from links inside the Picker, or from search
Check	Contrast, Vision, Audit, Findings	—
Code	Inspect, Tokens, Snippets	—
Saved	Library, History	On the web opens from search

Harmony, Scale and Convert each have a **Picker** back button at the top that returns you to the Picker.

Sizes

Settings › Appearance › **Popup size** sets the popup's size:

Size	Width × height
Compact	460 × 520
Standard (the default)	560 × 600
Large	760 × 600

Browsers cap a popup's size, so Large may be limited by your browser. The side panel and the separate window have no fixed size.

Moving around with the keyboard

- **/**: Focus the search field (when you are not typing in a field)
- **Ctrl** + **K**: Focus the search field, from anywhere, and close Settings if it is open
- **Esc**: Steps back one level: closes an open colour picker panel first, then Settings, then clears a search, then returns from a tool to Home
- Arrow keys, **Home**, **End**: Move between spaces, or between Settings sections

Toasts

Short messages appear at the bottom of the popup to confirm an action, such as "Saved to library", "Palette saved" or "Settings reset", or to explain a failure, such as "Could not scan".

The toolbar badge

The number on the toolbar icon is the count of colours in your library. It shows up to 99, then "99+". It is empty when the library is empty.

Related pages

- [Home](#)
- [Search](#)
- [Side panel](#)

BROWSER EXTENSION > SURFACES

Search

Find any tool, setting, action or auricartisan.com page by name from the search field, and how results are ordered.

The search field in the header finds every tool, many settings, a few actions and pages on auricartisan.com. It is the quickest way to reach a tool whose space you do not remember.

Use it

1. Press **/** or **Ctrl** + **K**, or click the field.
2. Type. Every word you type must match; words can match the name, the description or hidden keywords (for example "right click", "backup" or "colour blind").
3. Use **Up** and **Down** to move through the results, or hover them.
4. Press **Enter**, or click a result, to run it.
5. Press **Esc** to clear the search.

A Hindi interface can be searched in Hindi or English. The Language setting can also be found with "भाषा".

How results are ordered

Results are grouped under headings:

Group	What it holds
Best match	A result whose title is exactly what you typed, so typing "Settings" and pressing Enter opens Settings
Tools	The extension's tools; each result shows its space on the right
Settings	Individual settings; choosing one opens Settings at that section and focuses the control
Actions	Settings and Open in a Window

Group	What it holds
On the web	Pages on auricartisan.com, opened in a new tab

Within a group, titles that start with your text come first. If nothing matches, the list says so.

What you can find

Tools

Colour Picker, Inspect Element, Page Audit, All Findings, Page Palette, Image Colours, Design Tokens, Contrast Checker, Harmony Builder, Scale Generator, Gradient Builder, Colour Mixer, Colour Converter, Vision Simulator, History, Library, Snippets and Open on the Web.

Settings

Theme, Accent colour, Popup size, Language, Pickers on websites, Sites without pickers, Custom right-click menu, Browser right-click items, Colour history, APCA score, Copy format, Deep page audit, Backup & restore, Reset all settings and Keyboard shortcuts.

On the web

Full Search, Collections, URL Analyzer, Tools, Color Science Lab, Accessibility Library, Documentation, API Reference and Learning Library.

Related pages

- [The popup](#)
- [Settings](#)
- [Keyboard shortcuts](#)

BROWSER EXTENSION > SURFACES

Side panel

Dock the Auric Artisan workspace beside the page in the Chromium side panel or the Firefox sidebar, and what changes there.

The side panel (Chromium browsers) or sidebar (Firefox) holds the same workspace as the popup, docked beside the page. Unlike the popup, it stays open while you click on the page, switch tabs and browse, so it suits longer sessions such as auditing several pages or inspecting a layout.

Open it

- In the popup, choose **Open the side panel** in the header. The popup closes and the panel opens in the current window.
- Or use the browser's own side panel or sidebar menu and choose Auric Artisan. In Firefox the sidebar is titled **Auric Artisan workspace**.

Safari has no side panel. If **Open the side panel** does nothing, open the panel from the browser's own menu instead; some browsers only allow it from their own controls.

What is different in the panel

The panel is the same page as the popup, laid out for a tall, narrow column:

- **It fills the panel.** There is no fixed size; widen the panel to give tools more room.
- **The header wraps.** The search field takes its own full-width row, and the **Open the side panel** button is hidden.
- **The Picker is one column.** The colour field, sliders, value field and actions come first, followed by its sections one below another, including **On this page** (the page's own colours) and **Recent**. In the popup, the Picker is split: the colour core on the left and tabbed details on the right.
- **It acts on the current tab.** The site chip updates when you switch tabs or when the page finishes loading, and page tools act on whichever tab is active in that window.

Everything else, including Settings, search, the spaces and every tool, works exactly as in the popup.

Open in a separate window instead

Open in its own window in the header opens the workspace in a resizable 620 × 700 window with the same fluid layout as the side panel. Use it when your browser has no side panel, or when you want the workspace on another screen. The button is hidden at the Compact popup size.

Close it

Close the panel with the browser's side panel close button, or by choosing another side panel. In Firefox, close the sidebar as you would any other.

Related pages

- [The popup](#)
- [Picker](#)
- [Install on Firefox](#)

Workflows

End-to-end tasks that combine several of the extension's tools, step by step.

Each page here walks through a real task from start to finish, using several tools together. They assume the extension is installed and you are on an ordinary web page.

Files in this folder

Page	Task
Audit a page and fix contrast	Find a page's accessibility and contrast problems, fix the colours, and export a record
Check and fix a brand colour	Test a brand colour as text and background, and find accessible variants that keep its hue
Extract a site's design system	Read a site's colours, variables, fonts and type scale and export them as tokens
Build a colour scale for Tailwind	Turn one colour into a named Tailwind v4 scale and keep it as a snippet
Review a page for colour blindness	Check that a page does not rely on colour alone
Inspect and debug an element	Find why an element looks the way it does, try a fix live, and copy it
Back up and move your data	Keep your settings, colours and snippets safe, or move them to another browser

Audit a page and fix contrast

Run the audit on a page, see its contrast problems on the page, fix a failing colour pair, review the other findings and export a record.

This workflow finds a page's accessibility problems, fixes its contrast failures and leaves you with a record to share.

You need: the page open in a normal tab. The side panel is the most comfortable place to work, because it stays open while you look at the page.

1. Run the audit

1. Open the page and wait for it to finish loading.
2. Open the extension and choose **Open the side panel**.
3. On Home, choose **Audit**. The audit runs at once.

You see four counts: **Tested**, **Failing**, **Borderline** and **Review**, and a row for each flagged piece of text.

2. See where the problems are

1. Choose **Outline on page**.
2. Look at the page. Failing text has a red outline, borderline text an amber one, and each has a label such as **3.12:1 needs 4.5:1**.
3. The outlines disappear after 15 seconds; choose **Outline on page** again to redraw them.

3. Fix a failing pair

1. In the list, choose the row you want to fix. Contrast opens with that text colour and background.
2. Check the verdict. For body text you need **AA** (4.5:1) at least.
3. Leave the fix target on **AA 4.5:1**, or choose **AAA 7:1** or an APCA target.
4. Choose **Fix text**. The text colour moves to the nearest lightness that passes, keeping its hue and saturation, and a message names the new colour.
5. If you would rather change the background, choose **Fix background**.
6. Compare the **On-brand text** and **On-brand background** suggestions and click one if it fits your design better.
7. Choose **Copy report** to keep the before-and-after numbers.

Use the new colour in your stylesheet. To try it on the live page first, see [Inspect and debug an element](#).

4. Review the other findings

1. Open Check › **Findings**. The rule engine's findings are listed with the contrast findings, failures first, then by impact.
2. For each finding, read the title and message, then:
 - choose **Copy selector** to find the element in your code;
 - choose **Inspect** to open it in Code › Inspect.
3. Check the rules that need human judgement, such as whether alt text actually describes the image.

The [Audit rules](#) page explains what each rule checks.

5. Keep a record

1. Back in Check › **Audit**, choose **Export JSON** for the full result, or **Export CSV** for the contrast findings.
2. Paste the result into a file or a ticket.

Results are kept only while the extension is open, so export before you close it.

6. Check again

After you change the page, reload it and choose **Run audit** again. Compare the counts with your export.

The result: a list of problems fixed and a record of what remains.

BROWSER EXTENSION > WORKFLOWS

Back up and move your data

Back up your settings, colour history, library and snippets to a file, restore them, and move them to another browser or computer.

The extension keeps everything in your browser and does not sync it anywhere. To keep your work safe, or to move it to another browser or computer, use a backup file.

Back up

1. Open **Settings > Data**.
2. Check the counts: **History**, **Colors**, **Palettes** and **Snippets**.
3. Choose **Download a backup**. A file named **auric-artisan-backup-** followed by today's date is saved to your downloads.
4. Keep the file somewhere safe. It contains your snippets and the addresses of the pages they came from.

Restore on another browser or computer

1. Install the extension there; see [Install](#).
2. Copy the backup file to that computer.
3. Open **Settings > Data > Restore from a file** and choose the file.
4. The message "Backup restored" confirms it. Your theme, accent and other settings apply at once, and History, Library and Snippets fill in.

Restoring replaces what is stored now with what is in the file. Back up the new browser first if it already has data you want.

Move only your settings

1. On the first browser, choose **Settings > Data > Copy settings**.
2. Send the copied text to the other browser, for example through a note.
3. On the other browser, choose **Paste settings** and paste it.

This moves your theme, accent, switches and site lists, but not your colours or snippets.

Before you uninstall

Uninstalling deletes everything the extension stored. Download a backup first if you might come back.

The result: your settings, colours and snippets, safe in a file you control.

Related pages

- [Data settings](#)
- [Privacy](#)

BROWSER EXTENSION > WORKFLOWS

Build a colour scale for Tailwind

Turn one colour into a named, perceptually even Tailwind v4 scale from 50 to 950, check it, and keep it as a snippet.

This workflow turns one colour into a full scale for a Tailwind v4 theme.

1. Choose the base colour

Open the Picker and set your colour: pick it from a page, type it, or choose it from History or Library.

2. Open the scale generator

1. In the Picker, open the **Scale** pane to preview an 11-step OKLCH scale.
 2. Choose **Open the scale generator** →. Scale opens with your colour as the base.
-

3. Set up the scale

1. Keep the type on **Tailwind 50–950**. The chip reads **OKLCH · perceptual**: the steps are even in perceived lightness and the hue stays constant.
 2. Type the **Scale name** you want in your classes, such as **brand** or **accent**.
 3. Find the marked step: it is the one nearest your base colour.
-

4. Check the steps

1. Choose a step to see its values.
2. Choose **Contrast** in its card and check it against white or your dark background. Typically lighter steps suit backgrounds and darker steps suit text on white; confirm with the checker rather than assuming.

3. If your brand colour should sit on a specific step, choose that step and **Make base** to rebuild the scale around it.

5. Export

1. Choose **@theme** to copy a Tailwind v4 **@theme** block, or **Tailwind** for a Tailwind colour object.
2. Paste it into your CSS or config.
3. Choose **Tokens** instead if you keep colours as W3C design tokens.
4. Choose **Save** to keep the scale's CSS in Snippets for later.

The result: a named 11-step scale in your Tailwind theme, with the steps you checked for contrast.

Related pages

- [Scale](#)
- [Snippets](#)

BROWSER EXTENSION > WORKFLOWS

Check and fix a brand colour

Test a brand colour as text and as a background in WCAG and APCA, see it through colour-vision simulations, and find accessible variants that keep its hue.

Brand colours are often too light for text on white, or too dark for white text on top. This workflow tells you where a brand colour works and gives you accessible variants that still look like the brand.

1. Get the colour

Do one of these:

- On the brand's site, choose **Pick a colour** on Home and click the colour (Chromium browsers).
 - Choose Colour > **Page palette, Read the page's colours**, and choose the colour.
 - Type its value into the Picker's value field.
-

2. Read its specs

1. In the Picker, open the **Specs** pane. Note its contrast on white and on black and its WCAG levels.
2. Open the **Contrast** pane. Switch between **White**, **Black** and **Page** backgrounds. If it fails AA, the closest passing colour is offered.

3. Test it as text

1. Choose **Check as text**. Contrast opens with the brand colour as text.
2. Set **Background** to the background you use, for example `#ffffff`.
3. Read the verdict and the APCA readable sizes. A colour may pass for large headings (**AA Large**) but not for body text.
4. Choose **Fix text** with the target you need. Note the new colour.

4. Test it as a background

1. Go back to the Picker and choose **Check as background**.
2. Set **Text** to the text colour you plan to use on it, often white or near-black.
3. Read the verdict. Choose **Swap** to test the reverse.
4. Choose **Fix background** if it fails.

5. Check colour vision

1. In Contrast, read the **Colour-vision check**: the ratio for protan, deutan and tritan vision.
2. In the Picker's **Vision** pane, see how the colour itself changes. A ΔE under about 2 means the colour barely changes.

6. Build accessible variants

1. From the Picker's **Scale** pane, choose **Open the scale generator** →.
2. Keep **Tailwind 50–950**. The step nearest your brand colour is marked.
3. Choose darker or lighter steps and use **Contrast** on each to find the ones that pass on your backgrounds.

The result: you know which uses of the brand colour pass, and you have tested variants in the same hue for the ones that do not.

Related pages

- [Contrast](#)
- [Scale](#)
- [Build a colour scale for Tailwind](#)

BROWSER EXTENSION > WORKFLOWS

Extract a site's design system

Read a website's colours, CSS variables, fonts and type scale, and export them as W3C design tokens, Tailwind or CSS.

Use this workflow to study how a site is built, to start a theme from an existing product, or to audit whether a site uses its tokens consistently. Respect the site's rights: reading its CSS for study is one thing, copying its brand is another.

1. Read its tokens

1. Open the site and go to a representative page.
2. Open Code › **Tokens** and choose **Read the tokens**.
3. Read the summary: how many CSS variables, font families and sizes it found.
4. Scan **CSS variables**. Colour variables have swatches. Click one to copy `var(--name)`, or Shift-click to copy its value.
5. Look at **Fonts** (most used first) and **Type scale** (smallest first).

2. Export the tokens

Choose the format your project uses:

- **W3C tokens** for design-token tools. Colours, dimensions and other values are grouped.
- **Tailwind @theme** for a Tailwind v4 project.
- **CSS vars** for a plain `:root` block.
- **JSON** for everything, including fonts and sizes.

Each copies to the clipboard. Choose **Save snippet** to keep the CSS variables in Snippets.

3. Read the colours actually used

Variables show what a site declares; computed colours show what it uses.

1. Open Colour › **Page palette** and choose **Read the page's colours**.
2. Switch the mode to **Dominant (k-means)** to see eight representative colours, or **Sort by hue** to see families.
3. Compare the palette with the variables. Colours that appear in the palette but not among the variables may be hard-coded.

4. Export the palette

In Page palette, choose **@theme**, **Tailwind**, **SCSS**, **Tokens**, **CSS** or **oklch()**, or download **ASE** for design tools that read Adobe swatch files. **Save** keeps it in your library.

5. Check a few components

1. On Home, choose **Inspect** and click a button, a card and a heading.
2. For each, press **C** to copy its CSS, and read its typography and effects.

The result: the site's tokens, palette and key component styles, in the formats your project uses.

Related pages

- [Tokens](#)
- [Page palette](#)
- [Code export formats](#)

BROWSER EXTENSION > WORKFLOWS

Inspect and debug an element

Find why an element looks the way it does, check its accessibility, try a CSS fix live on the page, and copy the result.

This workflow is for the question "why does this look like that, and what would fix it?", without opening the browser's developer tools.

1. Find the element

1. Open the extension's side panel and go to Code > **Inspect**.
 2. Choose **Select element**.
 3. Hover the page. The hover card shows the element's name, size, contrast, font and colours as you move.
 4. Use the arrow keys to move to the parent, child or siblings if the pointer lands on the wrong element.
 5. Click to pin it. The side panel shows its full snapshot.
-

2. Read what applies

1. In **Overview**, read the box model, layout, colours, typography and effects.
2. In **Styles**, type a property into **Filter properties or values...**, for example `margin`, and read **Matched rules** to see which rule sets it and which rules it overrides.
3. In **A11y**, check its role, accessible name and contrast.
4. In **DOM**, read its attributes and markup, and copy a locator for your tests: **CSS**, **JavaScript** or **Playwright**.

On the page, the pinned card shows the same element with contrast first. If the text fails AA, the card suggests the **nearest text colour that passes AA**.

3. Try a fix live

1. Open **Live CSS**. It starts with the element's current CSS.
2. Change a declaration, for example the colour to the suggested passing colour, or the padding.
3. Choose **Apply to page**. The change shows on the page, on this element only.
4. Keep adjusting and applying until it looks right.
5. Choose **Reset** to go back to the page's own styles at any time.

4. Keep the fix

1. Choose **Copy CSS** to copy the editor's contents, or **Save snippet** to keep them in Snippets.
2. Choose **Stop** in the header to end inspecting and remove every preview from the page.
3. Apply the change in your own source code.

The result: a tested CSS change, copied or saved, and the page back as it was.

Related pages

- [Element inspector](#)
- [Inspect](#)

BROWSER EXTENSION > WORKFLOWS

Review a page for colour blindness

Check that a page does not rely on colour alone, using the vision simulations, side-by-side comparison and the contrast checker.

WCAG asks that colour is never the only way information is shown. This workflow helps you find places where it is: error states shown only in red, charts told apart only by hue, links distinguished only by colour.

1. Look through the common types

1. Open the page, then Check > **Vision**.
2. Choose **Deuteranopia**, the most common type. Look at status colours, charts, badges, links and form errors.
3. Repeat with **Protanopia**, **Tritanopia** and **Achromatopsia**.
4. Ask of each coloured element: can I still tell what it means?

Alt + **Shift** + **V** toggles deuteranopia at any time, which is handy while you scroll.

2. Compare side by side

1. Choose **Side-by-side**. The left half stays as it is and the right half is filtered.
 2. Compare the two halves at the same place on the page.
 3. Choose **X** to close it.
-

3. Try the milder forms and low vision

1. Choose the **Weaker forms** (protanomaly, deuteranomaly, tritanomaly, achromatomaly). Use **Strength** to see how the effect grows.
 2. Choose **Low vision**, **Cataracts**, **Glaucoma** and **AMD** to check that important content is not only at the edges or only in fine detail.
-

4. Record what you see

Choose **Capture** to download a PNG of the filtered tab for a report or a ticket.

5. Check the numbers

1. For a colour pair you are unsure of, open Contrast and set the two colours.
 2. Read the **Colour-vision check**: the ratio for protan, deutan and tritan vision.
 3. Run the **Audit** too: its **link-distinguishable** rule catches links in text that are identified by colour alone.
-

6. Clear the filter

Choose **Clear**, or press **Alt** + **Shift** + **V** again. Reloading the page also clears it.

The result: a list of places where colour carries meaning on its own, ready to fix with text, icons, patterns or stronger contrast.

Related pages

- [Vision](#)
- [Contrast](#)
- [Limits and accuracy](#)

BROWSER EXTENSION

Other material

Background material for the browser extension — glossary, shortcuts, limits and accuracy, related tools, release notes and privacy.

This folder holds the reference material that sits around the how-to pages: the terms the extension uses, every keyboard shortcut, what its measurements can and cannot tell you, where to go next, what changed in each version, and what happens to your data.

Files in this folder

Page	What it covers
Glossary	Colour, contrast, accessibility and browser terms used in these pages
Keyboard shortcuts	Every key: browser shortcuts, the popup, the inspector and the right-click menu
Limits and accuracy	What each check measures, how precisely, and what it is not
Related tools	Website tools, VS Code extensions and Learn material that pair with the extension
Release notes	What changed in each version, and what is coming next
Privacy	What stays in your browser, what uses the network, and how to delete it

BROWSER EXTENSION

Keyboard shortcuts

Every keyboard shortcut in the Auric Artisan browser extension — browser-level shortcuts, the popup, the element inspector and the right-click menu.

Browser-level shortcuts

These work from any page. Change them on the browser's shortcuts page: `chrome://extensions/shortcuts` in Chromium browsers, or `about:addons` > gear > **Manage Extension Shortcuts** in Firefox. Settings > Shortcuts > **Change them in the browser** opens it.

Keys	Action	Name on the shortcuts page
Alt + Shift + A	Open the extension on the active tab	Open Auric Artisan
Alt + Shift + C	Open the contrast checker	Open contrast checker
Alt + Shift + E	Open Page palette and read the page's colours	Extract page palette
Alt + Shift + V	Turn the deuteranopia simulation on or off	Toggle deuteranopia simulation
Unassigned	Start the element inspector	Inspect an element on the page

Keys	Action	Name on the shortcuts page
Unassigned	Open Audit and run it	Run a full accessibility audit

No macOS-specific keys are documented; use your browser's shortcuts page to check or change them.

In the popup and side panel

Keys	Action
/	Focus search (when not typing in a field)
Ctrl + K	Focus search from anywhere; closes Settings
Up / Down	Move through search results
Enter	Run the selected search result
Esc	Close an open colour picker, then Settings, then clear the search, then return to Home
Left / Right, Home / End	Move between spaces, or between Settings sections (Up and Down also work there)
Delete or Backspace	Remove the focused colour in Library

Element inspector (on the page)

Keys	Action
Up	Parent element
Down	First child
Left / Right	Previous / next sibling
P	Pin or unpin
C or Enter	Copy CSS
S	Copy the selector
J	Copy JSON
Esc	Unpin; press again to stop
Arrow keys on the grip	Move the pinned card

Custom right-click menu (on the page)

Keys	Action
Type	Filter every action

Keys	Action
<code>Up / Down</code>	Move between the quick bar and the rows
<code>Right</code>	Open a group, or reach a row's star
<code>Left</code>	Close a group, or leave the star
<code>Enter</code>	Run the row; in the field, run the first result
<code>1 to 6</code>	Choose a search engine in Search the web
<code>Esc</code>	Clear the filter, then close a submenu, then close the menu
<code>Shift</code> + right-click	Open the browser's own menu

Screen eyedropper

Keys	Action
Click	Sample the pixel
<code>Esc</code>	Cancel

BROWSER EXTENSION

Glossary

Plain-language definitions of the colour, contrast, accessibility and browser terms used in the browser extension documentation.

Colour

Accent colour. The colour the extension uses for its buttons, focus rings and highlights. You choose it in Settings > Appearance.

ASE. Adobe Swatch Exchange, a palette file format many design applications can import.

Chroma. How colourful a colour is, from grey (no chroma) to fully saturated. **Chroma room** in the Picker is how much more chroma a colour can take before it leaves a gamut.

CMYK. Cyan, magenta, yellow and black, the inks of print. The extension converts to CMYK with a simple formula, not a print profile.

Colour space. A system for describing colours with numbers, such as sRGB, LAB or OKLCH. Mixing or blending in different spaces gives different in-between colours.

Display P3 (P3). A wider gamut than sRGB, used by many modern screens. Colours outside sRGB can be written in CSS with `color(display-p3 ...)` or `oklch()`.

ΔE (delta E). A number for how different two colours look. Under about 2, most people cannot see the difference.

Gamut. The range of colours a screen or colour space can show.

Harmony. A set of colours chosen by their positions on the colour wheel, such as complementary (opposite) or triadic (evenly spaced three).

HEX. A colour written as `#RRGGBB` in hexadecimal, for example `#d3af37`. An eight-digit form adds opacity.

HSL, HSV, HWB. Ways of writing a colour by hue (its position on the wheel) plus saturation and lightness (HSL), saturation and value (HSV), or whiteness and blackness (HWB).

Hue. The quality that makes a colour red, green, blue and so on, measured in degrees around a wheel.

k-means. A method that groups many colours into a few representative ones. Page palette's **Dominant (k-means)** mode uses it to find eight.

LAB and LCH. Colour spaces designed around how people perceive lightness and colour. LCH is LAB written as lightness, chroma and hue.

Linear RGB. RGB without the brightness curve screens apply, so light adds up as it does physically.

OKLAB and OKLCH. Newer perceptual colour spaces. Equal steps in OKLCH lightness look like equal steps to the eye, and hue stays steady as lightness changes, which makes them good for scales and gradients. CSS supports both with `oklab()` and `oklch()`.

Opacity (alpha). How transparent a colour is, from 0 (invisible) to 1 or 100% (solid).

Scale. A series of steps of one colour, from light to dark, such as Tailwind's 50 to 950.

sRGB. The standard colour space of the web. HEX, `rgb()` and `hsl()` colours are sRGB.

Tint, shade, tone. A colour mixed toward white (tint), toward black (shade) or toward grey (tone).

XYZ. A reference colour space from which the others are calculated.

Contrast and accessibility

AA and AAA. WCAG conformance levels. AA is the common legal and industry target; AAA is stricter.

Accessible name. The name assistive technology announces for an element, such as a button's text or an `aria-label`. It is computed by a standard algorithm.

APCA and Lc. The Accessible Perceptual Contrast Algorithm, used in the WCAG 3 drafts. It gives a lightness contrast score, Lc, whose sign shows polarity (dark on light or light on dark). A higher absolute Lc reads more easily, and the score needed depends on font size and weight.

ARIA. Accessible Rich Internet Applications, attributes such as `role` and `aria-label` that tell assistive technology what an element is and does.

Borderline. In the audit, text that passes its contrast threshold by less than 1.5.

Colour-vision deficiency. Reduced ability to tell some colours apart. Protanopia, deuteranopia and tritanopia are the absence of red-, green- or blue-sensitive cones; the "-anomaly" forms are weaker versions; achromatopsia is the absence of colour vision.

Contrast ratio. WCAG's measure of contrast between two colours, from 1:1 to 21:1, based on their relative luminance.

Finding. One problem the extension found, with its severity and the actions that fit it.

Impact. How much a finding affects people: critical, serious, moderate or minor.

Landmark. A region of a page, such as main, navigation or footer, that assistive technology lets people jump between.

Large text. In WCAG, text at least 24 px, or at least 18.66 px when bold. It needs less contrast than body text.

Low vision. Sight that glasses cannot fully correct. The extension simulates cataracts, general low vision, glaucoma (tunnel vision) and AMD (age-related macular degeneration, loss in the centre).

Relative luminance. How bright a colour is to the eye, on a scale from 0 (black) to 1 (white).

Roving tabindex. A pattern where a group of controls, such as tabs, holds one Tab stop and arrow keys move inside it.

Success criterion. A single testable requirement in WCAG, numbered like 1.4.3 (contrast).

WCAG. The Web Content Accessibility Guidelines. The extension audits against WCAG 2.2.

Browser and code

Content script (page script). The small part of the extension that runs inside web pages so the tools can read them.

CSS custom property (CSS variable). A named value in CSS, written `--name`, and used with `var(--name)`.

Design token. A named design decision, such as a colour or spacing value, stored so tools can share it. **W3C design tokens** is the standard JSON format for them.

Eyedropper. A tool that samples the colour of any pixel on screen.

Locator. Code that finds an element on a page, such as a CSS selector or a Playwright `page.locator(...)`.

Manifest V3. The current format for browser extensions in Chromium browsers and Firefox.

Selector. A CSS pattern that identifies an element, such as `main > .card h2`.

Shadow root. An isolated part of a page. The extension draws its panels in shadow roots so the site's styles and its own cannot affect each other.

Side panel, sidebar. A panel docked beside the page, in Chromium browsers and Firefox respectively.

Tailwind @theme. The block Tailwind CSS version 4 uses to define design tokens as CSS variables.

XPath. A way of addressing an element by its path in the page's structure.

BROWSER EXTENSION

Limits and accuracy

What each of the extension's checks measures, how precisely, where it can be wrong, and what it is not a substitute for.

The extension's tools are practical checks for everyday design and development. This page explains what they measure and where their answers need your judgement.

Contrast

- **WCAG ratios** follow the WCAG 2.x formula for relative luminance and are exact for the colours given.
- **Large text** is 24 px or more, or 18.66 px or more when bold, as WCAG defines it.
- **APCA** uses a simplified version of the APCA calculation, accurate enough for design feedback but not a certified result. APCA is still a draft method for WCAG 3; its thresholds may change.
- **The background behind text** is found by walking up through the element's parents to the first mostly solid background, combining translucent layers on the way. It cannot see backgrounds drawn by images, gradients, canvas or other elements positioned behind the text. Such text is flagged for review or marked as an estimate ("≈") rather than passed or failed.
- **Text coloured with some modern colour functions** that browsers report in forms the check does not read is skipped. It is not reported as passing; it is simply absent from the results.
- **The contrast report** copied from Contrast labels its thresholds "WCAG 2.1"; the numbers are the same in WCAG 2.2.

The accessibility audit

- The audit runs 78 rules for WCAG 2.2 levels A and AA. It covers 32 success criteria; WCAG 2.2 has 86. Many criteria need human judgement that no automated tool can make.
- Rule results are based on the page as it is at that moment. Content that appears later, on scroll or after interaction, is not checked until you run the audit again.
- Each rule stops after 25 000 elements or 250 issues, and the whole audit after 30 seconds. The JSON export records whether a limit was reached.
- The contrast scan checks up to 3 500 elements (1 800 without **Deep page audit**).
- Embedded frames are not checked.
- **A clean audit does not prove a page accessible.** Test with keyboards, screen readers and real users as well.

Vision simulations

- The colour-vision filters use standard simulation matrices; the Picker's Vision pane uses the Machado 2009 model. They show the kind of confusion people may have, not exactly what any individual sees.
- Strength blends between normal vision and the full simulation; it is not a clinical measure of severity.
- The low-vision simulations (cataracts, low vision, glaucoma, AMD) are illustrative blur, dimming and vignette effects, not medical models.

Colour values

- **The screen eyedropper** samples rendered pixels, after your screen's colour management, scaling and anti-aliasing. Read CSS values with the inspector or Page palette when you need the exact authored colour.
- **Page palette** reads computed colours and colour variables written as hex or `rgb()`. It merges near-duplicates, so very similar shades may appear as one.
- **Image** scales the picture down and merges similar colours, so small details may not appear.
- **CMYK** is a simple conversion from RGB, not a print-profile conversion.
- **Colour names** are the nearest CSS colour name, a convenience label rather than an exact match.
- **Colour names set to XKCD** currently give the same names as CSS names.

Gradients

The **OKLCH** interpolation option currently mixes in OKLab, the rectangular form of the same space. For most gradients the difference is small; between distant hues the path can differ from a true OKLCH gradient.

Tokens

The token scan reads stylesheets the browser lets the page read. Stylesheets from other sites that do not allow it are skipped, so a site's full token set may not be visible from one page.

What the extension is not

- It is not a certified accessibility conformance report.
- It is not a colour-managed proofing tool for print.
- It is not a medical or diagnostic tool for vision conditions.

Related pages

- [Audit](#)
- [Contrast](#)

- [Vision](#)

BROWSER EXTENSION

Privacy

What the Auric Artisan browser extension keeps, where, for how long, what uses the network, and how to delete it.

The extension collects nothing and sends nothing. There are no accounts, no analytics and no network requests of its own. Everything it keeps stays in your browser. The only traffic it causes is a page you choose to open.

The full policy is at <https://auricartisan.com/legal/extension-privacy/>.

Promises

1. **No network requests.** No analytics, tracking, crash reporting, remote settings or remote code.
2. **No accounts.** Nothing to sign in to, and no identifiers.
3. **Nothing leaves your device unless you click.** Links, web searches and translations open only when you choose them.
4. **Nothing is written to websites' storage.** On a page, the extension does not read or write the site's cookies, local storage or databases.
5. **Page-changing features are opt-in.** The website pickers and the custom right-click menu stay off until you turn them on.

The Firefox package declares to Mozilla, in its manifest, that it collects no data.

What is kept, and where

Everything below lives in your browser profile. None of it is synced or sent.

Data	Contains page content?	Kept until
Settings	No	You reset them or uninstall
Colour history (50)	Colours only	You clear it
Library colours (500) and palettes	Colours only	You delete them
Snippets (200)	Yes: the code you saved, and the address and site of the page it came from	You delete them
Last inspected element	Yes: its selector, styles, colours, accessibility details and up to 12 KB of its markup	The next inspection replaces it
Right-click menu preferences (quick bar, layout, row height)	No	You reset them

Data	Contains page content?	Kept until
Picker preferences, the language, and the last tool in each space	No	You uninstall
A queued shortcut or menu command	No	Read once; dropped after 30 seconds
Audit results, page palettes, tokens, findings	Yes	The popup or side panel closes

The last inspected element is capped in size, so a page cannot fill your extension storage.

What uses the network

Each of these is an ordinary page visit that **you** start. The extension itself sends nothing.

When	Opens	What the address contains
You install the extension	auricartisan.com, once, marked as an install visit	Nothing about you or your pages
You follow a link to auricartisan.com (wordmark, Home, On the web, search results)	That page	The page's address only
Page palette › Open	auricartisan.com's palette library	The palette's hex colours
Right-click menu › Search the web	Google, Bing, DuckDuckGo, Wikipedia, YouTube or Google Images	The text you selected
Right-click menu › Translate	Google Translate	The text you selected
Right-click menu › Translate page	Google Translate	The page's address

QR codes, screenshots, colour maths, audits, vision simulations and image palettes are all made on your device. Images you drop into Image are never uploaded.

Backups

Download a backup saves a file you control. It contains your settings, history, library and snippets, and snippets include the addresses of the pages they came from. Nothing is uploaded.

Delete your data

To delete	Do this
History and library	Settings › Data › Clear history & library

To delete	Do this
All snippets	Code › Snippets › Clear all
Settings	Settings › Data › Reset all settings
Everything	Uninstall the extension

Safety measures

- Addresses a page passes to the browser for downloading or opening must be ordinary web, data or blob addresses; others are refused.
- Translations can never inject code into the extension's panels.
- Backups and pasted settings are checked and capped before they are saved.
- Live CSS changes only the element you inspect, and **Reset** or **Stop** restores it.

Related pages

- [Permissions](#)
- [Data settings](#)

BROWSER EXTENSION

Release notes

What changed in each version of the Auric Artisan browser extension, and what is built for the next release.

The user-facing history of the Auric Artisan browser extension, newest first. Store listings update after each store's review, so your browser may show an earlier version for a while; check your version on the browser's extensions page.

Upcoming (built, not yet released)

A redesign called "one studio, four surfaces" lays out the same spaces (Home, Colour, Check, Code, Saved) for where you are: docked beside the page, drawn over it, and in a quick popup.

The side panel becomes the home base

- The spaces become a **rail** down the left edge, with the theme, Settings and the tour at its foot, so the whole width goes to the tool.
- Each space names itself and the tab its tools act on.
- Home leads with **This tab**: the site the panel is linked to, whether the page tools reach it, and **Pick, Inspect, Audit** and **Vision** in one click. After an audit it says when it ran and what failed, with **Show on page**.

- Home lists the page's own colours; a click opens one in the Picker.
- The panel follows the tab: switching tabs refreshes Home.

The popup becomes a quick launcher

Pick a colour, **Contrast** (with its shortcut), **Inspect** and **Audit this page**; the last contrast pair; recent colours; **Page palette**, **Vision** and **Search**; and **Open the side panel**, shown only where the browser has one.

The audit reads like a report

- A score from the rule engine, what was checked and when, a bar of failing, borderline, review and passed, and the four counts.
- Findings are numbered rows with their colour pair. The selected row offers **Fix in Contrast** and **Copy selector**.
- The run button says **Run again** after the first run.

Outlines drawn over the page, not on it

- A layer over the page draws a box and a numbered pin for each finding. Pin 2 is row 2 in the list, and selecting either selects both.
- The selected finding opens a card with the nearest passing text colour, **Try the fix** (a preview on the page, undone on close), **Copy CSS** and Next.
- A **page dock** at the bottom counts what failed, steps through findings and closes with **Done** or **Esc**.
- The overlay stays until you close it; a switch in Check > Audit shows and hides it. Nothing on the site itself is changed.

Inspector and right-click menu

- With the side panel open, a pinned element keeps a compact card on the page ("Details in the side panel") and the panel opens Code > Inspect with everything else.
- The right-click menu's header shows the clicked element's text contrast (for example "16.5 AAA", red when it fails).
- In Chromium browsers the first element action becomes **Inspect in side panel**. Firefox keeps **Inspect element**, because its sidebar opens only from the browser's own controls.
- Hindi covers every new string.

1.0.2 — 2026-09-23

Hindi throughout the product, and the Auric Studio redesign.

New

- **A new workspace.** Home plus four spaces, Colour, Check, Code and Saved, replace the old grid of tabs. **/** or **Ctrl + K** searches every tool, setting and auricartisan.com page.

- **Home:** a colour of the day, four on-this-page actions that start the work, recent colours, **Continue**, and editable pinned tools.
- **The Picker is auricartisan.com's own colour picker**, with twelve formats, contrast with the closest passing colour, colour-vision previews (Machado 2009), code for CSS, wide-gamut CSS, Tailwind v4, SwiftUI, Compose and Android, the page's own colours, chroma room in sRGB and P3, harmonies in HSL or OKLCH, an 11-step OKLCH scale, and opacity in every copied value.
- **Settings is a two-pane view** (Appearance, Pickers, Right-click, Tools, Data, Shortcuts), with a switch for each of the 13 picker types, **Leave designed controls alone**, **Never on** lists, and **Change them in the browser**.
- **Search in dropdowns with more than seven options**, on web pages and in the extension: typing filters and underlines matches, groups keep their headings, and "No options match" offers to clear the search.
- **Multi-select as a dropdown**, with chips, an "N/M chosen" count, **Select all** and **Clear**.
- **The inspector** has a light hover card and a pinned card that leads with contrast, shows the nearest passing colour, and explains every accessibility problem it finds, in seven sections with summaries.
- **The right-click menu, redesigned:** a header naming what you clicked; its own actions first; Auric tools, Page, Tab & window and View as one row each; a quick bar of up to six pinned actions; typing to filter everything; copy selector as CSS, JavaScript, Playwright or XPath; copy a selected colour as HEX, RGB, HSL or OKLCH; copy an image's palette; pick a colour from an image; side-by-side colour vision; Google Images search; **Allow** chips for actions that need a permission; and a gear for the quick bar, layout and row height.
- **Settings > Right-click** gains **Step aside for a site's own menu**, the quick bar, layout, row height, a **Never on** list and the three permissions.
- **Hindi (हिन्दी)** across the popup, side panel, website pickers, right-click menu, inspector and every accessibility finding. The store description, toolbar tooltip and shortcut names follow the browser's language.
- The Auric Artisan wordmark links to auricartisan.com.

Changed

- One colour picker in three shapes: a compact popover on web pages, split in the popup, stacked in the side panel.
- The colour picker on web pages is a compact 296 px popover with five panes, at most one open, a searchable format menu, and it opens upward near the bottom of the window.
- Number, range, checkbox and radio controls follow your theme. The number stepper disables its buttons at the minimum and maximum, and the range slider gets an editable value.
- On Dark or Light every in-page control uses that theme; on System they match the page.
- Search puts an exact title first and groups results as Best match, Tools, Settings, Actions and On the web.
- The default accent is Auric gold **#d3af37** everywhere.
- The inspector's bar sits at the bottom and names what is being inspected.

Fixed

- The right-click menu no longer takes over sites that have their own menu, such as Figma and Google Docs, unless you turn off Step aside. Shift + right-click is always the browser's menu.
 - The inspector no longer closes when you click an element on sites that rewrite their address on every click, such as auricartisan.com. If the page removes the pinned element, the card lets go.
 - The website colour picker no longer shows its light theme while Settings says Dark.
 - The popup passes its own accessibility audit again.
 - Typing "Settings" in search and pressing Enter no longer runs "Reset all settings".
 - The audit no longer reports roving-tabindex items (such as inactive tabs) as unreachable.
 - English text left in the Hindi popup is translated.
 - Recent colours are no longer thin pills in a narrow side panel, and no longer list one colour twice in different letter cases.
-

1.0.1 — 2026-07-31

New

- **Universal form pickers** for a page's date, month, week, date-and-time, time, number, range and colour inputs, behind one switch. They set values the way the page expects and fire real events.
- **A custom in-page right-click menu**, on demand, over the extension's tools.
- **Search over settings and features** in the popup.
- **QR codes** for the current page or a selection.

Changed

- Everything the extension draws on a page is isolated from the site's styles.
 - The popup and side panel adapt to their width instead of clipping.
 - Packages for Edge and Opera, identical to the Chrome package.
 - The Firefox package declares that it collects no data.
-

1.0.0 — 2026-07-22

New

- **An accessibility engine with 80 rules across 32 WCAG success criteria**, covering ARIA, accessible names, structure, forms, media, keyboard, contrast and page-level criteria. Before, the scan checked text contrast only.
- The engine checks against bundled WCAG 2.2, ARIA 1.2 and HTML accessibility data, and computes accessible names with the standard algorithm.
- Audits run in slices so the page stays responsive, with limits per rule instead of a fixed cap.
- APCA Lc beside WCAG ratios in the scanner, the popup and the inspector.

- A new icon family.

Changed

- Scoring counts each failing rule, weighted by impact, instead of each failing element, so a large page no longer scores worse for being large.
- Only one extension, **Auric Artisan**, is published.

Fixed

- Invalid boolean ARIA values are reported instead of breaking the check.
- The focus-indicator rule no longer reports every control; it looks for stylesheets that remove the outline with no replacement.
- Target size respects WCAG 2.5.8's spacing exception.
- Browser-drawn checkboxes and radios are no longer flagged for non-text contrast.

0.9.52

- **Snippets**, a vault of saved code: **Save snippet** in Gradient, Shades, Inspect and Tokens, **+ New**, search, **This site**, **Copy all**, **Export** and **Clear all**, up to 200 snippets.
- **Backup and restore** of settings, history, library and snippets in one `.json` file.
- A storage meter with counts in Settings › Data.
- Lists update live across windows.

0.9.51

- The Auric colour picker can replace a page's colour inputs.
- APCA tiers (Lc 90, 75, 60, 45, 30) beside the WCAG ratio.
- A choice of auto-fix target: AA 4.5:1, AA Large 3:1, AAA 7:1, APCA Lc 60 or Lc 75.
- A deep scan mode for the page audit, with manual-review flags for text over images, gradients and shadows.
- **Inspect element** in the right-click menu, and a grouped inspector read-out with keyboard DOM navigation, following your accent colour.

0.2.1

- The element inspector, with copy-as-CSS.
- Design tokens from any page, exported as CSS, W3C tokens, a Tailwind v4 `@theme` block or JSON.
- Code export for every picked colour: `oklch()`, Tailwind, SwiftUI, Compose and Android.
- A first-run tour.

0.2.0

A rebuild into a colour, design and accessibility toolkit: harmonies on a colour wheel, shades and tints, a gradient builder, mixing and blending, a converter, a page contrast scan with outlines and JSON and CSV export, history and library, themes, keyboard shortcuts and right-click entries, APCA, OKLCH maths and a vision simulator.

0.1.0

The first release: a popup colour picker with an eyedropper, an eight-format read-out, basic palette extraction and WCAG contrast checking.

BROWSER EXTENSION

Related tools

Website tools, VS Code extensions and other Auric Artisan products that pair with the browser extension.

The browser extension brings the most frequent checks to any page. The full-size tools on auricartisan.com go deeper, and the VS Code extensions bring the same checks to your code.

Website tools

Tool	Use it when	Docs
Analyzer	You want a full report on any URL, not just the tab you have open	Analyzer
Contrast Checker	You need more contrast detail than the popup offers	Contrast Checker
Vision Simulation	You want to simulate vision on images and designs, with more controls	Vision Simulation
Accessibility Checklist	You need the manual checks an automated audit cannot make	Accessibility Checklist
Ishihara Plate Generator	You want colour-vision test plates	Ishihara plates
Basic Colour Tools	You want the colour tools in a larger workspace	Basic Colour Tools
Colour Science Lab	You want to explore colour spaces and models	Colour Science Lab
Image Picker	You want to pick colours from images in detail	Image Picker

The extension's **On the web** list and Home links open these and other pages directly.

Libraries and learning

- The colour, palette, gradient, harmony and shades libraries on auricartisan.com; see the [colour libraries docs](#).
- Learn articles on colour science and accessibility; see the [Learn docs](#).

VS Code

The **Auric Artisan Studio** extensions bring colour and accessibility checks to your source code, so you can fix what the browser extension finds where the code lives.

Services

- **Font CDN** and **Icon CDN**, for fonts and icons on your own sites.
 - **Public API**, for colour and accessibility checks from your own code.
-

Policies

- Extension privacy policy: <https://auricartisan.com/legal/extension-privacy/>
- Product page: <https://auricartisan.com/extension>