

AURIC ARTISAN · USER DOCUMENTATION

Kits

What the Auric Artisan kits are, how to open them from the page utilities bar, and the controls every kit panel shares.

Updated 2026-09-25 · auricartisan.com

Contents

Kits

Guides for all kits

- Getting started with kits
- Panel controls
- The page utilities bar
- Troubleshooting kits
- Kits FAQ

Advanced Kit

Advanced Kit guides

- Getting started with the Advanced Kit
- Build a custom tool set
- Choose a mode
- What each mode changes
- Advanced Kit reference
- Advanced Kit troubleshooting
- Advanced Kit FAQ

Advanced Kit reference material

- Advanced Kit shortcuts
- Advanced Kit glossary
- Advanced Kit limits
- Advanced Kit privacy
- Advanced Kit release notes
- Related to the Advanced Kit

Feature Kit

Feature Kit guides

- Getting started with the Feature Kit
- Calculator functions
- Use the calculator
- Work with dates and times
- Use the developer tools
- Send feedback
- Plot a function
- Keep notes
- Convert units
- Feature Kit reference
- Feature Kit troubleshooting
- Feature Kit FAQ

Feature Kit reference material

- Feature Kit shortcuts
- Feature Kit glossary
- Limits and accuracy
- Feature Kit privacy
- Feature Kit release notes
- Related to the Feature Kit

Library Kit

Library Kit guides

- Getting started with the Library Kit
- Browse and find items
- Commands and right-click menus
- Compare two items
- Organise your library
- Restore and reuse items
- Settings, sync and reports
- Share, export and import
- Library Kit reference
- Library Kit troubleshooting
- Library Kit FAQ

Library Kit reference material

- Library Kit shortcuts
- Library Kit glossary
- Library Kit limits
- Library Kit privacy
- Library Kit release notes
- Related to the Library Kit

Menu Kit

Menu Kit guides

- Getting started with the Menu Kit
- Find a page by browsing
- Search and quick actions
- Menu Kit reference
- Menu Kit troubleshooting
- Menu Kit FAQ

Menu Kit reference material

- Menu Kit shortcuts
- Menu Kit glossary
- Menu Kit limits
- Menu Kit privacy
- Menu Kit release notes

Related to the Menu Kit

Status Kit

Status Kit guides

[Getting started with the Status Kit](#)

[Check a page's status](#)

[Scan a section of the site](#)

[System status](#)

[Status Kit reference](#)

[Status Kit troubleshooting](#)

[Status Kit FAQ](#)

Status Kit reference material

[Status Kit shortcuts](#)

[Status Kit glossary](#)

[Status Kit limits](#)

[Status Kit privacy](#)

[Status Kit release notes](#)

[Related to the Status Kit](#)

Update Kit

Update Kit guides

[Getting started with the Update Kit](#)

[Update the website](#)

[Update Kit reference](#)

[Update Kit troubleshooting](#)

[Update Kit FAQ](#)

Update Kit reference material

[Update Kit shortcuts](#)

[Update Kit glossary](#)

[Update Kit limits](#)

[Update Kit privacy](#)

[Update Kit release notes](#)

[Related to the Update Kit](#)

Reference material for all kits

[Kit keyboard shortcuts](#)

[Kits glossary](#)

[Kits and your privacy](#)

[Related to the kits](#)

WEBSITE > KITS

Kits

What the Auric Artisan kits are, how to open them from the page utilities bar, and the controls every kit panel shares.

Kits are small floating panels that you can open on any page of auricartisan.com without leaving the page you are on. Each kit does one job: the **Feature Kit** holds a calculator, a unit converter, notes, date tools and developer utilities; the **Menu Kit** is a start menu for the whole site; the **Advanced Kit** decides which tools the site shows you; the **Status Kit** shows the status of pages and your device; the **Library Kit** holds everything you have saved from the tools.

Kits are modeless. A kit floats above the page, and the page underneath stays usable: you can scroll, click and type in a tool while a kit is open. You can drag a kit anywhere in the window, make it larger, shrink it to its title bar, give it its own light or dark theme, and keep it open while you move from page to page.

All kits open from one place: the page utilities bar in the bottom-left corner of the window. A few kits also have keyboard shortcuts, and the Library Kit has a button in the site header.

Who it is for

- Anyone using the site's tools who wants a quick calculation, conversion or note without opening another tab.
- Designers and developers who save palettes, gradients, reports and presets and want to find, compare and reuse them.
- Visitors who want a simpler or a more technical view of the site's tools.
- Anyone who wants to see how a page or their device is doing: page status, connection, memory, frame rate.

Where to find it

- On every page of <https://auricartisan.com>, select the round **Page utilities** button in the bottom-left corner. The bar opens and shows one labelled launcher per kit.
- Keyboard shortcuts open some kits directly. See [Keyboard shortcuts](#).
- The Library Kit also opens from the **Library** button in the site header, from a link ending in `#library`, and from <https://auricartisan.com/library/workspace/>.

Quick start

1. Open any page on <https://auricartisan.com>.
2. Select **Page utilities** in the bottom-left corner. The bar opens with the launchers **Feature**, **Menu**, **Advanced**, **Status**, **Library**, **Navigate** and **Settings**, and the hub button now reads **Close**.

3. Select **Menu**. The bar folds away and the Menu Kit opens in the bottom-left corner with its search box ready.
4. Drag the kit by its title bar to move it somewhere convenient.
5. Select the four-arrow **Resize** button in the kit's title bar to make it wider and taller.
6. Select the target-shaped **Focus mode** button if you want the kit to stay open when you go to another page.
7. Select the cross (**Close**) in the title bar, or press **Esc**, to close the kit.

The kits

Kit	Launcher	What it is for	Shortcut
Feature Kit	Feature	Calculator with graphing, unit converter, feedback, notes, date and time, developer tools	Ctrl + Shift + K
Menu Kit	Menu	Start menu for the whole site, with tabs, search and quick actions	Ctrl + M
Advanced Kit	Advanced	Choose Basic, Advanced, Everything or a Custom set of tools	Ctrl + Shift + A
Status Kit	Status	Page status, section scans and a live device and connection readout	None
Library Kit	Library	Browse, restore, compare, share and export your saved work	Ctrl + Shift + L
Update Kit	No launcher	The Update available notice and the Update website command	Ctrl + Shift + U

The page utilities bar also holds two launchers that are not kits: **Navigate**, which opens the page navigation dock, and **Settings**, which opens the site settings panel. Both are described in [Site features](#).

Note: The public changelog mentions a "UX Kit". It is not a panel you can open. It is the part of the site that changes page wording and hides or shows sections when you pick a mode in the Advanced Kit. What it changes is described in [What each mode changes](#).

Controls every kit shares

Each kit panel has a title bar with the kit's name on the left and a row of small buttons on the right.

Control	What it does
Title bar	Drag it to move the panel. The panel stays inside the window and remembers where you left it.
Focus mode (target icon)	Keeps the kit open when you go to another page and when you open another kit.
Theme (sun or moon icon)	Switches this kit, and only this kit, between light and dark.

Control	What it does
Resize (four arrows)	Switches between the normal size and a larger expanded size.
Minimize (dash)	Shrinks the kit to its title bar. Select the bar to restore it.
Close (cross)	Closes the kit.

The Library Kit keeps these controls in a **Panel options** menu, and the Feature Kit adds a **Back** button and calculator buttons. [Panel controls](#) explains every control and every difference between kits.

What you can do

- Open any kit from the page utilities bar on every page, including on a phone.
 - Keep one or more kits open while you work in a tool.
 - Move, enlarge, shrink and theme each kit independently.
 - Keep a kit open across pages with Focus mode.
 - Calculate, graph, convert units, take notes, work with dates and run developer utilities in the Feature Kit.
 - Find any page on the site from the Menu Kit.
 - Choose how much of the site's tool range you see in the Advanced Kit.
 - Check page status and live device information in the Status Kit.
 - Manage everything you have saved in the Library Kit.
 - Update the site to the newest release with the Update Kit.
-

In this folder

- [docs/](#) — how to use the kits in general
 - [Getting started](#) — open your first kit and learn the layout
 - [The page utilities bar](#) — the launcher bar, on desktop and on a phone
 - [Panel controls](#) — move, resize, focus, minimise, theme and close
 - [Troubleshooting](#) — problems that affect every kit
 - [FAQ](#) — common questions about kits
- [others/](#) — reference material for all kits
 - [Glossary](#) — terms used across the kits
 - [Keyboard shortcuts](#) — every kit shortcut in one table
 - [Privacy](#) — what the kits keep in your browser and what uses the network
 - [Related](#) — related site features, tools and pages
- [feature-kit/](#) — calculator, converter, notes, date and time, developer tools, feedback
- [menu-kit/](#) — the site start menu
- [advanced-kit/](#) — tool visibility modes
- [status-kit/](#) — page status and system status
- [library-kit/](#) — your saved work as a floating panel

- [update-kit/](#) — the website update notice and command

[WEBSITE](#) > [KITS](#)

Guides for all kits

Contents of the shared kit guides, which cover the launcher bar and the panel controls every kit uses.

This folder covers what the kits have in common: how to open them, the page utilities bar that launches them, and the title-bar controls that move, resize, minimise, theme and close every panel. Guides for a single kit live in that kit's own folder.

File	What it covers
getting-started.md	Open your first kit, learn the parts of a kit panel, and close it again
the-kit-dock.md	The page utilities bar: its launchers, its phone layout and how it behaves
panel-controls.md	Every title-bar control, what each kit remembers, and how the kits differ
troubleshooting.md	Problems that affect all kits, with causes and fixes
faq.md	Short answers to common questions about kits

Kit-specific guides:

- [Feature Kit guides](#)
- [Menu Kit guides](#)
- [Advanced Kit guides](#)
- [Status Kit guides](#)
- [Library Kit guides](#)
- [Update Kit guides](#)

[WEBSITE](#) > [KITS](#)

Getting started with kits

Open your first kit from the page utilities bar, learn the parts of a kit panel, and close it again.

A kit is a floating panel that opens over the page you are on. This guide opens one, walks through the parts every kit shares, and closes it again.

Before you start

- Kits work on desktop and on phones. On a narrow screen the launcher bar wraps into two rows.
- Kits need JavaScript. Each kit loads the first time you open it, so the first open can take a moment on a slow connection. While it loads, its launcher looks dimmed and shows a busy pointer.
- Nothing needs an account. Kits keep their preferences in your browser. See [Privacy](#).

Open your first kit

1. Go to any page, for example <https://auricartisan.com>.
2. Find the round button in the bottom-left corner of the window. Its tooltip reads **Page utilities**.
3. Select it. A bar slides open with labelled launchers: **Close**, **Feature**, **Menu**, **Advanced**, **Status**, **Library**, **Navigate** and **Settings**.
4. Select **Feature**. The bar folds away and the Feature Kit opens in the bottom-left corner of the window, showing six cards.
5. Select **Scientific Calculator**, type **2+3** with your keyboard and press **Enter**.

You see **5** in the calculator's display. You have opened a kit, switched to one of its tools and used it.

The parts of a kit panel

Every kit panel has the same frame.

- **Title bar.** The kit's name sits on the left. Drag the title bar to move the panel.
- **Title-bar buttons.** On the right: **Focus mode**, **Theme**, **Resize**, **Minimize** and **Close**, in that order. The Library Kit puts all but **Close** in a **Panel options** menu.
- **Body.** The kit's own content: cards, tabs, a search box, results. The body scrolls when there is more than fits.
- **Launcher.** The labelled button in the page utilities bar that opens the kit. While a kit is open, its launcher shows a cross, and selecting it again closes the kit.

Panel controls explains each button in detail.

Keep working while a kit is open

Kits do not block the page. While a kit is open you can scroll the page, click links and type into tools. Clicking on the page does not close the kit.

The Feature Kit is the one exception: when Focus mode is off, it dims the page behind it, and clicking the dimmed page closes it. Turn on Focus mode in the Feature Kit to work on the page while it stays open.

Open more than one kit

Opening a kit normally closes whichever kit was already open. To keep two kits open side by side:

1. Open the first kit and select its **Focus mode** button. The button turns gold.
2. Open the second kit from the page utilities bar.
3. Drag the two panels apart by their title bars.

Both kits stay open. The Status Kit is an exception: it closes when another kit opens, even with Focus mode on.

Close a kit

Use any of these:

- Select **Close** (the cross) in the kit's title bar.
- Press **Esc**. In the Feature Kit, the first **Esc** goes back to the Feature Kit menu and the second closes the kit. In the Menu Kit and the Library Kit, the first **Esc** clears the search box if it has text in it.
- Select the kit's launcher again. While the Feature Kit's Focus mode is on, its launcher moves keyboard focus into the kit instead of closing it.

If Focus mode is on, a closed kit can open again by itself on the next page you visit. Turn Focus mode off first if you want it to stay closed. See [Troubleshooting](#).

Next steps

- [The page utilities bar](#) — every launcher, and how the bar works on a phone
- [Panel controls](#) — moving, resizing, focus, theme and minimise in depth
- Pick a kit: [Feature Kit](#), [Menu Kit](#), [Advanced Kit](#), [Status Kit](#), [Library Kit](#)

WEBSITE > KITS

Panel controls

Every title-bar control shared by the kit panels, what each one remembers, and where the kits differ.

Every kit panel has a title bar with the same set of controls: move, **Focus mode**, **Theme**, **Resize**, **Minimize** and **Close**. This page explains each control, what the kits remember between visits, and the places where a kit does something different.

Sizes and starting position

A kit opens in the bottom-left corner of the window, just above the page utilities bar, until you move it. It opens at its normal size unless you left it expanded.

Kit	Normal width	Expanded width
Feature Kit	560 px	640 px
Menu Kit	680 px	820 px
Advanced Kit	480 px	720 px
Status Kit	560 px	760 px

Kit	Normal width	Expanded width
Library Kit	680 px	940 px

- An expanded kit is never wider than the window, less a small margin.
- An expanded Menu, Advanced, Status or Library Kit grows to at most 900 px tall, and always leaves room for its title bar at the top of the window. An expanded Feature Kit grows to at most 900 px or 90% of the window height, whichever is smaller.
- On a phone (580 px wide or narrower) every kit spans the width of the screen, less a small margin.

Move a panel

With a pointer or touch:

1. Press on the kit's title bar, away from the buttons.
2. Drag the panel to where you want it.
3. Release.

The panel stays inside the window: you cannot drag it past an edge. The kit remembers its position as a proportion of the window, so it returns to the same relative place next time you open it, on any page, and it moves back inside the window if the window becomes smaller.

Differences between kits:

- **Feature Kit.** Drag by the title text itself ("Feature Kit", or the name of the tool you have open).
- **Library Kit.** Drag the title bar or the six-dot grip at its left end.

With the keyboard (Library Kit only):

1. Press **Tab** until the six-dot grip at the left of the title bar has focus. It announces itself as **Move library panel**.
2. Press an arrow key to move the panel 12 pixels in that direction.
3. Hold **Shift** with an arrow key to move 1 pixel at a time.

Put a panel back in its corner:

- Library Kit: open **Panel options** and select **Reset position**. A message confirms "Library returned to its default position."
- Other kits: drag the panel back. There is no reset button. Clearing this site's stored data in your browser also returns every kit to its corner, but it clears your other kit preferences too.

Focus mode

The **Focus mode** button has a target icon and sits first in the row of title-bar buttons. Its tooltip reads "Keep [kit name] open through navigation and while opening other kits." When it is on, the button turns gold. The kit remembers the setting in your browser.

What Focus mode does depends on the kit:

Kit	Stays open when another kit opens	Opens again on the next page	Closing the kit turns Focus mode off
Feature Kit	Yes	Yes, on the tool you were using	Yes
Menu Kit	Yes	Yes	No
Advanced Kit	Yes	Yes	No
Status Kit	No	Yes	No
Library Kit	Yes	Yes	No

In practice:

- **Feature Kit.** Focus mode also changes how the kit sits on the page. With Focus mode off, the page behind the Feature Kit is dimmed, **Tab** keeps moving within the kit, and clicking the dimmed page closes the kit. With Focus mode on, the page is not dimmed and stays fully usable, and selecting the Feature launcher moves keyboard focus into the kit instead of closing it. Closing the Feature Kit with **Close** or **Esc** turns Focus mode off.
- **Menu, Advanced, Status and Library Kits.** Focus mode stays on until you turn it off. If you close one of these kits while its Focus mode is on, it opens again on the next page you load. Turn Focus mode off before closing if you want it to stay closed.
- **Library Kit.** The control is called **Keep open** in the **Panel options** menu, described as "Stay visible while opening other kits".

Theme

The **Theme** button switches the kit between light and dark. The icon shows the mode you will switch to: a sun while the kit is dark, a moon while it is light. The tooltip reads "Switch this kit between light and dark mode." (In the Menu Kit it says "this menu", and in the Library Kit "this panel".)

- Until you use the button, a kit follows the site's theme and changes when the site changes.
- Once you use it, the kit keeps its own choice, even on a page whose theme is different. A light kit on a dark page, or the other way round, is expected.
- Each kit remembers its own choice. The kit's launcher in the page utilities bar follows the same choice.
- There is no button that hands a kit back to the site theme. Set the kit to match the site, or clear this site's stored data.

The accent colour you choose in the site settings panel also colours the kits' gold highlights. See [Site features](#).

Resize

The **Resize** button, with four arrows, switches between the normal and the expanded size shown in the table above. The icon changes to arrows pointing inwards while the kit is expanded. Its tooltip reads "Switch [kit name] between normal and expanded size."

The kit remembers the choice and opens expanded next time, on any page. In the Library Kit the control is **Panel size** in **Panel options**, described as "Toggle the wider workspace view".

In the Feature Kit, expanding also gives the calculator's graph more room.

Minimize

The **Minimize** button, a short dash, shrinks the kit.

- **Menu, Advanced, Status and Library Kits.** The kit collapses to its title bar. The button changes to a restore icon (a square with a line). Select the restore button, or select anywhere on the title bar that is not a button, to bring the kit back. The tooltip reads "Collapse [kit name] to its title bar — click the bar to restore." A minimised kit is not remembered: it opens at full height next time.
- **Feature Kit.** The kit shrinks to a small round icon where the panel was, and the Feature launcher hides. Select the icon, or give it focus and press **Enter** or **Space**, to reopen the kit at its menu. If the kit was expanded before, it comes back expanded.

Close

The **Close** button is a cross at the right end of the title bar. You can also:

- press **Esc** (see each kit's guide for how **Esc** interacts with search boxes and sub-panels);
- select the kit's launcher in the page utilities bar.

Closing does not lose your work in the kits that keep it: calculator history, notes, library items and settings stay in your browser. What a closed kit forgets is listed in each kit's reference.

What the title bar holds in each kit

Kit	Left side	Buttons, left to right
Feature Kit	Back (only inside a tool), then the title	Graph and History (calculator only), Focus mode , Theme , Resize , Minimize , Close
Menu Kit	Menu Kit and a site status chip, for example Beta	Focus mode , Theme , Resize , Minimize , Close
Advanced Kit	Advanced Kit	Focus mode , Theme , Resize , Minimize , Close

Kit	Left side	Buttons, left to right
Status Kit	Status Kit	Focus mode, Theme, Resize, Minimize, Close
Library Kit	Six-dot grip, Your Library and an item count	Panel options (Keep open, Theme, Panel size, Minimize, Reset position), Close

On a phone, the Menu Kit's title bar stacks its title, status chip and buttons in a centred column.

What the kits remember

All kits keep these preferences in your browser, per kit:

Preference	Remembered	Notes
Position after dragging	Yes	Stored as a proportion of the window size
Expanded size	Yes	Opens expanded next time
Focus mode	Yes	Feature Kit turns it off when you close the kit
Theme	Yes, once you use the button	Until then the kit follows the site
Minimised	No	A kit always opens at full height

Each kit also remembers things of its own, such as the Menu Kit's last tab or the Library Kit's sort order. See [Privacy](#) for the full list.

Other things you may see in a kit

Depending on your cookie choices and your plan, a small sponsored strip can appear in the Feature Kit menu, the Menu Kit and the Advanced Kit. The **Ads in panels & search** switch in the site settings panel controls it; changing ad settings is a paid-plan convenience. See [Site features](#) and [Account and billing](#).

Related

- [The page utilities bar](#)
- [Keyboard shortcuts](#)
- [Troubleshooting](#)

WEBSITE > KITS

The page utilities bar

How the launcher bar in the bottom-left corner opens every kit, how it looks on a phone, and how it closes.

The page utilities bar is the one place every kit opens from. It sits in the bottom-left corner of every page. Closed, it is a single round button; open, it is a row of labelled launchers.

Closed and open

Closed, the bar is one round button with a gold outline. Its tooltip reads **Page utilities**: "Show navigation, settings, and the Feature, Menu, Advanced, Status and Library kits."

Open, the bar becomes a single card with one cell per launcher. Each cell shows an icon with a one-word name under it:

Cell	What it opens	Tooltip
Close	Folds the bar away. This is the same round button, relabelled while the bar is open.	Hide page utilities
Feature	Feature Kit	Calculator, converter, graph tools, and feedback.
Menu	Menu Kit	Open site navigation, grouped pages, and quick search.
Advanced	Advanced Kit	Choose Basic, Advanced, or Everything tool visibility.
Status	Status Kit	View the current page status and scan page status entries.
Library	Library Kit	Browse, search and restore everything you have saved across the tools.
Navigate	The page navigation dock	Back, forward, reload, outline, split view and jump to top or bottom.
Settings	The site settings panel	Settings

Thin dividers separate the three groups: the **Close** button, the five kits, and the two page controls (**Navigate** and **Settings**). **Navigate** and **Settings** are site features rather than kits; see [Site features](#).

Open the bar and a kit

1. Select the round **Page utilities** button.
2. Select a launcher, for example **Status**.

The bar folds away and the kit opens. On a desktop screen the kit panel appears in the bottom-left corner, just above the round button, unless you have moved it before.

Close the bar

Any of these folds the bar back into its round button:

- Select **Close**, the first cell.
- Press **Esc**.

- Click anywhere on the page outside the bar.
- Select any launcher. The kit opens and the bar closes.

Folding the bar away does not close any kit. The tooltip says so: "Put the bar away. The kits stay where they are."

Launchers of open kits

While a kit is open, its launcher shows a cross instead of its icon. Selecting it closes the kit.

The Feature Kit, the Advanced Kit and the Library Kit go one step further: while one of them is open, its launcher gets a gold tint and stays on screen beside the round button even after the bar folds away, so you can close the kit from there. For the Menu Kit and the Status Kit, open the bar again or use the kit's own **Close** button.

Loading

Each kit loads the first time you open it on a page. Until it has loaded, its launcher is dimmed, shows a busy pointer and ignores further clicks. Hovering over a launcher or giving it keyboard focus starts loading early, so the kit usually opens without a wait.

On a phone

On screens 580 pixels wide or narrower, the bar changes shape:

- The round button is slightly smaller and sits closer to the corner.
- Open, the bar stretches across the bottom of the screen and wraps into two rows. The top row holds the five kits. A thin line separates it from the bottom row, which holds **Navigate**, **Settings** and **Close**.
- While the bar is open, the page gains extra space at the bottom, so the end of the page is not hidden under the bar.
- The page navigation dock does not show its own collapsed tab on a phone. Open it with **Navigate**.

Kit panels also adapt: on a phone every kit opens across the full width of the screen, less a small margin on each side.

Keyboard use

- **Tab** reaches the round button like any other button. Press **Enter** or **Space** to open the bar, then **Tab** through the launchers.
- **Esc** closes the bar.
- Several kits have their own shortcuts that work without the bar. See [Keyboard shortcuts](#).

Accessibility

- The round button announces itself as **Show page utilities** or **Hide page utilities** and reports whether the bar is expanded.
- The bar is a toolbar named **Page utility launchers**.
- Each launcher has a visible name as well as an icon, and a gold focus ring when it has keyboard focus.
- If your system asks for reduced motion, the bar opens and closes without animation.

Related

- [Panel controls](#) — what you can do with a kit once it is open
- [Troubleshooting](#) — if the bar or a launcher does not respond

[WEBSITE](#) > [KITS](#)

Troubleshooting kits

Fixes for problems that affect every kit, such as a missing launcher, a kit that keeps reopening, or a panel stuck in the wrong place.

This page covers problems that affect all kits. Each kit also has its own troubleshooting page for problems inside that kit.

The Page utilities button is missing

Why: The bar is added by the site's scripts after the page has loaded. It does not appear if JavaScript is blocked, if a content blocker removes the site's scripts, or while the page is still loading on a slow connection.

What to do:

1. Wait a few seconds after the page appears. The button is added once the page is ready.
2. Check that JavaScript is allowed for auricartisan.com.
3. Pause content-blocking extensions for the site and reload.

A launcher is dimmed and does nothing

Why: The kit is still loading. A launcher is dimmed, with a busy pointer, from the moment you select it until the kit has loaded. It ignores further clicks during that time.

What to do: Wait for the kit to open. If the launcher stays dimmed for a long time, or returns to normal without opening anything, the kit could not load, usually because the connection dropped. Reload the page and try again.

A kit opens by itself on every page

Why: Its **Focus mode** is on. The Menu, Advanced, Status and Library Kits keep Focus mode on after you close them, and open again on the next page you load.

What to do: Open the kit, select **Focus mode** (the target icon) so it is no longer gold, then close the kit. In the Library Kit, open **Panel options** and turn off **Keep open**.

Opening one kit closes another

Why: This is expected. Opening a kit closes any other open kit unless that kit's Focus mode is on.

What to do: Turn on Focus mode in the kit you want to keep. The Status Kit is the exception: it always closes when another kit opens, whatever its Focus mode setting.

The page goes dark behind the Feature Kit

Why: With Focus mode off, the Feature Kit dims the page behind it and keeps **Tab** inside the kit. Clicking the dimmed page closes the kit.

What to do: Turn on Focus mode in the Feature Kit if you want to use the page while the kit is open. The dimming goes away.

A kit is off to one side, or I cannot find it

Why: Kits remember where you dragged them, as a proportion of the window. On a much smaller window the saved position can look odd, although a kit never goes outside the window.

What to do:

- Drag the kit by its title bar to where you want it.
 - In the Library Kit, open **Panel options** and select **Reset position**.
 - If a kit is minimised, look for its title bar alone (or, for the Feature Kit, a small round icon) and select it to restore the kit.
-

A kit is light on a dark page, or dark on a light page

Why: You have used the kit's own **Theme** button. From then on the kit keeps its own light or dark setting and no longer follows the site theme.

What to do: Select the kit's **Theme** button to switch it to the mode you want. There is no button that makes a kit follow the site again; clearing this site's stored data in your browser does that, but also clears your other kit preferences.

A keyboard shortcut does nothing

Why: Some shortcuts are also used by browsers or operating systems, which can take the key press first. For example, on a Mac **Cmd** + **M** minimises the browser window, and some desktop environments use **Ctrl** + **Shift** + **U** to type special characters.

What to do: Open the kit from the page utilities bar instead. See [Keyboard shortcuts](#) for every shortcut.

Ctrl + K opens the site search instead of the kit's search

Why: **Ctrl** + **K** opens the site-wide search on every page, even while the Menu Kit or the Status Kit is open.

What to do: Press **/** instead. While the Menu Kit is open, **/** puts the cursor in its search box. While the Status Kit is open, **/** puts the cursor in its path box, or in its results search after a scan.

Esc closed more than one kit

Why: With Focus mode, several kits can be open at once, and **Esc** is heard by every open kit.

What to do: Use each kit's **Close** button when you want to close only one of them.

My kit settings are not remembered

Why: Kits keep their preferences in your browser's storage. In a private window, or when the browser blocks site storage, nothing is kept after you close the page. Clearing this site's data also removes them.

What to do: Use a normal window and allow site storage for auricartisan.com. The kits still work without storage; they simply start fresh each time.

The launcher bar covers the bottom of the page on a phone

Why: The open bar takes two rows at the bottom of the screen.

What to do: The page gains extra space at the bottom while the bar is open, so you can scroll the last content above it. Select **Close** or press anywhere on the page to fold the bar back into its round button.

Still stuck

See the kit's own troubleshooting page, or [Help](#) for how to contact support.

- [Feature Kit troubleshooting](#)
- [Menu Kit troubleshooting](#)
- [Advanced Kit troubleshooting](#)

- [Status Kit troubleshooting](#)
- [Library Kit troubleshooting](#)
- [Update Kit troubleshooting](#)

WEBSITE > KITS

Kits FAQ

Short answers to common questions about the floating kits on auricartisan.com.

What is a kit?

A floating panel that opens over any page of the site and does one job: calculations and utilities (Feature Kit), site navigation (Menu Kit), tool visibility (Advanced Kit), page and device status (Status Kit), or your saved work (Library Kit).

Do I need an account to use the kits?

No. Every kit works without signing in. The Library Kit keeps your saved items in your browser, not in an account.

Are the kits free?

Yes. Every kit is available on every plan. Your plan only sets how many active items the Library Kit can keep; see the [Library Kit FAQ](#).

Where do I find the kits?

Select the round **Page utilities** button in the bottom-left corner of any page. See [The page utilities bar](#).

Can I have two kits open at once?

Yes. Turn on **Focus mode** in the first kit before opening the second. Without Focus mode, opening a kit closes the one already open. The Status Kit always closes when another kit opens.

Will a kit stay open when I go to another page?

Only with **Focus mode** on. Each page load starts fresh, and kits with Focus mode on open again automatically.

Does a kit block the page?

No, with one exception. Kits float above the page and you can keep using the page. The Feature Kit dims the page while its Focus mode is off; turn Focus mode on to keep the page usable.

Why does a kit look different from the rest of the page?

Each kit can have its own light or dark theme, set with its **Theme** button. Once you use that button, the kit keeps its own choice instead of following the site.

Can I move a kit back to the corner?

In the Library Kit, yes: **Panel options** > **Reset position**. For other kits, drag the panel back by its title bar.

Do kits work on a phone?

Yes. On a narrow screen the launcher bar wraps into two rows, and kits open across the width of the screen.

Can I use kits with the keyboard only?

Yes. The round **Page utilities** button and every launcher can be reached with **Tab**. The Feature, Menu, Advanced and Library Kits also have their own shortcuts; see [Keyboard shortcuts](#). Moving a panel with the arrow keys is possible only in the Library Kit.

What is the "UX Kit" in the changelog?

It is not a panel. It is the part of the site that changes wording and shows or hides sections when you pick a mode in the Advanced Kit. See [What each mode changes](#).

Is the Update Kit a panel?

No. It shows an **Update available** notice at the top of the page when a new release is out, and it runs the **Update website** command. See [Update Kit](#).

What do the kits store about me?

Only preferences and content in your own browser, such as positions, themes, calculator history, notes and saved items. Feedback you send from the Feature Kit is sent to Auric Artisan. See [Privacy](#).

WEBSITE > KITS > ADVANCED KIT

Advanced Kit

Choose which of the site's tools you see, site-wide: Basic, Advanced, Everything, or a Custom set you tick yourself.

Auric Artisan has tools for everyday colour work and tools for colour science, vision research and diagnostics. The Advanced Kit decides which of them the site puts in front of you. You choose one of four modes: **Basic**, **Advanced**, **Everything** or **Custom**.

The choice applies across the whole site and is remembered in your browser. It changes which tools appear in the Menu Kit and in the tool collections, which keypads the Feature Kit calculator offers, and some of the wording on the home page and on several tool pages. In **Custom** mode you tick individual tools on or off from a searchable checklist.

No tool is ever locked or removed: every tool page still opens from its address, and **Everything** mode shows all of them.

Who it is for

- New visitors who want a short, friendly list of tools (**Basic**, the default).
- Scientists, researchers and specialists who want the diagnostic and scientific tools up front (**Advanced**).
- People who want to see the full range (**Everything**).
- Regular users who want exactly their own set of tools (**Custom**).

Where to find it

- On any page of <https://auricartisan.com>, select **Page utilities** in the bottom-left corner, then **Advanced**.
- Or press **Ctrl** + **Shift** + **A**.

Quick start

1. Press **Ctrl** + **Shift** + **A**. The Advanced Kit opens, showing **Tool visibility** and your **Current mode**.
2. Under **Default visibility**, select the **Everything** card. A tick appears on it and **Current mode** changes to **Everything**.
3. Open the Menu Kit (**Ctrl** + **M**). A **Design** tab is now present with the scientific tools.
4. Back in the Advanced Kit, select the **Custom** card. The **Choose your tools** checklist appears.
5. Type **lut** in **Filter tools...** and untick **LUT Lab**.
6. Open the Menu Kit again: LUT Lab is no longer listed.
7. Select **Basic** in the Advanced Kit to return to the default.

What you can do

- Switch the whole site between Basic, Advanced and Everything tool sets in one click.
 - Build a Custom tool set by ticking tools, with **Enable all**, **Disable all** and **Reset**.
 - Filter the checklist by name.
 - Open three example tools from quick cards: **Analyze URLs**, **Image Color Picker** and **Generate Ishihara Plates**.
-

In this folder

- [docs/](#) — guides
 - [Getting started](#) — open the kit and tour its screen
 - [Choose a mode](#) — what Basic, Advanced, Everything and Custom mean
 - [Build a custom tool set](#) — tick the tools you want
 - [What each mode changes](#) — every place on the site that follows the mode
 - [Reference](#) — every control and message
 - [Troubleshooting](#) — problems and fixes
 - [FAQ](#) — common questions
- [others/](#) — reference material
 - [Glossary](#) — terms used in the Advanced Kit
 - [Shortcuts](#) — Advanced Kit keys
 - [Limits and accuracy](#) — what the modes do and do not affect
 - [Related](#) — related kits and tools
 - [Release notes](#) — user-facing history
 - [Privacy](#) — what the kit keeps in your browser

For the controls every kit shares, see [Panel controls](#).

WEBSITE > KITS > ADVANCED KIT

Advanced Kit guides

Contents of the Advanced Kit guides: getting started, the four modes, custom tool sets and what each mode changes.

These guides explain the Advanced Kit's four tool visibility modes, how to build your own set of tools, and exactly what changes on the site when you switch mode.

File	What it covers
getting-started.md	Open the Advanced Kit and learn its screen
choose-a-mode.md	Basic, Advanced, Everything and Custom, and how to switch
build-a-custom-tool-set.md	Tick tools on and off in Custom mode
what-each-mode-changes.md	Every part of the site that follows the mode
reference.md	Every control and message in the kit
troubleshooting.md	Problems and how to fix them
faq.md	Short answers to common questions

Shared controls such as moving, Focus mode and theme are explained in [Panel controls](#).

WEBSITE > KITS > ADVANCED KIT

Getting started with the Advanced Kit

Open the Advanced Kit, learn the parts of its screen, and change the site's tool visibility mode.

Open the kit

Use either:

- **Page utilities** (bottom-left corner) > **Advanced**, or
- **Ctrl** + **Shift** + **A**.

The launcher's tooltip reads "Choose Basic, Advanced, or Everything tool visibility." The kit opens with keyboard focus on the card for your current mode.

The screen, top to bottom

1. **Title bar.** **Advanced Kit** and the buttons **Focus mode**, **Theme**, **Resize**, **Minimize** and **Close**.
2. **Heading.** **Tool visibility**, with the line "Choose which tools stay visible by default."
3. **Current mode.** A badge showing **Basic**, **Advanced**, **Everything** or **Custom**.

4. **Mode summary.** An illustration of the current mode, a one-line title, a short description and one or two buttons to switch mode.
 5. **Default visibility.** Four illustrated cards, one per mode. The **Basic** card carries a **Recommended** tag. The selected card shows a tick.
 6. **Choose your tools.** The Custom checklist. It appears only in Custom mode.
 7. **Quick cards.** Links to example tools that fit the current mode.
-

Change the mode

1. Select a card under **Default visibility**, for example **Advanced**.
2. The tick moves to that card, **Current mode** updates, and the summary changes to "Advanced tools are on".

The change applies at once to the whole site, on this page and every page you open next. You do not need to save.

If you have never chosen a mode

New visitors see the site in **Basic** mode. The Advanced Kit shows **Basic** as the current mode until you pick another card.

Close the kit

Press **Esc**, select **Close**, or select the **Advanced** launcher again. Your mode stays as you set it.

Next steps

- Choose a mode
- Build a custom tool set
- What each mode changes

WEBSITE > KITS > ADVANCED KIT

Build a custom tool set

Use Custom mode in the Advanced Kit to tick exactly the tools you want the site to list.

In **Custom** mode you decide tool by tool what the site lists. Unticked tools disappear from the Menu Kit and from the tool collections, on every page of the site.

Open the checklist

1. Open the Advanced Kit.
2. Select the **Custom** card under **Default visibility**.

A section called **Choose your tools** appears below the cards. The first time, it shows **Loading tools...** while it gathers the list. Every tool starts ticked.

The checklist

- Tools are grouped by category, for example **Accessibility**, **Colorimetry**, **Generators**, **Perception**, **Spectral** and **Utilities**, with categories in alphabetical order and tools in alphabetical order within each.
 - The list covers the site's tool pages only. Account, library, company and legal pages are not in it and always stay visible.
 - Some names differ slightly from the Menu Kit, because the checklist uses the collections' names where it can. For example the URL Analyzer appears as **Analyze URLs** and the Ishihara plate tool as **Generate Ishihara Plates**.
-

Turn tools on or off

1. Untick a tool to hide it. The change applies at once, across the site.
2. Tick it again to show it.

There is no save button.

Find a tool in the list

Type part of a name in **Filter tools....** Rows that do not match hide, and categories with no matching rows hide too. Clear the box to see the whole list.

Change many tools at once

Button	What it does
Enable all	Ticks every tool in the list
Disable all	Unticks every tool in the list
Reset	Forgets all your custom choices, so every tool is ticked again

Enable all and **Disable all** act on the whole list, not only the rows a filter is showing.

Where your custom set applies

In Custom mode, unticked tools are hidden from:

- the Menu Kit's tiles and search results;
- tool collections, such as <https://auricartisan.com/collections/>.

The tool pages themselves still open if you visit them directly or follow a link from elsewhere.

In Custom mode the Feature Kit calculator shows all three keypads, and page wording follows the Basic wording. See [What each mode changes](#).

Your ticks are kept when you switch mode

Switching to Basic, Advanced or Everything does not delete your ticks. They take effect only while Custom is the current mode. Select **Custom** again to bring your set back.

Example: a palette-only set

1. Select **Custom**.
2. Select **Disable all**.
3. Type **basic** in **Filter tools...** and tick **Basic Tools**.
4. Clear the filter, type **gradient** and tick **M-Gradient Palette**.
5. Clear the filter, type **picker** and tick **Image Picker**.
6. Open the Menu Kit. The Tools tab shows **Basic Color Tools** alongside pages that are not individual tools, such as **All Tools**, **Collections**, **Search** and the portfolio pages. **Image Picker** and **M-Gradient Palette** appear under **Utility Labs** in the Design tab.

Related

- [Choose a mode](#)
- [What each mode changes](#)
- [Troubleshooting](#)

[WEBSITE](#) > [KITS](#) > [ADVANCED KIT](#)

Choose a mode

What the Basic, Advanced, Everything and Custom tool visibility modes mean, and how to switch between them.

The **tool visibility mode** is one site-wide setting with four values. It decides which tools the site lists for you. Every tool can still be opened from its own address in any mode.

The four modes

Mode	Card description	Summary shown when active
Basic (Recommended)	Beginner-friendly tools stay visible while deeper scientific tools are hidden.	Advanced tools are hidden — "Science, research, and precision tools stay tucked away until you need them."
Advanced	Scientific, diagnostic, and power-user tools stay visible while simple tools are hidden.	Advanced tools are on — "Keep the scientific set visible, or open the full platform when you want more."
Everything	Every tool stays available, including removed or not-yet-used cards.	Everything is available — "Removed and not-yet-used tools come back while Everything is active."
Custom	Turn individual tools on or off — your picks apply across the whole site.	Your custom tool set is active — "Tick the tools you want — your picks apply across the menu and every tool grid, site-wide."

How tools are sorted into Basic and Advanced

Each tool is treated as **basic**, **advanced** or **both**:

- **Both** tools show in every mode. They include the URL Analyzer, the Vision Deficiency Simulator, the Design System Generator, and all account, library, company and legal pages.
- **Basic** tools are the everyday colour tools, such as Basic Color Tools, ASCII Art, Icon Library and the general colour tools.
- **Advanced** tools are the scientific and diagnostic ones, such as the Color Science Lab, Colorimetry, Gamut and Rendering, Perception and Neuroscience, Spectral and Material tools, and the Utility Labs.

Basic mode shows basic and both tools. **Advanced** mode shows advanced and both tools. **Everything** shows all tools. **Custom** shows every tool except the ones you untick.

The full effect on each part of the site is in [What each mode changes](#).

Switch mode

Select a card under **Default visibility**. The change is immediate and site-wide.

Or use the buttons in the mode summary, which offer the natural next step:

Current mode	Buttons
Basic	Switch to Advanced
Advanced	Show everything
Everything	Use Basic, Use Advanced
Custom	Show everything

Which mode to pick

- Start with **Basic** if you are new to the site or want palettes, gradients and pickers without the scientific tools.
- Choose **Advanced** if you work with colorimetry, gamuts, spectral data or perception experiments.
- Choose **Everything** when you are exploring, or cannot find a tool you know exists.
- Choose **Custom** if you use a handful of tools regularly and want the menus to show only those. See [Build a custom tool set](#).

Where the mode is stored

The mode is stored in your browser, not in your account. Each browser and device starts in **Basic** until you choose. Changing the mode in one tab updates your other open tabs of the site.

Other places that change the same setting

A few tools have their own mode switch that changes this same site-wide setting:

- The **URL Analyzer**'s Simple and Advanced modes set the site to **Basic** and **Advanced**. Opening the URL Analyzer also sets the site to one of these two to match its own mode.
- The **Vision Simulation** lab's mode buttons, and resetting its filters, which sets **Everything**.
- The **Colour Science Lab**'s mode buttons.

After using one of them, the Advanced Kit shows the new mode.

Related

- [What each mode changes](#)
- [Troubleshooting](#)

[WEBSITE](#) > [KITS](#) > [ADVANCED KIT](#)

What each mode changes

Every part of auricartisan.com that follows the tool visibility mode, from the Menu Kit and collections to page wording and the Feature Kit calculator.

The mode you pick in the Advanced Kit is read by several parts of the site. This page lists each one and what it does in each mode.

Summary

Part of the site	Basic	Advanced	Everything	Custom
Menu Kit tiles and search	Basic and both tools	Advanced and both tools	All	All except unticked tools
Tool collections	Basic and both tools	Advanced and both tools	All, including cards hidden earlier	All except unticked tools
Feature Kit calculator keypads	Basic only	Scientific, Programmer	All three	All three
Page wording (see below)	Basic wording	Advanced wording	Everything wording	Basic wording

Menu Kit

The Menu Kit shows only the tools the mode allows, in its tiles and in its search results. A tab with nothing to show is hidden:

- **Basic:** the **Design** tab disappears.
- **Advanced:** the **Design** tab appears, and the **General Color Tools** section of the Tools tab is hidden.
- **Everything:** every tab and page.
- **Custom:** every page except unticked tools.

See [Find a page](#).

Tool collections

Tool collection grids, such as the one at <https://auricartisan.com/collections/>, show only the tools the mode allows. In **Everything** mode they also bring back cards that were hidden, whether you hid them or the grid hid them because you had not used them. While you search a collection, every matching tool shows, whatever the mode.

See [Collections](#).

Feature Kit calculator

The calculator's keypad tabs follow the mode:

- **Basic:** only the **Basic** keypad.
- **Advanced:** the **Scientific** and **Programmer** keypads; the **Basic** keypad is hidden.
- **Everything** and **Custom:** all three.

The expression bar works the same in every mode. See [Calculator](#).

Page wording

Some pages switch between plainer and more technical wording. Page titles in the browser tab and search-engine descriptions do not change.

Page	What changes	Basic	Advanced	Everything
Home page	The tagline under the welcome heading	Play with color	tools that respect intelligence	Color · Science · Design
URL Analyzer	The placeholder in the URL box	Enter a URL to analyze...	Enter a URL for deep DOM, SEO, contrast & accessibility audit...	Enter a URL to analyze colors, contrast, SEO, and accessibility...
Vision Simulation	The search box placeholder	Search simulations...	Search models, adaptation...	Search simulations, tools...
Colour Science Lab	The search box placeholder	Search color tools...	Search mixers, gamut mapping, spectral tools...	Search color science tools...
Colour Science Lab	The subtitle under the heading	A short description of mixers, converters and harmony tools	A technical description of perceptual mixing, spectral simulation and gamut mapping	A description covering both
Basic Colour Tools	The subtitle under the heading	Essential tools: palette maker, gradient builder, picker, converters	The advanced workspace: OKLCH gradients, palette battles, remix, precision conversion	All seven tools in one floating-panel workspace
Basic Colour Tools	The search box placeholder	Search palette, gradient, picker...	Search palette, remix, battle, gradient, collage, converter...	Search palette, remix, battle, gradient, picker, collage, converter...
Basic Colour Tools	The label of the guide note	Quick Start:	Pro Tips:	Quick Start:
Ishihara Plate Generation	The subtitle under the heading	A plain explanation of what the plates do	A technical description of seeded plate synthesis, ΔE separation and the 38-plate set	A combined description

In **Custom** mode, pages use the Basic wording.

When you switch mode, the wording changes on the page you are on straight away, with a short transition.

Note: The public changelog calls the part of the site that makes these wording changes the "UX Kit". It has no panel of its own; the Advanced Kit is how you control it.

What the mode never changes

- No tool is locked. Every tool page opens from its address in every mode.
- Your saved items in the Library Kit, your settings and your account are not affected.
- The site-wide search is not filtered by the mode.

Related

- [Choose a mode](#)
- [Build a custom tool set](#)
- [Limits and accuracy](#)

WEBSITE > KITS > ADVANCED KIT

Advanced Kit reference

Every control, card, button and message in the Advanced Kit.

Launcher

Control	What it does	Default
Advanced launcher (slider icon)	Opens or closes the kit. Announces itself as Open Advanced Kit or Close Advanced Kit	Closed
Ctrl + Shift + A	Same as the launcher	—
Tooltip	"Choose Basic, Advanced, or Everything tool visibility."	—

Title bar

Control	What it does	Values	Default
Advanced Kit title	Drag the title bar to move the kit	—	Bottom-left corner
Focus mode	Keeps the kit open across pages and when other kits open	On or off; remembered	Off
Theme	Switches the kit between light and dark	Light or dark; remembered	Follows the site
Resize	Normal (480 px wide) or expanded (up to 720 px wide)	Remembered	Normal
Minimize	Collapses the kit to its title bar	—	—
Close	Closes the kit ("Close the Advanced Kit panel.")	—	—

Body

Element	What it shows or does
Tool visibility	Heading, with "Choose which tools stay visible by default."
Current mode badge	Basic, Advanced, Everything or Custom
Mode summary	Illustration, title and description for the current mode, and switch buttons
Default visibility cards	Four selectable cards; a tick marks the current one. The Basic card is tagged Recommended . Each card's tooltip repeats its description
Choose your tools	The Custom checklist; shown only in Custom mode
Quick cards	Example tools for the current mode

Mode cards

Card	Description	Value stored
Basic	Beginner-friendly tools stay visible while deeper scientific tools are hidden.	Default for new visitors
Advanced	Scientific, diagnostic, and power-user tools stay visible while simple tools are hidden.	—
Everything	Every tool stays available, including removed or not-yet-used cards.	—
Custom	Turn individual tools on or off — your picks apply across the whole site.	—

Mode summary

Mode	Title	Buttons
Basic	Advanced tools are hidden	Switch to Advanced
Advanced	Advanced tools are on	Show everything
Everything	Everything is available	Use Basic, Use Advanced
Custom	Your custom tool set is active	Show everything

Custom checklist

Control	What it does
Enable all	Ticks every tool
Disable all	Unticks every tool
Reset	Forgets your custom choices; every tool is ticked
Filter tools...	Hides rows whose name does not contain your text
Category headings	Group the rows; hidden when none of their rows match the filter

Control	What it does
Tool checkboxes	Ticked shows the tool while Custom mode is on; unticked hides it

Quick cards

Card	Opens	Shown in
Analyze URLs — "Audit color, contrast, accessibility, SEO, and page structure."	https://auricartisan.com/tool/analyzer/	Every mode
Image Color Picker — "Pull colors and build palettes from any image."	https://auricartisan.com/tool/general/tools/image-picker/	Basic, Everything, Custom
Generate Ishihara Plates — "Create vision-screening plates and teaching examples."	https://auricartisan.com/tool/ishihara-plate-generation/	Advanced, Everything, Custom

Messages

Message	When
Loading tools...	The Custom checklist is being built
No tools found.	The tool list could not be loaded

Keyboard

Key	What it does
Ctrl + Shift + A	Opens or closes the kit
Esc	Closes the kit
Tab	Moves between cards, buttons and checkboxes
Enter or Space	Selects the focused card or toggles the focused checkbox

WEBSITE > KITS > ADVANCED KIT

Advanced Kit troubleshooting

Fixes for Advanced Kit problems, such as a mode that changes by itself or a tool that will not reappear.

For problems shared by every kit, see [Troubleshooting kits](#).

My mode changed by itself

Why: Some tools have their own mode switch that sets the same site-wide mode. Opening the URL Analyzer sets the site to **Basic** or **Advanced** to match the Analyzer's Simple or Advanced mode. The Vision Simulation

lab and the Colour Science Lab can also change it, and resetting the Vision Simulation filters sets **Everything**.

What to do: Open the Advanced Kit and choose your mode again. If you were in **Custom** mode, your ticks are still there; select **Custom** to use them again.

A tool I unticked still appears

Why: Your ticks only apply while the current mode is **Custom**. Another mode may be active, or a tool may have changed the mode (see above).

What to do: Check **Current mode** in the Advanced Kit and select **Custom**.

A tool I want is missing from the menu

Why: The current mode hides it, or you unticked it in Custom mode.

What to do: Select **Everything**, or tick the tool in Custom mode. Every tool also opens from its own address.

The Custom checklist says "No tools found."

Why: The tool list could not be downloaded.

What to do: Check your connection, reload the page, and open the Advanced Kit again.

The checklist names do not match the Menu Kit

Why: The checklist uses the names from the tool collections where it can, such as **Analyze URLs** for the URL Analyzer and **Basic Tools** for Basic Color Tools.

What to do: Search for a word in the tool's name, such as **analy** or **basic**.

Ctrl + Shift + A does nothing

Why: Some browsers use this key combination for their own features and act on it first.

What to do: Open the kit from **Page utilities > Advanced**.

The mode is different on my other computer

Why: The mode is stored in each browser, not in your account.

What to do: Choose the mode once in each browser you use.

Page wording did not change

Why: Only some pages have mode-dependent wording, and the browser tab title and search-engine description never change. See [What each mode changes](#).

What to do: Nothing is wrong. Tool lists, the Menu Kit and the calculator keypads still follow the mode.

WEBSITE > KITS > ADVANCED KIT

Advanced Kit FAQ

Short answers to common questions about the Advanced Kit and the tool visibility modes.

Does Basic mode lock the advanced tools?

No. It only hides them from the menus and collections. Every tool page opens from its address in every mode.

Is the Advanced Kit a paid feature?

No. All modes are available to everyone, signed in or not.

Which mode do new visitors get?

Basic, which the kit marks as **Recommended**.

Is my mode saved to my account?

No. It is stored in your browser. Each browser and device keeps its own mode.

Do my Custom ticks survive if I switch to another mode?

Yes. They apply again whenever you select **Custom**. **Reset** is the only thing that clears them.

What does Everything bring back that Basic and Advanced do not?

Every tool, plus collection cards that were hidden earlier, whether you hid them or the collection hid them because you had not used them yet.

Why does the calculator lose its Scientific keypad in Basic mode?

The Feature Kit calculator follows the mode: Basic shows only the Basic keypad. Choose **Everything** to see all three. The expression bar still accepts every function in any mode.

What is the "UX Kit"?

The name the changelog uses for the part of the site that changes page wording when you switch mode. It has no panel; you control it from the Advanced Kit. See [What each mode changes](#).

Does the mode affect the site-wide search?

No. The site-wide search shows results for every tool whatever the mode.

[WEBSITE](#) > [KITS](#) > [ADVANCED KIT](#)

Advanced Kit reference material

Contents of the Advanced Kit reference pages: glossary, shortcuts, limits, related pages, release notes and privacy.

Supporting pages for the Advanced Kit: the terms it uses, its shortcuts, what the modes do and do not affect, related pages, its public history and what it keeps in your browser.

File	What it covers
glossary.md	Terms used in the Advanced Kit guides
shortcuts.md	Advanced Kit keyboard shortcuts
limits-and-accuracy.md	What the modes affect, and how tools are classified
related.md	Related kits, tools and pages
release-notes.md	User-facing history of the Advanced Kit
privacy.md	What the Advanced Kit keeps in your browser

[WEBSITE](#) > [KITS](#) > [ADVANCED KIT](#)

Advanced Kit shortcuts

Keyboard shortcuts for the Advanced Kit.

Shortcut	Where	What it does
Ctrl + Shift + A	Anywhere	Opens or closes the Advanced Kit
Esc	Kit open	Closes the kit
Tab , Shift + Tab	Kit open	Move between the mode cards, buttons, filter box and checkboxes
Enter or Space	A mode card	Selects that mode
Space	A tool checkbox	Ticks or unticks the tool

When the kit opens, keyboard focus goes to the card of the current mode.

See [Kit keyboard shortcuts](#) for the other kits.

[WEBSITE](#) > [KITS](#) > [ADVANCED KIT](#)

Advanced Kit glossary

Terms used in the Advanced Kit guides.

Tool visibility mode — The site-wide setting that decides which tools are listed: Basic, Advanced, Everything or Custom. Sometimes called complexity mode.

Basic mode — Shows everyday, beginner-friendly tools and hides the scientific ones. The default.

Advanced mode — Shows scientific, diagnostic and power-user tools and hides the simplest ones.

Everything mode — Shows every tool, including collection cards that were hidden earlier.

Custom mode — Shows every tool except the ones you untick in the checklist.

Basic, advanced and both tools — The level each tool is given. Both tools show in every mode.

Custom checklist — The **Choose your tools** list of tick boxes shown in Custom mode.

Quick cards — The three example tool links at the bottom of the kit.

Mode summary — The illustrated panel under **Current mode** that describes the active mode and offers switch buttons.

UX Kit — The changelog's name for the part of the site that changes page wording when the mode changes. It has no panel of its own.

Colorimetry — The measurement of colour as numbers, such as chromaticity and colour spaces.

Gamut — The range of colours a device or colour space can show.

Spectral — To do with light broken into its wavelengths.

Psychophysics — The study of how physical stimuli, such as light, relate to what people perceive.

WEBSITE > KITS > ADVANCED KIT

Advanced Kit limits

What the tool visibility modes affect, what they do not, and how tools are classified.

What the modes affect

- The Menu Kit's tiles and search results.
- Tool collection grids, such as <https://auricartisan.com/collections/>.
- The Feature Kit calculator's keypad tabs.
- Some wording on the home page and on the URL Analyzer, Vision Simulation, Colour Science Lab, Basic Colour Tools and Ishihara Plate Generation pages.

What they do not affect

- Whether a tool page opens: nothing is locked.
- Browser tab titles and search-engine descriptions.
- The site-wide search.
- Your saved library items, settings and account.

How tools are classified

- Tools listed in the Menu Kit carry a level of basic, advanced or both, set by the site. Where no level is set, the site decides from the tool's section: tools in the Tools tab count as basic, tools in the Design tab as advanced, and account, library, company and legal pages as both.
 - The classification is the site's, not yours. To show or hide a particular tool regardless of its level, use **Custom** mode.
-

Custom mode

- The checklist covers tool pages only (addresses starting with `/tool/`), not other pages.
 - Custom choices are stored as a list of tools you have turned off. New tools added to the site later start switched on.
 - Page wording follows the Basic set while Custom is active.
-

Storage

- The mode and your custom choices are stored in this browser only.
- Some tools can change the mode when you use their own mode switch; see [Troubleshooting](#).

WEBSITE > KITS > ADVANCED KIT

Advanced Kit privacy

What the Advanced Kit keeps in your browser and what it downloads.

Kept in your browser

What	Why
Your tool visibility mode	So every page shows the tools you chose
The tools you unticked in Custom mode	So your custom set applies site-wide
Position, expanded size, Focus mode and theme	Shared kit preferences

Nothing is linked to your account or sent anywhere. Clearing this site's data in your browser resets the mode to **Basic** and clears your custom choices.

Downloaded

When you first open the Custom checklist on a page, the kit downloads the site's tool lists from auricartisan.com to build it.

Related

- [Privacy for all kits](#)
- The site's privacy policy: <https://auricartisan.com/legal/privacy/>

[WEBSITE](#) > [KITS](#) > [ADVANCED KIT](#)

Advanced Kit release notes

What the public changelog records about the Advanced Kit and the tool visibility modes.

The website's public release history is at <https://auricartisan.com/library/changelog/> and <https://auricartisan.com/company/timeline/>.

Recorded releases

Release	Date	What the public history says
v0.9.8	2 May 2026	"Added and improved the Advanced Kit", with complexity management added
v0.9.9	5 June 2026	UX Kit features and stronger complexity handling, alongside site-wide interface work

The Advanced Kit as of 24 September 2026

- Four illustrated mode cards: **Basic** (Recommended), **Advanced**, **Everything** and **Custom**.
- A **Current mode** badge and an illustrated mode summary with switch buttons.
- A Custom checklist of the site's tools, grouped by category, with **Filter tools...**, **Enable all**, **Disable all** and **Reset**.
- Quick cards for **Analyze URLs**, **Image Color Picker** and **Generate Ishihara Plates**.
- Shared kit controls: Focus mode, per-kit theme, Resize, Minimize, Close, and a labelled **Advanced** launcher in the page utilities bar.

Changes not recorded in the public history are not listed here.

[WEBSITE](#) > [KITS](#) > [ADVANCED KIT](#)

Related to the Advanced Kit

Kits, tools and pages related to the Advanced Kit.

Kits that follow the mode

- [Menu Kit](#) — tiles and search follow the mode.
- [Feature Kit](#) — the calculator's keypad tabs follow the mode.

- [All kits](#) and [Panel controls](#).
-

Tools with their own mode switch

- [URL Analyzer](#) — Simple and Advanced modes.
 - [Vision Simulation](#) — mode buttons and filters.
 - [Colour Science Lab](#) — mode buttons.
-

Tools behind the quick cards

- [URL Analyzer](#) (**Analyze URLs**)
 - [Image Picker](#) (**Image Color Picker**)
 - [Ishihara Plate Generator](#) (**Generate Ishihara Plates**)
-

Pages

- [Collections](#) — tool collections that follow the mode.

WEBSITE > KITS > FEATURE KIT

Feature Kit

A floating toolbox with a scientific calculator, graphing, a unit converter, notes, date and time tools, developer utilities and a feedback form.

The Feature Kit is a floating toolbox that opens on any page of auricartisan.com. It holds six tools behind one menu: a **Scientific Calculator** with graphing and history, a **Unit Converter** with 1,344 units in 70 categories, a **Feedback** form, a Markdown **Notes** scratchpad, a **Date & Time** workbench and a set of **Developer Tools**.

The calculator is more than a keypad. Its expression bar understands variables, functions you define yourself (such as $f(x) = x^2 + 1$), statistics, number theory, physical constants and numerical calculus: derivatives, integrals, equation solving, sums and products. Results show as exact fractions when a tidy one exists, and any function can be plotted on a graph you can pan and zoom.

Everything except sending feedback and loading the unit list runs in your browser. Calculator history and notes are kept in your browser between visits.

Who it is for

- Designers and developers who need a quick calculation, conversion, timestamp or hash while working in a tool.
- Students checking maths, including derivatives, integrals and statistics.
- Anyone who wants a scratchpad or a date calculator that stays one click away on every page.
- Visitors who want to tell the Auric Artisan team what works and what does not.

Where to find it

- On any page of <https://auricartisan.com>, select **Page utilities** in the bottom-left corner, then **Feature**.
- Or press **Ctrl** + **Shift** + **K** (**Cmd** + **Shift** + **K** on a Mac).

Quick start

1. Press **Ctrl** + **Shift** + **K**. The Feature Kit opens on its menu with six cards.
2. Press **1** to open **Scientific Calculator**.
3. Select the expression bar (the long box with the calculator icon) and type `integral(sin(x), 0, pi)`.
4. Press **Enter**. The display shows **2**.
5. Type `f(x) = x^2 - 2` and press **Enter**. The display confirms `f f(x) defined`.
6. Type `solve(f(x), 1)` and press **Enter**. The display shows `1.41421356237`, the square root of 2.
7. Select the **Graph** button in the title bar and type `f(x)` in the **y =** box to see the curve.
8. Press **Esc** to go back to the menu, and **Esc** again to close the kit.

What you can do

- Calculate with a Basic, Scientific or Programmer keypad, or type full expressions.
- Use variables, `ans`, your own functions, constants such as `pi`, `c` and `NA`, and memory keys.
- Differentiate, integrate, solve equations, and add or multiply series numerically.
- Work out mean, median, standard deviation, greatest common divisor, primes and more.
- Plot a function, pan and zoom the graph.
- Reuse or delete past calculations from the history.
- Convert between 1,344 units in 70 categories, from length and temperature to radiation dose and typography.
- Keep several Markdown notes that save as you type, preview them, copy them or export them as `.md` files.
- Pick dates on a calendar, count days and business days between dates, add or subtract days, weeks, months or years, and watch clocks in eight time zones.
- Format and inspect JSON, encode Base64 and URLs, hash text, generate UUIDs, decode JWTs, convert timestamps, test regular expressions, explain cron schedules, change text case and encode HTML entities.
- Send quick or detailed feedback about the site.

In this folder

- [docs/](#) — guides
 - [Getting started](#) — open the kit and tour the menu
 - [Calculator](#) — keypads, expression bar, memory and history
 - [Calculator functions](#) — every operator, function, constant and calculus function
 - [Graphing](#) — plot and explore a function
 - [Unit Converter](#) — convert between units
 - [Notes](#) — the Markdown scratchpad
 - [Date & Time](#) — calendar, differences, date arithmetic and time zones
 - [Developer Tools](#) — the eleven developer utilities
 - [Feedback](#) — send quick or detailed feedback
 - [Reference](#) — every control in the kit
 - [Troubleshooting](#) — problems and fixes
 - [FAQ](#) — common questions
- [others/](#) — reference material
 - [Glossary](#) — terms used in the Feature Kit
 - [Shortcuts](#) — every Feature Kit key
 - [Limits and accuracy](#) — precision, ranges and approximations
 - [Related](#) — related tools and pages
 - [Release notes](#) — user-facing history

- [Privacy](#) — what stays in your browser and what is sent

For the controls every kit shares, see [Panel controls](#).

[WEBSITE](#) > [KITS](#) > [FEATURE KIT](#)

Feature Kit guides

Contents of the Feature Kit guides, one per tool, plus the full reference, troubleshooting and FAQ.

These guides cover each of the Feature Kit's six tools, the calculator's complete function list, and every control in the kit. Start with Getting started if you have not opened the kit before.

File	What it covers
getting-started.md	Open the kit, tour the menu and the title bar, and run a first calculation
calculator.md	Keypad modes, the expression bar, results, RAD and DEG, memory and history
calculator-functions.md	Every operator, function and constant, variables, your own functions, calculus, statistics and programmer features
graphing.md	Plot a function, pan, zoom and reset the graph
unit-converter.md	Convert values between units and search the unit list
notes.md	Write, preview, copy, export and delete Markdown notes
date-and-time.md	Calendar readouts, date differences, adding and subtracting, and world clocks
developer-tools.md	JSON, Base64, URL, Hash, UUID, JWT, Epoch, Regex, Cron, Text and HTML tools
feedback.md	Send quick or detailed feedback, and what happens if sending fails
reference.md	Every button, tab, field and message in the kit
troubleshooting.md	Problems and how to fix them
faq.md	Short answers to common questions

Shared controls such as moving, Focus mode and theme are explained in [Panel controls](#).

[WEBSITE](#) > [KITS](#) > [FEATURE KIT](#)

Getting started with the Feature Kit

Open the Feature Kit, tour its menu and title bar, and run your first calculation.

The Feature Kit opens on a menu of six tools. This guide opens the kit, explains what you see, and runs a first calculation.

Open the kit

Use either:

- **Page utilities** (bottom-left corner) > **Feature**, or
- **Ctrl** + **Shift** + **K** (**Cmd** + **Shift** + **K** on a Mac) from anywhere on the page.

The first time you open it on a page, the launcher dims for a moment while the kit loads.

The menu

The kit opens on its menu: six cards, each with an illustration, a title, a one-line description and a number key.

Key	Card	Description on the card
1	Scientific Calculator	Advanced math, graphing, history
2	Unit Converter	1000+ conversions across 50+ categories
3	Feedback	Quiet, optional feedback in Feature Kit
4	Notes	Markdown scratchpad with autosave
5	Date & Time	Date math, durations, time zones
6	Developer Tools	JSON, JWT, regex, cron, hash, UUID, text tools

Below the cards, a hint line reads **1 – 6 Open · Ctrl ⬆ K Toggle** (with  on a Mac).

To open a tool, select its card, press its number key, or use the arrow keys to reach the card and press **Enter**.

The title bar

Button	When you see it	What it does
Back (left arrow)	Inside any tool	Returns to the menu
Title	Always	Reads Feature Kit on the menu and the tool's name inside a tool. Drag it to move the kit.
Graph (wave)	Calculator only	Shows or hides the graph
History (clock)	Calculator only	Shows or hides past calculations
Focus mode (target)	Always	Keeps the kit open across pages and other kits
Theme (sun or moon)	Always	Switches the kit between light and dark
Resize (four arrows)	Always	Switches between normal and full size
Minimize (dash)	Always	Shrinks the kit into a small restore icon
Close (cross)	Always	Closes the kit and turns Focus mode off

Dimmed page and Focus mode

With Focus mode off, the page behind the Feature Kit is dimmed while the kit is open, **Tab** moves only between the kit's own controls, and clicking the dimmed page closes the kit. Select **Focus mode** to stop dimming the page and keep the kit open while you work. See [Panel controls](#).

Your first calculation

1. Press **1** to open **Scientific Calculator**.
2. Type **12*7** on your keyboard. The top line of the display shows the expression and the large line shows a live result, **84**.
3. Press **Enter**. The result is stored as **ans**.
4. Select the expression bar under the display, type **ans/8** and press **Enter**. The display shows **10.5 = 21/2**: the decimal and the exact fraction.
5. Select the large result. A message reads **Copied!** and the result is on your clipboard.

You have used both ways of entering a calculation: the keypad (or your keyboard) and the expression bar.

Leave the kit

- Press **Esc** once to go back to the menu from a tool, and again to close the kit.
- Or select **Close** in the title bar.

The kit remembers your calculator history and notes for next time.

Next steps

- [Calculator](#) and [Calculator functions](#)
- [Unit Converter](#)
- [Notes, Date & Time, Developer Tools](#)

[WEBSITE](#) > [KITS](#) > [FEATURE KIT](#)

Calculator functions

The complete expression language of the Feature Kit calculator: operators, numbers, functions, constants, variables, your own functions, calculus, statistics and programmer features.

This page lists everything you can type into the calculator's expression bar. The keypad uses the same rules; it simply types the symbols for you.

How expressions are read

- **Spaces are ignored.** `2 + 3` and `2+3` are the same. This also means `sin 30` is read as the unknown name `sin30`; always use brackets: `sin(30)`.
- **Multiplication must be written.** Type `2*pi`, not `2pi`. A missing operator gives `Unexpected token after expression`.
- **Names are case-sensitive.** `sin` works, `SIN` does not; `NA` is Avogadro's number, `na` is not defined.
- **Brackets must balance.** A missing `)` gives `Expected )`.

Operators

From the loosest to the tightest binding:

1. `|` bitwise OR
2. `xor( )` bitwise exclusive OR, written after a value: `5 xor(3)`
3. `&` bitwise AND
4. `<<` and `>>` bit shifts
5. `+` and `-` (the keypad's `-` is the same as `-`)
6. `*` or `x`, `/` or `÷`, and `%`
7. A leading `-` or `+` sign
8. `^` power, which groups from the right
9. `!` factorial

Things that follow from this order:

- `-2^2` is `-4`, because the power is worked out before the sign.
- `2^3^2` is `2^9`, which is `512`.
- `2^-1` is `0.5`.
- `%` is the **remainder**, not a percentage: `10 % 3` is `1`. To take 15% of 80, type `80*15/100`.
- Dividing by zero gives the error `Division by zero`. A remainder by zero gives `NaN`.

Numbers

You type	Meaning	Example result
<code>42</code> , <code>3.14</code> , <code>.5</code>	Decimal numbers	<code>.5</code> is <code>0.5</code>
<code>2e3</code> , <code>1.5E-4</code>	Scientific notation	<code>2000</code> , <code>0.00015</code>
<code>0xFF</code>	Hexadecimal (digits 0 to 9 and A to F)	<code>255</code>
<code>0b1010</code>	Binary (digits 0 and 1)	<code>10</code>

Because `e` is also a constant, a number cannot end in a bare `e`: `2e` gives `Invalid numeric literal`. Write `2*e` for two times `e`.

Functions

Call a function with brackets and separate arguments with commas: `atan2(1, 1)`. Calling with the wrong number of arguments gives a message such as `sin expects 1 argument` or `stdev expects at least 2 arguments`.

Trigonometry

Angles follow the **RAD** or **DEG** setting on the display.

Function	Returns
<code>sin(a)</code> , <code>cos(a)</code> , <code>tan(a)</code>	Sine, cosine, tangent of angle <code>a</code>
<code>asin(v)</code> , <code>acos(v)</code> , <code>atan(v)</code>	Inverse sine, cosine, tangent, as an angle
<code>atan2(y, x)</code>	The angle of the point (x, y), as an angle
<code>sinh(v)</code> , <code>cosh(v)</code> , <code>tanh(v)</code>	Hyperbolic sine, cosine, tangent (not affected by RAD or DEG)
<code>asinh(v)</code> , <code>acosh(v)</code> , <code>atanh(v)</code>	Inverse hyperbolic functions (not affected by RAD or DEG)
<code>deg(r)</code>	Converts radians to degrees: <code>deg(pi)</code> is <code>180</code>
<code>rad(d)</code>	Converts degrees to radians: <code>rad(180)</code> is <code>3.14159265359</code>

Powers, roots and logarithms

Function	Returns
<code>sqrt(v)</code>	Square root. <code>sqrt(-1)</code> gives <code>NaN</code>
<code>cbrt(v)</code>	Cube root
<code>nthroot(v, n)</code>	The nth root. An odd root of a negative number is negative: <code>nthroot(-27, 3)</code> is <code>-3</code>
<code>pow(a, b)</code>	<code>a</code> to the power <code>b</code> , the same as <code>a^b</code>
<code>exp(v)</code>	e to the power <code>v</code>
<code>ln(v)</code>	Natural logarithm
<code>log(v)</code>	Base-10 logarithm: <code>log(1000)</code> is <code>3</code>
<code>log2(v)</code>	Base-2 logarithm
<code>logb(v, base)</code>	Logarithm in any base: <code>logb(8, 2)</code> is <code>3</code>

Rounding and sizes

Function	Returns
<code>abs(v)</code>	Absolute value

Function	Returns
<code>round(v)</code>	Nearest whole number
<code>roundto(v, digits)</code>	Rounded to that many decimal places. Negative digits round to tens, hundreds and so on: <code>roundto(1234.5, -2)</code> is <code>1200</code>
<code>floor(v)</code> , <code>ceil(v)</code>	Round down, round up
<code>trunc(v)</code>	Drop the fractional part
<code>sign(v)</code>	<code>-1</code> , <code>0</code> or <code>1</code>
<code>mod(a, b)</code>	Remainder of <code>a</code> divided by <code>b</code> , the same as <code>a % b</code>
<code>max(a, b, ...)</code> , <code>min(a, b, ...)</code>	Largest, smallest of any number of values
<code>clamp(v, low, high)</code>	<code>v</code> limited to the range: <code>clamp(15, 0, 10)</code> is <code>10</code>
<code>hypot(a, b, ...)</code>	Square root of the sum of squares: <code>hypot(3, 4)</code> is <code>5</code>

Factorials and counting

Function	Returns
<code>n!</code> or <code>fact(n)</code>	Factorial. Works for non-whole numbers too, through the gamma function: <code>0.5!</code> is <code>0.886226925453</code>
<code>gamma(v)</code>	The gamma function: <code>gamma(5)</code> is <code>24</code>
<code>nPr(n, r)</code> or <code>npr(n, r)</code>	Permutations: ordered choices of <code>r</code> from <code>n</code>
<code>nCr(n, r)</code> or <code>ncr(n, r)</code>	Combinations: unordered choices of <code>r</code> from <code>n</code>

Number theory

Function	Returns
<code>gcd(a, b, ...)</code>	Greatest common divisor of any number of values (rounded to whole numbers first)
<code>lcm(a, b, ...)</code>	Least common multiple of any number of values
<code>isprime(n)</code>	<code>1</code> if <code>n</code> is prime, otherwise <code>0</code>
<code>nextprime(n)</code>	The first prime greater than <code>n</code>
<code>fib(n)</code>	The nth Fibonacci number: <code>fib(10)</code> is <code>55</code>

Statistics

Each takes any number of values: `mean(4, 8, 15, 16, 23, 42)`.

Function	Returns
<code>mean(...)</code> or <code>avg(...)</code>	Arithmetic mean
<code>median(...)</code>	Middle value (mean of the two middle values for an even count)
<code>stdev(...)</code>	Sample standard deviation. Needs at least 2 values
<code>stdevp(...)</code>	Population standard deviation
<code>variance(...)</code>	Sample variance. Needs at least 2 values
<code>varp(...)</code>	Population variance
<code>geomean(...)</code>	Geometric mean
<code>rms(...)</code>	Root mean square
<code>total(...)</code>	Sum of the values

Random numbers

Function	Returns
<code>rand()</code>	A random number from 0 up to, but not including, 1
<code>randint(a, b)</code>	A random whole number from <code>a</code> to <code>b</code> , both included

Bitwise (programmer) functions

These work on whole numbers as 32-bit values. Results show in decimal.

- `a & b` — bits set in both.
- `a | b` — bits set in either.
- `xor(a, b)`, or `a xor(b)` — bits set in one but not both: `xor(5, 3)` is `6`.
- `not(a)` — every bit flipped: `not(0)` is `4294967295`.
- `a << n` and `a >> n` — shift left or right by `n` bits: `1 << 4` is `16`.

Constants

Name	Value	Meaning
<code>pi</code> or π	3.14159...	Pi
<code>e</code>	2.71828...	Euler's number
<code>phi</code> or ϕ	1.61803...	The golden ratio
<code>tau</code>	6.28318...	Two pi
<code>inf</code>	∞	Infinity
<code>c</code>	299792458	Speed of light, m/s

Name	Value	Meaning
G	6.6743e-11	Gravitational constant, SI units
g0	9.80665	Standard gravity, m/s ²
NA	6.02214076e23	Avogadro constant, per mole
kB	1.380649e-23	Boltzmann constant, J/K
qe	1.602176634e-19	Elementary charge, C
me	9.1093837015e-31	Electron mass, kg
mp	1.67262192369e-27	Proton mass, kg
eps0	8.8541878128e-12	Vacuum permittivity, F/m
mu0	1.25663706212e-6	Vacuum permeability, N/A ²
ans	Your last result	Updated after each calculation

You cannot assign a new value to a constant's name: **pi = 3** gives an error.

Variables

Store a value with **name = expression**:

1. Type **r = 4** and press **Enter**. The display shows **4**, and a chip **r = 4** appears under the expression bar.
2. Type **pi*r^2** and press **Enter**. The display shows **50.2654824574**.

- A name starts with a letter or an underscore and can continue with letters, digits and underscores.
- Assigning to an existing name replaces its value.
- Using a name that has no value gives **Unknown variable: name**.
- Variables last until you leave or reload the page, or until you select **Clear** in the variables strip.

Your own functions

Define a function with **name(parameters) = expression**:

1. Type **f(x) = x^2 + 1** and press **Enter**. The display shows **f f(x) defined**, and a chip **f f(x)** appears.
2. Type **f(3)** and press **Enter**. The display shows **10**.

- Functions can take several parameters: **area(w, h) = w*h**, then **area(3, 4)**.
- The body can use constants, built-in functions, variables and your other functions.
- Variables in the body are read when you call the function. With **h(x) = a*x**, changing **a** changes what **h(5)** returns.
- Calling with the wrong number of values gives a message such as **f expects 1 argument**.

- You cannot reuse the name of a built-in function or constant: `sin(x) = 2` gives **Cannot redefine sin**. Defining a function you already made replaces it.
- A function that calls itself stops with **Recursion too deep** after 128 levels.
- Your functions also work in the graph and inside calculus functions.
- Functions last until you leave or reload the page, or until you select **Clear**.

Calculus and series

These functions take an expression as their first argument and work it out many times with a changing variable. By default the variable is `x`. You can name a different variable as an extra argument.

Derivatives

You type	Returns
<code>diff(expr, at)</code>	The slope (first derivative) of <code>expr</code> with respect to <code>x</code> , at <code>x = at</code>
<code>diff(expr, var, at)</code>	The same, with respect to the variable <code>var</code>
<code>derivative(...)</code>	Another name for <code>diff</code>
<code>diff2(expr, at)</code> or <code>diff2(expr, var, at)</code>	The second derivative

Examples: `diff(x^3, 2)` shows **12.0000000001** (exactly 12 in theory); `diff(sin(x), 0)` shows **1**.

Derivatives are estimated numerically, so the last digits can show tiny rounding noise, more so for `diff2`.

Integrals

You type	Returns
<code>integral(expr, a, b)</code>	The area under <code>expr</code> from <code>x = a</code> to <code>x = b</code>
<code>integral(expr, var, a, b)</code>	The same, integrating over <code>var</code>
<code>integrate(...)</code>	Another name for <code>integral</code>

Examples: `integral(sin(x), 0, pi)` is **2**; `integral(t^2, t, 0, 3)` is **9**; `integral(1/x, 1, e)` is **1**. When `a` equals `b` the result is **0**; when `a` is greater than `b` the result changes sign.

Solving equations

`solve` finds a value of the variable that makes the expression equal to zero.

You type	How it searches
<code>solve(expr, guess)</code>	Starts at <code>guess</code> and homes in on a nearby root
<code>solve(expr, low, high)</code>	Searches between <code>low</code> and <code>high</code> . Best when the expression changes sign in that range

You type	How it searches
<code>solve(expr, var, guess)</code> or <code>solve(expr, var, low, high)</code>	The same, for a variable other than <code>x</code>
<code>root(...)</code>	Another name for <code>solve</code>

Examples: `solve(x^2 - 9, 1)` is `3`; `solve(cos(x) - x, 0, 1)` is `0.739085133215`.

- To solve `f(x) = 5`, move everything to one side: `solve(f(x) - 5, 1)`.
- If there is no nearby root, you see `solve: no convergence (try lo, hi bounds)`. Try a different guess, or give a range that brackets the root. Some expressions, such as `x^2 + 1`, have no real root at all.
- If the range you give does not change sign, `solve` starts from its middle and searches as if you had given a guess.
- A result within a hair of a whole number is shown as that whole number.

Sums and products

You type	Returns
<code>sum(expr, var, from, to)</code>	<code>expr</code> added up for <code>var = from, from + 1</code> , and so on to <code>to</code>
<code>product(expr, var, from, to)</code>	<code>expr</code> multiplied together over the same range

Examples: `sum(k^2, k, 1, 10)` is `385`; `product(k, k, 1, 5)` is `120`; `sum(1/2^n, n, 0, 50)` is `2`.

- `from` and `to` are rounded to whole numbers, and swapped if `from` is larger.
- A range of more than 1,000,000 steps gives `sum: too many terms` (or `product: too many terms`).

Rules shared by calculus functions

- The variable you name can reuse a constant's name inside the function: `sum(e, e, 1, 3)` is `6`.
- They can be nested: `integral(diff(x^2, x), 0, 1)` is `1`.
- Very heavy expressions stop with `Expression too complex` instead of freezing the page.

How results are shown

- Whole numbers under 10^{15} show in full.
- Other results show up to 12 significant digits, with trailing zeros removed.
- Very small (under 10^{-10}) or very large (over 10^{15}) results show in scientific notation, for example `1.2345678901e+17`.
- Results are rounded to 14 significant digits internally, so `0.1+0.2` shows `0.3`.
- Infinite results show as `∞` or `-∞`; undefined results show as `NaN`.
- In the expression bar, a result with a small exact fraction also shows the fraction, such as `0.875 = 7/8`.

See [Limits and accuracy](#) for the ranges each function can handle.

WEBSITE > KITS > FEATURE KIT

Use the calculator

Use the Feature Kit's Scientific Calculator: keypads, the expression bar, angle mode, memory, copying results and history.

The **Scientific Calculator** gives you two ways to calculate: a keypad (which you can also drive from your keyboard) and an expression bar for full expressions with variables, your own functions and calculus. Both share one result display, one **ans** value and one history.

Open it from the Feature Kit menu with the **Scientific Calculator** card or the **1** key.

The screen, top to bottom

1. **Display.** A small expression line, a large result line, and the angle buttons **RAD** and **DEG**.
2. **Expression bar.** A long text box with a calculator icon and an **fx** button at its right end. Its placeholder reads `f(x) = x^2 · integral(sin(x), 0, pi) · solve(x^2-2, 1)`.
3. **Function reference.** Hidden until you select **fx**.
4. **Variables strip.** Appears once you have defined a variable or a function.
5. **Graph** and **History** areas. Hidden until you select **Graph** or **History** in the title bar.
6. **Keypad tabs: Basic, Scientific, Programmer.**
7. **Memory row: MC, MR, M+, M-.**
8. **Keypad** for the selected tab.

Calculate with the keypad

1. Select keys, or type on your keyboard while the cursor is not in a text box.
2. Watch the result line: it previews the answer as you type.
3. Select **=** or press **Enter** to finish. The result becomes **ans**, and the calculation goes into the history.

After a result, typing a digit starts a new calculation. Typing an operator adds it to the end of the expression you just worked out, not to the result, so **2+3** followed by **×2** becomes **2+3×2**. To build on a result, start with **Ans** instead: **Ans×2**.

Keyboard keys the keypad understands:

Key	Enters
0 to 9	The digit
+ - * /	Add, subtract, multiply (shown as ×), divide (shown as ÷)
.	Decimal point
()	Brackets

Key	Enters
^	Power
%	Remainder (modulo)
!	Factorial
Enter or =	Work out the expression
Backspace	Delete the last character
Delete	Clear everything

If an expression cannot be worked out, the result line shows the reason, such as **Division by zero**, and flashes red.

The three keypads

Select a tab to switch keypad. Which tabs you see depends on the site's tool visibility mode, set in the [Advanced Kit](#):

Mode	Tabs shown
Basic	Basic only
Advanced	Scientific and Programmer
Everything or Custom	All three

Basic keypad

C	(	)	÷
7	8	9	×
4	5	6	-
1	2	3	+
0	.	=	

C clears the expression. The Basic keypad has no backspace key; use **Backspace** on your keyboard.

Scientific keypad

d/dx	∫	solve	Σ	Π
nCr	gcd	lcm	$\bar{x}$	σ
sin	cos	tan	π	e
sin ⁻¹	cos ⁻¹	tan ⁻¹	φ	^
ln	log	log ₂	√	³ √
exp	x	n!	%	⊠
C	(	)	÷	x
7	8	9	-	+
4	5	6	.	Ans
1	2	3	0	=

Function keys insert the function name and an opening bracket, for example **sin** inserts `sin(` and **d/dx** inserts `diff(`. Close the bracket yourself. $\bar{x}$ inserts `mean(`, **σ** inserts `stdev(`, **|x|** inserts `abs(`, **√** inserts `sqrt(`, ³**√** inserts `cbrt(`, **log₂** inserts `log2(`, **Σ** inserts `sum(` and **Π** inserts `product(`. **π**, **e** and **φ** insert the constants. **n!** adds the factorial sign. **Ans** inserts the previous result. **⊠** deletes one character.

What each function does is listed in [Calculator functions](#).

Programmer keypad

AND	OR	XOR	NOT
<<	>>	0x	0b
A	B	C	D
E	F	⊠	AC
7	8	9	+
4	5	6	-
1	2	3	x
0		.	=

- **0x** starts a hexadecimal number and **0b** a binary one, for example `0xFF` or `0b1010`. **A** to **F** enter hexadecimal digits.
- **AND** and **OR** combine numbers bit by bit. `<< ** and ** >>` shift bits left and right.
- **XOR** inserts `xor(` and **NOT** inserts `not(`. The Programmer keypad has no bracket keys, so type the closing `)` on your keyboard. For example `5 xor(3)` gives `6`.
- **AC** clears the expression.
- Results always show in decimal: `0xFF` shows `255`.

Calculate with the expression bar

The expression bar takes a whole expression as text, including things the keypad cannot enter.

1. Select the expression bar.
2. Type an expression, for example `mean(4, 8, 15, 16, 23, 42)`.
3. Press **Enter**.

The expression appears on the display's top line and the result on the large line. The result becomes **ans** and goes into the history.

When a result has a tidy exact fraction, the display shows it too: **0.875** shows as **$0.875 = 7/8$** . Fractions are found for denominators up to 10,000.

While the cursor is in the expression bar, keys go to the bar, not to the keypad. Use the bar for:

- variables: **$r = 4$** , then **$\pi * r^2$** ;
- your own functions: **$f(x) = x^2 + 1$** , then **$f(3)$** ;
- calculus and series: **$\text{diff}(x^3, 2)$** , **$\text{integral}(\sin(x), 0, \pi)$** , **$\text{solve}(x^2-2, 1)$** , **$\text{sum}(k^2, k, 1, 10)$** ;
- statistics and number theory: **$\text{stdev}(2, 4, 4, 5)$** , **$\text{gcd}(12, 18)$** , **$\text{isprime}(97)$** .

The full language is in [Calculator functions](#).

The function reference (fx)

Select **fx** at the end of the expression bar to show a panel of insertable chips, grouped by topic. Selecting a chip adds its text to the end of the expression bar.

Group	Chips
Calculus	$\text{diff}(x^2, \text{at})$, diff2, $\int$, $\text{integral}(f, a, b)$, $\text{solve}(f, \text{guess})$, Σ, $\text{sum}(f, n, 1, 99)$, Π, product
Statistics	mean , median , stdev , variance , geomean , rms
Numbers	gcd , lcm , isprime , nextprime , fib , nCr , nPr , roundto(x, digits) , nthroot(x, n) , logb(x, base)
Define	$x = 5$, $f(x) = x^2$, ans
Constants	π , e , φ , τ , c (light) , G , g_0 , NA , kB

Select **fx** again to hide the panel.

The variables strip

After you define a variable or a function, a strip of chips appears under the expression bar:

- A variable chip shows its value, for example **$r = 4$** . Selecting it inserts **r** into the expression bar.
- A function chip shows **f** and its name, for example **$f f(x)$** . Hovering shows its definition. Selecting it inserts **$f($** .
- **Clear** removes every variable and function you have defined.

Variables and functions last until you leave or reload the page. They are not saved.

Angle mode: RAD and DEG

RAD (the default) treats angles in radians; **DEG** treats them in degrees. The setting affects **sin**, **cos** and **tan** (their input) and **asin**, **acos**, **atan** and **atan2** (their output). It also applies to the graph. It resets to **RAD** each time the page loads.

Memory keys

Key	What it does
MC	Clears the memory to 0
MR	Adds the memory value to the end of the current expression
M+	Adds the number on the result line to the memory
M−	Subtracts the number on the result line from the memory

Memory lasts until you leave or reload the page.

Copy a result

Select the large result line. A **Copied!** message confirms that the result is on your clipboard. Only the decimal result is copied, not the fraction.

Use the history

1. Select **History** (the clock icon) in the title bar. The history area opens under the graph area, newest calculation first.
2. Each entry shows the expression and **= result**.
3. Select an entry, or focus it and press **Enter**, to load it back into the keypad display. Press **Enter** (with the cursor outside text boxes) or **=** to work it out again.
4. Select the bin icon on an entry to delete that calculation.
5. Select the bin icon in the **History** heading to delete every calculation. There is no confirmation.

The history keeps your last 100 calculations in your browser, including calculations from the keypad and the expression bar. When it is empty it reads **No calculations yet**. Select **History** again to hide it.

Related

- [Calculator functions](#) — the full list of what you can type
- [Graphing](#) — plot a function
- [Limits and accuracy](#) — precision and numeric limits

- **Troubleshooting** — what each error message means

WEBSITE > KITS > FEATURE KIT

Work with dates and times

Use the Feature Kit's Date & Time tool to read a date in many formats, count days between dates, add or subtract time, and watch world clocks.

Date & Time is a small date workbench with four tabs: **Calendar**, **Difference**, **Add / Subtract** and **Timezones**. Dates are written in the format of the site's language, or of your browser if the site has no preference.

Open it with the **Date & Time** card on the Feature Kit menu, or press **5** on the menu.

The calendar picker

All four tabs use the same calendar:

- The month and year sit at the top, with < (previous month) on the left and « (previous year), » (next year) and > (next month) on the right.
- The week starts on Sunday: **Su Mo Tu We Th Fr Sa**.
- Today is marked. The selected day is highlighted. Weekends and days from the neighbouring months look different.
- **Clear** removes the selection. **Today** selects today and jumps to its month.

Calendar tab: read a date in every format

1. Select the **Calendar** tab (it opens first).
2. Pick a day. Today is selected when you arrive.
3. Set the time of day in the **Time** box if it matters.

Under the calendar you see the date in ISO form with a relative description (**Today**, **Tomorrow**, **Yesterday**, in **12 days**, **3 days ago**), then one row per format, each with a **Copy** button:

Row	Example
Full (culture)	The full date and short time in your locale, for example Thursday 24 September 2026 at 14:05
Long date	24 September 2026
ISO 8601	2026-09-24T14:05
Unix (s)	Seconds since 1 January 1970 UTC, for your local date and time
Day of year	267
ISO week	W39 · 2026

Row	Example
Weekday	Thursday

Selecting **Copy** copies that row's value; the button briefly shows a tick. If copying is blocked it shows **Failed**.

Recent dates

Every day you pick is added to a **Recent** row of chips, newest first, up to 8. Each chip shows the month and day. Select a chip to jump back to that date. The list is kept in your browser.

If you select **Clear**, the details read **No date selected. Pick a day above**.

Difference tab: count the time between two dates

1. Select **Difference**.
2. Select the **From** field and pick a date. It starts on today.
3. Select the **To** field and pick a date. It starts 30 days from today.

The result shows six figures:

Figure	How it is worked out
Days	Calendar days from From to To . Negative if To is earlier
Weeks	Days divided by 7, to 2 decimal places
Months (≈)	Days divided by 30.437, to 2 decimal places
Years (≈)	Days divided by 365.25, to 3 decimal places
Business days	Days that are Monday to Friday, counting the To date but not the From date. Public holidays are not taken into account
Hours	Days multiplied by 24

If either field is empty, you see **Pick two dates**.

Each date field shows the chosen date written out in full. Select it to open its calendar; picking a day closes the calendar again.

Add / Subtract tab: shift a date

1. Select **Add / Subtract**.
2. Pick the **Start date**. It starts on the date selected in the Calendar tab, or today.
3. Type a whole number in **Amount** (it starts at 30).
4. Choose a **Unit**: **days**, **weeks**, **months** or **years**.
5. Choose a **Direction**: **after (+)** or **before (-)**.

The result shows the new date in ISO form and written out in full, and updates as you change any field.

When you add months or years and the day does not exist in the target month, the date moves to that month's last day. For example, 31 January plus 1 month gives 28 or 29 February.

If the start date is empty, you see **Pick a date**.

Timezones tab: world clocks

Select **Timezones** to see live clocks, updating every second, in 24-hour time with seconds and the local date for each place:

- UTC
- New York
- Los Angeles
- London
- Berlin
- Kolkata
- Tokyo
- Sydney

Daylight saving time is applied automatically for each place. The list of places is fixed. The clocks stop updating while you are in another Feature Kit tool and restart when you come back.

Related

- [Developer Tools](#) — the **Epoch** tool converts Unix timestamps in both directions
- [Reference](#)

WEBSITE > KITS > FEATURE KIT

Use the developer tools

Use the eleven developer utilities in the Feature Kit: JSON, Base64, URL, Hash, UUID, JWT, Epoch, Regex, Cron, Text and HTML.

Developer Tools gathers eleven small utilities behind one row of tabs. Everything runs in your browser: nothing you paste is sent anywhere or kept after you leave the page.

Open it with the **Developer Tools** card on the Feature Kit menu, or press **6** on the menu. It opens on **JSON**. Select a tab to switch tool.

Most tools share one layout: an input box, a row of buttons, and an output box. **Copy** copies the output box. It briefly reads **Copied**, or **Copy failed** if your browser blocked the clipboard. Errors show in the output box in a warning colour.

JSON

Paste JSON into the box (the placeholder shows `{ "hello": "world", "n": 1 }`), then choose:

Button	Output
Format	The JSON indented with two spaces
Minify	The JSON on one line with no spaces
Sort keys	Indented, with every object's keys sorted alphabetically, at every depth
→ TypeScript	A TypeScript <code>interface Root</code> (or <code>type Root</code> for arrays and plain values) describing the data
Stats	Size in bytes, number of keys, objects, arrays, and the deepest nesting level
Escape	Your input as a quoted JSON string, ready to embed
Copy	Copies the output

If the input is not valid JSON, the output reads `Invalid JSON:` with the browser's message and, where the browser gives a position, the line and column: `→ line 3, column 7`. An empty box is treated as `null`.

Base64

Button	Output
Encode	Standard Base64 of the text (UTF-8, so accented letters and symbols work)
URL-safe	Base64 with <code>-</code> and <code>_</code> instead of <code>+</code> and <code>/</code> , and no <code>=</code> padding
Decode	The text inside a Base64 string. Accepts standard and URL-safe forms, with or without padding
→ Hex	Each UTF-8 byte of the text in hexadecimal, and the byte count
Copy	Copies the output

A string that cannot be decoded shows `Not valid Base64`.

URL

Paste a URL or text (placeholder `https://example.com/path?q=a b&x=1#top`).

Button	Output
Parse	The protocol, host, port (<code>(default)</code> if none), path and hash, then each query parameter as <code>name = value</code> . A URL without a scheme is treated as <code>https://</code>
Encode	The text percent-encoded for use inside a URL
Decode	Percent-encoding turned back into text; <code>+</code> is read as a space

Button	Output
Copy	Copies the output

Errors: Enter a URL. , Could not parse URL , Malformed URI sequence .

Hash

Type or paste the text to hash. The second box, **HMAC key**, is only used by the HMAC button.

Button	Output
Hash all	SHA-1, SHA-256, SHA-384 and SHA-512 of the text in hexadecimal, plus CRC32
HMAC-SHA256	The HMAC-SHA256 signature of the text with your key, in hexadecimal
Copy	Copies the output

Without a key, **HMAC-SHA256** says Enter an HMAC key first. Hashes are computed on the text's UTF-8 bytes by your browser's built-in cryptography. SHA-1 and CRC32 are shown for checking against older systems; do not use them for security.

UUID

A UUID is a 128-bit identifier written as 36 characters in five groups separated by hyphens. The tool shows one new version 4 UUID when it opens.

Button	Output
v4	One random UUID
v4 ×10	Ten random UUIDs, one per line
v7	One time-ordered UUID (version 7), which starts with the current time so values sort by creation
v7 ×10	Ten version 7 UUIDs
NIL	The all-zero UUID
Copy	Copies the output

To inspect a UUID, paste it into **Paste a UUID to inspect....** The output shows its **version** and **variant** (RFC 4122, Microsoft or NCS), and for version 7 the timestamp it carries, with how long ago that was. Anything that is not a UUID shows **Not a valid UUID**.

JWT

A JWT (JSON Web Token) is a signed token in three dot-separated parts. Paste one into the box. It decodes as you paste, or select **Decode**.

The output shows:

- **HEADER** — the decoded header JSON;
- **PAYLOAD** — the decoded payload JSON;
- **TIMES** — the **exp** (expires), **iat** (issued at) and **nbf** (not before) claims, if present, as dates with how far away they are;
- **Signature** — its length, marked "not verified — decoding only".

Important: The tool does not check the signature. A token that decodes is not proven genuine. Pasting a live token into any web page is a risk; this tool keeps it in your browser, but clear the box when you are done.

Errors: **Not a JWT (need header.payload.signature)**, **Could not decode JWT segments**.

Epoch

Converts between Unix timestamps and dates. It shows the current time when it opens.

1. Type a value in **Unix seconds/millis or ISO date....**
2. Press **Enter** or select **Convert**.

How the value is read:

- 1 to 10 digits: Unix seconds.
- Exactly 13 digits: Unix milliseconds.
- Anything else: a date your browser can read, such as **2026-09-24T09:30:00Z**.

The output lists **Unix (s)**, **Unix (ms)**, **ISO**, **UTC**, **Local**, **Relative** and **Day** (weekday and day of the year, DOY). **Now** shows the current time. **Convert** with an empty box also shows the current time. A value that cannot be read shows **Could not parse date/timestamp**.

Regex

Tests a JavaScript regular expression against sample text, live.

1. Type the pattern between the two slashes.
2. Type flags in the small box after the second slash (it starts with **g**). Common flags: **g** all matches, **i** ignore case, **m** multi-line, **s** dot matches new lines, **u** Unicode, **y** sticky.
3. Type or paste the text to search in **Test string....**
4. Optionally type a replacement in **Replacement (optional — \$1, \$<name>)...**

As you type:

- the highlight box shows the test text with each match marked (an empty match shows as **Ø**);

- the output box shows the number of matches, then each one with its position (**#1 @4: text**), its numbered groups and its named groups;
- with a replacement, the output ends with **REPLACED** and the text after replacement.

Test re-runs it and **Copy** copies the output. The list shows the first 200 matches. An invalid pattern shows **Invalid regex:** and the browser's reason. Without a pattern the output reads **Enter a pattern.**; with no matches it reads **No matches.**

Cron

Explains a standard five-field cron schedule and lists its next five run times in your local time.

- Type an expression: minute, hour, day of month, month, day of week. The box starts with ***/15 9-17 * * MON-FRI**.
- Press **Enter** or select **Explain**.

The output starts with a plain-language summary, such as "Runs every 15 minutes during hour 9-17, on MON-FRI", then **Next runs (local time):** with five dates and how far away each is.

Preset buttons fill in and explain common schedules. Each button is labelled with its expression:

Button	Schedule
0 * * * *	At the start of every hour
*/5 * * * *	Every five minutes
0 9 * * MON-FRI	09:00 on weekdays
0 0 1 * *	Midnight on the 1st of each month

What the fields accept:

- ***, single values, ranges (**9-17**), lists (**1,15**) and steps (***/15** , **10-50/10**).
- Month names **JAN** to **DEC** and day names **SUN** to **SAT**. Day of week **7** also means Sunday.
- When both day of month and day of week are restricted, a day matching either one runs, as in standard cron.
- Times that do not exist because of a daylight-saving change are skipped.

Errors: **Expected 5 fields: minute hour day-of-month month day-of-week**, **Bad field**, **Out of range**. The Cron tool has no **Copy** button.

Text

Type or paste text. A line under the box counts characters, words, lines and bytes as you type. Buttons put the transformed text in the output box:

Button	Result for "hello big world"
camelCase	helloBigWorld
PascalCase	HelloBigWorld
snake_case	hello_big_world
kebab-case	hello-big-world
slug	hello-big-world (lower case, accents removed, anything else becomes hyphens)
Title Case	Hello Big World
UPPER	HELLO BIG WORLD
lower	hello big world
reverse	dlrow gib olleh
sort lines	Lines sorted alphabetically
dedupe lines	Repeated lines removed, first copy kept
trim lines	Spaces removed from the start and end of every line
Copy	Copies the output

The case buttons also split words at capital letters, underscores, hyphens, dots and slashes, so `myVariable_name` becomes `my_variable_name` with **snake_case**.

HTML

Button	Output
Encode	<code>&</code> , <code><</code> , <code>></code> , <code>"</code> and <code>'</code> replaced with HTML entities
Decode	Entities turned back into characters. Real tags in the input are dropped
Strip tags	Only the text, with tags removed and runs of blank lines reduced
Copy	Copies the output

The placeholder shows an example: `<a href="/">Fish & Chips</a>`. Decoding and stripping read the input as HTML without running any scripts in it.

Related

- [Date & Time](#) for calendar-based date work
- [Reference](#)
- [Privacy](#)

Send feedback

Send quick or detailed feedback about Auric Artisan from the Feature Kit, and what happens when sending fails.

The **Feedback** tool in the Feature Kit lets you tell the Auric Artisan team how the site is working for you. A quick rating takes one click; a detailed form takes about a minute. Both are optional.

Open the feedback form

Select the **Feedback** card on the Feature Kit menu, or press **3** on the menu.

You may also see a small prompt inside the Feature Kit that reads **Feedback when you're ready** with the line "The full form lives in Feature Kit and stays out of the way." Select **Open form** to go to the form, or **Later** to dismiss it. The prompt hides by itself after 10 seconds.

Send quick feedback

1. Read the question at the top. It depends on what you did last in the kit, for example **How's your experience so far?**, **How was the calculator?** or **How was the unit converter?**
2. Choose one of five faces: **Terrible**, **Bad**, **Okay**, **Good** or **Amazing**.
3. A comment box appears: **Tell us more (optional)...** Type a comment if you like.
4. Select **Submit**. It reads **Sending...** while it sends.

A thank-you message appears, matched to your rating: **Thank you!**, **We hear you.** or **Thanks for sharing!**. Select **Done**, or wait 5 seconds, to return to the Feature Kit menu.

Submit stays disabled until you choose a face.

Send detailed feedback

1. On the quick feedback screen, optionally choose a face, then select **Give Detailed Feedback**.
2. Answer each question. A progress bar and a counter such as **2/8** show where you are.
3. Use **Next** → to continue, **Skip** to leave a question unanswered, or ← **Back** to return to the previous question.
4. On the last question, the forward button reads **Submit** with a tick. Select it to send.

The questions, in order:

Question	How you answer
How easy was it to find what you needed?	A scale of 1 to 5, from Very hard to Very easy

Question	How you answer
How would you rate the speed & performance?	A scale of 1 to 5, from Very slow to Lightning
How do you feel about the design?	Five faces: Love it, Nice, Okay, Meh, Needs work
Follow-up questions	Depend on your quick rating (see below)
What features would you like to see?	Pick any of: Dark/Light themes, More tools, Keyboard shortcuts, Mobile improvements, Accessibility, Import/Export, Other
Would you recommend this to a colleague?	A scale of 0 to 10, from Not likely to Very likely
Anything else you'd like to share?	Free text

Follow-up questions:

- **After a 4 or 5 rating:** "What do you like most?" (free text) and "Would you share this with others?" (**Definitely!, Maybe, Probably not**).
- **After a 1 or 2 rating, or no rating:** "What frustrated you the most?", "What did you expect to happen?" (both free text) and "What should we fix first?" (**Bugs, Performance, Design, Features, Usability**).
- **After a 3 rating:** "What one thing would make this better?" (free text).

Not now

Select **Not now** on the quick feedback screen to leave without sending. The kit returns to its menu and the prompts give you more room before they appear again.

If sending fails

If your feedback cannot be sent, you see **Could not send yet** with one of these messages:

Message	What it means
Your feedback is saved on this device. Check your connection and try again.	You are offline or the server did not answer. The feedback is kept and will be sent later
The server could not accept this feedback. You can try again or return to the menu.	The server refused this submission
Your feedback could not be sent or saved on this device. Keep this page open and try again.	Your browser would not store it, for example in a private window
Your feedback is saved, but the current account could not be confirmed yet. Check your connection and try again.	You were signed in, and your sign-in could not be checked
This feedback belongs to a different signed-in account. Return to that account before retrying.	You switched accounts after writing it

Select **Try again** (or **Check account**) to retry, or **Done** to return to the menu. Feedback saved on your device is retried automatically, including when your connection comes back.

When the kit asks for feedback

The kit asks quietly and rarely:

- only while the Feature Kit is open on its menu, never while you are in a tool;
- after you have used the calculator or the converter a few times, or after about 15 minutes;
- no more than twice in one visit, and no more than once an hour;
- less often if you have dismissed several prompts.

If a prompt comes due while the kit is closed, it waits and appears the next time you open the menu.

What is sent

See [Privacy](#). In short: your rating, comment and answers, the page you were on, and which tool you used last. If you are signed in, the feedback is linked to your account.

For feedback outside the Feature Kit, see [Site features](#).

WEBSITE > KITS > FEATURE KIT

Plot a function

Plot a function in the Feature Kit calculator, then pan, zoom and reset the view.

The calculator can draw the graph of any expression in **x**. The graph redraws as you type, uses the same functions and constants as the calculator, and can use the variables and functions you have defined.

Show the graph

1. Open **Scientific Calculator** in the Feature Kit.
2. Select **Graph** (the wave icon) in the title bar. The button turns gold and a graph area opens under the expression bar.
3. The **y =** box already holds **sin(x)**, and its curve is drawn.

The graph shows a grid with numbered axes, the curve in gold, and a label in its top-left corner such as **y = sin(x)**.

Plot your own expression

1. Select the **y =** box.
2. Replace the text with your expression, for example **x^3 - 3*x**.

3. The graph redraws as you type.

Rules:

- Use **x** as the variable. Inside the graph, **x** always means the horizontal position, even if you have a variable called **x**.
- Write every multiplication: **3*x**, not **3x**.
- You can use your own functions and variables: after **f(x) = x^2 - 2** in the expression bar, type **f(x)** in the **y =** box.
- Trigonometric functions follow the **RAD** or **DEG** setting.
- Where the expression is undefined or infinite (for example **1/x** at **x = 0**, or **sqrt(x)** for negative **x**), the curve simply has a gap. Very steep jumps, such as those of **tan(x)**, are drawn as separate pieces rather than joined by a vertical line.
- If the expression has a mistake, nothing is drawn. Fix it and the curve appears.

The graph shows one expression at a time.

Move around the graph

Action	How
Pan	Drag on the graph with a mouse, pen or one finger
Zoom in or out	Scroll with a mouse wheel or trackpad over the graph
Zoom with touch	Pinch with two fingers
Zoom in one step	Select the magnifier with a plus sign in the graph's corner
Zoom out one step	Select the magnifier with a minus sign
Reset	Select the circular-arrow button to return to the starting view

The starting view is centred on the origin at 50 pixels per unit. Zooming stops at 5 pixels per unit at the widest and 5,000 pixels per unit at the closest. The grid spacing adjusts as you zoom so labels stay readable.

Make the graph bigger

Select **Resize** in the title bar. The expanded Feature Kit gives the graph more height.

Hide the graph

Select **Graph** again. The graph also closes when you close the Feature Kit. Your **y =** expression is kept while the page stays open.

Related

- [Calculator](#)
- [Calculator functions](#)
- [Limits and accuracy](#)

WEBSITE > KITS > FEATURE KIT

Keep notes

Keep Markdown notes in the Feature Kit that save as you type, preview them, copy them and export them as .md files.

Notes is a scratchpad inside the Feature Kit. You can keep several notes, write them in Markdown, preview the formatting, and copy or export any note. Notes save automatically in your browser, so they are there the next time you open the kit on any page.

Open Notes

Select the **Notes** card on the Feature Kit menu, or press **4** on the menu.

The first time, you see one note called **Scratchpad** containing a short example.

The screen

- **Note tabs** along the top, one per note, named after the note's first line. A **+** button at the end adds a note.
- A toolbar with **Edit** and **Preview** on the left and **Copy**, **Export** and **Delete** on the right.
- The editor, or the preview when **Preview** is selected.
- A status line at the bottom: **Saving...** while you type, then **Saved** • and the time.

Write a note

1. Select the editor.
2. Type. The placeholder reminds you of the syntax: **# Title**, ****bold****, **italic**, ``code``, **- lists**, **- [] tasks**.
3. Stop typing for a moment. The status changes from **Saving...** to **Saved** • and the time.

The note's tab takes its name from the first non-empty line, without any leading **#**, cut to 24 characters. An empty note is called **Untitled**.

Add a note

Select **+** (**New note**). An empty note opens at the front of the tabs, in edit mode, with the cursor in the editor.

Switch between notes

Select a note's tab.

Preview the formatting

Select **Preview** to see the note formatted. Select **Edit** to go back to editing.

The preview understands this Markdown:

You type	You get
<code># Heading</code> to <code>#### Heading</code>	Headings, levels 1 to 4
<code>**bold**</code>	Bold text
<code>*italic*</code>	Italic text
<code>`code`</code>	Inline code
A line of three backticks before and after	A code block
<code>- item</code> or <code>* item</code>	A bulleted list
<code>- [] task</code> and <code>- [x] task</code>	An open task and a done task, shown with empty and ticked boxes
<code>[label](https://example.com)</code>	A link that opens in a new tab (only links starting with <code>http:</code> or <code>https:</code>)

Anything else shows as plain paragraphs. Any HTML you type is shown as text, not run.

Copy a note

Select **Copy**. The status line reads **Copied** (or **Copy failed** if your browser blocked clipboard access). The raw Markdown is copied.

Export a note

Select **Export**. Your browser downloads the note as a Markdown file named after the note's title, for example `Scratchpad.md`. Characters that are not letters, digits, hyphens or underscores in the title become hyphens in the file name.

Delete a note

Select **Delete**. The note is removed at once, without a confirmation, and the first remaining note opens.

If it is your only note, **Delete** empties it instead and renames it **Untitled**.

Important: Deleting cannot be undone. Export a note first if you might need it.

Where notes are kept

Notes are saved in your browser for auricartisan.com. They are not sent anywhere and not linked to your account. They are lost if you clear the site's data in your browser, and they are not available in another browser or on another device. Export notes you want to keep.

Related

- [Reference](#)
- [Privacy](#)

WEBSITE > KITS > FEATURE KIT

Convert units

Convert values between 1,344 units in 70 categories with the Feature Kit's Unit Converter.

The **Unit Converter** converts a value from one unit to another within a category, such as metres to feet or Celsius to Fahrenheit. It has 70 categories and 1,344 units, including every metric prefix from yocto to yotta for the units that take them.

Open the converter

Select the **Unit Converter** card on the Feature Kit menu, or press **2** on the menu.

The first time you open it on a page, the kit downloads the unit list. A loading message reads **Loading units — Preparing the converter**. It takes a moment on a slow connection.

Convert a value

1. Select a category pill, for example **Temperature**. The converter starts on **Length**.
2. Type a number in the **From** box (placeholder **Enter value**).
3. Choose the unit you have in the **From** unit list, for example **celsius (°C)**.

4. Choose the unit you want in the **To** unit list, for example **fahrenheit (°F)**.

The result appears in the **To** row as you type, for example **98.6**, with a sentence under it: **37 celsius = 98.6 fahrenheit**.

When you pick a category, the converter preselects its first two units.

Swap the units

Select the swap button (two opposing arrows) between **From** and **To**. The two units change places and the result updates.

Copy the result

Select the result value. A **Copied!** message confirms it is on your clipboard.

Find a unit

1. Type part of a unit's name or symbol in **Search units...**, for example **psi** or **parsec**.
2. The category pills narrow to the categories that contain a matching unit. If nothing matches, you see **No matches**.
3. Select a category pill to switch to it, then pick the unit from the list.

The search finds categories; it does not choose the unit for you. Clear the search box to see every category again.

With the cursor outside a text box, pressing **/** puts the cursor in the search box.

The categories

The converter's 70 categories, in the order the pills appear:

Length, Area, Volume, Mass, Speed, Acceleration, Temperature, Time, Energy, Power, Pressure, Force, Frequency, Density, Fuel Economy, Electric Charge, Voltage, Electric Current, Resistance, Capacitance, Magnetic Field, Magnetic Flux, Inductance, Torque, Angular Velocity, Angular Acceleration, Momentum, Impulse, Digital Storage, Data Transfer Rate, Typography, Astronomy, Concentration, Radiation Dose, Radiation Equivalent, Radioactivity, Dynamic Viscosity, Kinematic Viscosity, Volumetric Flow Rate, Mass Flow Rate, Luminous Flux, Illuminance, Luminance, Luminous Intensity, Sound Level, Cooking Volume, Angle, Specific Heat Capacity, Thermal Conductivity, Electric Conductance, Surface Tension, Amount of Substance, Permeability, Permittivity, Electric Field, Moment of Inertia, Molar Mass, Heat Flux Density, Entropy, Energy Density, Specific Energy, Electrical Resistivity, Linear Charge Density, Number, Magnetic Field Strength, Catalytic Activity, Absorbed Dose Rate, Radiation Exposure, Wavenumber, Spectral Power.

The number of units available shows at the bottom of the converter: **1344 units available**.

Categories with special rules

Most categories convert by a fixed factor. Three do not:

- **Temperature** converts through kelvin and handles offsets correctly. Units: kelvin (K), celsius (°C), fahrenheit (°F), rankine (°R), delisle (°De), newton (temp) (°N), réaumur (°Ré), rømer (°Rø).
- **Fuel Economy** handles units that run in opposite directions. Units: kilometer per liter (km/L), miles per gallon (US) (mpg), miles per gallon (UK) (mpg_uk), liters per 100 km (L/100km), miles per liter (mi/L), gallons per 100 miles (gal/100mi). A value of 0 in a per-distance unit converts to ∞ .
- **Sound Level** uses approximate relationships. Units: decibel (dB), bel (B), neper (Np), decibel (milliwatt) (dBm), decibel (watt) (dBW), sone (sone), phon (phon). See [Limits and accuracy](#).

How results are shown

- Whole-number results show with thousands separators, for example **1,000,000**.
- Very small (under 10^{-10}) or very large (over 10^{12}) results show in scientific notation with 8 decimal places.
- Other results show up to 12 significant digits.

Things to know

- Use a dot for decimals. The box reads a number from the start of what you type, so **1,5** is read as **1**.
- Scientific notation works in the **From** box: **1e3** is 1,000.
- Unit names appear as the converter lists them, with US spellings such as "meter" and "liter".

If the units do not load

If the unit list cannot be downloaded, you see **Units could not be loaded. Check your connection, then try again.** with a **Try again** button. Reconnect and select **Try again**.

Related

- [Reference](#) — every converter control
- [Limits and accuracy](#)
- [Troubleshooting](#)

WEBSITE > KITS > FEATURE KIT

Feature Kit reference

Every control, tab, field, option and message in the Feature Kit, with what it does and its default.

Every control in the Feature Kit, grouped by where it appears. Defaults are given where the kit sets one.

Launcher

Control	What it does	Default
Feature launcher (nine-dot icon)	Opens the kit on its menu; closes it when open (without Focus mode)	Closed
Ctrl + Shift + K	Same as the launcher, from anywhere on the page	—
Launcher tooltip	"Calculator, converter, graph tools, and feedback."	—

Title bar

Control	What it does	Values or range	Default
Back	Returns to the menu from a tool	Shown only inside a tool	—
Title	Shows Feature Kit or the open tool's name; drag it to move the kit	—	Bottom-left corner
Graph	Shows or hides the graph area	Calculator only; gold when on	Off
History	Shows or hides past calculations	Calculator only; gold when on	Off
Focus mode	Keeps the kit open across pages and other kits, and stops dimming the page	On or off; remembered	Off
Theme	Switches the kit between light and dark	Light or dark; remembered	Follows the site
Resize	Normal (560 px wide) or full size (up to 640 px wide, 900 px tall)	Remembered	Normal
Minimize	Shrinks the kit to a small round icon; select the icon to reopen at the menu	—	—
Close	Closes the kit, hides the graph and history, and turns Focus mode off	—	—

Menu

Card	Key	Opens
Scientific Calculator	1	Calculator
Unit Converter	2	Unit Converter
Feedback	3	Feedback
Notes	4	Notes
Date & Time	5	Date & Time

Card	Key	Opens
Developer Tools	6	Developer Tools

The hint line under the cards reads **1 – 6 Open · Ctrl ⬆ K Toggle** (⌘ on a Mac).

Calculator

Display and entry

Control	What it does	Default
Expression line	Shows the expression being entered	Empty
Result line	Shows the live result or an error; select it to copy the result	0
RAD / DEG	Angle unit for trigonometric functions and the graph; not remembered	RAD
Expression bar	Type a full expression and press Enter	Empty
fx	Shows or hides the function reference chips	Hidden
Variables strip	Chips for each defined variable and function, plus Clear	Hidden until something is defined
Basic, Scientific, Programmer tabs	Switch keypad; which tabs appear depends on the Advanced Kit mode	Basic (or Scientific in Advanced mode)

Memory row

Key	What it does
MC	Memory clear (to 0)
MR	Memory recall: adds the memory value to the expression
M+	Adds the result line's number to memory
M–	Subtracts the result line's number from memory

Basic keypad keys

C (clear), **(,)**, **÷**, **×**, **–**, **+**, **0** to **9**, **.**, **=**.

Scientific keypad keys

Key	Inserts
d/dx	diff(

Key	Inserts
$\int$	<code>integral(</code>
solve	<code>solve(</code>
Σ	<code>sum(</code>
Π	<code>product(</code>
nCr	<code>nCr(</code>
gcd, lcm	<code>gcd(, lcm(</code>
$\bar{x}$	<code>mean(</code>
σ	<code>stdev(</code>
sin, cos, tan	<code>sin(, cos(, tan(</code>
$\sin^{-1}, \cos^{-1}, \tan^{-1}$	<code>asin(, acos(, atan(</code>
π, e, φ	The constant
$\wedge$	Power
ln, log, log₂	<code>ln(, log(, log2(</code>
$\sqrt{}, \sqrt[3]{}$	<code>sqrt(, cbrt(</code>
exp	<code>exp(</code>
Absolute value key (a bar either side of x)	<code>abs(</code>
n!	Factorial sign
%	Remainder operator
$\boxtimes$	Deletes the last character
C	Clears the expression
Ans	The previous result
Digits, brackets, operators, $\cdot$, $=$	As labelled

Programmer keypad keys

Key	Inserts
AND	<code>&</code>
OR	The bitwise OR operator
XOR	<code>xor(</code>
NOT	<code>not(</code>
<<**, **>>	Bit shifts

Key	Inserts
0x, 0b	Hexadecimal and binary prefixes
A to F	Hexadecimal digits
	Deletes the last character
AC	Clears the expression
Digits, +, -, ×, ., =	As labelled

Function reference chips (fx)

Group	Chip	Inserts
Calculus	diff(x², at)	<code>diff(</code>
Calculus	diff2	<code>diff2(</code>
Calculus	∫ integral(f, a, b)	<code>integral(</code>
Calculus	solve(f, guess)	<code>solve(</code>
Calculus	Σ sum(f, n, 1, 99)	<code>sum(</code>
Calculus	Π product	<code>product(</code>
Statistics	mean, median, stdev, variance, geomean, rms	The function name and <code>(</code>
Numbers	gcd, lcm, isprime, nextprime, fib, nCr, nPr	The function name and <code>(</code>
Numbers	roundto(x, digits), nthroot(x, n), logb(x, base)	<code>roundto(</code> , <code>nthroot(</code> , <code>logb(</code>
Define	x = 5	<code>x =</code>
Define	f(x) = x²	<code>f(x) =</code>
Define	ans	<code>ans</code>
Constants	π, e, φ, τ	<code>pi</code> , <code>e</code> , <code>phi</code> , <code>tau</code>
Constants	c (light), G, g₀, NA, kB	<code>c</code> , <code>G</code> , <code>g0</code> , <code>NA</code> , <code>kB</code>

Graph area

Control	What it does	Default
y = box	Expression in <code>x</code> to plot; redraws as you type	<code>sin(x)</code>
Graph canvas	Drag to pan; scroll or pinch to zoom	Centred on the origin, 50 px per unit
Zoom in	Zooms in one step	—
Zoom out	Zooms out one step	—
Reset view	Returns to the starting view	—

Zoom range: 5 to 5,000 pixels per unit.

History area

Control	What it does
Entry	Loads that expression and result into the display
Bin icon on an entry	Delete — removes that calculation
Bin icon in the heading	Clear history — deletes every calculation, without confirmation

Up to 100 calculations are kept in your browser. Empty history reads **No calculations yet**.

Unit Converter

Control	What it does	Default
Search units...	Narrows the category pills to those with a matching unit name or symbol	Empty
Category pills	Choose one of 70 categories	Length
From value box	The number to convert (Enter value)	Empty
From unit list	The unit you have	First unit of the category
Swap button	Exchanges the From and To units	—
To result	The converted value; select it to copy	—
Result sentence	For example 37 celsius = 98.6 fahrenheit	—
To unit list	The unit you want	Second unit of the category
Unit count	1344 units available	—

Feedback

Control	What it does
Five faces	Terrible, Bad, Okay, Good, Amazing (rating 1 to 5)
Tell us more (optional)...	Comment box, shown after you choose a face
Submit	Sends quick feedback; disabled until you choose a face
Give Detailed Feedback	Starts the multi-question form
Not now	Leaves without sending
← Back, Skip, Next →	Move through the detailed form; Next → becomes Submit on the last question
Done	Returns to the menu after sending

Control	What it does
Try again or Check account	Retries a failed submission
Open form, Later	Buttons on the occasional feedback prompt

Notes

Control	What it does
Note tabs	Switch note; each is named after the note's first line
+ (New note)	Adds an empty note
Edit / Preview	Switch between editing and formatted preview
Copy	Copies the note's Markdown
Export	Downloads the note as a <code>.md</code> file
Delete	Deletes the note without confirmation (empties it if it is the only note)
Status line	Saving... , Saved · time, Copied or Copy failed

Date & Time

Tab	Controls
Calendar	Calendar picker, Time box, format rows with Copy (Full (culture) , Long date , ISO 8601 , Unix (s) , Day of year , ISO week , Weekday), Recent chips
Difference	From and To date fields; results Days , Weeks , Months (≈) , Years (≈) , Business days , Hours
Add / Subtract	Start date , Amount (default 30), Unit (days , weeks , months , years), Direction (after (+) , before (-))
Timezones	Live clocks for UTC, New York, Los Angeles, London, Berlin, Kolkata, Tokyo, Sydney

Calendar picker controls: < previous month, << previous year, >> next year, > next month, **Clear**, **Today**.

Developer Tools

Tab	Inputs	Buttons
JSON	JSON text	Format , Minify , Sort keys , → TypeScript , Stats , Escape , Copy
Base64	Text or Base64	Encode , URL-safe , Decode , → Hex , Copy
URL	URL or text	Parse , Encode , Decode , Copy
Hash	Text; HMAC key	Hash all , HMAC-SHA256 , Copy

Tab	Inputs	Buttons
UUID	Paste a UUID to inspect...	v4, v4 × 10, v7, v7 × 10, NIL, Copy
JWT	Token	Decode, Copy
Epoch	Seconds, milliseconds or a date	Convert, Now, Copy
Regex	Pattern, flags (default <code>g</code>), test string, replacement	Test, Copy
Cron	Five-field expression (default <code>* / 15 9 - 17 * * MON - FRI</code>)	Explain and four preset buttons
Text	Text	camelCase, PascalCase, snake_case, kebab-case, slug, Title Case, UPPER, lower, reverse, sort lines, dedupe lines, trim lines, Copy
HTML	HTML or text	Encode, Decode, Strip tags, Copy

Messages

Message	Where	Meaning
Copied!	Calculator, converter	The value is on your clipboard
Copy failed	Calculator, converter, notes, developer tools	The browser blocked clipboard access
Loading units — Preparing the converter.	Converter	The unit list is downloading
Units could not be loaded.	Converter	The download failed; select Try again
No matches	Converter search	No unit name or symbol contains your search
No calculations yet	History	The history is empty
Date & Time failed to load (or another tool's name)	Any tool card	The tool could not be downloaded; reload the page
Could not send yet	Feedback	See Feedback

Calculator error messages are listed in [Troubleshooting](#).

[WEBSITE](#) > [KITS](#) > [FEATURE KIT](#)

Feature Kit troubleshooting

Fixes for Feature Kit problems, and what every calculator error message means.

For problems shared by every kit, such as a missing launcher or a panel in the wrong place, see [Troubleshooting kits](#).

The page goes dark and I cannot click it

Why: With Focus mode off, the Feature Kit dims the page and keeps keyboard focus inside the kit.

What to do: Click the dimmed page to close the kit, or select **Focus mode** in the kit's title bar to keep it open without dimming.

The Feature launcher does not close the kit

Why: With Focus mode on, the launcher and **Ctrl** + **Shift** + **K** move focus into the kit instead of closing it.

What to do: Select **Close** in the title bar, or press **Esc** twice (once to leave a tool, once to close).

Typing numbers does nothing on the calculator

Why: Keyboard typing reaches the keypad only while the Scientific Calculator is open and the cursor is not in a text box. If the cursor is in the expression bar, the **y =** box or a page field, your keys go there instead.

What to do: Click an empty part of the calculator, or the display, then type. Or type into the expression bar and press **Enter**.

The Scientific or Programmer tab is missing

Why: The site's tool visibility mode is **Basic**, which shows only the **Basic** keypad. In **Advanced** mode, the **Basic** keypad is hidden instead.

What to do: Open the **Advanced Kit** and choose **Everything** to see all three tabs.

My variables and functions disappeared

Why: Variables, your own functions and the memory value last only while the page is open. Moving to another page or reloading clears them.

What to do: Keep definitions you reuse in **Notes** and paste them into the expression bar. Calculations themselves stay in the history.

The result of $2+3\times 2$ is 8, not 10

Why: After a result, typing an operator adds to the end of the previous expression rather than to the result, and multiplication comes before addition.

What to do: Start the next step with **Ans**: **Ans** $\times 2$.

% does not give a percentage

Why: % is the remainder operator: `10 % 3` is `1`.

What to do: Work out percentages with multiplication and division: `80*15/100`.

A derivative shows 12.0000000001 instead of 12

Why: `diff` and `diff2` estimate derivatives numerically. The last digits can carry tiny rounding noise.

What to do: Round the result with `roundto(diff(x^3, 2), 6)`. See [Limits and accuracy](#).

Calculator error messages

Message	Cause	Fix
Division by zero	You divided by 0	Change the divisor
Unknown variable: name	The name is not a variable or constant. Also happens for <code>sin 30</code> (read as <code>sin30</code>)	Define it with <code>name = value</code> , check the spelling and case, or add brackets: <code>sin(30)</code>
Unknown function: name	No built-in or defined function has that name	Check spelling and case, or define it: <code>name(x) = ...</code>
Unexpected token after expression	Two values sit next to each other with no operator, such as <code>2pi</code>	Add the operator: <code>2*pi</code>
Unexpected character: =	An <code>=</code> where it cannot go, such as <code>pi = 3</code>	Choose a name that is not a constant
Unexpected character: ...	A character the calculator does not understand	Remove it
Unexpected end of expression	The expression stops too early, for example <code>2+</code>	Finish the expression
Expected)	A bracket is not closed	Add the <code>)</code>
Invalid numeric literal	A malformed number, such as <code>2e</code> or <code>1.2.3</code>	Fix the number; write <code>2*e</code> for two times e
Invalid hexadecimal literal, Invalid binary literal	<code>0x</code> or <code>0b</code> with no digits after it	Add digits
<code>sin</code> expects 1 argument (and similar)	Wrong number of values in a function call	Check the function in Calculator functions
Cannot redefine <code>sin</code> (and similar)	You tried to define a function with a built-in name	Use another name
Recursion too deep	One of your functions calls itself without end	Rewrite the function

Message	Cause	Fix
Expression too complex	The expression needs too many steps, for example huge nested sums	Simplify it or use smaller ranges
solve: no convergence (try lo, hi bounds)	No root was found near your guess	Try another guess, or give a range: solve(expr, low, high)
sum: too many terms, product: too many terms	The range spans more than 1,000,000 steps	Use a smaller range
diff(expr, [var,] at) and similar	A calculus function has the wrong number of arguments	See Calculator functions
Unclosed diff(...) and similar	A calculus function's bracket is not closed	Add the)
Need more values	A sample statistic was given too few values	Give at least 2 values
Factorial of negative, fib of negative	A negative number where it is not allowed	Use zero or a positive number
nextprime: too large	The number is beyond the range the calculator can check	Use a smaller number
NaN	The answer is undefined, for example sqrt(-1) or 7 % 0	Check the inputs
∞	The answer is too large or infinite, for example 1e400 or fact(171)	See Limits and accuracy

The graph is empty

Why: The $y =$ expression has a mistake, uses something other than x as its variable, or is undefined across the visible range.

What to do: Test the expression in the expression bar first, with a value for x , for example $x = 2$ then your expression. Select the graph's reset button to return to the starting view.

The Unit Converter says "Units could not be loaded"

Why: The unit list is downloaded the first time you open the converter on a page, and the download failed.

What to do: Check your connection and select **Try again**.

A conversion shows a strange number

Why: The value box reads a number from the start of what you type. A comma is not a decimal separator, so 1,5 is read as 1.

What to do: Use a dot for decimals: **1.5**.

I cannot find a unit in the search results

Why: The search narrows the category pills; it does not pick the unit.

What to do: Select the category pill it shows, then choose the unit from the **From** or **To** list.

A note disappeared

Why: **Delete** removes a note immediately, without asking. Notes are also lost if you clear the site's data in your browser, and they do not move between browsers or devices.

What to do: There is no undo. Use **Export** regularly for notes you want to keep.

Copy does not work

Why: Your browser blocked clipboard access, which can happen outside a secure connection or with strict permissions.

What to do: Allow clipboard access for the site, or select the text and copy it with **Ctrl** + **C**.

A tool card shows "failed to load"

Why: Notes, Date & Time and Developer Tools download the first time you open them on a page. The download failed.

What to do: Check your connection and reload the page.

The feedback form keeps saying "Could not send yet"

See the message table in [Feedback](#). Your feedback is usually saved on your device and sent automatically once the connection is back.

[WEBSITE](#) > [KITS](#) > [FEATURE KIT](#)

Feature Kit FAQ

Short answers to common questions about the Feature Kit's calculator, converter, notes, date tools, developer tools and feedback.

Does the Feature Kit work offline?

Mostly. Once the kit and its tools have loaded on a page, the calculator, graph, notes, date tools and developer tools work without a connection. The Unit Converter needs a connection the first time you open it on a page, to download its unit list. Feedback waits on your device until you are back online.

Is my calculator history saved?

Yes. Your last 100 calculations are kept in your browser and appear in **History** on any page. Variables, functions you define and the memory value are not saved.

Can I plot more than one function at once?

No. The graph shows one expression at a time. Define functions in the expression bar and switch between them in the **y =** box.

Does the calculator handle complex numbers?

No. Results are real numbers. Expressions with no real answer, such as `sqrt(-1)`, show **NaN**.

Is % a percentage?

No. It is the remainder after division: `10 % 3` is `1`.

Can I solve an equation such as $x^2 = 5$?

Yes. Move everything to one side and use **solve**: `solve(x^2 - 5, 2)` returns `2.2360679775`.

Does the calculator give exact answers?

It gives decimal answers rounded to 14 significant digits, shown to 12. In the expression bar it also shows an exact fraction when one with a denominator up to 10,000 matches, such as `0.875 = 7/8`. Calculus results are numerical estimates. See [Limits and accuracy](#).

Why can I not see the Scientific keypad?

The site is in **Basic** mode. Choose **Everything** in the [Advanced Kit](#).

Are my notes private?

Notes are kept only in your browser for auricartisan.com. They are not sent anywhere and not linked to your account.

Can I move notes to another computer?

Export each note with **Export** and keep the `.md` files. There is no import button; paste the text into a new note on the other computer.

Is it safe to paste a token or secret into Developer Tools?

The Developer Tools run entirely in your browser and do not send or store what you paste. As with any web page, clear the box when you are done, and prefer test tokens over live ones.

Does the JWT tool check signatures?

No. It only decodes the header and payload and marks the signature "not verified — decoding only".

Why does the Business days figure differ from my calendar?

It counts Monday to Friday only and does not know about public holidays.

Who reads my feedback?

It is sent to the Auric Artisan team. See [Privacy](#) for what is included.

How do I stop feedback prompts?

Select **Later** on a prompt or **Not now** on the form. Prompts appear at most twice per visit and once an hour, and less often after you have dismissed several. They only appear inside the Feature Kit's menu, never over the page.

WEBSITE > KITS > FEATURE KIT

Feature Kit reference material

Contents of the Feature Kit reference pages: glossary, shortcuts, limits, related pages, release notes and privacy.

This folder holds the supporting pages for the Feature Kit: definitions of the terms the guides use, every keyboard shortcut, the numeric limits and approximations of each tool, related pages, the kit's public history and what it keeps or sends.

File	What it covers
glossary.md	Terms used in the Feature Kit guides
shortcuts.md	Every key the Feature Kit responds to
limits-and-accuracy.md	Precision, ranges and approximations
related.md	Related tools, kits and pages
release-notes.md	User-facing history of the Feature Kit
privacy.md	What stays in your browser and what is sent

WEBSITE > KITS > FEATURE KIT

Feature Kit shortcuts

Every keyboard shortcut the Feature Kit responds to, from opening the kit to typing on the calculator keypad.

The kit's menu shows ⌘ instead of **Ctrl** on a Mac. Where a shortcut below uses **Ctrl**, use **Cmd** on a Mac.

Open, close and move around

Shortcut	Where	What it does
Ctrl + Shift + K	Anywhere	Opens or closes the kit. With Focus mode on, moves focus into the open kit instead of closing it
Esc	Kit open	In a tool, returns to the menu. On the menu, closes the kit
1 to 6	Menu	Opens Scientific Calculator, Unit Converter, Feedback, Notes, Date & Time, Developer Tools
Ctrl + 1 to Ctrl + 6	Focus inside the kit	Switches straight to that tool, even from inside another tool or a text box
Arrow keys, Home , End	Menu	Move between the six cards
Enter or Space	A focused card	Opens that tool

Shortcut	Where	What it does
Left arrow, Right arrow, Home, End	A focused title-bar button	Move between the title-bar buttons
Tab, Shift + Tab	Kit open, Focus mode off	Move between the kit's controls; focus stays inside the kit
Enter or Space	Minimised kit icon	Reopens the kit

Browsers commonly use **Ctrl** + a number to switch browser tabs and may act on it before the Feature Kit does. If that happens, use the plain number keys on the menu instead.

Calculator keypad

These work while the Scientific Calculator is open and the cursor is not in a text box.

Key	Action
0 to 9	Digit
+	Add
-	Subtract
*	Multiply
/	Divide
.	Decimal point
(and)	Brackets
^	Power
%	Remainder
!	Factorial
Enter or =	Work out the expression
Backspace	Delete the last character
Delete	Clear the expression

Calculator text boxes

Key	Where	Action
Enter	Expression bar	Works out the expression
Enter or Space	A focused history entry	Loads it into the display

Unit Converter

Key	Action
/	Puts the cursor in Search units... (when the cursor is not in a text box)

Developer Tools

Key	Where	Action
Enter	Epoch input	Converts the value
Enter	Cron input	Explains the expression

See also [Kit keyboard shortcuts](#) for the other kits.

WEBSITE > KITS > FEATURE KIT

Feature Kit glossary

Terms used in the Feature Kit guides, from **ans** and derivative to **UUID** and **cron**.

ans — The result of your last calculation. Type **ans** or select **Ans** to reuse it.

Expression — A calculation written as text, such as **2*(3+4)**.

Expression bar — The calculator's text box for full expressions, variables, functions and calculus.

Variable — A name that holds a value, set with **name = value**, such as **r = 4**.

User-defined function — A function you create with **name(x) = expression**, such as **f(x) = x^2 + 1**.

Constant — A fixed named value, such as **pi**, **e** or the speed of light **c**.

Radians (RAD) and degrees (DEG) — Two units for angles. A full turn is 2π radians or 360 degrees.

Remainder (modulo) — What is left after whole division. **10 % 3** is **1**.

Factorial — The product of all whole numbers from 1 to n, written **n!**. **5!** is **120**.

Gamma function — An extension of the factorial to non-whole numbers. **gamma(n)** equals **(n-1)!** for whole numbers.

Derivative — The rate of change, or slope, of an expression at a point. **diff** estimates it.

Second derivative — The rate of change of the slope. **diff2** estimates it.

Integral — The signed area under a curve between two points. **integral** estimates it.

Root — A value where an expression equals zero. **solve** finds one.

Numerical method — A way of computing an answer by repeated approximation rather than by exact algebra. The calculator's calculus functions use numerical methods.

Sample and population standard deviation — Measures of spread. Sample (`stdev`) divides by one less than the number of values; population (`stdevp`) divides by the number of values.

Geometric mean — The n th root of the product of n values.

Root mean square (RMS) — The square root of the mean of the squared values.

Greatest common divisor (GCD) — The largest whole number that divides all the given numbers.

Least common multiple (LCM) — The smallest whole number that all the given numbers divide.

Prime — A whole number above 1 divisible only by 1 and itself.

Fibonacci number — A number in the sequence 0, 1, 1, 2, 3, 5, 8, where each is the sum of the two before.

Hexadecimal and binary — Base-16 (digits 0–9 and A–F, written with `0x`) and base-2 (digits 0 and 1, written with `0b`).

Bitwise operation — An operation that works on each binary digit of a number separately, such as AND, OR, XOR and NOT.

Metric prefix — A word or letter before a unit that multiplies it by a power of ten, such as kilo (k, 1,000) or micro (μ , one millionth).

Markdown — A plain-text way to write formatting, such as `**bold**` or `# Heading` .

ISO 8601 — The international date format `YYYY-MM-DD` , with an optional time after a `T` .

Unix timestamp (epoch) — The number of seconds, or milliseconds, since 1 January 1970 UTC.

ISO week — A week number from 1 to 53, where weeks start on Monday and week 1 contains the year's first Thursday.

Business day — Monday to Friday. The Feature Kit does not account for public holidays.

UTC — Coordinated Universal Time, the time standard the world's time zones are defined against.

JSON — A text format for structured data.

Base64 — A way of writing any data using 64 safe text characters.

Hash — A fixed-length fingerprint of some text. The same text always gives the same hash.

HMAC — A hash that also depends on a secret key, used to check that data came from someone who knows the key.

CRC32 — A short checksum for spotting accidental changes. Not for security.

UUID — A 128-bit identifier. Version 4 is random; version 7 starts with a timestamp so values sort by creation time.

JWT (JSON Web Token) — A signed token in three parts: header, payload and signature.

Regular expression (regex) — A pattern that describes text to find.

Cron expression — Five fields (minute, hour, day of month, month, day of week) that describe a repeating schedule.

Slug — A lower-case, hyphen-separated version of text suitable for a web address.

HTML entity — A code such as `&` that stands for a character with special meaning in HTML.

Focus mode — The Feature Kit setting that keeps the kit open across pages and stops it dimming the page.

WEBSITE > KITS > FEATURE KIT

Limits and accuracy

How precise the Feature Kit's calculator, graph, converter and date tools are, the ranges they handle, and where they approximate.

The Feature Kit is a quick-use toolbox. Its results are good for everyday design, development and study work. They are not certified for engineering, medical, legal or financial use.

Calculator precision

- The calculator uses the browser's standard double-precision numbers, which hold about 15 to 17 significant digits.
- Every result is rounded to 14 significant digits to hide floating-point artefacts, so `0.1+0.2` shows `0.3`.
- Results are displayed with up to 12 significant digits. Whole numbers under 10^{15} are shown in full.
- Results smaller than 10^{-10} or larger than 10^{15} are shown in scientific notation.
- Numbers beyond about 1.8×10^{308} become `∞`.
- There are no complex numbers; operations with no real answer give `NaN`.

Exact fractions

The fraction hint in the expression bar (such as `0.875 = 7/8`) is found by searching for a fraction with a denominator up to 10,000 that matches the result to within about one part in 10^{11} . A shown fraction is exact for that decimal; no fraction is shown when none fits. The hint does not appear for keypad results.

Calculus

All calculus functions are numerical estimates, not symbolic algebra.

Function	Method	What to expect
<code>diff</code>	Five-point difference with a step scaled to the point	Very close, but the last displayed digits can show rounding noise, for example <code>diff(x^3, 2)</code> shows <code>12.0000000001</code>
<code>diff2</code>	Three-point second difference	Fewer correct digits, for example <code>diff2(x^3, 2)</code> shows <code>12.0000029666</code>
<code>integral</code>	Adaptive Simpson's rule, refining up to 22 levels	Very accurate for smooth functions; less reliable across spikes, jumps or infinities inside the range
<code>solve</code> with a guess	Newton's method, up to 100 steps	Finds the root nearest the guess, if any; can miss roots or jump to another one
<code>solve</code> with a range	Repeated halving, up to 200 steps	Reliable when the expression changes sign in the range; otherwise falls back to a guess at the midpoint
<code>sum</code> , <code>product</code>	Direct addition or multiplication	Exact up to floating-point rounding; at most 1,000,000 terms

Results within 10^{-10} of a whole number are snapped to that whole number by `solve`.

Other calculator ranges

Function	Limit
<code>n!</code> , <code>fact(n)</code>	Above 170 the result is ∞
<code>fib(n)</code>	Above 1,476 the result is ∞
<code>nextprime(n)</code>	Up to 9×10^{15}
<code>isprime(n)</code>	Checks by trial division; very large numbers take longer
Bitwise operations	Work on 32-bit whole numbers
<code>stdev</code> , <code>variance</code>	Need at least 2 values
Your own functions	Up to 128 nested calls
Any expression	Stops with <code>Expression too complex</code> after about 5 million steps
<code>rand</code> , <code>randint</code>	Use the browser's general-purpose random numbers, not suitable for security

Graph

- The graph samples the expression once per horizontal pixel, so very fast oscillations can look jagged or be missed.
- Points where the expression is undefined or infinite are left as gaps.
- Zoom ranges from 5 to 5,000 pixels per unit.

Unit Converter

- Most categories convert through a base unit with a fixed factor per unit; results are rounded for display to 12 significant digits.
- **Temperature** uses exact formulas through kelvin.
- **Fuel Economy** uses fixed factors (for example 1 US mpg = 0.425144 km/L) and handles the inverse units, such as litres per 100 km.
- **Sound Level** uses approximations: decibels (dB), decibel-milliwatts (dBm) and phons are treated as equal, and sones use the rule that 40 phons is 1 sone and every 10 phons doubles loudness. Treat these as rough equivalents, not physical conversions.
- Metric prefixes from yocto (10^{-24}) to yotta (10^{24}) are generated for units that take them.

Date & Time

- Dates and times use your device's clock and time zone.
- **Months (≈)** and **Years (≈)** are averages (30.437 and 365.25 days), not calendar months or years.
- **Business days** counts Monday to Friday and ignores public holidays.
- **Hours** in the Difference tab is days $\times$ 24; it ignores the time of day and daylight-saving changes.
- **Unix (s)** in the Calendar tab uses the date and time you set, in your local time zone.
- World clocks rely on your browser's time zone data.

Developer Tools

- Hashes and HMAC use your browser's built-in cryptography and match standard implementations.
- JWT decoding does not verify signatures.
- The cron explanation reads standard five-field cron only (no seconds or year field, and no **L**, **W** or **#** extensions). Next runs are in your local time zone.
- The regular expression tool lists the first 200 matches and stops after 10,000.
- The Epoch tool reads 1 to 10 digits as seconds and exactly 13 digits as milliseconds; 11- or 12-digit numbers are read as dates, which usually fails.

WEBSITE > KITS > FEATURE KIT

Feature Kit privacy

What the Feature Kit keeps in your browser, what it sends, and how to remove it.

The Feature Kit runs in your browser. Apart from feedback you choose to send and the unit list it downloads, nothing leaves your device.

Kept in your browser

What	Details	How to remove it
Calculator history	Your last 100 calculations: the expression, the result and the time	History > bin icon in the heading
Notes	Every note's text, title and last-saved time	Delete on each note
Recent dates	The last 8 dates you picked in the Calendar tab	Clear the site's data in your browser
Kit preferences	Position, expanded size, Focus mode, the tool that was open while Focus mode was on, and the kit theme	Clear the site's data
Feedback	Each submission, kept so it can be retried until delivered, along with when you were last prompted and how often you dismissed prompts	Clear the site's data

Not kept

- Calculator variables, functions you define and the memory value (cleared when you leave or reload the page).
- The angle setting (**RAD** or **DEG**) and the graph's **y =** expression.
- Anything you type into the Unit Converter or the Developer Tools.
- Text in the feedback form until you send it.

Sent over the network

When	What is sent or fetched
You open the Unit Converter for the first time on a page	The kit downloads the unit list from auricartisan.com. Nothing about you is sent
You submit feedback	Your rating (1 to 5), your comment or answers, the path of the page you were on (for example <code>/tool/analyzer/</code>), and which tool you used last in the kit. If you are signed in, the feedback is linked to your account

The Developer Tools never send what you paste. Hashes, HMAC signatures and UUIDs are computed by your browser.

Feedback delivery

Feedback is saved on your device first and then sent. If sending fails, it stays on your device and is retried automatically, for example when your connection comes back. Feedback written while signed in to one account is only sent while that same account is signed in.

Related

- [Privacy for all kits](#)
- The site's privacy policy: <https://auricartisan.com/legal/privacy/>

WEBSITE > KITS > FEATURE KIT

Feature Kit release notes

What the public changelog records about the Feature Kit, and what the kit contains as of September 2026.

The website's public release history is at <https://auricartisan.com/library/changelog/> and <https://auricartisan.com/company/timeline/>. It records site releases as a whole and does not list the Feature Kit by name. This page lists the entries that concern the kits, and describes the Feature Kit as it is today.

Recorded releases

Release	Date	What the public history says
v0.9.75	19 April 2026	A broad stability pass that included fixes to converter flows and to the kit interfaces
v0.9.9	5 June 2026	Interface and consistency improvements across the site, including shortcut updates

The Feature Kit as of 24 September 2026

- Six tools behind one menu: Scientific Calculator, Unit Converter, Feedback, Notes, Date & Time and Developer Tools.
- A calculator with Basic, Scientific and Programmer keypads, an expression bar with variables, user-defined functions, statistics, number theory, physical constants and numerical calculus (`diff`, `diff2`, `integral`, `solve`, `sum`, `product`), exact-fraction hints, a function reference panel, a graph and a 100-entry history.
- A Unit Converter with 70 categories and 1,344 units.
- Notes with several Markdown notes, preview, copy and `.md` export.
- Date & Time with Calendar, Difference, Add / Subtract and Timezones tabs.
- Developer Tools with JSON, Base64, URL, Hash, UUID, JWT, Epoch, Regex, Cron, Text and HTML tabs.
- Quick and detailed feedback that is kept on your device until it has been delivered.
- Shared kit controls: Focus mode, per-kit theme, Resize, Minimize and Close, and a labelled **Feature** launcher in the page utilities bar.

Changes not recorded in the public history are not listed here.

WEBSITE > KITS > FEATURE KIT

Related to the Feature Kit

Kits, tools and pages related to the Feature Kit.

Other kits

- **Advanced Kit** — its mode decides which calculator keypads you see.
 - **Library Kit** — for palettes, gradients and reports you save from the site's tools. (Feature Kit notes and calculations are not saved there.)
 - **Menu Kit** — jump to any tool on the site.
 - **All kits** and **Panel controls**.
-

Tools with related features

- **Basic Colour Tools** — colour format conversion, which the Unit Converter does not cover.
 - **Colour Science Lab** — colour maths such as colour-space conversion and colour difference.
 - **Design Engine** — spacing, type and colour tokens, if you are converting units for a design system.
-

Site features

- The site-wide search (**Ctrl** + **K**), settings (**Ctrl** + **,**) and the site-wide feedback prompt: **Site features**.
-

Help

- **Help** — contact and support.

WEBSITE > KITS > LIBRARY KIT

Library Kit

The Universal Library as a floating panel: browse, search, restore, organise, compare, share, export and sync everything you save from the site's tools.

The Library Kit is where everything you save from Auric Artisan's tools lives. When you select **Save to Library** in a tool, the palette, gradient, type scale, preset, plate, report or image lands in your library, and the Library Kit shows it as a tile you can find, reopen and reuse from any page.

The kit is a floating panel, so you can open it without leaving what you are doing. Select a tile to restore that item into the tool that made it, or open it in another tool that can use it. Organise items with favourites, collections and the archive; compare two versions side by side with colour-difference figures; share an item as a link; export it, or the whole library, as files; and generate reports in seven formats.

Your library is stored in your browser on this device. It is not uploaded to your account. You can export it as a single file, import it elsewhere, and optionally push it to web addresses you control.

Who it is for

- Anyone who saves work from the site's tools and wants to find it again.
- Designers who iterate on palettes and gradients and want to compare versions.
- Teams that want to share a palette or gradient as a link, or back up and move a library between browsers.
- Developers who want their library pushed to their own systems as JSON, NDJSON, CSV or reports.

Where to find it

- On any page of <https://auricartisan.com>, select **Page utilities** in the bottom-left corner, then **Library**.
- Select the **Library** button in the site header.
- Press **Ctrl + Shift + L** (**Cmd + Shift + L** on a Mac).
- Add **#library** to any page address, or **#library=favorites**, **#library=recent**, **#library=projects**, **#library=collections**, **#library=archive**, **#library=compare** or **#library=settings** to open a particular tab.
- Visit <https://auricartisan.com/library/workspace/>, which opens the panel.

Quick start

1. Open a tool, for example Basic Color Tools, make a palette and select **Save to Library**. Give it a name and select **Save to Library** in the dialog.
2. Press **Ctrl + Shift + L**. The Library Kit opens on the **All** tab with your palette as a tile.
3. Type part of its name in **Search your library...** to find it.
4. Right-click the tile to see everything you can do with it.
5. Select **Favourite** from that menu. A star appears on the tile and it joins the **Favorites** tab.

6. Select the tile. The palette opens again in the tool that made it.
7. Back in the Library Kit, select **Export** in the footer to download a backup of your whole library.

What you can do

- Browse by tab: All, Recent, Favorites, Projects, Collections, Archive, and one tab per type of item you have saved.
- Search, sort, group by project or type, switch between grid and list, and change density.
- Restore an item into its tool, or open it in another tool that accepts it.
- Rename, describe, tag, favourite, duplicate, collect, archive and delete items, one at a time or in bulk.
- Compare two items: palettes with ΔE_{2000} colour differences and contrast, images side by side, with a wipe or a difference heatmap, settings field by field, audits by score.
- Share an item as a self-contained link.
- Download an item as JSON, NDJSON, CSV, XML, HTML, Markdown, text, PNG or SVG.
- Export and import the whole library as a JSON file, including by drag and drop.
- Generate library reports in seven formats.
- Push your library automatically to web addresses you configure.
- Run any action from a command palette (type ) or a right-click menu.

In this folder

- [docs/](#) — guides
 - [Getting started](#) — open the kit and tour its screen
 - [Browse and find](#) — tabs, search, sort, group, view and filters
 - [Organise your library](#) — favourites, collections, projects, archive, multi-select
 - [Restore and reuse](#) — reopen items, open them in other tools, item details and downloads
 - [Compare items](#) — see what changed between two items
 - [Share, export and import](#) — links, files and backups
 - [Settings, sync and reports](#) — the Settings tab
 - [Commands and right-click menus](#) — the fastest ways to act
 - [Reference](#) — every control and message
 - [Troubleshooting](#) — problems and fixes
 - [FAQ](#) — common questions
- [others/](#) — reference material
 - [Glossary](#) — terms used in the Library Kit
 - [Shortcuts](#) — every Library Kit key
 - [Limits and accuracy](#) — storage, sharing and comparison limits
 - [Related](#) — related tools, kits and pages
 - [Release notes](#) — user-facing history

- **Privacy** — where your library is kept and what can leave your device

For the controls every kit shares, see **Panel controls**.

[WEBSITE](#) > [KITS](#) > [LIBRARY KIT](#)

Library Kit guides

Contents of the Library Kit guides, from browsing and organising to comparing, sharing, syncing and reports.

These guides cover everything you can do with your saved work in the Library Kit. Start with [Getting started](#), then pick the task you need.

File	What it covers
getting-started.md	Save your first item, open the kit and learn its screen
browse-and-find.md	Tabs, search, sort, grouping, grid and list views, filters
organise-your-library.md	Favourites, renaming, collections, projects, archive, delete and multi-select
restore-and-reuse.md	Restore items into tools, open them in other tools, the details dialog and downloads
compare-items.md	Compare palettes, images, settings and audits
share-export-and-import.md	Share links, per-item files, library backups and imports
settings-sync-and-reports.md	Preferences, reporting, sync destinations, reports and storage
commands-and-right-click-menus.md	The > command palette and the right-click menus
reference.md	Every control and message
troubleshooting.md	Problems and how to fix them
faq.md	Short answers to common questions

Shared controls such as moving, Focus mode and theme are explained in [Panel controls](#).

[WEBSITE](#) > [KITS](#) > [LIBRARY KIT](#)

Getting started with the Library Kit

Save your first item from a tool, open the Library Kit, and learn the parts of its screen.

Save something first

Items reach your library from the tools:

1. Open a tool, make something (a palette, a gradient, a plate, a report) and select **Save to Library**.
2. In the dialog, type a name (the box says **Name your save**), and optionally a description, a collection (or **+ New collection...**) and tags separated by commas.
3. Select **Save to Library**, or press **Ctrl** + **Enter** (**Cmd** + **Enter** on a Mac).

The item is saved in your browser and appears in the Library Kit straight away, even if the kit is already open.

Open the kit

Use any of:

- **Page utilities > Library;**
- the **Library** button in the site header ("Open your saved palettes, gradients, presets and exports.");
- **Ctrl + Shift + L;**
- a page address ending in **#library**;
- <https://auricartisan.com/library/workspace/>. That page shows **Opening your library...** and opens the panel. If it cannot, it shows an **Open library panel** button and the hint "Or press Ctrl Shift L anywhere on the site."

The kit opens with the cursor in the search box. When you close it, keyboard focus returns to where it was before.

The screen, top to bottom

1. **Title bar.** A six-dot grip (drag it, or use the arrow keys, to move the panel), the title **Your Library**, an item count such as **12 items**, the **Panel options** button and **Close**.
2. **Tabs.** **All, Recent, Favorites, Projects, Collections, Archive, Compare, Settings**, then one tab per type of item you have saved, such as **Palette** or **Gradient**. Each tab except Compare and Settings shows a count. The row scrolls sideways.
3. **Search.** Labelled **Search library** with the hint "type > for commands"; the box reads **Search your library... (> for commands)**.
4. **Toolbar.** A count such as **12 items in All**, a **Sort** list, and three buttons: **Group, View** and **Select**.
5. **Filter chips.** Shown when a collection, tool or tag filter is active.
6. **Body.** Your items as tiles, in a grid or a list.
7. **Bulk bar.** Shown while multi-select is on.
8. **Footer.** **New project, Import, Export**, the storage used (such as **84 KB**), **Settings** and **Keys**.

A tile

Each tile shows:

- a preview: the image, the gradient, up to eight colour swatches, a text sample, or a coloured plate with the item's initials when there is nothing to draw;
- a star if it is a favourite;
- the item's name;
- its type (such as **Palette**), the tool it came from, and when it was last changed (such as **3m ago, 2h ago, 5d ago**, or a date for anything older than a week).

Hovering over a tile shows small action buttons: **Favourite**, **Open details**, **Share** and **Delete** (in list view also **Duplicate** and **Export JSON**). Right-click a tile for every action.

Your first actions

1. Select a tile to reopen the item in its tool. See [Restore and reuse](#).
2. Right-click a tile and choose **Rename...** to give it a better name.
3. Select **Recent** to see what you changed in the last seven days.
4. Select **Keys** in the footer to see the keyboard shortcuts.

Panel options

The **Panel options** button (two sliders) opens a small menu with:

Option	Description shown
Keep open	Stay visible while opening other kits
Theme	Switch this panel between light and dark
Panel size	Toggle the wider workspace view
Minimize	Collapse the library to its title bar
Reset position	Return the panel to its default corner

These are the shared kit controls; see [Panel controls](#).

Close the kit

Press **Esc** (the first press clears the search if it has text), select **Close**, or select the **Library** launcher again.

Next steps

- [Browse and find](#)
- [Organise your library](#)
- [Restore and reuse](#)

[WEBSITE](#) > [KITS](#) > [LIBRARY KIT](#)

Browse and find items

Find saved items in the Library Kit with tabs, search, sorting, grouping, grid or list view, density and filters.

Tabs

Tab	Shows	Count
All	Every item that is not archived	Yes
Recent	Items changed in the last 7 days	Yes
Favorites	Items you starred	Yes
Projects	Items of the Project type	Yes
Collections	Your collections, as folders	Number of collections
Archive	Items you archived	Yes
Compare	The comparison workspace; see Compare items	No
Settings	Library settings; see Settings, sync and reports	No
One tab per type	Items of that type, such as Palette , Gradient , Plate , Analysis	Yes

Type tabs appear only for types you have saved. Possible types include Color, Palette, Shade, Gradient, Typography, Component, Template, Preset, Effect, Image, LUT, Plate, ASCII, Simulation, Spectral, Export and Analysis; tools can add their own, such as design systems.

The kit remembers the last tab you used.

Search

Type in **Search your library....** After a short pause the view shows only items whose name, description, tool name, type or tags contain your text. Search works within the current tab.

- Select the cross in the box, or press **Esc**, to clear the search. A second **Esc** closes the kit.
- Press **Down arrow** in the box to jump to the first tile.
- Start with **>** to search commands instead of items; see [Commands and right-click menus](#).

If nothing matches, you see **Nothing matched** with a **Clear search** button.

Sort

Choose from the **Sort** list:

Option	Order
Newest	Most recently changed first (the default)
Oldest	Earliest created first
Name A–Z	Alphabetical

Option	Order
Name Z–A	Reverse alphabetical
Type	Grouped alphabetically by type

Your choice is remembered.

Group

The **Group** button cycles through three settings. Its tooltip tells you which is on:

1. **By project** (the default) — items under a heading for the collection they belong to. Items in no collection come last under **Unfiled**. "Grouped by project — press for type".
2. **By type** — items under a heading per type, such as **Palette**. "Grouped by type — press for none".
3. **None** — one list. "Not grouped — press for project".

Headings show a count and can be collapsed; the kit remembers which you collapsed. Grouping applies in grid view only. A single group that says nothing new is not given a heading.

Grid or list

Select **View** to switch between a grid of tiles and a list of rows. List rows are wider and show two extra actions: **Duplicate** and **Export JSON**. The choice is remembered.

Density

Type  in the search box and choose **Compact density** to fit more items on screen, or **Comfortable density** to go back. The choice is remembered.

Filter by collection, tool or tag

- **Collection:** on the **Collections** tab, select a collection. The **All** tab opens filtered to it, with a chip **Collection:** and its name.
- **Tool:** type  and choose **Filter:** followed by a tool name. The command palette offers up to eight tools you have saved from, with counts.
- **Tag:** type  and choose **Filter: #** followed by a tag. Up to eight of your most-used tags are offered.

Active filters appear as chips under the toolbar. Select a chip to remove that filter, or **Clear all** to remove every filter and return to **All**.

Move with the keyboard

- **Down arrow** from the search box moves to the first tile.
- Arrow keys move between tiles: left and right by one, up and down by a row.
- **Home** and **End** jump to the first and last tile. Moving up from the first row returns to the search box.
- **Enter** or **Space** restores the focused item (or selects it in multi-select mode); **Delete** asks to delete it.

The item count

The count in the title bar (such as **12 items**) is the number of items that are not archived. The same number shows as a small badge on the **Library** launcher, up to **99+**.

Related

- [Organise your library](#)
- [Reference](#)

WEBSITE > KITS > LIBRARY KIT

Commands and right-click menus

Run any Library Kit action from the > command palette or from the right-click menus for items and for the panel.

Two shortcuts put every Library Kit action within reach: a command palette in the search box, and right-click menus.

The command palette

1. Select the search box.
2. Type **>**. The tiles are replaced by a list of commands, each with a short hint.
3. Type more to narrow the list, for example **> export**. Commands match on their name or hint.
4. Press **Up arrow** or **Down arrow** to move the highlight, and **Enter** to run the command, or select it with the pointer.

The search box clears when a command runs. If nothing matches you see **No matching command** — "Type part of a command name, or clear the > to search items instead."

Commands

Command	Hint shown
New project	Bundle several saved items into one project

Command	Hint shown
New collection	Group saved items into a folder
Import library file	Merge a previously exported .json
Export library snapshot	Download everything as a single .json
Sync now	Push to every configured destination
Library settings	Storage, sync, defaults and data controls
Compare items	Open two saved items side by side
Switch to list view or Switch to grid view	Change how items are laid out
Group by type or Stop grouping by type	Collapsible sections per asset type
Compact density or Comfortable density	Fit more items on screen
Multi-select items or Leave multi-select	Act on several items at once
Show archived items or Hide archived items	Include archived items in normal views
Empty the archive	Permanently delete every archived item
Show favorites	Jump to the starred items
Show archive	Items you archived rather than deleted
Browse collections	Folders that group saved items
Keyboard shortcuts	Every key the panel understands
Clear filters	Back to every item, unfiltered
Filter: and a tool name	The number of items saved from that tool (up to 8 tools)
Filter: # and a tag	The number of items with that tag (up to 8 tags)

Notes:

- **New project** creates an empty project item; see [Organise your library](#).
- **Show archived items** changes the library preference; in the Library Kit, archived items remain on the **Archive** tab.
- **Group by type** moves grouping to the next setting in the Group button's cycle.

Right-click an item

Right-click a tile. The menu is headed with the item's name, a strip of its colours if it has any, and a line with its type, tool and age.

Group	Entries
Open	Restore into its tool (Enter), Open details , up to three Open in [tool] entries, Compare with...

Group	Entries
Organise	Favourite or Remove favourite , Rename... , Add to collection... , Duplicate , Archive or Restore from archive
Share & export	Copy N colours (for items with colours), Copy item name , Share a link... , Export JSON
(below a line)	Select this item , Delete (Del)

When several items are selected and you right-click one of them, the menu is headed **N selected** and offers **Favourite all**, **Archive all**, **Add all to collection...**, **Export all** and **Delete all**.

Right-click the panel

Right-click empty space in the panel. The menu is headed **Library** with a line such as "12 items · 3 favourite · 2 collections".

Group	Entries
Create	New project , New collection , Import , Export all
View	Switch to list or Switch to grid , Multi-select items or Leave multi-select , Show archived or Hide archived , Clear search & filters (disabled when nothing is filtered)
Library	Sync now , Compare items... , Settings , sync & reports , Empty the archive (disabled when the archive is empty)

How the menus behave

- Right-clicking inside a text box (such as the search box) shows your browser's normal menu, so copy and paste still work.
- The menu closes when you choose an entry, click elsewhere, press **Esc**, scroll or resize the window. **Esc** closes only the menu, not the panel.
- The menu follows the panel's light or dark theme.

Keyboard shortcuts sheet

Select **Keys** in the footer, or run the **Keyboard shortcuts** command, to see:

Keys	Action
Ctrl / ⌘ + Shift + L	Open or close the library
Esc	Clear the search, then close
↑ ↓ ← →	Move between items
Enter	Restore the item into its tool

Keys	Action
Delete	Delete the focused item
Ctrl / ⌘ + A	Select all (in multi-select)
Right-click	Full actions for an item or the panel
> ...	Run a library command

Close the sheet with its close button, **Esc**, or a click outside it.

Related

- [Organise your library](#)
- [Library Kit shortcuts](#)

[WEBSITE](#) > [KITS](#) > [LIBRARY KIT](#)

Compare two items

Compare two saved items in the Library Kit: palettes by colour difference and contrast, images side by side or as a heatmap, settings field by field, and audits by score.

The **Compare** tab puts two saved items side by side and shows exactly what changed between them. What you see depends on the kind of items you compare.

Open a comparison

Any of these opens the **Compare** tab:

- Select the **Compare** tab.
- Right-click a tile and choose **Compare with....** That item becomes **Before**.
- In multi-select, select two items, then type **>** and choose **Compare items**. The first becomes **Before** and the second **After**.
- Right-click empty space in the panel and choose **Compare items...**

The workspace is headed **Comparison workspace — Compare saved assets**, with the line "Choose a before and after asset to inspect exactly what changed."

Choose the two items

1. In **Before**, choose an item from the list (**— Choose an asset —** means none). Each entry shows a short type label in brackets and the name, newest first. Archived items are included.
2. In **After**, choose the second item.
3. Select **Swap sides** to exchange them.

Under the pickers, each side shows its type, tool, name, description and **Updated** date. Until both are chosen, the comparison area reads **Pick assets on both sides to see the diff.**

Palettes

When both items are palettes, or both carry colours, you see:

Summary figures

Figure	Meaning
Swatches	Number of colours before → after, and the change
Avg ΔE_{2000}	Average colour difference between matched colours, with a verbal rating
Max ΔE	The largest difference between matched colours
Shifted	How many matched colours differ by 2 or more, and how many by 10 or more (distinct)

ΔE_{2000} is a standard measure of how different two colours look; about 1 is the smallest difference most people notice. The verbal ratings are:

ΔE_{2000}	Rating
Under 1	Imperceptible
1 to under 2	Very close
2 to under 5	Close
5 to under 10	Noticeable
10 to under 20	Distinct
20 or more	Far

Colour-by-colour table. Each row pairs a **Left** colour with its closest **Right** colour and shows the **ΔE_{2000}** and the **Shift**: how the lightness and hue moved.

Unmatched colours. Colours present on only one side are listed as **Removed (only in left)** and **Added (only in right)**.

Weakest contrast pair. For each palette, the two colours with the lowest contrast ratio between them, shown as swatches and a ratio such as **1.42:1**, labelled **Left palette** and **Right palette**, plus the change (**Δ worst-pair ratio**). A higher ratio means the weakest pair is easier to tell apart.

A gradient compared with a palette or another coloured item is treated the same way. If neither side has colours, you see **Neither asset has any colors to compare.**

Images and plates

When both items are images or plates, choose a view mode:

Mode	What it shows
Side	Before and After next to each other
Wipe	The two images stacked, with a slider that reveals more of one or the other
ΔE heatmap	A map of where the images differ: differences under 2 show as a faint blue, 2 to 10 as yellow, and over 10 as pink ("Pink = where colors differ most ($\Delta E > 10$)."). A line reports the number of pixels compared and the average and maximum ΔE

The heatmap works on copies scaled down to at most 800 pixels on each side. If the images are different sizes, the heatmap compares the overlapping top-left area and says so. If one side has no image, it shows **No image**; if neither does, you see **Neither asset has image data**. An image that cannot be loaded is reported as "Couldn't load the left image" or "right image".

Presets and configurations

When both items are presets or configurations, the comparison lists differences in two sections, **Settings** and **Data fields**, each with a count of changed, added, removed and identical fields. Changed fields show before → after; added fields are marked with + and removed ones with -. If there are none, the section says **No differences**.

If either item came from the URL Analyzer, a strip at the top shows the **URL** of each, the **Score** before → after and the **Issues** count before → after, coloured by whether it improved.

URL Analyzer audits

When both items are saved analyses, you see each audit's score in a colour for its band (90 and above, 70 to 89, 50 to 69, below 50), its address, how many versions and issues it holds, and a sentence such as "the second scores 6 higher". A **What each holds** table compares each section by name, marking sections one side lacks as **not stored**, and **Colours on each page** shows up to 12 colours from each.

Different kinds of item

When the two items are different types and do not both carry colours, the comparison explains that only shared signals are compared and shows **Extracted colors** (up to 12 from each) and their **Tags**.

Related

- [Restore and reuse](#)

- [Limits and accuracy](#)
- The URL Analyzer's own comparison of runs: [URL Analyzer](#)

WEBSITE > KITS > LIBRARY KIT

Organise your library

Favourite, rename, describe, tag, duplicate, collect, archive and delete saved items, one at a time or in bulk.

Favourite an item

- Hover over the tile and select the star (**Favourite**), or
- right-click the tile and choose **Favourite**.

A star appears on the tile and the item joins the **Favorites** tab. Do the same again (**Remove favourite**) to unstar it.

Rename an item

1. Right-click the tile and choose **Rename...**
2. In **Rename item**, change the **Name** and select **Rename**.

A message confirms **Renamed**. You can also rename an item in its details; see [Restore and reuse](#).

Add a description and tags

1. Hover over the tile and select the pencil (**Open details**).
2. Type a **Description**, and **Tags (comma-separated)**, for example `brand, spring, web`.
3. Select **Save changes**.

Search matches descriptions and tags, and the command palette offers filters for your most-used tags.

Duplicate an item

Right-click the tile and choose **Duplicate** (in list view, the copy icon on the row does the same). The copy is named after the original with " copy" added, and starts neither favourited nor archived.

Collections

A collection is a folder of saved items. Each item can be in one collection at a time. Grouping by project uses collections as its headings.

Create a collection

- On the **Collections** tab, select the **New collection** tile ("Group saved items"), or
- type **>** and choose **New collection**, or
- right-click empty space in the panel and choose **New collection**.

Type a **Collection name** (it starts as **Untitled collection**) and select **Create**. A message confirms **Created** and the name.

Put items in a collection

1. Right-click a tile and choose **Add to collection...**
2. In the **Add to collection** chooser, select a collection, or **New collection...** to create one and add the item to it, or **No collection** to take the item out of its collection.

A message confirms, for example "Moved 1 item to" and the collection's name. You can also choose the **Collection** in the item's details.

Open a collection

On the **Collections** tab, each collection tile shows its name, **Collection** and the number of items. Select it to see its items on the **All** tab, with a **Collection:** filter chip. Select the chip to remove the filter.

Projects

Select **New project** in the footer (or type **>** and choose **New project**). Type a **Project name** (it starts as **Untitled project**) and select **Create**. An empty item of the Project type is created and the **Projects** tab opens.

Some tools save projects of their own, which also appear on this tab. The Library Kit does not add existing items to a project; to group items together, use a collection.

Archive an item

Archiving hides an item without deleting it.

- Right-click the tile and choose **Archive**.
- To bring it back, open the **Archive** tab, right-click it and choose **Restore from archive**.

Archived items appear only on the **Archive** tab and do not count towards your plan's saved-item allowance.

Empty the archive

Right-click empty space in the panel and choose **Empty the archive**, or type **>** and choose **Empty the archive**. Confirm **Delete** in the dialog, which says how many items will be removed. This cannot be undone. The option is disabled when the archive is empty.

Delete an item

- Hover over the tile and select the bin (**Delete**), or right-click and choose **Delete**, or focus the tile and press **Delete**.
- The dialog **Delete item?** warns that the item "will be permanently removed. This cannot be undone." Select **Delete** to confirm or **Cancel** to keep it.

Work with several items at once

1. Select **Select** in the toolbar (or type **>** and choose **Multi-select items**). Tiles show a tick box and a bulk bar appears reading **Pick items to act on them**.
2. Select tiles to add or remove them. The bar shows **3 selected**, for example.
3. Choose a bulk action:

Button	What it does
All	Selects every item in the current view; selecting it again when all are selected clears the selection
Favorite	Stars the selected items; if all are already starred, unstars them
Collect	Opens the collection chooser for all selected items
Archive	Archives the selected items; if all are archived already, restores them
Export	Downloads each selected item as its own file
Delete	Asks to confirm, then deletes them all permanently

Ctrl + A (**Cmd + A** on a Mac) selects all while multi-select is on. Press **Esc** or select **Select** again to leave multi-select; the selection is cleared.

When several items are selected, right-clicking one of them offers **Favourite all**, **Archive all**, **Add all to collection...**, **Export all** and **Delete all**.

To select one item from its right-click menu, choose **Select this item**. Multi-select turns on with just that item selected.

Related

- [Browse and find](#)
- [Commands and right-click menus](#)

[WEBSITE](#) > [KITS](#) > [LIBRARY KIT](#)

Restore and reuse items

Reopen saved items in the tool that made them, open them in other tools, edit their details and download them in many formats.

Restore an item into its tool

Select a tile (or focus it and press **Enter**), or right-click it and choose **Restore into its tool**.

- If you are already on that tool's page, the item loads into the tool straight away and the Library Kit closes.
- If you are on another page, the site opens the tool's page and loads the item there.
- If the item cannot be restored into a tool, its details open instead.

Open an item in a different tool

Many items can be used by more than one tool. For example, a palette saved in one tool can be opened in another tool that accepts palettes.

- Right-click the tile. Under **Open**, up to three entries read **Open in** followed by a tool's name.
- Or open the item's details: a **Use in** row lists every tool that accepts the item.

Selecting one opens that tool, on this page or another, with the item loaded.

Open an item's details

Hover over the tile and select the pencil (**Open details**), or right-click and choose **Open details**. A details dialog opens over the page.

What the details show

- The item's type above its name.
- A large preview: the image, the SVG, colour swatches with their values, the gradient or the colour. If there is nothing to preview you see **No image stored** with a hint.
- Editable fields: **Name**, **Description**, **Collection** (with **Unfiled** for none) and **Tags (comma-separated)**.
- The tool it came from, **Created** and **Updated** dates, and an **Open in tool** link when the item knows its tool page.
- **Use in** buttons for other tools that accept the item.
- **Saved option values**: a collapsible list of the tool settings saved with the item, up to 120 of them.

Edit an item's details

1. Change the **Name**, **Description**, **Collection** or **Tags**.
2. Select **Save changes**.

Select **Cancel**, the close button, or press **Esc** to leave without saving.

Download from the details

Control	Downloads
Download PNG	The item's image as a file (PNG, or JPEG if that is how it was stored). Disabled when no image is stored
Download SVG	The item's vector image. Disabled when no SVG is stored
Other format list and Download	The item in the chosen format: JSON (data + metadata) , NDJSON , CSV , XML , HTML , MD , TXT , PNG (image) or SVG (image)

Formats that the item cannot provide are marked — **unavailable**. File names are made from the item's name.

Open in tool in the footer restores the item into its tool, as above.

Ishihara plates without an image

A plate saved without its image shows **No image stored**. If the plate's generation settings were saved, a **Re-render & save image** button rebuilds the image from them and stores it; the same seed produces the same plate. If the settings were not saved, an **Open Ishihara tool** link lets you save it again. To repair every such plate at once, use **Repair empty Ishihara plates** in [Settings](#).

Copy colours and names

Right-click a tile:

- **Copy 5 colours** (the number matches the item) copies its colour values separated by commas, such as `#1f2a44, #c79a3a`. It appears only for items with colours.
- **Copy item name** copies the name.

A message confirms, for example **5 colours copied**.

Related

- [Share, export and import](#)
- [Compare items](#)
- [Reference](#)

[WEBSITE](#) > [KITS](#) > [LIBRARY KIT](#)

Settings, sync and reports

Every option on the Library Kit's Settings tab: preferences, reporting, sync destinations, report generation and storage.

Open the **Settings** tab (or select **Settings** in the footer, or type **>** and choose **Library settings**). It has five sections, chosen from a row of tabs: **Preferences**, **Reporting**, **Sync & auto-update**, **Generate reports** and **Storage**. Changes save as soon as you make them.

Preferences

Setting	What it does	Values	Default
Autosave drafts as you work	Lets tools keep drafts of unsaved work in the library	On or off	On
Show archived items in default views	Includes archived items in library views outside the Archive tab. In the Library Kit itself, archived items stay on the Archive tab	On or off	Off
Auto-update: keep all integrations in sync as items change	Allows sync destinations to be updated when items change	On or off	On
Autosave interval	How often drafts are saved	4, 8, 15 or 30 seconds	8 seconds
Keep drafts for	How long unsaved drafts are kept before they expire	3, 7, 14, 30 or 90 days	14 days

Reporting

"Controls how much each tool reports back into the library when it saves an asset."

Setting	What it does	Default
Capture full output payload from every tool	Saves the tool's complete output with each item	On
Capture the tool's settings/state alongside the asset	Saves the tool's settings, so restoring brings them back and Saved option values can list them	On
Capture export configuration (formats, channels, intent)	Saves the export choices you made in the tool	On

Report defaults

Setting	Values	Default
Default report kind	full, summary, assets, tool, activity	full
Default report format	JSON, NDJSON, CSV, XML, HTML, MD, TXT	JSON
Include full asset payloads in reports	On or off	On
Include unsaved drafts	On or off	Off

Turning capture options off makes new saves smaller; items already saved are not changed.

Sync & auto-update

"Send everything in your library to one or more external systems. Supports any HTTP endpoint that accepts JSON/NDJSON/CSV/reports."

Sync sends your library from your browser directly to web addresses you choose. Auric Artisan's servers are not involved. Sync is off until you turn it on.

Sync options

Setting	What it does	Default
Sync enabled	Master switch for sync	Off
Auto-push on every change	Pushes shortly after items change, and on the poll interval	On
Include full payloads	Sends each item's full data, not only its summary	On
Include drafts	Sends unsaved drafts too	Off
Redact previews	Removes preview images and swatches from what is sent	Off
Auto-poll interval	How often automatic pushes run	30 s, 1 min, 5 min, 15 min, 60 min (default 1 min)

Buttons:

- **Push all destinations now** — sends to every active destination and reports "N/M destinations succeeded."
- **Add destination** — adds a new destination named **Destination 1**, **Destination 2** and so on.
- **Clear history** — empties the activity list.

Set up a destination

1. Turn on **Sync enabled**.
2. Select **Add destination**.
3. Fill in the destination card:

Field	What it means	Values
Name	A label for you	Text
Active	Whether this destination is used	On or off
On change	Push to it when items change	On or off
On interval	Push to it on the poll interval	On or off

Field	What it means	Values
Transport	How to send	webhook or http (send to the URL), console (write to your browser's developer console, for testing), local (keep a temporary log in the page, for testing)
Method	The HTTP method	POST, PUT, PATCH
URL	Where to send, such as <code>https://example.com/webhook</code>	A web address
Body format	What to send	JSON, NDJSON, CSV, REPORT
Report kind, Report format	Used when the body format is REPORT	As for reports
Auth bearer token	Sent as an <code>Authorization: Bearer</code> header, if filled in	Optional

4. Select **Test now** to send once. The card's status line shows the result (for example **idle**, or the last success time and any error). A failed test also opens **Push failed** with the reason.
5. Select **Remove** to delete a destination (confirm **Remove**).

Requests are sent from your browser, so the receiving server must accept requests from `https://auricartisan.com` (cross-origin requests). Your cookies are not sent. Each request carries the header `X-Auric-Library-Version: 1`.

Recent sync activity lists up to 20 recent pushes with time, destination, reason, and bytes and HTTP status, or the error.

You can also push from the command palette (**Sync now**) or the panel's right-click menu. If sync is off you see "Sync is switched off — turn it on in Library settings."; with no destinations, "No sync destinations configured yet."

Generate reports

"Download a detailed report of everything in your library in the format of your choice."

1. Choose a **Kind**:

Kind	Contents
full	Library statistics, every item's details and data, collections and settings
summary	Statistics only
assets	Every item's details
tool	The items saved from one tool, with their data. A Tool list appears so you can pick the tool; each shows its item count
activity	Items added and updated per day

2. Choose a **Format**: **JSON**, **NDJSON**, **CSV**, **XML**, **HTML**, **MD** or **TXT**.

3. Select **Download report**.

The quick buttons **JSON**, **NDJSON**, **CSV**, **XML**, **HTML**, **MD** and **TXT** download the default report kind in that format at once. Report files are named `auric-library-` followed by the kind and the date and time.

Storage

- The line "Using" shows how much space the library takes and across how many entries.
- **Export library** downloads the full backup (`auric-library-backup.json`).
- **Import library** loads a backup, asking whether to **Merge** or **Replace**; see [Share, export and import](#).
- **Purge expired drafts** removes drafts older than **Keep drafts for** and confirms **Drafts purged**.
- **Reset library** deletes every saved item and collection after the warning "This deletes every saved item and collection. This cannot be undone." Select **Reset everything** to confirm.

Maintenance

Repair empty Ishihara plates rebuilds missing images for Ishihara plates that were saved with their generation settings but without an image. It asks to confirm how many plates it will re-render, shows progress, and reports how many it repaired. Plates saved without settings cannot be repaired this way.

The last line lists the available sync transports: `webhook` , `http` , `console` , `local` .

Related

- [Privacy](#)
- [Limits and accuracy](#)
- [Troubleshooting](#)

[WEBSITE](#) > [KITS](#) > [LIBRARY KIT](#)

Share, export and import

Share a saved item as a link, download items as files, back up the whole library and import it again.

Share an item as a link

1. Hover over the tile and select **Share**, or right-click it and choose **Share a link....**
2. The **Share link** dialog opens with the item's name as its title and the note "Anyone with this link can open a copy. State is encoded in the URL — no account needed."
3. Select **Copy** (it briefly reads **Copied!**), or **Share via...** to use your device's share sheet where available, or **Open in new tab** to try the link yourself.
4. Select **Close** when you are done.

The item itself is packed into the link, so the recipient does not need an account and nothing is uploaded. The link opens the tool that can show the item. Under the address, the dialog shows the link's length in characters and the size limit, with the note "safe to paste into chat, docs, or email."

Too large to share

Links are limited to 6 KB of packed data. Palettes, gradients and small presets fit easily; large items such as audits and images often do not. When an item is too large, the dialog is titled **Too large to share** and reads "Encoded payload is" followed by its size and "over the 6 KB share limit", with a bar showing how far over it is. Export the item as a file instead.

Download one item

- In list view, select the download icon on the row (**Export JSON**), or
- right-click the tile and choose **Export JSON**.

Most items download as a JSON file named after the item. Image and plate items download as the image itself (PNG or JPEG), or as SVG if that is all they hold.

For other formats (NDJSON, CSV, XML, HTML, Markdown, text, PNG, SVG) use the item's details; see [Restore and reuse](#).

Download several items

Turn on multi-select, select the items and choose **Export** in the bulk bar, or right-click one of them and choose **Export all**. Each item downloads as its own file. Your browser may ask you to allow several downloads.

Back up the whole library

Select **Export** in the footer, or right-click empty space and choose **Export all**, or type **>** and choose **Export library snapshot**. A file named `auric-library-backup.json` downloads, containing every item, collection, draft and library setting. A message confirms **Library snapshot downloaded**.

The Settings tab's **Storage** section has the same action, **Export library**.

Import a library file

Import merges a previously exported library file into the library you have.

- Select **Import** in the footer, or type **>** and choose **Import library file**, and pick a `.json` file; or
- drag a library `.json` file onto the Library Kit panel. While you drag, the panel shows "Drop a library .json file to import".

A message confirms **Imported** and the file name, or says "That file could not be imported." if the file is not a library export.

Merge or replace

The **Import library** button in the Settings tab's **Storage** section asks first: "Merge the imported file with your current library, or replace everything?" Choose **Merge** to keep your existing items, or **Replace** to remove them and keep only the imported ones. Replacing cannot be undone. The footer button and drag and drop always merge.

Reports

To download a report of the whole library in JSON, NDJSON, CSV, XML, HTML, Markdown or text, use the Settings tab's **Generate reports** section. See [Settings, sync and reports](#).

Move a library to another browser or device

1. In the old browser, select **Export** in the footer.
2. Copy `auric-library-backup.json` to the new device.
3. In the new browser, open the Library Kit and drag the file onto it, or select **Import**.

Related

- [Privacy](#) — what a share link contains
- [Limits and accuracy](#)

[WEBSITE](#) > [KITS](#) > [LIBRARY KIT](#)

Library Kit reference

Every control, tab, option, dialog and message in the Library Kit.

Ways to open the kit

Entry point	What it does
Library launcher	Opens or closes the kit. Shows a badge with the item count (up to 99+) once the kit has loaded
Library button in the site header	Opens the kit
<code>Ctrl</code> + <code>Shift</code> + <code>L</code> (<code>Cmd</code> + <code>Shift</code> + <code>L</code> on a Mac)	Opens or closes the kit
<code>#library</code> at the end of a page address	Opens the kit on that page

Entry point	What it does
<code>#library=all</code> , <code>recent</code> , <code>favorites</code> (or <code>favourites</code>), <code>projects</code> , <code>collections</code> , <code>archive</code> , <code>compare</code> , <code>settings</code>	Opens the kit on that tab
https://auricartisan.com/library/workspace/	Opens the kit; links to this page elsewhere on the site open the kit in place

Title bar

Control	What it does	Default
Six-dot grip	Drag, or focus it and use arrow keys (12 px; <code>Shift</code> for 1 px), to move the panel ("Move library panel")	Bottom-left corner
Your Library	Title; the title bar is also a drag handle	—
Item count	N items (not counting archived items). Hidden on narrow phone screens	—
Panel options	Opens Keep open , Theme , Panel size , Minimize , Reset position	—
Close	Closes the kit ("Close Library Kit.")	—

Panel size: normal 680 px wide, expanded up to 940 px wide.

Tabs

All, **Recent** (last 7 days), **Favorites**, **Projects**, **Collections**, **Archive**, **Compare**, **Settings**, and one tab per saved item type. Counts show on all but **Compare** and **Settings**. Default: **All**; the last tab is remembered.

Search and toolbar

Control	What it does	Values	Default
Search your library...	Filters items by name, description, tool, type and tags; > switches to commands	Text	Empty
Clear (cross)	Clears the search	—	—
Item count	N items in [tab]	—	—
Sort	Order of items	Newest , Oldest , Name A–Z , Name Z–A , Type	Newest
Group	Cycles grouping	By project, by type, none	By project
View	Grid or list	Grid, list	Grid
Select	Multi-select on or off	—	Off

Control	What it does	Values	Default
Filter chips	Collection; Tool; Tag; and Clear all	—	None

Tiles

Part	Meaning
Preview	Image, gradient, up to 8 swatches, a text sample, or a coloured plate with initials
Star	A favourite
Tick box	Shown in multi-select
Name	The item's name, or Untitled
Meta line	Type, tool and age
Hover actions (grid)	Favourite or Remove favourite , Open details , Share , Delete
Hover actions (list)	The same plus Duplicate and Export JSON

Select a tile to restore it; in multi-select, to select it. A tile's tooltip reads its name followed by "right-click for actions".

Collections tab

Tile	What it does
New collection ("Group saved items")	Creates a collection
A collection (name, Collection , item count)	Shows its items on the All tab

With no collections: **No collections yet** — "Collections group saved items into folders. Create one above, or from any item's right-click menu."

Bulk bar (multi-select)

Pick items to act on them or **N selected**, then **All**, **Favorite**, **Collect**, **Archive**, **Export**, **Delete**.

Footer

Control	What it does
New project	Creates an empty project item
Import	Merges a library <code>.json</code> file
Export	Downloads <code>auric-library-backup.json</code>

Control	What it does
Storage figure	Space the library uses; tooltip gives the number of stored entries
Settings	Opens the Settings tab
Keys	Shows the keyboard shortcuts sheet

Dialogs

Dialog	Fields and buttons
Rename item	Name; Cancel, Rename
New collection	Collection name (starts Untitled collection); Cancel, Create
New project	Project name (starts Untitled project); Cancel, Create
Add to collection (or Add N items to collection)	New collection..., each collection, No collection
Delete item? / Delete N items? / Delete N archived items?	Cancel, Delete
Item details	Name, Description, Collection, Tags (comma-separated), Use in buttons, Saved option values, Download PNG, Download SVG, Other format and Download, Open in tool, Cancel, Save changes
Share link	Link, Copy, Share via... (where supported), Open in new tab, Close
Keyboard shortcuts	List of keys; close button

In the text dialogs, **Enter** confirms and **Esc** cancels.

Compare tab

Before and **After** pickers, **Swap sides**, per-side summaries and the comparison. Image comparisons offer **Side**, **Wipe** and **ΔE heatmap**. See [Compare items](#).

Settings tab

Preferences, **Reporting**, **Sync & auto-update**, **Generate reports**, **Storage**. See [Settings, sync and reports](#) for every option and default.

Messages

Message	Meaning
Nothing saved here yet — "Save a palette, gradient, type scale or report from any tool and it lands here."	The current tab is empty
Nothing matched — "Try a different word, or clear the search to see everything."	A search found nothing
Renamed	An item was renamed
Created "[name]"	A collection was created
Moved N items to "[name]" / Removed from its collection	Collection changes
N colours copied, Name copied	Copy actions
This item has no colours to copy.	The item has no colours
Could not copy to the clipboard.	The browser blocked copying
Library snapshot downloaded	Export finished
Imported [file] / That file could not be imported.	Import result
Archive emptied	Archive emptied
Library returned to its default position.	Panel position reset
That item could not be shared., That project could not be created.	An action failed
Sync is switched off — turn it on in Library settings., No sync destinations configured yet., Synced to N destinations, Synced N of M destinations — check settings., Sync could not complete.	Sync results
Library storage is full. Some image data couldn't be saved.	The browser's storage for the site is full
Settings could not be loaded., Comparison could not be loaded.	A part of the kit failed to load

WEBSITE > KITS > LIBRARY KIT

Library Kit troubleshooting

Fixes for Library Kit problems, from missing items and full storage to share links that are too large and sync failures.

For problems shared by every kit, see [Troubleshooting kits](#).

My saved items are missing

Why: The library lives in your browser on this device. It is not in your account, so items saved in another browser, on another device, or in a private window are not here. Clearing this site's data in your browser also deletes the library.

What to do: Open the library in the browser where you saved the items. To move items, export them there (**Export** in the footer) and import the file here. There is no way to recover a library that was cleared without an export.

An item is not on the All tab

Why: It is archived, a filter is active, or you are searching.

What to do: Check the **Archive** tab, select **Clear all** under the toolbar, and clear the search box.

Saving is refused because of my plan

Why: Each plan allows a number of active saved items (archived items do not count): 20 on Apprentice, 500 on Artisan, 2,500 on Specialist and 10,000 on Industrial Pro. The message reads "Your plan keeps N saved projects, and you have M. Archive or delete one to make room, or upgrade for more."

What to do: Archive or delete items you no longer need, or change plan. See [Account and billing](#).

"This browser has run out of room for saved projects"

Why: Browsers limit how much each site can store, whatever your plan. Images and plates take the most space.

What to do: Export the library as a backup, then delete or archive large items, or select **Purge expired drafts** in **Settings** > **Storage**. The Status Kit's **Memory** tab shows how full the site's storage is.

"Library storage is full. Some image data couldn't be saved."

Why: The item was saved, but its image did not fit in the remaining space.

What to do: Free space as above. For Ishihara plates saved with their settings, use **Re-render & save image** in the item's details, or **Repair empty Ishihara plates** in **Settings** > **Storage**, once there is room.

Selecting a tile opens the details instead of the tool

Why: The site cannot find a tool page that can load this item, so the kit shows its details instead.

What to do: Use the details to download the item, or try **Open in** another tool from its right-click menu.

"Too large to share"

Why: Share links carry the item inside the address and are limited to 6 KB of packed data. Audits, images and large presets exceed it.

What to do: Export the item as a file and send the file instead.

Only one file downloaded when I exported several items

Why: Browsers often ask before letting a page download several files, or block the extra downloads.

What to do: Allow multiple downloads for auricartisan.com when your browser asks, or export items one at a time. To get everything in one file, use **Export** in the footer.

"That file could not be imported."

Why: The file is not a Library Kit export, or it is damaged. Individual item files (from **Export JSON**) are not library backups.

What to do: Import a file made with **Export** in the footer or **Export library** in Settings, such as `auric-library-backup.json`.

Sync reports "Push failed"

Why: Common causes: the URL is wrong; the server rejected the method or token; or the server does not accept requests from other websites, which browsers require for sync to work.

What to do: Check the **URL**, **Method** and **Auth bearer token**; make sure the server allows cross-origin requests from <https://auricartisan.com>; then select **Test now**. The error text in **Recent sync activity** shows the server's reply.

"Sync is switched off"

What to do: Open **Settings** > **Sync & auto-update** and turn on **Sync enabled**.

Show archived items does nothing in the kit

Why: In the Library Kit, archived items always appear on the **Archive** tab only. The setting affects other library views.

What to do: Use the **Archive** tab.

A comparison shows "Couldn't load the image"

Why: The image could not be read, for example because it points to another website that does not allow it.

What to do: Compare items whose images were saved in the library itself.

Ctrl + Shift + L does nothing

Why: Another program or extension uses that combination.

What to do: Use **Page utilities** > **Library** or the **Library** button in the site header.

WEBSITE > KITS > LIBRARY KIT

Library Kit FAQ

Short answers to common questions about the Library Kit and your saved work.

Is my library saved to my account?

No. It is stored in your browser on this device. Export it (**Export** in the footer) to keep a backup or move it to another browser.

How many items can I keep?

Your plan sets the number of active saved items: 20 on Apprentice, 500 on Artisan, 2,500 on Specialist and 10,000 on Industrial Pro. Archived items do not count. Your browser's storage limit applies on top of that, especially for images.

Are the tools still free if I reach the limit?

Yes. The limit only affects saving new items. See [Account and billing](#).

What happened to the Library Workspace page?

The library now opens as a floating panel on any page. <https://auricartisan.com/library/workspace/> still works and opens the panel.

Can other people see my library?

No. Only items you share as links, export as files or push to your own sync destinations leave your browser.

What does a share link contain?

The item's data, packed into the address. Anyone with the link can open a copy. Nothing is stored on a server.

What is the difference between archive and delete?

Archiving hides an item and keeps it on the **Archive** tab, where you can restore it. Deleting removes it for good.

What is the difference between a collection and a project?

A collection is a folder that groups items; each item can be in one. A project is a type of saved item; the Library Kit can create empty ones, and some tools save their own. Use collections to group your items.

Can I undo a delete?

No. Deletes, **Empty the archive** and **Reset library** cannot be undone.

Does the library work offline?

Browsing, searching, organising, comparing and exporting work offline once the kit has loaded, because everything is in your browser. Sync needs a connection, and opening an item in a tool needs that tool's page to load.

Which tools can save to the library?

Tools with a **Save to Library** button. Saved items record which tool made them, and many can also be opened in other tools that accept the same type of item.

WEBSITE > KITS > LIBRARY KIT

Library Kit reference material

Contents of the Library Kit reference pages: glossary, shortcuts, limits, related pages, release notes and privacy.

Supporting pages for the Library Kit: its terms, its keys, the storage, sharing and comparison limits, related pages, its history and where your library is kept.

File	What it covers
glossary.md	Terms used in the Library Kit guides
shortcuts.md	Every key the Library Kit responds to
limits-and-accuracy.md	Storage, plan, sharing, sync and comparison limits
related.md	Related tools, kits and pages
release-notes.md	User-facing history of the library and the Library Kit
privacy.md	Where your library is kept and what can leave your device

WEBSITE > KITS > LIBRARY KIT

Library Kit shortcuts

Every keyboard shortcut the Library Kit responds to.

The kit's own shortcut sheet (**Keys** in the footer) shows ⌘ for Mac. Where a shortcut below uses **Ctrl**, use **Cmd** on a Mac.

Open and close

Shortcut	What it does
Ctrl + Shift + L	Opens or closes the Library Kit, from anywhere on the site
Esc	Closes, in this order: an open menu or dialog, the Panel options menu, multi-select, the search text, then the panel

Search box

Shortcut	What it does
> at the start	Switches to the command palette
Up arrow , Down arrow	Move through commands (command palette)
Enter	Runs the highlighted command (command palette)

Shortcut	What it does
Down arrow	Moves to the first tile (normal search)
Esc	Clears the search

Tiles

Shortcut	What it does
Left arrow, Right arrow	Previous or next tile
Up arrow, Down arrow	Tile above or below; up from the first row returns to the search box
Home, End	First or last tile
Enter or Space	Restores the item (selects it in multi-select)
Delete	Asks to delete the item
Ctrl + A	Selects all items, while multi-select is on

Moving the panel

Shortcut	Where	What it does
Arrow keys	The six-dot grip has focus	Move the panel 12 pixels
Shift + arrow keys	The six-dot grip has focus	Move the panel 1 pixel

Menus and dialogs

Shortcut	Where	What it does
Up arrow, Down arrow, Home, End	Panel options menu	Move between options
Enter	Name dialogs (rename, new collection, new project)	Confirms
Esc	Any library dialog or menu	Cancels or closes it
Ctrl + Enter	The Save to Library dialog in a tool	Saves

See [Kit keyboard shortcuts](#) for the other kits.

WEBSITE > KITS > LIBRARY KIT

Library Kit glossary

Terms used in the Library Kit guides.

Universal Library — Everything you have saved from the site's tools, kept in your browser.

Item (asset) — One saved thing, such as a palette, gradient, image, preset or audit. The kit's dialogs sometimes say "asset".

Type — What kind of item it is, such as Palette, Gradient, Plate or Analysis. Each type you have saved gets a tab.

Restore — Reopen an item in the tool that made it, with its data and settings.

Open in — Load an item into a different tool that accepts its type.

Collection — A folder of items. An item belongs to at most one collection.

Unfiled — Not in any collection.

Project — A type of saved item. The kit can create empty projects; some tools save their own.

Favourite — An item marked with a star; listed on the Favorites tab.

Archive — A holding area for items you want out of the way without deleting them.

Draft — Unsaved work a tool keeps in the library while autosave is on. Drafts expire after the **Keep drafts for** period.

Snapshot (backup) — A single JSON file containing your whole library, made with **Export**.

Share link — A web address that carries a copy of an item inside it, so anyone with the link can open it.

Sync destination — A web address you configure to receive copies of your library.

Transport — How a sync destination sends: webhook or http (to your URL), console or local (testing only).

Bearer token — A secret sent in the **Authorization** header so your server knows the request is yours.

Cross-origin request (CORS) — A request from one website to another. Your server must allow requests from auricartisan.com for sync to work.

NDJSON — Newline-delimited JSON: one JSON record per line.

ΔE_{2000} (Delta E 2000) — A standard measure of how different two colours look. Around 1 is barely noticeable.

Contrast ratio — How distinct two colours are in lightness, from 1:1 (identical) to 21:1 (black on white).

Heatmap — An image that colours each pixel by how much two images differ there.

Command palette — The list of commands you get by typing **>** in the search box.

WEBSITE > KITS > LIBRARY KIT

Library Kit limits

Storage, plan, sharing, sync, report and comparison limits of the Library Kit.

Storage

- The library is kept in your browser's storage for auricartisan.com. Browsers typically allow a site only a few megabytes of this kind of storage, whatever your plan, and images use it fastest.
 - Images saved from some tools are reduced before storing, so what you download from the library can be smaller than what the tool produced. Export from the tool itself for full-size output.
 - The storage figure in the footer and in **Settings > Storage** is an estimate of the library's own use.
-

Plan allowance

Plan	Active saved items
Apprentice	20
Artisan	500
Specialist	2,500
Industrial Pro	10,000

Archived items do not count. Editing an existing item is always allowed, even at the limit. The figures are from <https://auricartisan.com/company/pricing/>, which is authoritative if they differ.

Share links

- Limited to 6 KB of packed data per link.
 - The link contains a copy of the item at the moment you shared it; later changes are not reflected.
-

Sync

- Runs only in an open page of the site; nothing is sent while the site is closed.
 - Automatic pushes run no more often than every 15 seconds, whatever interval you choose.
 - The receiving server must accept cross-origin requests from auricartisan.com.
 - The **console** and **local** transports are for testing and do not send anything off your device. The **local** log is lost when the page reloads.
-

Reports

- Reports describe the library at the moment you download them.
- The **tool** report covers one tool at a time.

Comparisons

- Palette matching pairs each colour with its closest counterpart, so reordering colours does not count as a change.
- ΔE_{2000} values are computed from the stored colour values in sRGB; they indicate visible difference under standard viewing conditions and are not a certified measurement.
- Contrast ratios follow the usual relative-luminance formula used by accessibility guidelines.
- The image heatmap compares copies scaled to at most 800 pixels a side, and only the overlapping area of different-sized images.

Details and downloads

- **Saved option values** lists up to 120 settings.
- Formats an item cannot provide are marked unavailable.

WEBSITE > KITS > LIBRARY KIT

Library Kit privacy

Where the Library Kit keeps your saved work, and the only ways it can leave your device.

Where your library is kept

Every saved item, collection, draft and library setting is stored in your browser's storage for auricartisan.com, on this device. It is not uploaded to Auric Artisan and not linked to your account. Anyone who uses the same browser profile can see it.

The Library Kit's own view preferences (tab, grouping, density, collapsed groups, panel position, size, theme and **Keep open**) are stored the same way.

The only ways your items leave the device

Action	What leaves, and where it goes
Share a link...	A copy of the item, packed into the link. It goes wherever you send the link. Anyone with the link can open the copy
Export, Export JSON, downloads, reports	Files saved to your device by your browser
Sync	Your library (with or without full data, drafts and previews, as you choose) sent from your browser to the URLs you configure, with your bearer token if you set one

Nothing is sent to Auric Artisan's servers by the Library Kit.

Sensitive settings

Sync destinations, including any **Auth bearer token**, are stored in your browser as part of the library settings. They are included in a full library backup (`auric-library-backup.json`) and in **full** reports. Treat those files as private if you use tokens, or remove destinations before exporting.

Removing your data

- Delete items individually, empty the archive, or use **Settings** > **Storage** > **Reset library** to delete everything.
 - Clearing this site's data in your browser also deletes the library.
 - Deleted data cannot be recovered unless you exported it.
-

Related

- [Privacy for all kits](#)
- The site's privacy policy: <https://auricartisan.com/legal/privacy/>

WEBSITE > KITS > LIBRARY KIT

Library Kit release notes

What the public changelog records about the library, and what the Library Kit contains as of September 2026.

The website's public release history is at <https://auricartisan.com/library/changelog/> and <https://auricartisan.com/company/timeline/>. It does not list the Library Kit by name.

Recorded releases

Release	Date	What the public history says
v0.9.9	5 June 2026	Improved consistency across "reusable library surfaces" and fixed library behaviour bugs, alongside new public library areas

The Library Kit as of 24 September 2026

- The library opens as a floating kit panel on every page, from the **Library** launcher, the header **Library** button, `Ctrl + Shift + L`, `#library` links, or <https://auricartisan.com/library/workspace/>, which now opens the panel rather than a separate workspace page.
- Tabs for All, Recent, Favorites, Projects, Collections, Archive, Compare, Settings and each saved type.
- Search, a `>` command palette, sorting, grouping by project or type, grid and list views, density and filters.

- Right-click menus for items and for the panel, multi-select with bulk actions, and drag-and-drop import.
- Compare and Settings work inside the panel rather than in separate windows.
- Share links, per-item downloads in nine formats, library backups, reports in seven formats and optional sync to your own endpoints.
- Shared kit controls in a **Panel options** menu, with **Reset position** and keyboard moving.

Changes not recorded in the public history are not listed here.

WEBSITE > KITS > LIBRARY KIT

Related to the Library Kit

Tools, kits and pages related to the Library Kit.

Tools that save to the library

Any tool with a **Save to Library** button, for example:

- [Basic Colour Tools](#)
- [Personalisation Generator](#)
- [Design Engine](#)
- [URL Analyzer](#)
- [Ishihara Plate Generator](#)
- [M-Gradient Palette](#)
- [Image Picker](#)

Other kits

- [Status Kit](#) — shows how much browser storage the site uses.
- [Menu Kit](#) — its **Workspace** tile opens the Library Kit.
- [All kits and Panel controls](#).

Pages

- The site's colour, palette, gradient, harmony, shade and accessibility libraries, which are public reference collections rather than your saved work: [Colour libraries](#).
- [Portfolio](#) — build a public page from your saved work.
- Plans and the saved-item allowance: <https://auricartisan.com/company/pricing/> (see [Account and billing](#)).

WEBSITE > KITS > MENU KIT

Menu Kit

A floating start menu for auricartisan.com with tabbed page groups, recommended and most-used tools, fuzzy search and quick actions.

The Menu Kit is a start menu for the whole of auricartisan.com. It opens over any page and lists the site's tools and pages as illustrated tiles, grouped into seven tabs: **Tools**, **Design**, **Analyze**, **Account**, **Library**, **Company** and **Trust**. Selecting a tile takes you to that page.

Type in its search box and the tiles give way to a ranked list of matching pages and quick actions, such as **Copy current URL** or **Open a random tool**. The search forgives typos in the middle of words: typing **clrlib** finds **Color Library**. Pages you open often rise in the results and fill the **Most Used** section.

The Menu Kit follows the site's tool visibility mode, set in the **Advanced Kit**: in **Basic** mode it shows beginner-friendly tools, in **Advanced** mode the scientific ones, and in **Everything** mode the lot.

Who it is for

- New visitors who want an overview of everything the site offers.
- Regular users who want to jump to a tool in a couple of keystrokes from any page.
- Anyone looking for account, library, company or legal pages.

Where to find it

- On any page of <https://auricartisan.com>, select **Page utilities** in the bottom-left corner, then **Menu**.
- Or press **Ctrl** + **M**.

Quick start

1. Press **Ctrl** + **M**. The Menu Kit opens with the cursor in **Search Auric Artisan...**
2. Look at the **Tools** tab: it starts with **Recommended** and **Most Used** sections.
3. Select another tab, for example **Library**, to see its pages.
4. Select the search box and type **icon**. The tiles are replaced by a list of results.
5. Press **Down arrow** to highlight a result and **Enter** to open it.
6. On the new page, press **Ctrl** + **M** again. The Menu Kit remembers the tab you used last.
7. Press **Esc** to close it.

What you can do

- Browse the site in seven tabs, with collapsible sections and a count of pages in each.
- See at a glance which tile is the page you are on.

- Start from eight recommended entry points and your own most-used pages.
 - Search pages by name, section or description, with forgiving matching and a result count.
 - Run quick actions: copy the page URL, scroll to top, go home, go back, reload, open a random tool, or switch the menu's theme.
 - Navigate entirely with the keyboard.
 - See the site's status (for example **Beta**) in the title bar.
-

In this folder

- [docs/](#) — guides
 - [Getting started](#) — open the kit and tour the screen
 - [Find a page](#) — browse tabs and sections
 - [Search and quick actions](#) — search the site and run actions
 - [Reference](#) — every tab, section, control and message
 - [Troubleshooting](#) — problems and fixes
 - [FAQ](#) — common questions
- [others/](#) — reference material
 - [Glossary](#) — terms used in the Menu Kit
 - [Shortcuts](#) — every Menu Kit key
 - [Limits and accuracy](#) — what the menu includes and how search ranks
 - [Related](#) — related kits and site features
 - [Release notes](#) — user-facing history
 - [Privacy](#) — what the kit keeps in your browser

For the controls every kit shares, see [Panel controls](#).

WEBSITE > KITS > MENU KIT

Menu Kit guides

Contents of the Menu Kit guides: getting started, browsing, searching, reference, troubleshooting and FAQ.

These guides explain how to open the Menu Kit, browse its tabs, search the site and run quick actions, followed by a full reference.

File	What it covers
getting-started.md	Open the Menu Kit and learn its screen
find-a-page.md	Browse tabs, sections, Recommended and Most Used
search-and-quick-actions.md	Search pages and run quick actions from the keyboard
reference.md	Every tab, section, control and message
troubleshooting.md	Problems and how to fix them
faq.md	Short answers to common questions

Shared controls such as moving, Focus mode and theme are explained in [Panel controls](#).

WEBSITE > KITS > MENU KIT

Getting started with the Menu Kit

Open the Menu Kit, learn the parts of its screen, and open your first page from it.

Open the kit

Use either:

- **Page utilities** (bottom-left corner) > **Menu**, or
- **Ctrl** + **M** from anywhere on the page.

The launcher's tooltip reads "Open site navigation, grouped pages, and quick search." The first time you open the kit on a page it shows **Loading menu** with the line "Reframing tools by intent." while it fetches the list of pages.

The screen, top to bottom

1. **Title bar.** **Menu Kit**, a status chip showing the site's release status (for example **Beta**), and the buttons **Focus mode**, **Theme**, **Resize**, **Minimize** and **Close**.
2. **Search bar.** A magnifier, the box **Search Auric Artisan...**, and an **ESC** hint to its right. Once you type, a clear button (a cross) replaces the hint.
3. **Tabs.** **Tools**, **Design**, **Analyze**, **Account**, **Library**, **Company**, **Trust**. The row scrolls sideways if it does not fit.

4. **Body.** Section headings and tiles for the selected tab.
5. **Footer.** Key hints (**Ctrl K** Search · **Esc** Close, with ⌘ on a Mac) and a home icon that goes to the Auric Artisan home page.

Tiles

Each tile shows an illustration (or an icon) and the page's name. Hover over a tile to see its description in a tooltip. The tile for the page you are on has a small dot; its tooltip reads **You are here**.

Select a tile to go to that page. The kit remembers how often you open each page, which feeds the **Most Used** section.

Open your first page

1. Open the Menu Kit.
2. Select the **Tools** tab if it is not already selected.
3. Under **Recommended**, select **Basic Color Tools**.

The Basic Color Tools page opens. The Menu Kit closes, because you have loaded a new page; turn on **Focus mode** if you want it to open again on every page.

The status chip

The chip next to the title shows the release status of the site as a whole. Its tooltip reads, for example, "Auric Artisan is Beta." For the status of an individual page, use the [Status Kit](#).

Close the kit

- Press **Esc**. If the search box has text, the first **Esc** clears it and the second closes the kit.
- Select **Close** in the title bar.
- Select the **Menu** launcher again.

Next steps

- [Find a page](#)
- [Search and quick actions](#)
- [Panel controls](#)

[WEBSITE](#) > [KITS](#) > [MENU KIT](#)

Find a page by browsing

Browse the Menu Kit's tabs and sections, use Recommended and Most Used, and collapse sections you do not need.

The Menu Kit groups every page it knows into seven tabs, and each tab into sections. This guide shows how to move around them.

Switch tabs

Select a tab, or with a tab focused press **Left arrow**, **Right arrow**, **Home** or **End**. Each tab's tooltip reads "Show [tab] pages." The kit remembers the last tab you used and opens on it next time.

What each tab holds

Tab	Sections (number of pages)	Examples
Tools	Recommended (up to 8), Most Used (up to 8), Start Here (9), Search (2), General Color Tools (7)	All Tools, URL Analyzer, Icon Library, Design System Generator, Portfolio Builder, Color Foundations, Tonal Steps, Tints and Shades
Design	Color Science Lab (3), Colorimetry (3), Gamut and Rendering (3), Perception and Neuroscience (3), Spectral and Material Tools (2), Utility Labs (6)	Personalization Generator, Ishihara Plate Generation, Gamut Mapping, Tone Mapping, LUT Lab, SVG Recolor
Analyze	Vision Simulation (1)	Vision Deficiency Simulator
Account	Account and Sign In (14)	Sign In, Create Account, Dashboard, API Keys, Billing, Sessions
Library	Library (11)	Documentation, Changelog, Blog, Learn, Workspace, Color Library, Palette Library
Company	Company (7)	About, Pricing, Contact, FAQ, Timeline, Accessibility, Projects
Trust	Legal and Security (12)	Legal Hub, Privacy, Terms, Cookies, Security, Refund, Licenses

The number in each section heading is the total in that section. Fewer tiles can show if the site's tool visibility mode hides some of them.

The **Projects** tile in the Company tab opens an external site, <https://leacb.com/projects>.

Recommended

The **Tools** tab opens with **Recommended**: eight entry points picked for first-time visitors.

- All Tools
- Collections
- URL Analyzer

- Basic Color Tools
- ASCII Art
- Icon Library
- Design System Generator
- Color Foundations

Most Used

Most Used follows **Recommended**. It lists up to eight pages from the Tools tab, ordered by how often you have opened them from the Menu Kit, and never repeats a page already in **Recommended**. On your first visit, before you have opened anything, it lists pages alphabetically.

The counts are kept in your browser. Opening a page any other way does not count.

Collapse and expand sections

Select a section heading to collapse it; select it again to expand it. The chevron at the right of the heading turns to show the state. With the keyboard, focus the heading and press **Enter** or **Space**.

The kit remembers which sections you collapsed.

Move with the keyboard

1. Press **Down arrow** from the search box or the tab row to move into the body.
2. Use the arrow keys to move between section headings and tiles, and **Home** or **End** to jump to the first or last.
3. Press **Enter** on a tile to open it.

How the tool visibility mode changes the menu

The Menu Kit shows only the tools that fit the site's mode, set in the **Advanced Kit**. A tab with nothing to show disappears.

Mode	What changes in the Menu Kit
Basic (the default)	The Design tab is hidden. The Tools tab shows every section
Advanced	The Design tab appears. The Tools tab keeps Start Here and Search but hides General Color Tools
Everything	Every tab and every page
Custom	Every page except the tools you have unticked in the Advanced Kit

Account, Library, Company and Trust pages, the URL Analyzer and the Vision Deficiency Simulator show in every mode. If the tab you were on has nothing to show in the new mode, the kit switches to the first tab

that does.

Related

- [Search and quick actions](#)
- [Reference](#)

WEBSITE > KITS > MENU KIT

Search and quick actions

Search every page in the Menu Kit with forgiving matching, and run quick actions such as copying the page URL.

Typing in the Menu Kit's search box turns the menu into a ranked list of results, like a command palette. Results include pages from every tab and a set of quick actions.

Search for a page

1. Open the Menu Kit. The cursor is already in **Search Auric Artisan....** If it is not, press **/** or select the box.
2. Type a few letters, for example **gamut**.
3. The tiles are replaced by a list of up to 16 results, and a count such as **4 results** appears.
4. Press **Up arrow** or **Down arrow** to highlight a result, or move the pointer over it.
5. Press **Enter**, or select the result, to open it.

The kit closes and the page opens. If you pick the page you are already on, the kit just closes.

Each result shows the page's illustration or icon, its name, the section it belongs to, and **Open** ↗ on the right.

How matching works

- **Letters in order.** A result matches if the letters you type appear in its name in the same order, with anything in between. **clrlib** matches **Color Library**, and **tmap** matches **Tone Mapping**.
- **Section names count.** If the name alone does not match, the section and name together are tried, so **legal priv** finds **Privacy** in **Legal and Security**.
- **Descriptions count.** If neither matches, a page whose description contains your exact text still appears, lower down.
- **Ranking.** Matches at the start of words and runs of consecutive letters rank higher, tighter matches rank higher, name matches beat description matches, and pages you open often get a boost.
- **Mode.** Search respects the tool visibility mode, so tools hidden by the **Advanced Kit** do not appear.
- **One result per page.** A page listed in several sections appears once.

When nothing matches, the list reads **No matches for** and your search in quotation marks.

Quick actions

Quick actions appear in the same list when your search matches their name. They show **Action** ↵ on the right.

Action	Description shown	What it does
Copy current URL	Copy this page's link to the clipboard	Copies the address of the page you are on
Scroll to top	Jump to the top of the page	Scrolls the page to the top
Go home	Open the Auric Artisan home page	Goes to https://auricartisan.com
Go back	Browser back	Goes back one page in your browser history
Reload page	Refresh the current page	Reloads the page
Open a random tool	Jump to a random tool	Opens a randomly chosen tool page from the menu
Toggle menu theme	Switch this menu light / dark	Switches the Menu Kit between light and dark

For example, type **copy** and press **Enter** to copy the page's address. The kit closes before running the action.

Clear the search

- Select the cross at the right of the search box.
- Or press **Esc** once. A second **Esc** closes the kit.

Clearing the search brings back the tabs and tiles.

Search the whole site instead

The Menu Kit searches its own list of pages. To search the text of pages across the site, or the web, use the site-wide search: press **Ctrl** + **K**, or go to <https://auricartisan.com/search/>. See [Search](#) and [Site](#) features.

Note: The footer hint **Ctrl K Search** refers to that site-wide search. Pressing **Ctrl** + **K** while the Menu Kit is open opens the site-wide search. Use **/** to reach the Menu Kit's own search box.

Related

- [Find a page](#)
- [Menu Kit shortcuts](#)

Menu Kit reference

Every control, tab, section, state and message in the Menu Kit.

Launcher

Control	What it does	Default
Menu launcher (four-square icon)	Opens or closes the kit. Announces itself as Open start menu or Close start menu	Closed
Ctrl + M	Same as the launcher	—
Tooltip	"Open site navigation, grouped pages, and quick search."	—

Title bar

Control	What it does	Values	Default
Menu Kit title	Drag the title bar to move the kit	—	Bottom-left corner
Status chip	The site's release status; tooltip "Auric Artisan is [status]."	For example Beta	Beta at the time of writing
Focus mode	Keeps the kit open across pages and when other kits open	On or off; remembered	Off
Theme	Switches the menu between light and dark ("Switch this menu between light and dark mode.")	Light or dark; remembered	Follows the site
Resize	Normal (680 px wide) or expanded (up to 820 px wide)	Remembered	Normal
Minimize	Collapses the kit to its title bar; select the bar to restore	—	—
Close	Closes the kit ("Close Menu Kit.")	—	—

Search bar

Control	What it does
Search Auric Artisan...	Type to switch to the results list; has focus when the kit opens
ESC hint	Shown while the box is empty
Clear button (cross)	Shown while the box has text; clears it ("Clear search")
Result count	N results while searching

Tabs

Tab	Tooltip
Tools	Show Tools pages.
Design	Show Design pages.
Analyze	Show Analyze pages.
Account	Show Account pages.
Library	Show Library pages.
Company	Show Company pages.
Trust	Show Trust pages.

The tab row shows text labels; it scrolls sideways when it does not fit. The last tab used is remembered. Tabs with no visible pages in the current mode are hidden.

Sections

Tab	Section	Pages
Tools	Recommended	All Tools, Collections, URL Analyzer, Basic Color Tools, ASCII Art, Icon Library, Design System Generator, Color Foundations
Tools	Most Used	Up to 8 Tools-tab pages, by how often you open them
Tools	Start Here	All Tools, Collections, URL Analyzer, Basic Color Tools, ASCII Art, Icon Library, Design System Generator, Portfolio Builder, Portfolio Index
Tools	Search	Search, Search Console
Tools	General Color Tools	Color Foundations, General Tools Hub, Illuminants, Gamut Explorer, Tonal Steps, Tints and Shades, Perception and Vision, Spectral Tools Hub
Design	Color Science Lab	Color Science Lab, Personalization Generator, Ishihara Plate Generation
Design	Colorimetry	Colorimetry Hub, Chromatic Adaptation Dynamics, Gamut Mapping
Design	Gamut and Rendering	Gamut and Rendering Hub, HDR Gamut Plot, Tone Mapping
Design	Perception and Neuroscience	Perception and Neuroscience Hub, Neuroscience of Color, Psychophysical Experiment Engine
Design	Spectral and Material Tools	Industrial Dye Chemistry, Material Lighting
Design	Utility Labs	Collage Maker, Image Picker, ICC Profile Parser, LUT Lab, M-Gradient Palette, SVG Recolor
Analyze	Vision Simulation	Vision Deficiency Simulator

Tab	Section	Pages
Account	Account and Sign In	Sign In, Create Account, Forgot Password, Reset Password, Dashboard, Profile, Portfolio, Settings, Sessions, API Keys, Billing, Invoice Receipt, Device Approval, Verify Email
Library	Library	Documentation, Changelog, Blog, Learn, Workspace, Color Library, Palette Library, Gradient Library, Harmony Library, Shades Library, Accessibility Library
Company	Company	About, Pricing, Contact, FAQ, Timeline, Accessibility, Projects
Trust	Legal and Security	Legal Hub, Acceptable Use Policy, Content and Intellectual Property, Cookies, Data Retention and Deletion, Licenses, Privacy, Refund, Security, Subscription and Billing, Terms, Transparency

Section headings show an icon, the name, the number of pages and a chevron; select one to collapse or expand it. Collapsed sections are remembered.

The **Workspace** tile in the Library tab opens the **Library Kit** instead of leaving the page.

Tiles

Part	Meaning
Illustration or icon	The page's artwork
Name	The page's name
Tooltip	The page's description
Small dot	This is the page you are on; tooltip You are here

Results list (while searching)

Part	Meaning
Icon or illustration	The page or action
Name	Page name or action name
Second line	The page's section, or the action's description
Open ↵	A page; Enter opens it
Action ↵	A quick action; Enter runs it

Quick actions: **Copy current URL**, **Scroll to top**, **Go home**, **Go back**, **Reload page**, **Open a random tool**, **Toggle menu theme**. See **Search and quick actions**.

Footer

Control	What it does
Key hints	Ctrl K Search · Esc Close (⌘ on a Mac)
Home icon	Goes to the Auric Artisan home page ("Go to the Auric Artisan home page.")

States and messages

Message	When
Loading menu — "Reframing tools by intent."	The list of pages is loading
Menu unavailable — "Failed to load menu data." and Failed to load menu.	The list of pages could not be downloaded
No matching pages — "Try a different search, or switch to another category." with Clear search	Nothing to show in the current tab
No matches for "..."	A search found nothing

WEBSITE > KITS > MENU KIT

Menu Kit troubleshooting

Fixes for Menu Kit problems, such as a missing tab, a tool that does not appear, or a shortcut that does nothing.

For problems shared by every kit, see [Troubleshooting kits](#).

The Design tab is missing

Why: The site's tool visibility mode is **Basic**, which is the default. Basic mode hides the scientific tools, and the Design tab has nothing else to show.

What to do: Open the [Advanced Kit](#) and choose **Advanced** or **Everything**.

A tool I expect is not in the menu or the search results

Why: The tool visibility mode hides it, or you unticked it in **Custom** mode.

What to do: Choose **Everything** in the Advanced Kit, or tick the tool in **Custom** mode. If the tool still does not appear, it may not be in the Menu Kit's list; try **All Tools** in the Tools tab or the site-wide search (**Ctrl** + **K**).

Ctrl + M does nothing

Why: Your browser or operating system uses that key combination first. On a Mac, **Cmd** + **M** minimises the window.

What to do: Open the Menu Kit from **Page utilities** > **Menu**.

Ctrl + K opens a different search

Why: **Ctrl** + **K** opens the site-wide search, even while the Menu Kit is open.

What to do: Press **/** to put the cursor in the Menu Kit's own search box.

The menu says "Menu unavailable"

Why: The list of pages could not be downloaded, usually because the connection dropped.

What to do: Check your connection and reload the page, then open the Menu Kit again.

Most Used shows pages I have never opened

Why: Until you have opened pages from the Menu Kit, **Most Used** has no counts to go on and lists pages alphabetically.

What to do: Nothing; it fills with your own pages as you use the menu.

A section is empty or missing

Why: You collapsed it earlier (the kit remembers), or every page in it is hidden by the tool visibility mode.

What to do: Select the section heading to expand it, or change the mode in the Advanced Kit.

Selecting a result does nothing

Why: The result is the page you are already on. The kit closes without reloading it.

What to do: Choose another result, or use the **Reload page** quick action.

The kit opens on every page

Why: Its **Focus mode** is on.

What to do: Select **Focus mode** so it is no longer gold, then close the kit.

The status chip says Beta

Why: The chip shows the release status of the whole site, which is currently **Beta**. It is not a problem.

What to do: For the status of the page you are on, open the [Status Kit](#).

WEBSITE > KITS > MENU KIT

Menu Kit FAQ

Short answers to common questions about the Menu Kit.

How is the Menu Kit different from the site header menu?

The Menu Kit opens on any page, including tool pages where the header is scrolled away, and holds the whole site in one searchable panel with tabs, recommended pages and your most-used pages.

How is it different from the site-wide search?

The Menu Kit searches its own list of pages by name, section and description, and also offers quick actions. The site-wide search (**Ctrl** + **K**, or <https://auricartisan.com/search/>) searches the content of pages and can search the web. See [Search](#).

Does the Menu Kit list every page on the site?

No. It lists the main tools and pages. Individual articles, library entries and some tool sub-pages are not in it; use the site-wide search for those.

Why do I see fewer tools than a friend?

The Menu Kit follows the tool visibility mode chosen in the [Advanced Kit](#), which is stored in each browser. New visitors start in **Basic** mode.

Can I reorder or pin tiles?

No. The order is fixed, apart from **Most Used**, which follows how often you open pages from the Menu Kit.

Can I reset Most Used?

There is no reset button. Clearing this site's data in your browser resets it, along with your other kit preferences.

Does search understand typos?

Partly. It matches letters in order with gaps, so **clrlib** finds **Color Library**. It does not correct swapped or wrong letters.

Is anything I type sent anywhere?

No. Searching and quick actions run in your browser. See [Privacy](#).

[WEBSITE](#) > [KITS](#) > [MENU KIT](#)

Menu Kit reference material

Contents of the Menu Kit reference pages: glossary, shortcuts, limits, related pages, release notes and privacy.

Supporting pages for the Menu Kit: the terms it uses, its keyboard shortcuts, what it covers and how search ranks, related pages, its public history and what it keeps in your browser.

File	What it covers
glossary.md	Terms used in the Menu Kit guides
shortcuts.md	Every key the Menu Kit responds to
limits-and-accuracy.md	What the menu includes, and how search matches and ranks
related.md	Related kits, site features and pages
release-notes.md	User-facing history of the Menu Kit
privacy.md	What the Menu Kit keeps in your browser

[WEBSITE](#) > [KITS](#) > [MENU KIT](#)

Menu Kit shortcuts

Every keyboard shortcut the Menu Kit responds to.

Shortcut	Where	What it does
Ctrl + M	Anywhere	Opens or closes the Menu Kit
/	Kit open, cursor not in a text box	Puts the cursor in the search box
Esc	Search box with text	Clears the search
Esc	Kit open	Closes the kit
Down arrow	Search box (not searching) or tab row	Moves into the tiles
Left arrow , Right arrow	Tab row	Previous or next tab
Home , End	Tab row	First or last tab
Arrow keys	Tiles and section headings	Move to the previous or next item
Home , End	Tiles and section headings	First or last item
Enter or Space	Section heading	Collapses or expands the section
Enter	Tile	Opens the page
Up arrow , Down arrow	Search box while searching	Moves the highlight through the results

Shortcut	Where	What it does
Enter	Search box while searching	Opens the highlighted page or runs the highlighted action

Ctrl + **K**, shown in the footer, opens the site-wide search rather than the Menu Kit's search box. See [Site features](#).

See [Kit keyboard shortcuts](#) for the other kits.

[WEBSITE](#) > [KITS](#) > [MENU KIT](#)

Menu Kit glossary

Terms used in the Menu Kit guides.

Start menu — The Menu Kit's role: one panel that lists the site's pages, like the start menu of a desktop computer.

Tab — One of the seven top-level groups: Tools, Design, Analyze, Account, Library, Company, Trust.

Section — A collapsible group of tiles inside a tab, such as **Start Here** or **Utility Labs**.

Tile — One page in the menu, shown as an illustration and a name.

Recommended — Eight entry points picked for first-time visitors, at the top of the Tools tab.

Most Used — Up to eight Tools-tab pages you open most often from the Menu Kit.

Results list — The ranked list that replaces the tiles while you search. It works like a command palette.

Fuzzy matching — Search that matches the letters you type in order, allowing other letters in between.

Quick action — A command in the results list that does something on the current page, such as **Copy current URL**.

Status chip — The label next to the kit's title showing the site's release status, such as **Beta**.

Tool visibility mode — The site-wide choice of Basic, Advanced, Everything or Custom tools, set in the Advanced Kit. The Menu Kit shows only tools the mode allows.

[WEBSITE](#) > [KITS](#) > [MENU KIT](#)

Menu Kit limits

What the Menu Kit includes, how its search matches and ranks, and what it does not do.

What the menu covers

- The Menu Kit lists 83 pages in 14 sections across seven tabs, plus the **Recommended** and **Most Used** sections built from the Tools tab.

- It does not list individual Learn articles, blog posts, documentation articles, changelog entries or library items. Use the site-wide search for those.
- The **Projects** tile links to an external site.

Search

- The results list shows at most 16 results.
- Matching is by letters in order, then by section and name together, then by an exact phrase in the description.
- It does not correct wrong or swapped letters, and it does not search the text of pages.
- Results respect the tool visibility mode, so hidden tools cannot be found through the Menu Kit.
- Ranking gives a modest boost to pages you open often, capped so a single much-used page does not always come first.

Most Used

- Counts only visits started from the Menu Kit, in this browser.
- Covers pages in the Tools tab only.
- Is not shared between browsers or devices and cannot be reset from the kit.

Status chip

The chip shows one status for the whole site, not the status of the page you are on. For per-page status, use the [Status Kit](#).

[WEBSITE](#) > [KITS](#) > [MENU KIT](#)

Menu Kit privacy

What the Menu Kit keeps in your browser and what it downloads.

Kept in your browser

What	Why
The last tab you used	To open on it next time
Which sections you collapsed	To keep them collapsed
How many times you opened each page from the Menu Kit	To fill Most Used and rank search results
Position, expanded size, Focus mode and theme	Shared kit preferences

None of this is sent anywhere. It is removed when you clear this site's data in your browser.

Downloaded

The first time you open the Menu Kit on a page, it downloads the list of pages and the site status from auricartisan.com. Your searches are not sent: matching happens in your browser.

The **Copy current URL** quick action writes the page address to your clipboard, which your browser may ask permission for.

Related

- [Privacy for all kits](#)
- The site's privacy policy: <https://auricartisan.com/legal/privacy/>

[WEBSITE](#) > [KITS](#) > [MENU KIT](#)

Menu Kit release notes

What the public changelog records about the Menu Kit, and what the kit contains as of September 2026.

The website's public release history is at <https://auricartisan.com/library/changelog/> and <https://auricartisan.com/company/timeline/>.

Recorded releases

Release	Date	What the public history says
v0.9.75	19 April 2026	Interface fixes to the Menu Kit and the Status Kit, as part of a broad stability release
v0.9.8	2 May 2026	Complexity management added (the tool visibility modes that the Menu Kit follows), with Advanced Kit upgrades
v0.9.9	5 June 2026	Interface consistency improvements and shortcut updates across the site

The Menu Kit as of 24 September 2026

- Seven tabs (Tools, Design, Analyze, Account, Library, Company, Trust) with collapsible, remembered sections.
- **Recommended** and **Most Used** sections at the top of the Tools tab.
- A search that turns into a ranked results list with quick actions and keyboard navigation.
- A **You are here** marker on the current page's tile.
- The site status chip in the title bar.
- Shared kit controls: Focus mode, per-kit theme, Resize, Minimize, Close, and a labelled **Menu** launcher in the page utilities bar.

Changes not recorded in the public history are not listed here.

WEBSITE > KITS > MENU KIT

Related to the Menu Kit

Kits, site features and pages related to the Menu Kit.

- **Advanced Kit** — choose which tools the Menu Kit shows.
- **Status Kit** — the status of each page, and scans of whole sections.
- **Library Kit** — opened by the **Workspace** tile in the Library tab.
- **All kits and Panel controls**.
- **Site features** — the site header, the page navigation dock (**Navigate**), the site-wide search and the right-click menu.
- **Search** — the full search page at <https://auricartisan.com/search/>.
- **Collections** — the tool collections at <https://auricartisan.com/collections/>, another way to browse tools by workflow.

WEBSITE > KITS > STATUS KIT

Status Kit

See how finished the page you are on is, scan a whole section of the site for page statuses, and watch live device, network and performance readings.

The Status Kit answers two questions: how finished is this part of Auric Artisan, and how is my device coping? Its **This page** card shows the status of the page you are on, such as **Beta**, **Stable** or **Experimental**. Its scanner lists every page under a path, such as `/tool/` or `/library/`, with each page's status, a summary and filters.

Above the scanner, a collapsible **System status** panel shows live readings from your browser across five tabs: **Network**, **Hardware**, **Memory**, **Display** and **Runtime**, including your connection type, battery level, storage use, screen resolution, colour gamut and a live frame-rate graph.

All readings are taken in your browser and shown only to you. Scans read pages of auricartisan.com.

Who it is for

- Visitors who want to know whether a tool is stable or still experimental before relying on it.
- Anyone reporting a problem who needs to describe their device, browser and connection.
- Designers checking what their display supports, such as the P3 wide gamut.

Where to find it

On any page of <https://auricartisan.com>, select **Page utilities** in the bottom-left corner, then **Status**. The Status Kit has no keyboard shortcut.

Quick start

1. Select **Page utilities** > **Status**. The Status Kit opens with the cursor in the path box.
2. Read the **This page** card: the page title and its status badge.
3. Select the **Hardware** tab in **System status** to see your battery, device memory and CPU threads.
4. Type `/library/` in the path box and press **Enter**.
5. Read the summary cards (**Pages**, **Tools**, **Stable**, **Beta**, **Issues**) and the grouped list of pages.
6. Select a filter chip such as **Stable** to narrow the list.
7. Select a page in the list to open it in a new tab.

What you can do

- See the current page's status at a glance.
- Scan any section of the site and count its pages by status.

- Filter scan results by status and search them by title.
 - Re-run any of your last eight scans with one click.
 - Check your connection, battery, memory, storage, caches, display, frame rate, page load time, service worker, app mode, language, time zone and cookie setting.
-

In this folder

- [docs/](#) — guides
 - [Getting started](#) — open the kit and tour its screen
 - [Check a page's status](#) — what each status means
 - [Scan a section of the site](#) — list pages and their statuses
 - [System status](#) — every live reading explained
 - [Reference](#) — every control and message
 - [Troubleshooting](#) — problems and fixes
 - [FAQ](#) — common questions
- [others/](#) — reference material
 - [Glossary](#) — terms used in the Status Kit
 - [Shortcuts](#) — Status Kit keys
 - [Limits and accuracy](#) — what the readings can and cannot tell you
 - [Related](#) — related kits and pages
 - [Release notes](#) — user-facing history
 - [Privacy](#) — what is read and what is kept

For the controls every kit shares, see [Panel controls](#).

WEBSITE > KITS > STATUS KIT

Status Kit guides

Contents of the Status Kit guides: page status, section scans, system status, reference, troubleshooting and FAQ.

These guides explain the Status Kit's three parts: the **This page** card, the **System status** panel and the page scanner.

File	What it covers
getting-started.md	Open the Status Kit and learn its screen
check-page-status.md	Read the current page's status and what each status means
scan-a-section.md	Scan a path, read the summary, filter, search and reuse scans
system-status.md	Every reading in the Network, Hardware, Memory, Display and Runtime tabs
reference.md	Every control and message
troubleshooting.md	Problems and how to fix them
faq.md	Short answers to common questions

Shared controls such as moving, Focus mode and theme are explained in [Panel controls](#).

WEBSITE > KITS > STATUS KIT

Getting started with the Status Kit

Open the Status Kit and learn its three parts: the This page card, System status and the page scanner.

Open the kit

Select **Page utilities** (bottom-left corner) > **Status**. The launcher's tooltip reads "View the current page status and scan page status entries." There is no keyboard shortcut to open it.

The kit opens with the cursor in the path box, ready for a scan.

The screen, top to bottom

1. **Title bar.** **Status Kit** and the buttons **Focus mode**, **Theme**, **Resize**, **Minimize** and **Close**.
2. **This page.** The status badge of the page you are on and a link with the page's title. See [Check a page's status](#).
3. **System status.** A collapsible panel with an **Online** or **Offline** pill and five tabs: **Network**, **Hardware**, **Memory**, **Display**, **Runtime**. See [System status](#).
4. **Path box and Scan button.** The box shows `https://auricartisan.com` as a placeholder. See [Scan a section](#).

5. **Results search.** Appears after a scan: **Search pages....**
 6. **Recent scans.** Your last scans, once you have run one.
 7. **Summary cards and filter chips.** Appear after a scan.
 8. **Results.** Before your first scan this area shows "Scan a path for page statuses" with the hint "Enter a URL or path (for example /tool/) and press Scan to list every page and its status."
-

Try it

1. Open the Status Kit on the home page.
 2. The **This page** card shows the home page's title and the badge **Beta**.
 3. In **System status**, select **Display**. You see your screen resolution, window size, pixel ratio and colour depth.
 4. Type `/legal/` in the path box and select **Scan**.
 5. A loader shows **Scanning pages** and a count such as `3 / 12`. Then the results appear, grouped under **Trust**.
-

Opening another kit closes the Status Kit

Unlike the other kits, the Status Kit closes whenever another kit opens, even when its **Focus mode** is on. Focus mode still makes it open again on the next page you load.

Close the kit

Press `Esc`, select **Close**, or select the **Status** launcher again.

Next steps

- [Check a page's status](#)
- [Scan a section of the site](#)
- [System status](#)

WEBSITE > KITS > STATUS KIT

Check a page's status

Read the status of the page you are on in the Status Kit, and what each status label means.

Every page on Auric Artisan has a status that says how finished it is. The Status Kit's **This page** card shows it for the page you are on.

Read the This page card

1. Open the Status Kit (**Page utilities** > **Status**).
2. Look at the **This page** card at the top.

The card shows:

- the label **This page**;
- a coloured status badge, for example **Beta**. Its tooltip reads "Current page status: Beta.";
- the page's title as a link. Selecting it opens the same page in a new tab.

Until the status has been worked out, the badge reads **Unknown** for a moment.

What each status means

The kit can show the labels below. The site does not publish formal definitions for them; they carry their usual software meanings.

Status	Meaning
Stable	Finished and expected to keep working as it does now
Beta	Complete and usable, still being refined. Most of the site is Beta, matching the site's overall status
Alpha	Early; expect gaps and changes
Experimental	A trial feature that may change a lot or be withdrawn
In development	Being built
Under testing	Being tested before a wider release
Maintenance	Temporarily limited while it is being worked on
Research	A research tool; results are exploratory
Archived	Kept for reference, no longer developed
Deprecated	Being retired; use its replacement
Unknown	No status could be found

The scanner counts **Alpha**, **Deprecated** and **Archived** pages as **Issues**.

How a page gets its status

The site keeps one central list of statuses. A page takes the status of the closest entry that covers it: an entry for that exact page wins, then an entry for the folder it sits in. Pages with no closer entry take the status of the whole site, which is **Beta**.

At the time of writing:

- the Vision Simulation lab is **Experimental**;
- the changelog, the timeline, blog and documentation articles, the About, Accessibility and FAQ pages, the legal pages and the Collections page are **Stable**;
- everything else, including the home page and the tools, is **Beta**.

These assignments change as the site develops; the kit always shows the current one.

The site status versus a page status

The Menu Kit shows a status chip for the whole site. The Status Kit shows the status of individual pages. They often agree, because most pages share the site's **Beta** status.

Related

- [Scan a section of the site](#)
- [Reference](#)

WEBSITE > KITS > STATUS KIT

Scan a section of the site

List every page under a path with its status, then summarise, filter, search and repeat the scan.

The scanner lists every page of auricartisan.com whose address starts with a path you give, and shows each page's status.

Run a scan

1. Open the Status Kit. The cursor is in the path box.
2. Type a path such as `/tool/`, `/library/` or `/company/`. You can also paste a full address such as `https://auricartisan.com/library/blog/`; only its path is used.
3. Press **Enter** or select **Scan**.

While the scan runs, the results area shows **Scanning pages** with a running count such as `12 / 48`. The kit reads the site map to find the pages, then fetches each page to read its title, so a large section takes a little while.

Read the results

When the scan finishes you see, from top to bottom:

1. **Summary cards**.

Card	Counts
Pages	Every page found
Tools	Pages in the tool categories (Tools, Color Lab and Vision)
Stable	Pages with the Stable status
Beta	Pages with the Beta status
Issues	Pages that are Alpha, Deprecated or Archived

2. **Filter chips.** **All**, one chip per status found, and **Issues** if any, each with a count. They appear only when the results contain more than one status or any issues.
3. **Result count**, for example **48 pages**, or **Showing 12 of 48 pages** when a filter or search is active.
4. **Target page.** If a page's address matches your path exactly (for example `/library/` itself), it appears first as an expanded summary with its **URL**, **Category**, **Collection** and **Status**.
5. **Category groups.** The other pages, grouped under collapsible headings with a count: **Tools**, **Color Lab**, **Vision**, **Library**, **Company**, **Trust** and **Other**. Each row shows a thumbnail, the page title and a status badge. Hover over a title to see its path.

Select a page row to open that page in a new tab.

Filter and search the results

- Select a filter chip to show only pages with that status, or **Issues** for the problem statuses. Select **All** to clear it.
- Type in **Search pages...** (it appears after a scan) to show only pages whose title contains your text.

The two combine. If nothing matches, you see **Nothing matches** with either "No pages match" and your search, or "No pages have that status. Try a different filter."

Collapse groups

Select a category heading to collapse or expand it. The kit remembers which categories you collapsed.

Recent scans

After your first scan, a **Recent scans** section lists your last eight scans, newest first. Each shows the path you typed, "Scanned" with how long ago (for example **Scanned 5 minutes ago**), the number of pages, and the status of the target page. Select one to run it again.

Which pages are included

- Pages come from the site map. If the site map cannot be read, the kit falls back to the pages listed in the Menu Kit.
- The home page (/) is never listed, even when you scan / .
- Individual colour pages, whose addresses start with /color/, are left out.
- Paths are matched from the start: /tool/ finds /tool/analyzer/ but /analyzer/ finds nothing.

Empty and error states

Message	Meaning
Scan a path for page statuses	No scan yet. Enter a path such as /tool/ and press Scan
No pages found — "Nothing matched" your path, "Try a broader path like /tool/ or /library/."	No page starts with that path
Couldn't complete the scan	Something went wrong reading the site map. Check your connection and try again

Selecting **Scan** with an empty box returns to the starting message.

Related

- [Check a page's status](#)
- [Reference](#)
- [Limits and accuracy](#)

WEBSITE > KITS > STATUS KIT

System status

Every live reading in the Status Kit's System status panel, what it means and when it shows a dash.

The **System status** panel shows live information about your device, connection and the page, read from your browser. It refreshes every two seconds while the Status Kit is open, and at once when your connection goes on or off line.

Open, collapse and switch pages

- The panel is expanded when the kit opens. Select its heading (**System status**) or the chevron to collapse or expand it. With the keyboard, focus the heading and press **Enter** or **Space**.
- The pill next to the heading shows **Online** or **Offline**.
- Select a tab to switch between **Network**, **Hardware**, **Memory**, **Display** and **Runtime**.

A reading shows — when your browser does not provide it. Some readings exist only in certain browsers, noted below.

Network

Reading	What it shows
Connection	Your connection's effective speed class, such as 4G or 3G , or Online or Offline if the browser does not report a class
Speed	Estimated download speed in Mbps, with a bar (full at 20 Mbps) and the connection type, such as wifi, when known
Latency	Estimated round-trip time in milliseconds
Data Saver	On if your browser's data-saving mode is on, otherwise Off

Speed, latency and data saver come from the browser's network information, which Chromium-based browsers provide and others often do not. They are the browser's rough estimates, not a speed test.

Hardware

Reading	What it shows
Battery	Charge level with a bar, and Charging or On battery . The bar turns to a warning colour at 20% or below when not charging
Device memory	Approximate memory in GB, as the browser reports it (browsers round this and cap it)
CPU threads	Number of logical processor threads available to the browser

Battery information is available only in some browsers.

Memory

Reading	What it shows
JS heap	Memory the page's scripts are using, and the limit, with a bar that turns to a warning colour above 85%. Chromium-based browsers only
Storage	Space the site uses in your browser's storage, out of the space allowed, with a percentage. The bar turns to a warning colour above 90%
Caches	Number of caches the site has stored, for example for offline use

Display

Reading	What it shows
Resolution	Your screen's size in CSS pixels, such as 1920×1080
Viewport	The browser window's inner size in CSS pixels
Pixel ratio	Device pixels per CSS pixel, such as 2× on a high-density screen
Color	Colour depth in bits, such as 24-bit , and the gamut: P3 gamut for a wide-gamut display, otherwise sRGB gamut

Runtime

Reading	What it shows
Frame rate	Frames drawn in the last second, with a sparkline of the last 48 seconds
Page load	Seconds the page took to finish loading
Service worker	Active if the site's offline helper is controlling the page, Registered if your browser supports one but it is not controlling this page, Unsupported otherwise
App mode	Installed app if you opened the site as an installed app, otherwise Browser tab
Language	Your browser's preferred language, such as en-GB
Time zone	Your device's time zone, such as Europe/London
Cookies	Enabled or Blocked

The frame rate is measured only while the Status Kit is open, and measuring stops when you close it. The figure usually matches your display's refresh rate, for example about 60 on a 60 Hz screen, and drops when the page is busy.

Using the readings for a bug report

When you report a problem, the **Runtime** and **Display** tabs give most of what support needs: browser language, time zone, app mode, screen and window size, pixel ratio and gamut. Copy them by hand; the kit does not send them anywhere. See [Help](#) for how to contact support.

Related

- [Limits and accuracy](#)
- [Privacy](#)

Status Kit reference

Every control, reading, filter and message in the Status Kit.

Launcher

Control	What it does	Default
Status launcher (tick-in-circle icon)	Opens or closes the kit. Announces itself as Open status kit or Close status kit	Closed
Tooltip	"View the current page status and scan page status entries."	—

There is no keyboard shortcut to open the Status Kit.

Title bar

Control	What it does	Values	Default
Status Kit title	Drag the title bar to move the kit	—	Bottom-left corner
Focus mode	Opens the kit again on the next page you load. Does not keep it open when another kit opens	On or off; remembered	Off
Theme	Switches the kit between light and dark	Light or dark; remembered	Follows the site
Resize	Normal (560 px wide) or expanded (up to 760 px wide)	Remembered	Normal
Minimize	Collapses the kit to its title bar	—	—
Close	Closes the kit ("Close Status Kit.")	—	—

This page card

Element	What it shows
This page	Label
Status badge	The current page's status; tooltip "Current page status: [status]." Shows Unknown until worked out
Title link	The page's title; opens the page in a new tab

System status panel

Control	What it does	Default
System status heading and chevron	Collapse or expand the panel	Expanded

Control	What it does	Default
Online / Offline pill	Your connection state	—
Network, Hardware, Memory, Display, Runtime tabs	Switch page	Network

Readings, by tab:

Tab	Readings
Network	Connection, Speed, Latency, Data Saver
Hardware	Battery, Device memory, CPU threads
Memory	JS heap, Storage, Caches
Display	Resolution, Viewport, Pixel ratio, Color
Runtime	Frame rate, Page load, Service worker, App mode, Language, Time zone, Cookies

Readings refresh every 2 seconds while the kit is open. See [System status](#).

Scanner

Control	What it does
Path box (placeholder <code>https://auricartisan.com</code>)	The path or address to scan
Scan	Runs the scan (also <code>Enter</code> in the path box)
Search pages...	Filters results by title; appears after a scan
Recent scans	Your last 8 scans; select one to re-run it
Summary cards	Pages, Tools, Stable, Beta, Issues
Filter chips	All , one per status found, Issues ; each with a count
Result count	N pages or Showing N of M pages
Target summary	For a page matching the path exactly: URL, Category, Collection, Status
Category groups	Tools, Color Lab, Vision, Library, Company, Trust, Other ; collapsible and remembered
Result row	Thumbnail, title (tooltip shows the path), status badge; opens the page in a new tab

Statuses

Stable, Beta, Alpha, Experimental, In development, Under testing, Maintenance, Research, Archived, Deprecated, Unknown. **Issues** counts **Alpha, Deprecated** and **Archived**.

Messages

Message	When
Scan a path for page statuses — "Enter a URL or path (for example /tool/) and press Scan to list every page and its status."	Before a scan, or after scanning an empty box
Scanning pages with a count such as 12 / 48	A scan is running
No pages found — "Nothing matched ... Try a broader path like /tool/ or /library/."	No page starts with the path
Couldn't complete the scan	The site map could not be read
Nothing matches	A filter or search hides every result

Keyboard

Key	Where	What it does
/	Kit open, cursor not in a text box	Puts the cursor in the path box, or in Search pages... after a scan
Enter	Path box	Runs the scan
Down arrow	Path box or results search	Moves into the results
Up arrow, Down arrow, Home, End	Results	Move between the target summary, category headings and rows
Enter or Space	System status heading	Collapses or expands it
Esc	Kit open	Closes the kit

WEBSITE > KITS > STATUS KIT

Status Kit troubleshooting

Fixes for Status Kit problems, such as empty readings, slow scans or a kit that closes on its own.

For problems shared by every kit, see [Troubleshooting kits](#).

Many readings show a dash (—)

Why: Your browser does not provide that information. Network speed, latency and data saver, battery, JS heap and device memory are available only in some browsers, mostly Chromium-based ones.

What to do: Nothing is wrong. Try another browser if you need those readings.

The Status Kit closes when I open another kit

Why: The Status Kit always closes when another kit opens, even with Focus mode on.

What to do: Reopen it after using the other kit. Focus mode still reopens it on each new page.

A scan takes a long time

Why: The kit fetches every page in the section to read its title. A broad path such as `/tool/` or `/library/` means many pages.

What to do: Scan a narrower path, such as `/library/blog/`. The running count shows how far the scan has got.

"No pages found"

Why: No page's address starts with what you typed. Paths are matched from the start, and must be paths on auricartisan.com.

What to do: Start with a slash and a top-level folder, such as `/tool/`, `/library/`, `/company/` or `/legal/`.

"Couldn't complete the scan"

Why: The site map could not be read, usually because the connection dropped.

What to do: Check your connection and select **Scan** again.

A page shows Beta although it looks finished

Why: Pages take the site's overall **Beta** status unless the site has given them their own.

What to do: Nothing; the status is the site's own assessment. See [Check a page's status](#).

Ctrl + K opens a different search

Why: `Ctrl` + `K` opens the site-wide search, even while the Status Kit is open.

What to do: Press `/` to put the cursor in the path box or in **Search pages...**

The frame rate looks low

Why: The page is doing heavy work, your device is busy, or power saving is limiting it.

What to do: Close other heavy tabs or plug in your device, and watch the sparkline for changes.

Storage is nearly full

Why: The **Storage** bar turns to a warning colour above 90% of the space your browser allows the site. Saved library items, notes and cached files all use it.

What to do: Export and delete library items you no longer need in the [Library Kit](#), or clear cached site data in your browser.

[WEBSITE](#) > [KITS](#) > [STATUS KIT](#)

Status Kit FAQ

Short answers to common questions about the Status Kit.

Can I scan another website?

No. The scanner lists pages of auricartisan.com only. If you paste another site's address, only its path is used, and it is looked up on auricartisan.com. To check other websites, use the [URL Analyzer](#).

Does the Status Kit send my device details anywhere?

No. The readings are taken in your browser and shown only to you. See [Privacy](#).

Is the Speed reading a speed test?

No. It is your browser's rough estimate of your connection, not a measurement.

Why is there no keyboard shortcut?

The Status Kit has none. Open it from **Page utilities** > **Status**.

Does P3 gamut mean my screen is colour-accurate?

No. It means your browser reports that the display can show roughly the P3 range of colours. It says nothing about calibration.

Can I export a scan?

No. Scan results stay in the panel. Your last eight scan paths are remembered under **Recent scans**.

What counts as an issue?

Pages whose status is **Alpha**, **Deprecated** or **Archived**.

[WEBSITE](#) > [KITS](#) > [STATUS KIT](#)

Status Kit reference material

Contents of the Status Kit reference pages: glossary, shortcuts, limits, related pages, release notes and privacy.

Supporting pages for the Status Kit: the terms it uses, its keys, what its readings can and cannot tell you, related pages, its public history and what it reads or keeps.

File	What it covers
glossary.md	Terms used in the Status Kit guides
shortcuts.md	Keys the Status Kit responds to
limits-and-accuracy.md	What the statuses and readings mean, and their limits
related.md	Related kits, tools and pages
release-notes.md	User-facing history of the Status Kit
privacy.md	What the Status Kit reads, keeps and fetches

[WEBSITE](#) > [KITS](#) > [STATUS KIT](#)

Status Kit shortcuts

Keys the Status Kit responds to.

The Status Kit has no shortcut to open it. Open it from **Page utilities** > **Status**. While it is open:

Key	Where	What it does
/	Cursor not in a text box	Puts the cursor in the path box, or in Search pages... after a scan
Enter	Path box	Runs the scan
Down arrow	Path box or Search pages...	Moves into the results
Up arrow , Down arrow	Results	Previous or next item
Home , End	Results	First or last item
Enter	A result row	Opens the page in a new tab
Enter or Space	System status heading	Collapses or expands the panel
Esc	Anywhere	Closes the kit

[Ctrl](#) + [K](#) opens the site-wide search, not the Status Kit's boxes.

See [Kit keyboard shortcuts](#) for the other kits.

[WEBSITE](#) > [KITS](#) > [STATUS KIT](#)

Status Kit glossary

Terms used in the Status Kit guides.

Page status — A label that says how finished a page is, such as **Beta** or **Stable**.

Site status — The status of the site as a whole, shown in the Menu Kit. Pages without their own status share it.

Scan — A listing of every page whose address starts with a given path, with each page's status.

Path — The part of an address after the domain, such as `/library/blog/`.

Site map — The site's published list of its pages, which the scanner reads.

Issues — Pages with the Alpha, Deprecated or Archived status.

Target page — In a scan, the page whose address matches your path exactly.

Effective connection type — The browser's classification of your connection speed, such as 4G.

Round-trip time (latency) — How long a message takes to reach a server and come back, in milliseconds.

JS heap — Memory used by the page's scripts.

Device pixel ratio — How many physical screen pixels make up one CSS pixel. 2× is typical of high-density screens.

CSS pixel — The unit web pages are laid out in. It may be several physical pixels.

Colour gamut — The range of colours a display can show. sRGB is the standard range; P3 is wider.

Colour depth — The number of bits used per pixel to store colour, such as 24-bit.

Frame rate — How many times per second the page is redrawn.

Service worker — A background script that lets the site work offline and load faster.

Installed app — The site opened as an app installed from the browser, rather than in a tab.

WEBSITE > KITS > STATUS KIT

Status Kit limits

What the Status Kit's page statuses and system readings can and cannot tell you.

Page statuses

- Statuses are the site's own labels, set centrally. They are not measured from the page.
- A page without its own entry takes the status of its folder, or of the whole site (**Beta**).
- The kit does not explain why a page has a given status.

Scans

- Scans cover pages of auricartisan.com only, taken from the site map.
- The home page and individual colour pages under **/color/** are never listed.
- Titles come from fetching each page, so a scan of a large section makes many requests and takes longer.
- Categories come from the Menu Kit where a page is listed there, and are otherwise guessed from words in the address, so a page can land in **Other** or in a category that does not quite fit.
- Results are not saved; only your last eight scan paths are remembered.

System readings

- Readings are what your browser chooses to report. Browsers round, cap or withhold some values to protect privacy, so the same device can show different figures in different browsers.
- **Speed** and **Latency** are browser estimates, not a speed test.
- **Device memory** is approximate and capped by the browser.
- **Storage** shows the space the site uses against the space your browser allows it, which is not your disk's free space.
- **Color** reports whether the display can show roughly the P3 range. It is not a calibration or a measurement of colour accuracy.
- **Resolution** and **Viewport** are in CSS pixels; multiply by **Pixel ratio** for physical pixels.
- **Frame rate** counts redraws in the last second while the kit is open. It is an indicator, not a benchmark.
- **Page load** is the time the page took to finish loading on this visit.

WEBSITE > KITS > STATUS KIT

Status Kit privacy

What the Status Kit reads from your browser, what it keeps, and what it fetches.

Read from your browser, shown only to you

The **System status** panel reads your connection estimate, battery, device memory, processor threads, memory use, storage use, cache count, screen and window size, pixel ratio, colour depth and gamut, frame rate, page load time, service worker state, app mode, language, time zone and cookie setting.

These readings are displayed in the panel and not stored or sent anywhere. They stop updating when you close the kit.

Kept in your browser

What	Why
Your last 8 scans: the path, target page title and status, page count and time	For Recent scans
Which result categories you collapsed	To keep them collapsed
Position, expanded size, Focus mode and theme	Shared kit preferences

Fetches from auricartisan.com

- When the kit first opens on a page: the central list of page statuses, the site map, and the current page (to read its title).
- During a scan: the Menu Kit's page list and each page in the scanned section.

These are ordinary page requests to auricartisan.com, like visiting the pages.

Related

- [Privacy for all kits](#)
- The site's privacy policy: <https://auricartisan.com/legal/privacy/>

WEBSITE > KITS > STATUS KIT

Status Kit release notes

What the public changelog records about the Status Kit, and what the kit contains as of September 2026.

The website's public release history is at <https://auricartisan.com/library/changelog/> and <https://auricartisan.com/company/timeline/>.

Recorded releases

Release	Date	What the public history says
v0.9.75	19 April 2026	Interface fixes to the Menu Kit and the Status Kit, as part of a broad stability release
v0.9.9	5 June 2026	The site's release language moved to Beta, the status most pages now show

The Status Kit as of 24 September 2026

- A **This page** card with the current page's status and title.
- A collapsible **System status** panel with Network, Hardware, Memory, Display and Runtime tabs, refreshing every two seconds, including a live frame-rate sparkline.

- A page scanner with summary cards, status filters, results search, category groups and the last eight scans.
- Shared kit controls: Focus mode, per-kit theme, Resize, Minimize, Close, and a labelled **Status** launcher in the page utilities bar. The page status is shown only inside the kit, not as a floating badge on the page.

Changes not recorded in the public history are not listed here.

WEBSITE > KITS > STATUS KIT

Related to the Status Kit

Kits, tools and pages related to the Status Kit.

- **Menu Kit** — shows the site's overall status chip, and supplies page names and categories for scans.
- **Library Kit** — manage the saved items that use your browser storage.
- **Update Kit** — update the site's cached files when a new release is out.
- **URL Analyzer** — audit any website, not just this one.
- **Download and offline use** — installing the site as an app and using it offline, which the **App mode** and **Service worker** readings reflect.
- Release history: <https://auricartisan.com/library/changelog/> (see **Changelog**).
- **Help** — contact support, using the System status readings in your report.

WEBSITE > KITS > UPDATE KIT

Update Kit

How auricartisan.com tells you a new release is out, and how the Update website command refreshes the site's files in your browser.

The Update Kit keeps the copy of Auric Artisan in your browser up to date. Browsers and the site's offline support keep copies of the site's files so pages load quickly and work offline. After a new release, those copies can be out of date. The Update Kit notices when a newer release is out and lets you refresh everything in one step.

It has no panel. You meet it in two places: an **Update available** notice that appears at the top of the page when a new release is detected, and the **Update website** command in the site's right-click menu, also available as **Ctrl** + **Shift** + **U**.

Updating clears the site's cached files, re-downloads the files the current page uses, and reloads the page. Your saved library items, notes, settings and account are not touched.

Who it is for

- Anyone who sees the **Update available** notice.
- Anyone whose page looks broken or out of date after a release.
- People who use the site offline or as an installed app, whose cached copy is used most.

Where to find it

- The notice appears by itself at the top of any page of <https://auricartisan.com> when an update is available.
- Right-click anywhere on a page (outside text boxes) and choose **Update website**.
- Press **Ctrl** + **Shift** + **U** on any page.

Quick start

1. When **Update available** appears at the top of the page, read the version it names, such as **Update available v0.9.11**.
2. Save any work in progress in the page you are on.
3. Select **Update now**.
4. The page reloads on the new release.

Or, at any time:

1. Press **Ctrl** + **Shift** + **U**.
2. A message reads **Checking for updates...**, then the site refreshes its files and reloads the page.

What you can do

- See when a new release of the site is available, and which version.
 - Update to it with one button, or put the notice away with **x** and update later.
 - Force a refresh of the site's cached files at any time, from the right-click menu or the keyboard.
-

In this folder

- [docs/](#) — guides
 - [Getting started](#) — the notice and the command at a glance
 - [Update the website](#) — what happens, step by step
 - [Reference](#) — every control, state and message
 - [Troubleshooting](#) — problems and fixes
 - [FAQ](#) — common questions
- [others/](#) — reference material
 - [Glossary](#) — terms used in these pages
 - [Shortcuts](#) — the update shortcut
 - [Limits and accuracy](#) — what an update does and does not refresh
 - [Related](#) — related features and pages
 - [Release notes](#) — user-facing history
 - [Privacy](#) — what the Update Kit stores and fetches

WEBSITE > KITS > UPDATE KIT

Update Kit guides

Contents of the Update Kit guides: the update notice, the Update website command, reference, troubleshooting and FAQ.

These guides explain the **Update available** notice and the **Update website** command, and what happens when you update.

File	What it covers
getting-started.md	The notice and the command at a glance
update-the-website.md	Each step of an update and what it changes
reference.md	Every control, state and message
troubleshooting.md	Problems and how to fix them
faq.md	Short answers to common questions

WEBSITE > KITS > UPDATE KIT

Getting started with the Update Kit

Recognise the Update available notice and the Update website command, and update the site for the first time.

When the site checks

Each time a page loads, the site waits until the page is ready and then checks which release is the newest. This takes a moment and does not slow the page.

- On your first visit, the site simply notes the current release. You see nothing.
- On later visits, if a newer release has come out since you last updated, the **Update available** notice appears.
- If the check cannot reach the release information, for example offline, nothing is shown.

The notice

The notice appears centred at the top of the page (across the top on a phone). It shows:

- **Update available** and the version, for example **Update available v0.9.11**;
- a line such as **New update found: 0.9.11**;
- an **Update now** button;
- a small **x** button labelled **Hide update notice**.

Select **Update now** to update. Select **x** to put the notice away; it comes back on your next page load until you update.

The command

You can update at any time, even when no notice is showing:

- Right-click anywhere on the page (not in a text box) and choose **Update website**. The menu shows the shortcut next to it, **Ctrl+⇧+U**.
- Or press **Ctrl** + **Shift** + **U**.

When an update is available, the right-click menu shows the same entry as **Update available** with the version and **Ready**, also at the top of the menu under **Website update**.

The right-click menu itself is described in [Site features](#).

Your first update

1. Save anything you are working on in the current page.
2. Press **Ctrl** + **Shift** + **U**.
3. Messages read **Checking for updates...** and **Updating website...**, then **Update ready. Reloading....**
4. The page reloads.

You are now on the newest release, and the notice will not appear again until the next one.

Next steps

- [Update the website](#) — what each step does
- [Troubleshooting](#)

[WEBSITE](#) > [KITS](#) > [UPDATE KIT](#)

Update the website

What happens, step by step, when you select Update now or run Update website, and what is and is not affected.

Start an update

Use any of:

- **Update now** on the **Update available** notice;
- **Update website** (or **Update available**) in the right-click menu;
- **Ctrl** + **Shift** + **U**.

The command always refreshes, even if you are already on the newest release. In that case the notice may show briefly with the line **Refreshing website cache...**

What happens

1. **Check.** The site reads its newest release number. When run from the right-click menu or the keyboard, the message **Checking for updates...** appears.
2. **Clear cached files.** The site deletes the copies of its files that your browser keeps for this site (the caches used for speed and offline use). The message **Updating website...** appears.
3. **Refresh the offline helper.** The site asks its service worker, the background part that makes offline use possible, to check for a new version of itself.
4. **Re-download current files.** The files the current page uses (its scripts, styles, images and data, up to 180 files) are downloaded again, bypassing the browser's cache.
5. **Record the version.** The site notes that you are now on the newest release.
6. **Reload.** The message **Update ready. Reloading...** appears and the page reloads. For a moment the address carries `?auric-update=` and the version; it is removed once the page has loaded.

If something goes wrong, the message reads **Update failed. Try again.** and the right-click entry changes to **Retry update.**

What is not affected

- Your library items, notes, calculator history and kit preferences.
- Your site settings and theme.
- Whether you are signed in.

These are kept in your browser's storage, which the update does not clear.

What to expect afterwards

- The page you were on reloads with the new release. Unsaved work in that page's tools is lost, so save first.
 - Other pages refresh their files as you visit them.
 - Offline copies of pages are rebuilt as you browse, so if you rely on offline use, visit the pages you need again while online.
 - The **Update available** notice stays away until the next release.
-

Put the notice away without updating

Select **x (Hide update notice)**. You can keep working on the old release. The notice returns on the next page load, and the right-click menu keeps showing **Update available** until you update.

Related

- [Reference](#)
- [Troubleshooting](#)
- [Download and offline use](#)

WEBSITE > KITS > UPDATE KIT

Update Kit reference

Every control, state and message of the Update Kit's notice and command.

Update notice

Element	What it shows or does
Title	Update available followed by the version, such as Update available v0.9.11
Message	For example New update found: 0.9.11 , or Refreshing website cache... during a forced refresh
Update now	Starts the update
x (Hide update notice)	Hides the notice until the next page load

Position: centred at the top of the page; across the top on screens 520 px wide or narrower. The notice follows the site's light or dark theme and is announced politely to screen readers.

Right-click menu entry

State	Label	Hint on the right
Up to date or unknown	Update website	Ctrl+⇧+U
Update available	Update available and the version	Ready
Updating	Updating website	...
Failed	Retry update	Error

When an update is available or running, the entry also appears as a banner at the top of the right-click menu, in a group named **Website update**. The entry is not offered on shared public portfolio pages.

Keyboard

Shortcut	What it does
Ctrl + Shift + U	Runs Update website on any page

Messages

Message	When
Checking for updates...	You started an update from the right-click menu or keyboard
Updating website...	Caches are being cleared and files re-downloaded
Update ready. Reloading...	The update finished; the page reloads
Update failed. Try again.	Something went wrong

When the site checks

Situation	Result
First visit in this browser	The current release is recorded; nothing is shown
Same release as last recorded	Nothing is shown
Newer release than last recorded	The notice appears
Release information unreachable (for example offline)	Nothing is shown

The check runs once per page load, shortly after the page becomes ready.

What an update clears and keeps

Clears or refreshes	Keeps
The site's cached files in your browser	Library items, notes, calculator history
The service worker's copy of itself (asked to update)	Settings, theme and kit preferences
Up to 180 files used by the current page, re-downloaded	Your signed-in session

WEBSITE > KITS > UPDATE KIT

Update Kit troubleshooting

Fixes for update problems, such as a notice that keeps returning, an update that fails, or a page that still looks old.

The notice keeps coming back

Why: **x** only hides the notice for the current page. It returns on every page load until you update.

What to do: Select **Update now**.

"Update failed. Try again."

Why: The update could not finish, usually because the connection dropped while files were re-downloading, or the browser refused access to its storage.

What to do: Check your connection and run **Update website** again. If it keeps failing, allow site storage for auricartisan.com in your browser settings.

The page still looks old after updating

Why: Some pages you have not visited since the update still use older cached files until you open them, and some browsers keep their own short-term copies.

What to do: Open the page and run **Update website** there, or reload it with your browser's hard-reload shortcut.

No notice appears, but I know there is a new release

Why: The notice appears only when the release number has changed since you last updated in this browser. On your first visit the site records the current release silently. If the release information cannot be reached, nothing is shown.

What to do: Run **Update website** from the right-click menu or with **Ctrl** + **Shift** + **U**; it refreshes regardless.

Ctrl + Shift + U does nothing, or types a character

Why: Some systems use **Ctrl** + **Shift** + **U** to enter special characters, and take the key press first.

What to do: Use the right-click menu's **Update website** instead.

The right-click menu does not show Update website

Why: You may have switched the site's right-click menu off in favour of the browser's, or you are on a shared public portfolio page, where the entry is not offered.

What to do: Hold **Shift** while right-clicking to get the site's menu when the browser's menu is set as default, or use **Ctrl** + **Shift** + **U**. See [Site features](#).

I lost work when the page reloaded

Why: Updating reloads the page, which discards unsaved work in the page's tools.

What to do: Save to the library, or export, before updating. Items already saved are not affected by the update.

WEBSITE > KITS > UPDATE KIT

Update Kit FAQ

Short answers to common questions about updating auricartisan.com in your browser.

Why does a website need updating?

Your browser, and the site's offline support, keep copies of the site's files so pages load fast and work offline. After a release, those copies can be older than the site. Updating replaces them.

Will updating delete my saved work?

No. Library items, notes, calculator history, settings and your sign-in are kept. Only unsaved work in the page you are on is lost when it reloads.

Is the Update Kit a panel I can open?

No. It is the notice and the **Update website** command. There is no launcher for it in the page utilities bar.

How do I know which release I am on?

The notice names the new version. The site's release history is at <https://auricartisan.com/library/changelog/>.

Does updating need a connection?

Yes. Files are re-downloaded from auricartisan.com.

Should I update the installed app the same way?

Yes. The installed app is the same site, so the notice and the command work there too. See [Download and offline use](#).

Does the Update Kit update my browser extension or VS Code extensions?

No. It only refreshes the website in your browser. Extensions update through their own stores.

WEBSITE > KITS > UPDATE KIT

Update Kit reference material

Contents of the Update Kit reference pages: glossary, shortcuts, limits, related pages, release notes and privacy.

Supporting pages for the Update Kit: the terms used, its shortcut, what an update does and does not refresh, related pages, its public history and what it stores.

File	What it covers
glossary.md	Terms used in the Update Kit pages
shortcuts.md	The update shortcut
limits-and-accuracy.md	What an update refreshes, and when the notice appears
related.md	Related features and pages
release-notes.md	User-facing history of the Update Kit
privacy.md	What the Update Kit stores and fetches

WEBSITE > KITS > UPDATE KIT

Update Kit shortcuts

The keyboard shortcut for updating the website.

Shortcut	Where	What it does
Ctrl + Shift + U	Any page	Runs Update website : clears the site's cached files, re-downloads the page's files and reloads
Tab , Enter	Update notice	Reach and select Update now or x

The right-click menu shows this shortcut as **Ctrl**+**⇧**+**U** next to **Update website**.

See [Kit keyboard shortcuts](#) for the other kits.

WEBSITE > KITS > UPDATE KIT

Update Kit glossary

Terms used in the Update Kit pages.

Release — A published version of the website, such as v0.9.11, listed in the changelog.

Update notice — The **Update available** message at the top of the page.

Cache — Copies of the site's files kept by your browser so pages load faster and work offline.

Service worker — A background script from the site that manages its offline copies.

Hard reload — A browser reload that ignores cached copies of the page's files.

Installed app — The site installed from your browser and opened in its own window.

Site storage — Data the site keeps in your browser, such as library items and settings. An update does not clear it.

WEBSITE > KITS > UPDATE KIT

Update Kit limits

What an update refreshes, what it leaves alone, and when the notice appears.

When the notice appears

- The site compares the newest release it can find with the release recorded the last time you updated in this browser. The notice appears only when they differ.
- On a first visit the current release is recorded silently, so you will not see a notice until the following release.
- If the release information cannot be reached, for example offline, no notice is shown.
- The check runs once per page load.

What an update refreshes

- All of the site's caches in your browser are deleted.
- The service worker is asked to update itself; it is not removed.
- Up to 180 files used by the current page are downloaded again. Files used only by other pages refresh when you visit those pages.
- The page reloads.

What it does not do

- It does not clear site storage: library items, notes, calculator history, settings and your sign-in are kept.
- It does not update browser extensions, VS Code extensions or the browser itself.
- It does not change anything on the server; it only refreshes your browser's copy of the site.
- It cannot bypass a network or company proxy that serves old copies.

WEBSITE > KITS > UPDATE KIT

Update Kit privacy

What the Update Kit stores in your browser and what it fetches.

Stored in your browser

The release number you last updated to, so the site can tell when a newer one is out. Nothing else.

Fetches from auricartisan.com

- On each page load: the site's release information, to find the newest release number.
- When you update: the files the current page uses, downloaded again.

These are ordinary requests to auricartisan.com. No information about you or your device is sent by the Update Kit.

What an update deletes

The site's cached files in your browser. Your saved library, notes, settings and sign-in are not deleted.

Related

- [Privacy for all kits](#)
- The site's privacy policy: <https://auricartisan.com/legal/privacy/>

[WEBSITE](#) > [KITS](#) > [UPDATE KIT](#)

Update Kit release notes

What the public changelog records about website updates, and how the Update Kit works as of September 2026.

The website's public release history is at <https://auricartisan.com/library/changelog/> and <https://auricartisan.com/company/timeline/>. It does not list the Update Kit by name.

Recorded releases

Release	Date	What the public history says
v0.9.9	5 June 2026	PWA (installable app) support was added, the offline caching that the Update Kit refreshes
v0.9.11	12 August 2026	The newest release in the public changelog at the time of writing

The Update Kit as of 24 September 2026

- Checks for a newer release on each page load and shows an **Update available** notice with **Update now** and **x**.

- **Update website** in the right-click menu, with states for available, updating and failed, and a banner at the top of the menu when an update is ready.
- **Ctrl** + **Shift** + **U** from any page.
- Updates clear the site's caches, refresh the service worker and the current page's files, and keep your saved data.

Changes not recorded in the public history are not listed here.

WEBSITE > KITS > UPDATE KIT

Related to the Update Kit

Features and pages related to the Update Kit.

- **Site features** — the right-click menu, which holds **Update website**.
- **Download and offline use** — installing the site as an app and using it offline, which relies on the cached files an update refreshes.
- **Status Kit** — its **Runtime** tab shows whether the service worker is active and whether you are in the installed app.
- **Changelog** — what each release changed, at <https://auricartisan.com/library/changelog/>.
- All kits.

[WEBSITE](#) > [KITS](#)

Reference material for all kits

Contents of the shared reference pages for all kits: glossary, shortcuts, privacy and related pages.

This folder holds reference pages that apply to every kit: the terms the kit guides use, all kit keyboard shortcuts in one place, what the kits keep in your browser, and related parts of the site. Each kit's own **others/** folder has the same pages for that kit alone.

File	What it covers
glossary.md	Terms used across the kit guides
shortcuts.md	Every keyboard shortcut for opening and using the kits
privacy.md	What each kit stores in your browser and what uses the network
related.md	Site features, tools and pages that work with the kits

[WEBSITE](#) > [KITS](#)

Kit keyboard shortcuts

Every keyboard shortcut for opening, closing and using the kits, in one table.

Shortcuts that open a kit work on any page. Shortcuts that act inside a kit work only while that kit is open. Each kit's own shortcuts page has the full detail.

Open and close kits

Shortcut	What it does
Ctrl + Shift + K (Cmd + Shift + K on a Mac)	Open or close the Feature Kit
Ctrl + M	Open or close the Menu Kit
Ctrl + Shift + A	Open or close the Advanced Kit
Ctrl + Shift + L (Cmd + Shift + L on a Mac)	Open or close the Library Kit
Ctrl + Shift + U	Update the website (Update Kit)
Esc	Close the page utilities bar, or close the open kit

The Status Kit has no shortcut to open it. Use the **Status** launcher.

Inside the Feature Kit

Shortcut	What it does
1 to 6	On the Feature Kit menu, open Scientific Calculator, Unit Converter, Feedback, Notes, Date & Time or Developer Tools
Ctrl + 1 to Ctrl + 6	Switch straight to one of the six tools while the kit has focus
Esc	In a tool, go back to the menu. On the menu, close the kit
Digits, + , - , * , / , . , (,) , ^ , % , !	Type on the calculator keypad when the cursor is not in a text box
Enter or =	Work out the calculator expression
Backspace	Delete the last character on the keypad
Delete	Clear the keypad
/	In the Unit Converter, jump to the unit search box

See [Feature Kit shortcuts](#).

Inside the Menu Kit

Shortcut	What it does
/	Put the cursor in the search box
Down arrow	From the search box or tabs, move into the list of pages
Left arrow , Right arrow , Home , End	On the tabs, switch tab
Arrow keys, Home , End	Move between pages and section headings
Enter or Space	On a section heading, collapse or expand it
Up arrow , Down arrow , Enter	While searching, move through results and open one
Esc	Clear the search, then close the kit

See [Menu Kit shortcuts](#).

Inside the Status Kit

Shortcut	What it does
/	Put the cursor in the path box, or in the results search after a scan
Enter	In the path box, run the scan
Down arrow	From the path or search box, move into the results

Shortcut	What it does
Up arrow, Down arrow, Home, End	Move through the results
Esc	Close the kit

See [Status Kit shortcuts](#).

Inside the Library Kit

Shortcut	What it does
Esc	Clear the search, then close the panel
Arrow keys	Move between items
Enter	Restore the focused item into its tool
Delete	Delete the focused item
Ctrl + A (Cmd + A on a Mac)	Select all, while multi-select is on
> then a command name	Run a library command from the search box

See [Library Kit shortcuts](#).

Site-wide shortcuts that interact with kits

Ctrl + K opens the site-wide search on every page, even while a kit is open. The site settings panel has its own shortcuts, such as Ctrl + , to open settings. Both are covered in [Site features](#).

WEBSITE > KITS

Kits glossary

Terms used across the kit guides, from launcher and Focus mode to tool visibility mode.

Kit — A floating panel that opens over any page of the site and does one job, such as calculating or finding a page.

Page utilities bar — The launcher bar in the bottom-left corner of every page. Closed, it is a single round button labelled **Page utilities**; open, it shows one labelled launcher per kit.

Launcher — The labelled button in the page utilities bar that opens and closes one kit, for example **Feature** or **Library**.

Hub — The round button that opens and closes the page utilities bar. While the bar is open it reads **Close**.

Panel — The floating window a kit opens in.

Title bar — The strip across the top of a kit panel, holding the kit's name and its controls. You drag it to move the panel.

Modeless — Describes a panel that does not block the page behind it. You can keep using the page while a modeless kit is open.

Focus mode — A title-bar setting that keeps a kit open when you open another kit and opens it again on the next page you load. In the Library Kit it is called **Keep open**.

Expanded — The larger size a kit takes after you select **Resize**.

Minimised — A kit shrunk to its title bar (or, for the Feature Kit, to a small round icon).

Kit theme — A light or dark setting that belongs to one kit and can differ from the site theme.

Accent colour — The highlight colour chosen in the site settings panel. It colours the gold details in the kits.

Tool visibility mode — The site-wide setting chosen in the Advanced Kit: **Basic**, **Advanced**, **Everything** or **Custom**. It decides which tools the site shows.

Page status — A label such as **Beta**, **Stable** or **Experimental** that says how finished a page is. The Status Kit shows it.

Universal Library — Everything you have saved from the site's tools, kept in your browser and shown in the Library Kit.

Saved item — One entry in the Universal Library, such as a palette, a gradient, a report or an image.

Update notice — The **Update available** message the Update Kit shows at the top of the page when a newer release of the site is out.

WEBSITE > KITS

Kits and your privacy

What each kit keeps in your browser, what it sends over the network, and how to clear it.

The kits run in your browser. Almost everything they remember stays in your browser's storage for auricartisan.com and is never sent anywhere. This page lists what each kit keeps and the few cases where a kit uses the network.

What every kit keeps in your browser

For each kit separately:

- the panel position after you drag it;
- whether it is expanded;
- whether Focus mode is on;
- its own light or dark theme, once you have used its **Theme** button.

What each kit keeps, and what it sends

Kit	Kept in your browser	Uses the network for
Feature Kit	Calculator history (up to 100 entries), notes, recently picked dates (up to 8), the tool you had open while Focus mode was on, feedback waiting to be sent	Loading the unit list the first time you open the Unit Converter; sending feedback you submit
Menu Kit	Last tab, collapsed sections, how often you open each page (for Most Used)	Loading the list of pages and the site status
Advanced Kit	Your tool visibility mode and your Custom tool ticks	Loading the list of tools for the Custom checklist
Status Kit	Your last 8 scans, collapsed result groups	Reading the site map and the pages you scan, all from auricartisan.com
Library Kit	Every saved item, collection and library setting, including any sync destinations you add	Only the sync destinations you set up yourself
Update Kit	The site version you last updated to	Checking the latest release and re-downloading the site's files when you update

Details for each kit are in that kit's privacy page:

- [Feature Kit privacy](#)
- [Menu Kit privacy](#)
- [Advanced Kit privacy](#)
- [Status Kit privacy](#)
- [Library Kit privacy](#)
- [Update Kit privacy](#)

Things that are never stored

- Calculator variables, functions you define and calculator memory last only until you leave or reload the page.
- Text you type into the Developer Tools stays on the page and is not kept.
- The Status Kit reads your connection, battery, memory and screen details in your browser to show them to you. It does not send them.

Private windows and blocked storage

In a private window, or when your browser blocks storage for the site, the kits still work but forget everything when you close the page.

Clear what the kits have stored

Clear the stored data for auricartisan.com in your browser's settings. This resets every kit and also deletes your Library Kit items, calculator history and notes. Export anything you want to keep first: the Library Kit has **Export**, and Notes has **Export** for each note.

For the site's privacy policy, see <https://auricartisan.com/legal/privacy/>.

WEBSITE > KITS

Related to the kits

Site features, tools and pages that work alongside the kits.

Site features next to the kits

The page utilities bar also launches two site features that are not kits:

- **Navigate** opens the page navigation dock (back, forward, reload, outline, split view, jump to top or bottom).
- **Settings** opens the site settings panel (theme, accent colour, text size, motion, ads and more).

Both, along with the site-wide search (**Ctrl** + **K**), the right-click menu and the eye-rest reminder, are documented in [Site features](#).

Tools that work with the kits

- Every tool with a **Save to Library** button saves into the [Library Kit](#).
 - The [URL Analyzer](#), the [Vision Simulation](#) lab and the [Colour Science Lab](#) have mode switches that change the same site-wide setting as the [Advanced Kit](#).
 - The [Basic Colour Tools](#) workspace uses floating panels of its own, separate from the kits.
-

Pages

- The site's release history: <https://auricartisan.com/library/changelog/> (see [Changelog](#))
- Collections of tools, which follow the Advanced Kit's mode: <https://auricartisan.com/collections/> (see [Collections](#))
- Plans and the saved-item allowance for the Library Kit: <https://auricartisan.com/company/pricing/> (see [Account and billing](#))
- Help and contact: [Help](#)