



# RISUNSUN DIGITIZATION PVT LTD

## Checklist based Review

TITLE OF DOCUMENT

Document is Draft

### Checklist Review Report

|                    |                                                 |
|--------------------|-------------------------------------------------|
| Document           | 2538104192-EHSII03.pdf                          |
| Product            | Sertraline Hydrochloride (Micronized Grade – I) |
| Batch No           | 2538104192                                      |
| Date Of Validation | 2025-11-15                                      |

| Question                                        | Compliance  | Evidence From Document | Detailed Evidence                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Mitigation     |
|-------------------------------------------------|-------------|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| Are all the attachments enclosed with the BPCR? | ✔ Compliant | PAGE:103               | The document contains numerous attachments, including raw material requests (PAGE:36 to 42), packing material requests (PAGE:43 to 46, 68), SCADA data printouts (PAGE:48 to 67), in-process analysis reports (PAGE:70), analytical data (PAGE:72 to 79), operational checklists (PAGE:80 to 97), and the final Certificate of Analysis (PAGE:98 to 101). Furthermore, the 'BPCR REVIEW CHECK LIST' on PAGE:103, item 1, confirms that all attachments were enclosed, as verified by Manufacturing and Quality Assurance. | Not Applicable |

|                                                                                                                                                              |                                                                                               |                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| Are all the raw materials requisition raised and received by manufacturing as per the BPCR and raw material request cum issue record attached with the BPCR? |  Compliant   | PAGE:3, 4, 36, 39, 41 | <p>The raw materials listed in the BPCR on PAGE:3 and PAGE:4 correspond to the quantities in the attached 'RAW MATERIAL REQUEST &amp; ISSUE' records (PAGE:36, PAGE:41). For instance, Sertraline Mandate was requested at 400.000 Kg (PAGE:36), matching the standard quantity in the BPCR (PAGE:3). The 'RAW MATERIAL REQUEST &amp; ALLOCATED' forms (e.g., PAGE:39) further confirm the issuance of materials for the batch. 'Seed Material' is listed on PAGE:4, and its issuance is recorded on (PAGE:41)</p> | Not Applicable |
| Are material issue & container wise weight details found correct?                                                                                            |  Compliant   | PAGE:3, 4, 37, 38,103 | <p>The 'LIST OF RAW MATERIALS AND WEIGHING DETAILS' on PAGE:3 and PAGE:4 provides container-wise details for Gross, Tare, and Net quantities for each raw material used. These details are recorded and signed. The attached allocation records (PAGE:37 to 38) corroborate the issuance. The internal 'BPCR REVIEW CHECK LIST' (PAGE:103, item 3) also confirms that these details were reviewed and found correct.</p>                                                                                           | Not Applicable |
| Are all the packing materials requisition raised and received by Manufacturing as per the BPCR and in line with the packing material issuance record?        |  Compliant | PAGE:31, 43, 45, 68   | <p>Packing material requests are attached to the BPCR (PAGE:43, 45, 68). The quantity of materials requested aligns with the final packaging operations. For example, the metal detector record on PAGE:31 shows 14 containers were filled, which corresponds to a request for 14 HDPE drums on PAGE:45. The BPCR Review Checklist (PAGE:103, item 4) also indicates compliance.</p>                                                                                                                               | Not Applicable |

|                                                                                                                          |                                                                                             |                        |                                                                                                                                                                                                                                                                                                                                                                                                                        |                |
|--------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| Are correct entries made for date & time for batch started and completion and manufacturing date?                        |  Compliant | PAGE:6, 35, 102, 103   | <p>The batch start date and time are recorded as 29/09/2025 at 20:30 on PAGE:6. The batch completion date and time are recorded as 10/10/2025 at 08:51 on PAGE:35. The manufacturing date is consistently reported as 10-Oct-2025 on the Certificate of Analysis (PAGE:98) and the Sample Request form (PAGE:102).</p>                                                                                                 | Not Applicable |
| Are materials input quantity and their entries in respective steps done as per the standards quantity given in the BPCR? |  Compliant | PAGE:3, 4, 6, 8, 9, 13 | <p>The quantities of raw materials charged during manufacturing steps match the standard quantities specified in the BPCR. For example, Step 11 on PAGE:6 documents the charging of '400.0 Kg of Sertraline Mandate', which matches the standard quantity listed on PAGE:3. Similarly, Step 30 on PAGE:8 documents charging '3.0 Kg of Hyflow super cell', matching the standard quantity on PAGE:4.</p>               | Not Applicable |
| Are all the relevant steps followed as per BPCR and within standard limits?                                              |  Compliant | PAGE:6 to 34, 21       | <p>All applicable manufacturing steps documented from PAGE:6 to PAGE:34 are signed by 'Done By' and 'Checked By' personnel. Certain sections related to micronization are intentionally not filled out, which is justified by a note on PAGE:21 stating that these steps were skipped based on the requirement for customer 'M/s. KYOWA'. This indicates adherence to the planned process for this specific batch.</p> | Not Applicable |

|                                                                                                                                                                   |                                                                                                   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Are all the in process checks performed and their results complies as per the specifications given BPCR and analytical sheets attached?<br>If No, refer deviation |  Action Required | PAGE:12, 70      | The document is missing results for a required in-process check. Specifically, Step 67 on PAGE:12 requires a water content check with a limit of 'NMT 0.5%w/w'. The result for this check is not recorded in the BPCR. This omission is corroborated by the 'IN-PROCESS SAMPLES REQUEST CUM ANALYSIS REPORT' on PAGE:70, where the entry for 'Water content at Steps 66 and 67' is also blank. All IPCs must be performed and documented. | An investigation must be initiated to determine why the water content check at Step 67 (PAGE:12) was not documented. The investigation should include interviewing the personnel involved and reviewing analytical records. A CAPA should be raised to prevent recurrence, possibly by reinforcing training on contemporaneous documentation and ensuring data is transcribed from analytical reports to the BPCR before review. |
| Are "Done by" and "checked by" signatures performed at all required steps of BPCR?                                                                                |  Compliant       | PAGE:6 to 34     | A thorough review of the manufacturing instructions from PAGE:6 to PAGE:34 shows that every step, including material charging, process operations, and cleaning, has been initialed or signed in both the 'Done By' and 'Checked By' columns, indicating contemporaneous verification of activities.                                                                                                                                      | Not Applicable                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Is it a Pre-Validation batch? () or Validation batch? ()                                                                                                          |  Compliant      | PAGE:1, 102, 110 | The batch is clearly identified as a validation batch. The front page of the BPCR (PAGE:1) is stamped with 'VALIDATION BATCH'. The 'SAMPLE REQUEST TO QUALITY CONTROL' on PAGE:102 also has 'VALIDATION BATCH' identified. Finally, the 'BATCH RELEASE NOTE' on PAGE:110 confirms this status by having 'Validation' checked.                                                                                                             | Not Applicable                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Is additional operation performed (if any) and record attached with the BPCR                                                                                      |  Compliant     | PAGE:103         | No records of any additional or unplanned operations are attached to or mentioned within the BPCR. The 'BPCR REVIEW CHECK LIST' on PAGE:103, item 11, is marked as 'No' (indicated by an 'X'), confirming that no additional operations were performed for this batch.                                                                                                                                                                    | Not Applicable                                                                                                                                                                                                                                                                                                                                                                                                                   |

|                                                                                                                                  |                                                                                                      |                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Are critical process parameters found within the standards range given in the BPCR?                                              |  Compliant          | PAGE:6, 11, 17      | <p>Critical process parameters were monitored and recorded within their specified limits. For example, in Step 61 (PAGE:11), the reaction mass was required to be cooled to 30–40°C, and the recorded temperature was 38.2°C. In Step 85.3 (PAGE:17), the hot water temperature was maintained with an average set point of 52.5°C, within the 50–55°C range. The vacuum in Step 85.4 (PAGE:17) was 708 mmHg, meeting the 'NLT 650 mmHg' requirement.</p>                                                                                                                                                                         | Not Applicable                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Is output meeting with the standard yield range?                                                                                 |  Attention Required | PAGE:19, 20, 31, 32 | <p>While the calculated yield percentage of 90.30% on PAGE:20 falls within the acceptable range of 89.19% to 100.00%, there are significant inconsistencies in the reported weight of the product at different stages. The total weight after drying is recorded as 278.10 Kg on PAGE:19. However, the 'Reconciliation Details' on PAGE:32 lists the 'After drying' quantity as 278.10 Kg. Furthermore, the input quantity for the metal detector is listed as 276.70 kg on PAGE:31. These conflicting values represent a potential discrepancy for material losses that requires investigation to confirm the correct yield.</p> | <p>A formal investigation is required to reconcile the conflicting weight values reported on PAGE:19, PAGE:31, and PAGE:32. The investigation must determine the correct final and intermediate weights by reviewing weighing logs and equipment printouts. The BPCR should be corrected via a formal process to reflect the accurate figures, and a CAPA should be implemented to address the root cause of the inconsistent data recording.</p> |
| Are correct entries of product name, mfg. date, Batch No., Specification No/ ERP Code., Batch Qty. made in the sampling request? |  Compliant        | PAGE: 1, 102, 98    | <p>The Product Name ('Sertraline hydrochloride'), Batch No. ('2538104192'), Manufacturing Date ('10/10/2025'), Batch Quantity ('275.40 kg'), and ERP code ('C1061660') all correctly match the information found on the BPCR cover page PAGE:1, The 'SAMPLE REQUEST TO QUALITY CONTROL' on PAGE:102 contains correct and consistent information. The product name ('Sertraline hydrochloride'), Batch No. ('2538104192'), Manufacturing Date ('10/10/2025'), ERP Code ('C1061660'), and Batch Qty ('275.40 Kg') all match the details found elsewhere in the BPCR and on the Certificate of Analysis (PAGE:98).</p>               | Not Applicable                                                                                                                                                                                                                                                                                                                                                                                                                                    |



Is any change control initiated against this batch?  
(Verify in agile application for associated change controls)  
If yes, CRF No.

✔ Compliant PAGE:104

The 'BPCR REVIEW CHECK LIST' on PAGE:104, item 15, indicates that no change control was initiated for this specific batch. The response is marked 'No' (indicated by 'X') and the field for the CRF number is blank.

Not Applicable

Is there any deviation initiated for this batch?  
(Verify in agile application for associated deviations)  
If Yes, Reference No:

✔ Compliant PAGE:35, 104

The dedicated page for recording deviations (PAGE:35, 'DESCRIPTION OF DEVIATIONS OBSERVED DURING BATCH PROCESSING') is blank. Additionally, the 'BPCR REVIEW CHECK LIST' on PAGE:104, item 16, confirms that no deviation was initiated for this batch, as it is marked 'No' (indicated by 'X').

Not Applicable

Is it a Re-process ( - )/ Rework batch ( - )?

If yes then reference OOS / OOT / Deviation/ Market Complaint No. (Verify in agile application for associated OOS/OOT/Deviation/ Market Complaint)

✔ Compliant

PAGE:104, 110

The batch record does not indicate any reprocessing or reworking activities. The 'BPCR REVIEW CHECK LIST' on PAGE:104, item 17, is marked 'No' (indicated by 'X'). This is further supported by the 'BATCH RELEASE NOTE' on PAGE:110, where 'Re-process' and 'Rework' are marked with an 'X' to signify 'No'.

Not Applicable

Is this batch relevant to stability/Annual addition batch?

✔ Compliant

PAGE:1, 102, 104

This batch is identified as a stability batch. A faint 'STABILITY BATCH' stamp is visible on PAGE:1. The 'SAMPLE REQUEST TO QUALITY CONTROL' form on PAGE:102 explicitly states 'Yes' for 'Stability Requirement'. The 'BPCR REVIEW CHECK LIST' on PAGE:104 also confirms this with a '✓' for 'Yes'. and the 'Batch ReleaseNote' (PAGE:110) confirms a stability study was initiated for the batch

Not Applicable

Any other (if any)

✔ Compliant

PAGE:104

The 'BPCR REVIEW CHECK LIST' on PAGE:104, item 19 for 'Any other (if any)', is marked as 'No' (indicated by 'X'). This indicates that the internal reviewers did not identify any other issues or special circumstances relevant to this batch record.

Not Applicable