AURORA
ENERGY RESEARCH

Beyond the Buzz: Winning Cases for BESS Investments in the Netherlands

20 March 2025

Public Webinar

A global perspective: Subscribe to one or multiple regional products for consistent and comparative services across the globe

AURORA



Our market leading models underpin a comprehensive range of seamlessly integrated services to best suit your needs

AURORA



Advisory

Access tailored expert advice and analytics for your crucial projects

Trusted advice and dedicated support for strategy, investments, transactions and policy engagement

1,400+ projects globally

Software Solutions

Make standard analysis bespoke through direct access to our models

Unique SaaS subscriptions to create your own scenarios and asset-specific investment cases

150+ company licenses

Subscription Analytics

Receive regularly updated forecasts, sample investment cases and timely deep-dives

Industry-standard outlook reports, bankable price forecasts and strategic insights for power and commodities

850+ subscribing companies

Models & Data

Market-leading models for power, gas, hydrogen, carbon, oil & coal markets

Proprietary and continuously updated cutting-edge models populated with highest quality curated datasets

Developed over 10 years, 90+ dedicated modellers

Source: Aurora Energy Research

Join key players from across the Dutch power sector at our subscriber-exclusive Group Meetings

AURORA

Source: Aurora Energy Research

Introducing the speakers

AURORA

Claudia Günther

Research Lead
North-West Europe

Simon De Clercq

Senior Associate
Netherlands & Belgium

Luis Martinez

Associate
Advisory

Arnaud Oltramare

Senior Analyst
Netherlands & Belgium

Agenda

AURORA

I. Introduction

II. Battery business cases

III. Battery co-location with Solar PV

IV. Key takeaways

For more information, please contact
Tim Vandenbroucke
tim.vandenbroucke@auroraer.com
+49 170 3223794

Utility-scale battery capacity in the Netherlands has grown almost six-fold since 2021, with a 2.4 GW pipeline set for deployment in the coming years

AURORA



1) Grid-connected utility scale battery capacity. 2) Cumulative. 3) Capacities for the year 2022 and 2023 based on Centraal Bureau voor de Statistiek (CBS)

Sources: Aurora Energy Research, SemperPower, Solar Magazin, Giga Storage, RWE, Ventolines, Centraal Bureau voor de Statistiek (CBS)

Utility-scale battery capacity in the Netherlands has grown almost six-fold since 2021, with a 2.4 GW pipeline set for deployment in the coming years

AURORA

Commissioned grid connected battery capacity[1,2,3] / Commissioned energy[2]



Battery projects in the Netherlands by status and project size



Total pipeline > 2.4 GW

1) Grid-connected utility scale battery capacity. 2) Cumulative. 3) Capacities for the year 2022 and 2023 based on Centraal Bureau voor de Statistiek (CBS)

Sources: Aurora Energy Research, SemperPower, Solar Magazin, Giga Storage, RWE, Ventolines, Centraal Bureau voor de Statistiek (CBS)

Batteries can simultaneously participate in diverse markets, offering opportunities for revenue stacking under different trading strategies



1) Next to the mentioned ancillary services, there is also mFRR which is less attractive for batteries with expected lower prices and low activation rates. Additional to these markets, TenneT is also procuring and tendering reactive power.

Sources: Aurora Energy Research

While stand-alone battery investments enable flexible dispatch, co-located solutions offer cost savings and potential grid fee reductions

AURORA

I Stand-alone

The battery asset has its own site, which is metered and managed individually



II AC co-location

RES and battery assets require separate inverters to connect to the grid

Sources: Aurora Energy Research

While stand-alone battery investments enable flexible dispatch, co-located solutions offer cost savings and potential grid fee reductions

I Stand-alone

The battery asset has its own site, which is metered and managed individually



II AC co-location

RES and battery assets require separate inverters to connect to the grid

	Stand-alone	AC co-location
Costs *CAPEX & OPEX*	No shared costs	Cost savings on development, balance of system, and OPEX
Portfolio diversification *Diversification of risk and revenue*	Can offer benefits when managed as part of a larger portfolio	Directly reduces revenue risks for renewable generation asset

Full benefit | Partial benefit | Neutral | Partial downside | Full downside

Sources: Aurora Energy Research

While stand-alone battery investments enable flexible dispatch, co-located solutions offer cost savings and potential grid fee reductions

AURORA

I Stand-alone

The battery asset has its own site, which is metered and managed individually



II AC co-location

RES and battery assets require separate inverters to connect to the grid

	Stand-alone	AC co-location
Costs *CAPEX & OPEX*	No shared costs	Cost savings on development, balance of system, and OPEX
Portfolio diversification *Diversification of risk and revenue*	Can offer benefits when managed as part of a larger portfolio	Directly reduces revenue risks for renewable generation asset
Asset oversizing *Oversize renewable asset relative to grid connection*	-	Energy that would otherwise be curtailed can be stored, this depends on the inverter capacity
Battery dispatch *Charging/discharging profile of the battery asset*	Full asset flexibility	Asset output is constrained by inverter and grid connection

Full benefit | Partial benefit | Neutral | Partial downside | Full downside

Sources: Aurora Energy Research

While stand-alone battery investments enable flexible dispatch, co-located solutions offer cost savings and potential grid fee reductions

AURORA

I Stand-alone

The battery asset has its own site, which is metered and managed individually



II AC co-location

RES and battery assets require separate inverters to connect to the grid

	Stand-alone	AC co-location
Costs *CAPEX & OPEX*	No shared costs	Cost savings on development, balance of system, and OPEX
Portfolio diversification *Diversification of risk and revenue*	Can offer benefits when managed as part of a larger portfolio	Directly reduces revenue risks for renewable generation asset
Asset oversizing *Oversize renewable asset relative to grid connection*	-	Energy that would otherwise be curtailed can be stored, this depends on the inverter capacity
Battery dispatch *Charging/discharging profile of the battery asset*	Full asset flexibility	Asset output is constrained by inverter and grid connection
Grid fees *Grid fees applicable for import capacity*	Battery is subject to grid fees	If the battery doesn't charge from the grid, grid fees can be avoided
Grid connection access *Point of interconnection with to the grid*	Battery has an individual grid connection	Grid connection is shared between the assets

Full benefit | Partial benefit | Neutral | Partial downside | Full downside

Sources: Aurora Energy Research

In this session, we will discuss investment cases for stand-alone batteries and batteries co-located with solar PV in the Netherlands

II

Battery business cases

Deep dive into battery business cases:

- Stand-alone battery business case
- Impact of different grid fee tariffs
- Trading on the continuous Intraday market

Battery present value
€/kW



In this session, we will discuss investment cases for stand-alone batteries and batteries co-located with solar PV in the Netherlands

II Battery business cases

Deep dive into battery business cases:

- Stand-alone battery business case
- Impact of different grid fee tariffs
- Trading on the continuous Intraday market

Battery present value
€/kW



III Battery co-location with solar PV

Deep dive into co-location with solar PV:

- Drivers for co-location with solar PV
- Advantages for co-location with solar PV
- Co-located battery business cases:
  1. Retrofit without grid charging.
  2. Retrofit with grid charging.

Project IRR for different configurations
%



Agenda

AURORA

I. Introduction

II. Battery business cases

III. Battery co-location with Solar PV

IV. Key takeaways

For more information, please contact
Tim Vandenbroucke
tim.vandenbroucke@auroraer.com
+49 170 3223794

With Chronos, our in-house dispatch software, we model investment cases using our price forecasts, considering market rules and asset characteristics

AURORA

Flexibility markets and battery parameters



1) Includes intermarket optimization but does not include intra-market optimisation through asset backed trading such as continuous trading of 15-minute products on the ID and trading the same quarter hour multiple times.

Sources: Aurora Energy Research

With Chronos, our in-house dispatch software, we model investment cases using our price forecasts, considering market rules and asset characteristics

AURORA



1) Includes intermarket optimization but does not include intra-market optimisation through asset backed trading such as continuous trading of 15-minute products on the ID and trading the same quarter hour multiple times.

Sources: Aurora Energy Research

With Chronos, our in-house dispatch software, we model investment cases using our price forecasts, considering market rules and asset characteristics

AURORA



1) Includes intermarket optimization but does not include intra-market optimisation through asset backed trading such as continuous trading of 15-minute products on the ID and trading the same quarter hour multiple times.

Sources: Aurora Energy Research

Dutch batteries can capture attractive wholesale and ancillary market revenues, but high grid fees lead to low project returns

AURORA

Gross margins for a 4h battery system – Illustrative
Present value €/kW

All data is provided in our Group Meeting report for clients.



1) Energy arbitrage include Day-Ahead and Intraday market revenues 2) Calculated based on a 30MW battery with 2h duration, 1.5 cycles per day with a firm connection 3) Non-firm connection and transmission agreement. 4) Time of Use (ToU).

Sources: Aurora Energy Research

Dutch batteries can capture attractive wholesale and ancillary market revenues, but high grid fees lead to low project returns

AURORA

Gross margins for a 4h battery system – Illustrative
Present value €/kW

All data is provided in our Group Meeting report for clients.



Energy arbitrage[1] FCR and aFRR capacity markets

Yearly grid fees for the year 2024[2]
€/kW (real 2023)



1) Energy arbitrage include Day-Ahead and Intraday market revenues 2) Calculated based on a 30MW battery with 2h duration, 1.5 cycles per day with a firm connection 3) Non-firm connection and transmission agreement. 4) Time of Use (ToU).

Sources: Aurora Energy Research

The recent grid fee proposals offer attractive discounts but also restrict battery dispatch

AURORA

Grid fee structures in the Netherlands

		Grid operator	Restriction on	Status
Flexible contracts	1 **Non-firm ATO[1]**	All networks	Import and export	Available from 1 February 2024, and mandatory from 1 February 2025 in congested areas
	2 **Fixed duration[2] (e.g. TDTR[3])**	TSO (contracted capacity)	Import and export	Effective from 1 April 2025, available at all sites by 1 October 2025 at the latest
	3 **Fixed time block (TBTR[4])**	DSO (contracted capacity)	Import and export	Effective from 1 April 2025
Rates	4 **Time of use (TSO)**	TSO (peak offtake)	Import	Effective from 1 January 2025
	5 **Time of use (DSO)**	DSO (peak offtake)	Import	In preparation

1) Contract without a fixed (firm) transport capacity are called non-firm ATO (Aansluit- en transportovereenkomst) 2) We assume that TenneT will only make use of the restrictions during 5% of the year. Calculated based on a 30MW battery with 2h duration, 1.5 cycles per day 3) Time dependent transport right (TDTR) 4) Time block transport right (TBTR)

Sources: Aurora Energy Research

The recent grid fee proposals offer attractive discounts but also restrict battery dispatch

AURORA

Grid fee structures in the Netherlands

		Grid operator	Restriction on	Status
Flexible contracts	1 **Non-firm ATO[1]**	All networks	Import and export	Available from 1 February 2024, and mandatory from 1 February 2025 in congested areas
	2 **Fixed duration[2] (e.g. TDTR[3])**	TSO (contracted capacity)	Import and export	Effective from 1 April 2025, available at all sites by 1 October 2025 at the latest
	3 **Fixed time block (TBTR[4])**	DSO (contracted capacity)	Import and export	Effective from 1 April 2025
Rates	4 **Time of use (TSO)**	TSO (peak offtake)	Import	Effective from 1 January 2025
	5 **Time of use (DSO)**	DSO (peak offtake)	Import	In preparation

Tennet (TSO) 2024 grid fees under different structures

€/kW/year (real 2023)



1) Contract without a fixed (firm) transport capacity are called non-firm ATO (Aansluit- en transportovereenkomst) 2) We assume that TenneT will only make use of the restrictions during 5% of the year. Calculated based on a 30MW battery with 2h duration, 1.5 cycles per day 3) Time dependent transport right (TDTR) 4) Time block transport right (TBTR) 5) Time of Use (ToU)

Sources: Aurora Energy Research

Financial asset backed trading on the Intraday market can improve the battery business case, but cannibalisation of the upside is expected

Day-Ahead and continuous Intraday price – sample day



Sources: Aurora Energy Research

Financial asset backed trading on the Intraday market can improve the battery business case, but cannibalisation of the upside is expected

AURORA

Day-Ahead and continuous Intraday price – sample day



Present value of battery revenues – Illustrative

All data is provided in our Group Meeting report for clients.

Sources: Aurora Energy Research

Agenda

AURORA

I. Introduction

II. Battery business cases

III. Battery co-location with Solar PV

IV. Key takeaways

For more information, please contact
Tim Vandenbroucke
tim.vandenbroucke@auroraer.com
+49 170 3223794

The growing interest in co-location in the Netherlands has been driven by decreasing capture rates for solar and grid access constraints

AURORA

Historic solar PV capture rate



1) Presented by TenneT in August 2024. 2) According to Liander, more details can he found under: Maatschappelijk prioriteren | Liander

Sources: Aurora Energy Research, TenneT, Liander

The growing interest in co-location in the Netherlands has been driven by decreasing capture rates for solar and grid access constraints

AURORA

Historic solar PV capture rate



Battery grid connection access requests – TenneT[1]



1) Presented by TenneT in August 2024. 2) According to Liander, more details can he found under: Maatschappelijk prioriteren | Liander

Sources: Aurora Energy Research, TenneT, Liander

Retrofitting a battery to a solar PV asset can lead to cost savings and significantly reduces solar PV curtailment

AURORA

Retrofit battery CAPEX
€/kW

Retrofit battery OPEX
€/kW/year



Stand-alone battery Retrofit battery - Co-located

Sources: Aurora Energy Research

Retrofitting a battery to a solar PV asset can lead to cost savings and significantly reduces solar PV curtailment

AURORA

Retrofit battery CAPEX
€/kW

Retrofit battery OPEX
€/kW/year



Stand-alone battery Retrofit battery - Co-located

1h-rule volume impact for the solar PV asset with a retrofit battery
%

All data is provided in our Group Meeting report for clients.



Stand-alone solar 0.5 : 1 BESS to Grid ratio

Sources: Aurora Energy Research

However, retrofitted batteries are not profitable without grid charging; when charging from the grid they can achieve higher IRR

AURORA

Revenues for a retrofit battery - Illustrative
Present value k€



All data is provided in our Group Meeting report for clients.

Sources: Aurora Energy Research

However, retrofitted batteries are not profitable without grid charging; when charging from the grid they can achieve higher IRR

AURORA

Revenues for a retrofit battery - Illustrative
Present value k€

All data is provided in our Group Meeting report for clients.



Sources: Aurora Energy Research

However, retrofitted batteries are not profitable without grid charging; when charging from the grid they can achieve higher IRR

AURORA

Revenues for a retrofit battery - Illustrative
Present value k€

All data is provided in our Group Meeting report for clients.



Sources: Aurora Energy Research

Agenda

AURORA

I. Introduction

II. Battery business cases

III. Battery co-location with Solar PV

IV. Key takeaways

For more information, please contact
Tim Vandenbroucke

tim.vandenbroucke@auroraer.com
+49 170 3223794

Key takeaways

1 The Dutch market presents high revenue opportunities for stand-alone batteries, but also imposes significant grid fees, even under the new grid fee proposals. As a result, IRRs for batteries built in the coming years remain below the assumed WACC. As a result of the saturation of ancillary service markets, batteries will make most of their revenues on wholesale markets after 2030. Looking ahead, further increases in grid fees could pose a serious risk to the economic viability of battery projects.

Sources: Aurora Energy Research

Key takeaways

1 The Dutch market presents high revenue opportunities for stand-alone batteries, but also imposes significant grid fees, even under the new grid fee proposals. As a result, IRRs for batteries built in the coming years remain below the assumed WACC. As a result of the saturation of ancillary service markets, batteries will make most of their revenues on wholesale markets after 2030. Looking ahead, further increases in grid fees could pose a serious risk to the economic viability of battery projects.

2 Advanced trading strategies, particularly in the continuous intraday market, can significantly enhance battery revenues, by financially trading the same product several times. This highlights the importance of active trading and market participation in maximising returns. However, participation of additional batteries is likely to cannibalise this upside in the future.

Sources: Aurora Energy Research

Key takeaways

1 The Dutch market presents high revenue opportunities for stand-alone batteries, but also imposes significant grid fees, even under the new grid fee proposals. As a result, IRRs for batteries built in the coming years remain below the assumed WACC. As a result of the saturation of ancillary service markets, batteries will make most of their revenues on wholesale markets after 2030. Looking ahead, further increases in grid fees could pose a serious risk to the economic viability of battery projects.

2 Advanced trading strategies, particularly in the continuous intraday market, can significantly enhance battery revenues, by financially trading the same product several times. This highlights the importance of active trading and market participation in maximising returns. However, participation of additional batteries is likely to cannibalise this upside in the future.

3 Co-locating a battery with an existing PV installation is only a financially interesting option if the battery is allowed to charge from the grid. Relying only on excess solar generation limits the revenue potential significantly, especially during winter. The financial returns for co-located batteries with grid charging are similar to those of stand-alone batteries.

Sources: Aurora Energy Research

Explore upcoming and recent topics for the Dutch Power & Renewables Service

AURORA

3 Group Meetings per year

These roundtable events facilitate networking with key market participants such as developers, investors, financiers, utilities, grid operators, and government officials

We will present the latest Strategic Insight report and invite you to discuss and challenge our findings.

You will then receive the revised, published report straight to your inbox.



REGISTER TODAY!

Connect and network with the leaders and decision makers driving the European energy transition

JOE KAESER
Chairman of the Supervisory Board, Siemens Energy & Daimler Truck

LISA MCDERMOTT
Managing Director, ABN AMRO Bank

MICHAEL LEWIS
Chief Executive Officer, Uniper

MARKUS KREBBER
Chief Executive Officer, RWE

IRENE RUMMELHOFF
EVP Marketing, Midstream & Processing, Equinor

JOHN PETTIGREW
Chief Executive Officer, National Grid

AURORA

SPRING FORUM

LONDON 2025

COMPETING VISIONS OF PROGRESS: THE ENERGY TRANSITION IN A POLARISED WORLD

WEDNESDAY 21 & THURSDAY 22 MAY

For more information, please contact our Events team:
ukevents@auroraer.com

Details and disclaimer

Publication
Beyond the Buzz: Winning Cases for BESS Investments in the Netherlands – Public Version

Date
20th March 2025

Prepared by
Claudia Günther
(claudia.guenther@auroraer.com)
Simon De Clercq
(simon.declercq@auroraer.com)
Luis Manuel Martinez
(luis.martinez@auroraer.com)
Arnaud Oltramare
(arnaud.oltramare@auroraer.com)

Approved by
Jesse Hettema
(jesse.hettema@auroraer.com)


AURORA
ENERGY RESEARCH