



European Renewable Energy Markets

Attractiveness Report

May 2022





- I. <u>Executive summary</u>
- II. Renewables market drivers
- III. Market size, composition and outlook
- IV. Policy environment
- V. Project economics
- VI. Appendix

This is a redacted sample of the European Renewables Markets Attractiveness Report.

If you are interested in the full report, contact Luke Janes: luke.janes@auroraer.com.

Aurora's rating combines eight robust metrics to derive an overall attractiveness score for 18 European renewables markets

AUR 😂 RA

The overall market attractiveness score for each European renewables market covers three categories and eight metrics, which are set out in detail in this report.

Categories and metrics	Weighting	Technology split	Rationale	Source of data
Market size, composition & outlook	40%			
1 RES¹ deployment to 2030	40%	並 イ 饗	Indicates expected future market size in the medium term	Aurora fundamental modelling*
2 PPA ² market potential in 2030	40%	並イ獲	Indicates expected availability of commercial off-takers in the medium term to mitigate merchant risks	Aurora databases*
3 RES transaction volumes in 2021	20%	MIXED	Reflects present maturity of market for both greenfield and brownfield investment	Aurora analysis* and third party databases
Policy environment	40%			
4 Announced RES targets in 2030	25%	並イ準	Demonstrates policy ambition for RES deployment over the medium term	Aurora analysis*
5 Historical auctioned capacity	10%	並イ獲	Indicates track record of government support for RES build-out and market size for refinancing	Aurora analysis*
6 Planned auctioned capacity till 2030	25%	並 イ 饗	Indicates expected government support for RES build-out	Aurora analysis*
Policy risks - support schemes, permitting, grid connection	40%	並イ響	Reflects effect of key policy and regulatory risks on project development	Aurora analysis*
Project economics	20%	→ → *		
8 Indicative merchant IRR for project starting in 2025	100%		Captures the commercial viability of new build merchant projects for final investment decisions in three years 'time	Aurora fundamental modelling*
(*) Detailed country power and renewables market sub	scriptions <u>avai</u>	<u>lable</u> in Aurora's Powe	r and Renewables Market subscriptions.	


¹⁾ Renewable Energy Systems 2) Power Purchase Agreement

The most attractive European market for onshore wind is followed by





Installed capacity of onshore wind across Europe currently stands at 203 GW, making up 18% of total installed capacity. It is projected to grow at least 1.6x by 2030, requiring EUR 119 billion CAPEX investment.



Top markets

- Due to its market size, favourable policy and excellent merchant economics, is currently the most attractive market for onshore wind in Europe.
- Strong policy support in the form of a GW onshore wind RES target and a generous premium feed-in tariff scheme make an attractive market for onshore wind, despite lower than average merchant economics.
- sees relatively strong scores across all indicators thus ranking as one of the most attractive markets in Europe, but is held back by permitting challenges; simplification of permitting processes is underway.

Markets to watch

- Despite substantial build out of onshore wind to date, has not set a policy target for onshore wind build out going forward, and lower than expected auction volumes could lower its ranking in the future.
- Should relax its permitting restrictions for onshore wind development, as is expected in 2022, its combination of large market size and good merchant economics will make it an increasingly attractive onshore wind market.

Market size, composition & outlook Policy environment Project economics




- I. Executive summary
- II. Renewables market drivers
- III. Market size, composition and outlook
- IV. Policy environment
- V. Project economics
- VI. Appendix


Renewable capacity buildout is driven by four key factors which cut across government policy and market forces





Increasing power demand





Improvements in energy efficiency put downwards pressure on power demand



Rising fuel and carbon prices

Electricity prices in most markets across Europe are set by the marginal producing plant, which is most often gas CCGTs, such that the power price is highly correlated with the short run marginal cost of a CCGT

Therefore, the gas price is directly related to the baseload power price, and to the capture price of renewables

Some countries in Europe, such as Spain, are looking to introduce caps on the price of gas that can be passed through to the consumer when used to generate electricity, potentially lowering renewable capture price upside





Strong policy support and Government ambition

Government ambition through renewables deployment targets and strong policy support drives investor confidence and ultimately investment in renewables

Lack of policy support, or sudden changes in policy, can negatively impact investor confidence in renewables in a country

More in <u>section IV</u> of this report.





Phase out of thermal capacity

As Europe phases out traditional thermal capacities such as coal and older, un-abated gas assets in its push to meet ambitious decarbonisation targets, this makes way for alternative, low-carbon generating capacities to fill the gap in order to meet Europe's increasing power demand.

Increasing retirement of thermal capacity places greater strain on meeting system requirements such as frequency and voltage control, that cannot be sustained through renewables alone.


Source: Aurora Energy Research


- I. Executive summary
- II. Renewables market drivers
- III. Market size, composition and outlook
- IV. Policy environment
- V. Project economics
- VI. Appendix

Rising PPA demand from utilities & corporates provides an opportunity for new build renewables to secure stable revenues


%)PPA supply/demand balance












Electrolyser Utility Corporate

¹⁾ Across Aurora's 18 modelled countries in Europe. Electrolyser demand estimated based on country targets.

A Net Zero trajectory could see GW additions of variable renewables by 2030 as Europe strives to decarbonise the economy




Installed variable renewable capacity (Aurora Net Zero scenario)



- Aurora's Net Zero scenarios assume a higher level of policy ambition that is more in line with stated climate policy ambitions
- Pursuing Net Zero goals will require more than doubling the rate of deployment since 2015 to build an additional more than Aurora's Central scenario by 2030
- The total increase of ______ by 2030 will require investment of ca. _____, the largest share of which will be invested in






1) Defined as solar PV, onshore wind and offshore wind. 2) Includes fixed bottom and floating offshore wind.

Sources: Aurora Energy Research, Eurostat

2021, making up

saw the most renewables transaction activity in two thirds of Europe's total





¹⁾ Aggregate value of greenfield, M & A and refinancing transactions. Greenfield refers to construction of new infrastructure, refinancing refers to raising fresh debt to finance existing projects.

²⁾ Converted from USD using EUR/USD rate of 1.165 from March 2022. 3) EU27 plus UK, Norway and Switzerland. 4) Delta in closed transaction value in 2021 vs 2020. Sources: Aurora Energy Research, Eurostat, Infralogic


leads on market size for offshore wind and ties with for onshore wind, while leads for

AUR 😂 RA

solar PV

Market size, composition & outlook

Countries are assessed in terms of their market size and outlook for renewables between 2022-2030, based on three metrics shown below. An overall score for the market size indicator is assigned between 0-10 reflecting the specified weighting of the three metrics.





- I. Executive summary
- II. Renewables market drivers
- III. Market size, composition and outlook
- IV. Policy environment
- V. <u>Project economics</u>
- VI. Appendix


Key nuances and support scheme rules across different regions have impacted the deployment of renewables (1/2)




Region	Current main scheme	Relevant technologies	Positives and nuances	
		*	✓ Supplier and grid operator legal obligation to purchase certificates guarantees demand ➤ Not well suited for deployment of offshore wind	
		<u></u>	 ✓ New scheme created to drive offshore wind buildout, auction volumes of 3.5 GW set ✗ Delay in finalising the scheme mechanism causing uncertainty for developers 	
		Subsidies not currently offered		
		並 イ 賀	 ✓ Auctions are frequent and open to all technologies, separate offshore wind tendering ✗ Limited auction volumes announced 	
	Subsidies no longer offered			
		並 イ 魙	 ✓ EUR 30.5 billion aid approved to boost renewables in France, 22 GW to be procured ✗ Production caps specified, after which projects are not remunerated anymore 	
_		並 イ 魙	 ✓ Generators receive auctioned value as support level, no paybacks required ✗ Support is expected to end with the phase-out of coal² 	
		並 イ 魙	 ✓ Dedicated support for offshore wind, driving rapid deployment toward Govt. targets ✗ Limited participation and allocation for solar and onshore wind in auction rounds 	
		十 	✓ Generators are able to keep market upside, no paybacks required✗ Currently not available for offshore wind, set to end in 2025	
			√ New scheme introduced more flexible prices for projects after 2017 ★ Wind projects are not eligible for support	

²⁾ The EEG 2023 is set to introduce Contracts for Difference (CfD) for offshore wind.

At least GW of RES is set to be procured through committed auctions to 2030 with a new focus on






Volumes shown represent announced and confirmed auctions as of April 2022 and is not an exhaustive representation of potential auctions in the period to 2030



¹⁾ Offshore capacity offered through tenders in the Nordics despite a lack of subsidies. The capacities will be deployed on merchant/PPA basis. 2) Represents Aurora's 18 modelled countries. 3) Where explicit capacity targets have not been announced, capacity is estimated based on relevant announcements of budgetary allocations, generation targets and total auction targets. Source: Aurora Energy Research

- Across Europe, auctions for subsidy schemes have been announced and planned out for the next few years with a minimum target procurement of GW through to 2030
- Historically, subsidy schemes have brought forward more significant volumes of solar and onshore wind capacities while offshore wind remained a nascent technology
- Planned procurement of subsidised capacities over the next few years see a focus on _____, making up ____% of planned capacity procurement
- still see high volumes of capacity set to be procured but are lower than historical trends due to the advent of merchant models

Lengthy and complex permitting procedures limit deployment of renewables, particularly for onshore wind



AUR 😂 RA

 Accelerated deployment of renewable (RES) projects is key to Europe's decarbonisation

Lengthy and			
complex			

RES permitting could take up				
to				

Administrative processes are					
now the					
biggest					

 The European Commission has launched a <u>public consultation</u> on how to improve permitgranting procedures for renewables projects and facilitating Power Purchase Agreements (PPAs)


Source: Aurora Energy Research

sees the most attractive policy environment for renewables deployment, followed by



Policy environment

Countries are assessed in terms of their policy environment for renewables between 2022-2030, based on four criteria shown below. An overall score between 0-10 is assigned for each renewable technology reflecting the following weighting of assessment criteria.




- I. Executive summary
- II. Renewables market drivers
- III. Market size, composition and outlook
- IV. Policy environment
- V. <u>Project economics</u>
- VI. Appendix


CAPEX are maturing, while scope for cost reductions

sees significant









- Raw materials make up a significant share of total technology
- The price increases based on historical trends and expected increases in production

Long term trends


- Technological advancements drive cost reductions over time across all technologies; significant scope for cost reductions due to
- Capital costs are broadly similar across Europe, but variations

Short term trends

Range across Europe

^(*) Detailed country data available in Aurora's power and renewables market subscriptions

LCOEs vary materially across Europe due to regional differences in capital costs and load factors; see lowest wind costs



Ranking of country LCOEs for merchant renewables in 2030¹

Rank ²	Solar PV	Offshore wind ³
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		

- Levelised cost of energy is the ratio of the total discounted costs and discounted energy production over the project lifetime
- Load factors and CAPEX differences are the main determinants for LCOE variation across Europe
- By 2030, achieves the lowest LCOE in most countries apart from those with
- PPA-backed projects have

¹⁾ Assumptions detailed in <u>appendix</u>. 2) Ranked merchant LCOEs from 1 = lowest LCOE to 10 = highest LCOE. 3) Represents fixed bottom projects except in are most feasible.

Capture prices tend to decrease over time, with seeing the greatest decrease to 2050 due to highly correlated generation





Capture prices are projected to fall by up to xx% between 2030-2050 across Aurora's 18 modelled regions in Europe, depending largely on the underlying technology

In each region, a variety of factors combine to determine the long term trend in the power price captured by renewables plants.

Drivers of increasing capture prices

- Increasing fuel and carbon prices
 - While thermal plants remain marginal, rising fuel and carbon prices raise the baseload power price by increasing the short run marginal cost of the marginal plant (often thermal)
- Increasing power demand
 - Europe's continued push for electrification increases demand and shifts the marginal plant higher up the merit order (all other factors being equal)
 - Increased flexibility of demand through the buildout of battery storage and hydrogen electrolysers also drives prices upward

Drivers of decreasing capture prices

- Increasing renewables buildout
 - Leading to greater amounts of correlated generation, which depresses the system price and cannibalises renewables capture prices

¹⁾ Prices shown assuming no economic curtailmenti.e. plants continue to generate during negative price periods

see the highest IRRs for solar PV in the short term due to excellent irradiation and low price cannibalisation

IRRs presented reflect a typical, fully merchant project in each country (i.e. without subsidies or PPAs), such that individual sites will over- or under-perform based on site-specific considerations of load factor and locational benefits or costs.

Project IRR¹ (fully merchant operation, fleet-wide average, unlevered)

%, pre-tax (real 2021), Central scenario




Solar PV

Shading denotes indicative hurdle rate range:

A Fully merchant operation

B Under subsidy/PPA



First year of operation: 2025 European average (2025)

- Across all technologies, solar PV sees due to the mature nature of the technology and relatively low costs
- Average solar PV IRRs across Europe under Aurora's Central scenario are projected to by 2025
- projects however tend to suffer from higher levels of price cannibalisation
- highest IRRs for solar PV in the short term due to excellent irradiation and low price cannibalisation
- IRRs are likely to


¹⁾ Assumptions detailed in <u>appendix</u>. Internal rate of return for an indicative merchant project in each country. Revenues limited to capture prices, excludes additional revenues such as distributed benefits or GoOs. Costs include CAPEX and OPEX, excludes additional, site-specific costs such as network charges.

countries see Europe's best merchant economics for renewables, particularly



Project economics

Countries are assessed in terms of their economic outlook for renewables, reflected through indicative fully merchant IRRs, with scores assigned between 0-10 where the maximum IRR = 10 and minimum = 0.



Amun is the leading software solution addressing the critical need for asset-specific wind valuation





Transactions




Site Selection



Portfolio Management



PPAs



- The indispensable tool trusted by Europe's leading banks, funds, utilities and developers
- 2 Asset-specific, bankable price and revenue forecasts in minutes
- 3 Unlimited access making one-off consultancy fees history
- Supporting the biggest wind transactions and valuing the largest portfolios
- Backed by Aurora's data and models, and supported by our wind and market experts

Sources: Aurora Energy Research 2



Details and disclaimer

PublicationEuropean Renewables Report

Date May 2022

Prepared by Anuoluwa Omojola

Caspar Whitehead

Approved byRyan Alexander

Richard Howard

General Disclaimer

This document is provided "as is" for your information only and no representation or warranty, express or implied, is given by Aurora Energy Research Limited and its subsidiaries Aurora Energy Research GmbH and Aurora Energy Research Pty Ltd (together, "Aurora"), their directors, employees agents or affiliates (together, Aurora's "Associates") as to its accuracy, reliability or completeness. Aurora and its Associates assume no responsibility, and accept no liability for, any loss arising out of your use of this document. This document is not to be relied upon for any purpose or used in substitution for your own independent investigations and sound judgment. The information contained in this document reflects our beliefs, assumptions, intentions and expectations as of the date of this document and is subject to change. Aurora assumes no obligation, and does not intend, to update this information.

Forward-looking statements

This document contains forward-looking statements and information, which reflect Aurora's current view with respect to future events and financial performance. When used in this document, the words "believes", "expects", "plans", "may", "will", "would", "could", "should", "anticipates", "estimates", "project", "intend" or "outlook" or other variations of these words or other similar expressions are intended to identify forward-looking statements and information. Actual results may differ materially from the expectations expressed or implied in the forward-looking statements as a result of known and unknown risks and uncertainties. Known risks and uncertainties include but are not limited to: risks associated with political events in Europe and elsewhere, contractual risks, creditworthiness of customers, performance of suppliers and management of plant and personnel; risk associated with financial factors such as volatility in exchange rates, increases in interest rates, restrictions on access to capital, and swings in global financial markets; risks associated with domestic and foreign government regulation, including export controls and economic sanctions; and other risks, including litigation. The foregoing list of important factors is not exhaustive.

Copyright

This document and its content (including, but not limited to, the text, images, graphics and illustrations) is the copyright material of Aurora, unless otherwise stated.

This document is confidential and it may not be copied, reproduced, distributed or in any way used for commercial purposes without the prior written consent of Aurora.

