

# GB Market Summary February 2023

Published March 2023



# Aurora provides market leading forecasts & data-driven intelligence for the global energy transition

A U R  R A

Power markets



Renewables




Storage



Electric vehicles



Hydrogen



Carbon



Natural gas




United States



Japan



Europe



Australia



 Regular detailed coverage  Analytics on demand



8 Offices

Oxford | Berlin | Madrid | Athens  
Paris | Sydney | Austin | Oakland



330+

market experts



600+

subscribing companies



120+

transactions supported in 2021

# Executive Summary

- The average power price in February was £135.9 /MWh, a 4.3% increase since the average of £130.3/MWh in January.
- The UK-ETS traded at an average of £79.3/tCO<sub>2</sub> in February, a £13.8/tCO<sub>2</sub> increase relative to January
- Generation from renewable technologies, i.e., onshore wind, offshore wind and solar PV was 7.2 TWh, 24% lower relative to January
- The total demand in February was 20.96 TWh, 14% lower relative to January and 18% lower relative to February 2022.
- Due to the lower renewable generation, domestic power sector emissions totalled 3.4 MtCO<sub>2</sub>e, the same as January, despite lower demand – a 17% increase in emissions intensity.

		Monthly value <sup>1</sup>	Month-on-month change	Year-on-year change	Slide reference(s)
System Performance	Power prices, £/MWh	135.9	+5.6 (4.3%)	-21.3 (13.6%)	<u>5, 6</u>
	Gas prices, £/MWh	45.8	-7.5 (14.1%)	-18.7 (29.0%)	<u>8</u>
	Carbon <sup>2</sup> prices, £/tCO <sub>2</sub>	101.0	+13.8 (15.8%)	-2.1 (2.0%)	<u>8</u>
	Transmission demand, TWh	21.0	-3.5 (14.2%)	-0.4 (2.1%)	<u>12</u>
	Low carbon <sup>3</sup> generation, TWh	11.2	-3.5 (23.9%)	-4.9 (30.5%)	<u>13, 14</u>
	Thermal <sup>4</sup> generation, TWh	7.6	+0.2 (2.1%)	+2.4 (46.9%)	<u>13, 14</u>
	Grid carbon intensity, gCO <sub>2</sub> e/kWh	179.9	+26.4 (17.2%)	+60.0 (50.0%)	<u>16</u>
Capture Prices	Offshore wind, £/MWh	126.1	+6.2 (5.2%)	-28.4 (18.4%)	<u>20</u>
	Onshore wind, £/MWh	130.7	+13.1 (11.2%)	-23.9 (15.4%)	<u>20</u>
	Solar PV, £/MWh	130.5	-11.5 (8.1%)	-25.5 (16.4%)	<u>20</u>

		Monthly value <sup>1</sup>	Variance to historical monthly average <sup>3</sup>	Slide reference(s)
Load Factors	Offshore wind, %	45.9	-12.1 p.p.	<u>19</u>
	Onshore wind, %	35.1	-7.8 p.p.	<u>19</u>
	Solar PV, %	6.0	-0.6 p.p.	<u>19</u>


1) Values averaged over the calendar month. 2) Includes CPS and EU ETS until 18th May 2021 and UK ETS from 19th May 2021 onwards; 3) Includes renewables and nuclear generation 4) Includes CCGTs, coal and other fossil plants; 5) Comparing to the average of same month in the previous 5 years.

Sources: Aurora Energy Research, Thomson Reuters, National Grid, Ofgem, Elxon

- I. Wholesale market summary
- II. Renewable performance (redacted)
- III. Company performance (subscriber only)
- IV. Plant performance (redacted)
- V. Balancing mechanism summary

# Historic monthly average EPEX spot price

Average EPEX spot price<sup>1</sup>  
£/MWh




— Average monthly spot price — Annual average spot price (x) Month-on-month difference (x) Year-on-year difference

1) Average monthly EPEX is the average over the month of the volume-weighted reference prices for each half-hour interval.

# Half-hourly EPEX spot price for February

EPEX spot price<sup>1</sup>  
£/MWh

Monthly average price in February 2023:  
135.86 £/MWh




1) Half-hourly EPEX is the volume-weighted reference price over that half-hour interval, as provided by EPEX Spot

# Historic fuel prices

## Gas, Coal and Carbon daily prices

Gas/Coal price  
£/MWh


Total GB Carbon price  
£/tCO<sub>2</sub>



# Historic weekly UK ETS and EU ETS Prices


Weekly average EU and UK ETS prices

£/tCO<sub>2</sub>



Relative difference between UK and EU ETS prices


%





# Half-hourly spot prices against half-hourly system margins for February

EPEX spot price<sup>1</sup>  
£/MWh




1) Half-hourly EPEX is the volume-weighted reference price over that half-hour interval, as provided by EPEX Spot. 2) De-Rated Margin Forecast calculated in accordance with the Loss of Load Probability Calculation Statement from Elexon.

# Daily February max and min demand

## Relative to historic February max and min demand since 2010<sup>1</sup>

Demand<sup>2</sup>  
GW




I Daily range ■ Historic maximum/minimum

1) Data from previous years is matched to the nearest weekday within the current month, to maintain the weekly demand pattern. 2) Demand data presented here is Initial Transmission System Demand Out-Turn, and does not include embedded demand.

# Monthly historical demand on the transmission system

Total demand<sup>1</sup>  
TWh




— Total monthly demand — Annual average demand (x) Month-on-month difference (x) Year-on-year difference

1) Demand data presented here is Initial Transmission System Demand Out-Turn, and includes station transformer load, pumped storage demand and interconnector demand, but does not include embedded demand.

# Monthly fuel mix breakdown

Output<sup>1</sup>  
TWh




Load factor  
%



1) Includes outputs from generators registered as BM Units as well as embedded wind and solar PV assets. All numbers are rounded to 0.1 TWh which means that subtotals may not sum to total value. 2) Other fossil includes oil, CHP-CCGT and OCGT. 3) Other renewables includes biomass and hydro.

# Historical fuel mix breakdown

Output<sup>1</sup>  
% of total




■ Nuclear 
 ■ Coal 
 ■ CCGT 
 ■ Other fossil<sup>2</sup>
■ Other renewables<sup>3</sup>
■ Onshore Wind 
 ■ Offshore Wind 
 ■ Solar 
 ■ Imports

1) Includes outputs from generators registered as BM Units as well as embedded wind and solar PV. 2) Other fossil includes oil, CHP-CCGT and OCGT. 3) Other renewables includes biomass and hydro.


# Monthly interconnector flow duration curve

## Flow in each half-hour for GB interconnectors



1) Positive flow is imports into GB, negative flow is exports.

# Monthly emissions by technology



1) Please refer to Appendix for details of methodology employed to calculate emission amounts. Includes all Balancing Mechanism plants. 2) Other fossil includes oil, OCGT and gas CHP-CCGT.

# Agenda


---

- I. Wholesale market summary
- II. Renewable performance (redacted)
- III. Company performance (subscriber only)
- IV. Plant performance (redacted)
- V. Balancing mechanism summary



# Monthly load factors by technology

Average load factor<sup>1</sup>  
%



February variance to 5-year  
average<sup>2</sup>

6.6

6.0


-4.3

■ Onshore Wind   
 ■ Offshore Wind   
 ■ Solar  
— Onshore Average   
 — Offshore Average   
 — Solar Average


1) Includes outputs from generators registered as BM Units as well as embedded wind and solar PV

# Capture price versus baseload APX price

Intraday Price<sup>1,2</sup>  
£/MWh



Technology capture discount<sup>2</sup> to baseload



1) The baseload price is the average monthly APX spot price. The capture price of a technology is the load-weighted monthly average APX price across all half-hourly periods; 2) Includes generators registered as BM Units as well as embedded wind

# Agenda

---

- I. Wholesale market summary
- II. Renewable performance (redacted)
- III. Company performance (subscriber only)
- IV. Plant performance (redacted)
- V. Balancing mechanism summary

# Agenda


---

- I. Wholesale market summary
- II. Renewable performance (redacted)
- III. Company performance (subscriber only)
- IV. Plant performance (redacted)
- V. Balancing mechanism summary

# Plant utilisation – load factors by plant for February

Load factor<sup>1</sup>  
%

Column width  
reflects capacity




1) Represents 60 plants with highest capacity according to the Balancing Mechanism (BM) database, as well as aggregated data for wind and solar. Capacity of each plant represents the sum of capacities of all its generators that have been active at least once in the last three months. Please refer to Appendix for a detailed description of the data used and categories presented

Sources: Aurora Energy Research, Elexon, BEIS

## CCGT plant utilisation – by plant for February

Full load hours<sup>1</sup>  
% of total for the period

Column width  
reflects capacity




1) Includes all CCGT plants of the presented companies that report to the Balancing Mechanism. 2) Plant Names: 1. Enfield Energy, 2. Pembroke, 3. Cottam Dypt Centre, 4. Marchwood, 5. Great Yarmouth, 6. West Burton B, 7. Staythorpe, 8. Carrington, 9. Didcot B, 10. Little Barford, 11. Kings Lynn, 12. South Humber Bank, 13. Langage, 14. Spalding, 15. Shoreham, 16. Medway, 17. Peterhead, 18. Seabank 2, 19. Seabank 1, 20. Connahs Quay, 21. Keadby, 22. Damhead Creek, 23. Rocksavage, 24. Rye House, 25. Corby, 26. Killingholme 2, 27. Sutton Bridge, 28. Glanford Brigg, 29. Severn, 30. Peterborough, 31. Coryton, 32. Killingholme 1. Sources: Aurora Energy Research, Elexon

# Agenda

---

- I. Wholesale market summary
- II. Renewable performance (redacted)
- III. Company performance (subscriber only)
- IV. Plant performance (redacted)
- V. Balancing mechanism summary

# Monthly average system prices for the last 13 months




1) Monthly average; 2) Half-hourly wholesale spot price is the volume-weighted reference price over that half hour interval, as provided by APX Power UK



# Half-hourly System Price against Net Imbalance Volume for February

A U R  R A

System Price  
£/MWh




System imbalance: ● Long ● Short

# Bid-offer acceptance volumes breakdown by technology for the last 13 months

A U R  R A

Accepted offer<sup>1</sup> volumes  
GWh



Accepted bid<sup>2</sup> volumes  
GWh

CCGT
  Coal
  Other<sup>3</sup>
 Peaking<sup>4</sup>
 Storage<sup>5</sup>
 Onshore Wind
  Offshore Wind


1) Offers to increase generation or reduce demand; 2) Bids to reduce generation or increase demand; 3) Other includes oil, CHP-CCGT, biomass and hydro; 4) Peaking includes OCGT, reciprocating engines and DSR; 5) Storage includes batteries and pumped storage

Sources: Aurora Energy Research, Ellexon


# Bid-offer payments breakdown by technology for the last 13 months

A U R  R A

Accepted offer<sup>1</sup> payments<sup>3</sup>  
£million



Accepted bid<sup>2</sup> payments<sup>3</sup>  
£million



1) Offers to increase generation or reduce demand; 2) Bids to reduce generation or increase demand; 3) Positive cashflow means payment to generators, negative is payment to National Grid; 4) Other includes oil, CHP-CCGT, biomass and hydro; 5) Peaking includes OCGT, reciprocating engines and DSR; 6) Storage includes batteries and pumped storage

Sources: Aurora Energy Research, Elexon

## Data used

- Output values used in this summary reflect the sum of Final Physical Notifications (FPN) submitted by all BM Units of a given plant that have been active over the last three months.
- Capacity values used in this summary reflect the sum of capacities of individual BM Units, as reported to the Balancing Mechanism, that have been active over the last three months. They reflect long-term capacities and exclude temporary fluctuations due e.g. to plant failures or scheduled maintenance.
- Prices used in this summary are the EPEX half-hourly Reference Prices for half-hourly, two-hourly and four-hourly spot products.

## Categories presented

- Full-load hours represent the plants' load factors, calculated as the ratio of the output produced in a given month to the maximum possible output given the plants' capacity.
- Running hours represent the proportion of time in a given month when a plant has been active, i.e. when at least one of its BM Units produced output greater than zero.
- Capture prices (or average output-weighted prices) are calculated as an average of EPEX half-hourly prices per MWh weighted by the plants' corresponding half-hourly outputs for all periods.
- Average gross margins are calculated as a sum of the uplift and inframarginal rent. Uplift is calculated as the difference between the EPEX price and the system marginal cost (SMC). SMC is the maximum marginal cost of all the plants with at least one generator producing above 80% of its installed capacity in a given half-hour.
- Emissions are calculated as plant output divided by electrical efficiency, multiplied by theoretical carbon content of the fuel input. The carbon content of fuel inputs is sourced from BEIS's Greenhouse gas reporting – Conversion factors 2016. System carbon intensity is calculated as the total emission divided by total electricity generated.

## General Disclaimer

This document is provided "as is" for your information only and no representation or warranty, express or implied, is given by Aurora Energy Research Limited and its subsidiaries Aurora Energy Research GmbH and Aurora Energy Research Pty Ltd (together, "**Aurora**"), their directors, employees agents or affiliates (together, Aurora's "**Associates**") as to its accuracy, reliability or completeness. Aurora and its Associates assume no responsibility, and accept no liability for, any loss arising out of your use of this document. This document is not to be relied upon for any purpose or used in substitution for your own independent investigations and sound judgment. The information contained in this document reflects our beliefs, assumptions, intentions and expectations as of the date of this document and is subject to change. Aurora assumes no obligation, and does not intend, to update this information.

## Forward-looking statements

This document contains forward-looking statements and information, which reflect Aurora's current view with respect to future events and financial performance. When used in this document, the words "believes", "expects", "plans", "may", "will", "would", "could", "should", "anticipates", "estimates", "project", "intend" or "outlook" or other variations of these words or other similar expressions are intended to identify forward-looking statements and information. Actual results may differ materially from the expectations expressed or implied in the forward-looking statements as a result of known and unknown risks and uncertainties. Known risks and uncertainties include but are not limited to: risks associated with political events in Europe and elsewhere, contractual risks, creditworthiness of customers, performance of suppliers and management of plant and personnel; risk associated with financial factors such as volatility in exchange rates, increases in interest rates, restrictions on access to capital, and swings in global financial markets; risks associated with domestic and foreign government regulation, including export controls and economic sanctions; and other risks, including litigation. The foregoing list of important factors is not exhaustive.

## Copyright

This document and its content (including, but not limited to, the text, images, graphics and illustrations) is the copyright material of Aurora, unless otherwise stated.

**This document is confidential and it may not be copied, reproduced, distributed or in any way used for commercial purposes without the prior written consent of Aurora.**