



Top Queries

Sort by

Rows read ▾

Show totals ☐

Average	Average Rows	Average Rows	Count
Execution Time	Read	Written	40
236 ms	33,200	0	

```
select "slug", "updatedAt" from "Game" order by "Game"."updatedAt" desc
```

Average	Average Rows	Average Rows	Count
Execution Time	Read	Written	238
241 ms	33,100	0	

```
select "id", "igdbId", "title", "slug", "summary", "storyline",
"releaseDate", "status", "coverUrl", "rating", "trailerUrl", "screenshots",
"isTrending", "createdAt", "updatedAt", "metacritic", "metacriticUrl",
"playtime", "esrbRating", "pegiRating", "redditUrl", "websiteUrl",
"rawgRating", "rawgSlug", "rawgEnriched", "rawgId", "lastRawgSync",
"rawgMetadataHash", "steamRating", "steamRatingDesc", "lastSteamSync",
"scareRating", "scareProfile", "scareReviewCount", "lastScareSync",
"protonDbTier", "protonDbConfidence", "protonDbScore",
"protonDbTotalReports", "lastProtonDbSync", "category", "minRequirements",
"recRequirements", "popularity", "developerNames", "genreNames",
"platformNames", "source", "taxonomyScores" from "Game" order by
"Game"."isTrending" desc, "Game"."popularity" desc, "Game"."id" desc limit
?
```

Average	Average Rows	Average Rows	Count
Execution Time	Read	Written	238
212 ms	33,100	0	

```
select "id", "igdbId", "title", "slug", "summary", "storyline",
"releaseDate", "status", "coverUrl", "rating", "trailerUrl", "screenshots",
```

```
"isTrending", "createdAt", "updatedAt", "metacritic", "metacriticUrl",
"playtime", "esrbRating", "pegiRating", "redditUrl", "websiteUrl",
"rawgRating", "rawgSlug", "rawgEnriched", "rawgId", "lastRawgSync",
"rawgMetadataHash", "steamRating", "steamRatingDesc", "lastSteamSync",
"scareRating", "scareProfile", "scareReviewCount", "lastScareSync",
"protonDbTier", "protonDbConfidence", "protonDbScore",
"protonDbTotalReports", "lastProtonDbSync", "category", "minRequirements",
"recRequirements", "popularity", "developerNames", "genreNames",
"platformNames", "source", "taxonomyScores" from "Game" where
"Game"."screenshots" is not null order by "Game"."isTrending" desc,
"Game"."rating" desc limit ?
```

Average	Average Rows	Average Rows	Count
Execution Time	Read	Written	550
414 ms	32,800	0	

```
select "id", "igdbId", "title", "slug", "summary", "storyline",
"releaseDate", "status", "coverUrl", "rating", "trailerUrl", "screenshots",
"isTrending", "createdAt", "updatedAt", "metacritic", "metacriticUrl",
"playtime", "esrbRating", "pegiRating", "redditUrl", "websiteUrl",
"rawgRating", "rawgSlug", "rawgEnriched", "rawgId", "lastRawgSync",
"rawgMetadataHash", "steamRating", "steamRatingDesc", "lastSteamSync",
"scareRating", "scareProfile", "scareReviewCount", "lastScareSync",
"protonDbTier", "protonDbConfidence", "protonDbScore",
"protonDbTotalReports", "lastProtonDbSync", "category", "minRequirements",
"recRequirements", "popularity", "developerNames", "genreNames",
"platformNames", "source", "taxonomyScores" from "Game" where
(("Game"."status" is null or "Game"."status" <> ?) and
("Game"."releaseDate" is null or "Game"."releaseDate" <= ?)) order by
"Game"."isTrending" desc, "Game"."popularity" desc, "Game"."id" desc limit
?
```

Average	Average Rows	Average Rows	Count
Execution Time	Read	Written	524
416 ms	32,700	0	

```
select "id", "igdbId", "title", "slug", "summary", "storyline",
"releaseDate", "status", "coverUrl", "rating", "trailerUrl", "screenshots",
"isTrending", "createdAt", "updatedAt", "metacritic", "metacriticUrl",
"playtime", "esrbRating", "pegiRating", "redditUrl", "websiteUrl",
"rawgRating", "rawgSlug", "rawgEnriched", "rawgId", "lastRawgSync",
```

```
"rawgMetadataHash", "steamRating", "steamRatingDesc", "lastSteamSync",
"scareRating", "scareProfile", "scareReviewCount", "lastScareSync",
"protonDbTier", "protonDbConfidence", "protonDbScore",
"protonDbTotalReports", "lastProtonDbSync", "category", "minRequirements",
"recRequirements", "popularity", "developerNames", "genreNames",
"platformNames", "source", "taxonomyScores" from "Game" where
("Game"."screenshots" is not null and ("Game"."status" is null or
"Game"."status" <> ?) and ("Game"."releaseDate" is null or
"Game"."releaseDate" <= ?)) order by "Game"."isTrending" desc,
"Game"."rating" desc limit ?
```

Average	Average Rows	Average Rows	Count
Execution Time	Read	Written	2,170
242 ms	17,600	0	

```
select "id", "igdbId", "title", "slug", "summary", "storyline",
"releaseDate", "status", "coverUrl", "rating", "trailerUrl", "screenshots",
"isTrending", "createdAt", "updatedAt", "metacritic", "metacriticUrl",
"playtime", "esrbRating", "pegiRating", "redditUrl", "websiteUrl",
"rawgRating", "rawgSlug", "rawgEnriched", "rawgId", "lastRawgSync",
"rawgMetadataHash", "steamRating", "steamRatingDesc", "lastSteamSync",
"scareRating", "scareProfile", "scareReviewCount", "lastScareSync",
"protonDbTier", "protonDbConfidence", "protonDbScore",
"protonDbTotalReports", "lastProtonDbSync", "category", "minRequirements",
"recRequirements", "popularity", "developerNames", "genreNames",
"platformNames", "source", "taxonomyScores" from "Game" where
"Game"."igdbId" = ? limit ?
```

Average	Average Rows	Average Rows	Count
Execution Time	Read	Written	335
192 ms	16,400	0	

```
select count(*) from "Game" where (("Game"."status" is null or
"Game"."status" <> ?) and ("Game"."releaseDate" is null or
"Game"."releaseDate" <= ?))
```

Average	Average Rows	Average Rows	Count
Execution Time	Read	Written	110

176 ms

16,300

0

```
select count(*) from "Game" where ((( "Game"."status" is null or "Game"."status" <> ?) and ( "Game"."releaseDate" is null or "Game"."releaseDate" <= ?)) and ( "Game"."title" like ? or "Game"."developerNames" like ? or "Game"."slug" like ?))
```

Average	Average Rows	Average Rows	Count
Execution Time	Read	Written	766
361 ms	16,200	0	

```
select "id", "igdbId", "title", "slug", "summary", "storyline", "releaseDate", "status", "coverUrl", "rating", "trailerUrl", "screenshots", "isTrending", "createdAt", "updatedAt", "metacritic", "metacriticUrl", "playtime", "esrbRating", "pegiRating", "redditUrl", "websiteUrl", "rawgRating", "rawgSlug", "rawgEnriched", "rawgId", "lastRawgSync", "rawgMetadataHash", "steamRating", "steamRatingDesc", "lastSteamSync", "scareRating", "scareProfile", "scareReviewCount", "lastScareSync", "protonDbTier", "protonDbConfidence", "protonDbScore", "protonDbTotalReports", "lastProtonDbSync", "category", "minRequirements", "recRequirements", "popularity", "developerNames", "genreNames", "platformNames", "source", "taxonomyScores" from "Game" where ( "Game"."status" = ? or "Game"."releaseDate" > ?) order by "Game"."releaseDate" limit ?
```

Average	Average Rows	Average Rows	Count
Execution Time	Read	Written	75
157 ms	14,900	0	

```
select "id", "igdbId", "title", "slug", "summary", "storyline", "releaseDate", "status", "coverUrl", "rating", "trailerUrl", "screenshots", "isTrending", "createdAt", "updatedAt", "metacritic", "metacriticUrl", "playtime", "esrbRating", "pegiRating", "redditUrl", "websiteUrl", "rawgRating", "rawgSlug", "rawgEnriched", "rawgId", "lastRawgSync", "rawgMetadataHash", "steamRating", "steamRatingDesc", "lastSteamSync", "scareRating", "scareProfile", "scareReviewCount", "lastScareSync", "protonDbTier", "protonDbConfidence", "protonDbScore", "protonDbTotalReports", "lastProtonDbSync", "category", "minRequirements", "recRequirements", "popularity", "developerNames", "genreNames",
```

```
"platformNames", "source", "taxonomyScores" from "Game" where
(((("Game"."status" is null or "Game"."status" <> ?) and
("Game"."releaseDate" is null or "Game"."releaseDate" <= ?)) and
("Game"."title" like ? or "Game"."developerNames" like ? or "Game"."slug"
like ?)) order by "Game"."releaseDate" desc, "Game"."id" desc limit 1...
```

Average	Average Rows	Average Rows	Count
Execution Time	Read	Written	60
110 ms	13,700	0	

```
select "id", "igdbId", "title", "slug", "summary", "storyline",
"releaseDate", "status", "coverUrl", "rating", "trailerUrl", "screenshots",
"isTrending", "createdAt", "updatedAt", "metacritic", "metacriticUrl",
"playtime", "esrbRating", "pegiRating", "redditUrl", "websiteUrl",
"rawgRating", "rawgSlug", "rawgEnriched", "rawgId", "lastRawgSync",
"rawgMetadataHash", "steamRating", "steamRatingDesc", "lastSteamSync",
"scaerRating", "scaerProfile", "scaerReviewCount", "lastScaerSync",
"protonDbTier", "protonDbConfidence", "protonDbScore",
"protonDbTotalReports", "lastProtonDbSync", "category", "minRequirements",
"recRequirements", "popularity", "developerNames", "genreNames",
"platformNames", "source", "taxonomyScores" from "Game" where
("Game"."title" like ? or "Game"."developerNames" like ? or "Game"."slug"
like ?) order by "Game"."releaseDate" desc, "Game"."id" desc limit ?
```

Average	Average Rows	Average Rows	Count
Execution Time	Read	Written	1,370
17.2 ms	13,500	0	

```
select "id", "storeName", "url", "gameId" from "PurchaseLink" where
"PurchaseLink"."gameId" in (?, ?, ?, ?, ?, ?, ?, ?, ?)
```

Average	Average Rows	Average Rows	Count
Execution Time	Read	Written	1,340
15.2 ms	13,500	0	

```
select "id", "storeName", "url", "gameId" from "PurchaseLink" where
"PurchaseLink"."gameId" in (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
```

```
?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
```

Average Execution Time	Average Rows Read	Average Rows Written	Count
16.1 ms	13,500	0	680

```
select "id", "storeName", "url", "gameId" from "PurchaseLink" where "PurchaseLink"."gameId" in (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
```

Average Execution Time	Average Rows Read	Average Rows Written	Count
35.6 ms	13,300	2	231

```
delete from "PurchaseLink" where "PurchaseLink"."gameId" = ?
```

Average Execution Time	Average Rows Read	Average Rows Written	Count
26.7 ms	39	0	979

```
select count(*) from "Game"
```

Average Execution Time	Average Rows Read	Average Rows Written	Count
20 ms	18	0	753

```
select count(*) from "Developer"
```

Average Execution Time	Average Rows Read	Average Rows Written	Count
			601

112 ms

6

0

```
select "key", "value", "type", "label", "section", "updatedAt", "updatedBy"
from "SiteContent"
```

Average	Average Rows	Average Rows	Count
Execution Time	Read	Written	310
22.8 ms	5	5	

```
delete from "_GameToTag" where "_GameToTag"."A" = ?
```

Average	Average Rows	Average Rows	Count
Execution Time	Read	Written	753
17.6 ms	3	0	

```
select count(*) from "Tag"
```

Average	Average Rows	Average Rows	Count
Execution Time	Read	Written	1,010
158 ms	1	1	

```
update "Game" set "developerNames" = ? where "Game"."id" = ?
```

Average	Average Rows	Average Rows	Count
Execution Time	Read	Written	1,380
29.3 ms	1	1	

```
update "Game" set "scoreRating" = ?, "scoreProfile" = ?, "scoreReviewCount"
= ?, "lastScoreSync" = ? where "Game"."id" = ?
```

Average Execution Time	Average Rows Read	Average Rows Written	Count
28.3 ms	1	1	472

```
delete from "_DeveloperToGame" where "_DeveloperToGame"."B" = ?
```

Average	Average Rows	Average Rows	Count
Execution Time	Read	Written	559
23.4 ms	1	1	

```
delete from "_GameToPlatform" where "_GameToPlatform"."A" = ?
```

Average Execution Time	Average Rows Read	Average Rows Written	Count
228 ms	0	587	164

[illegible]

Average	Average Rows	Average Rows	Count
Execution Time	Read	Written	470
42.9 ms	0	12	


```
insert into "_GameToGenre" ("A", "B") values (?, ?), (?, ?), (?, ?), (?, ?)
```

Average	Average Rows	Average Rows	Count
Execution Time	Read	Written	388
35.5 ms	0	590	

[illegible]

Average Execution Time	Average Rows Read	Average Rows Written	Count
50.7 ms	0	9	236

```
insert into "_GameToGenre" ("A", "B") values (?, ?), (?, ?), (?, ?)
```

Average Execution Time	Average Rows Read	Average Rows Written	Count
63 ms	0	800	141

```
insert into "GameRecommendation" ("gameId", "recommendedGameId",
"distance") values (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?),
(?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?,
?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?,
?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?),
```

(?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?,
?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?,
?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?),
(?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?,
?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (? ,
?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?),
(?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?,
?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (? ,
?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ?, ?), (?, ...

Average Execution Time	Average Rows Read	Average Rows Written	Count
18.1 ms	0	3	478

```
insert into "PriceSnapshot" ("id", "gameId", "storeName", "dealPrice",  
"retailPrice", "discountPercent", "dealUrl", "currency", "country",  
"updatedAt") values (?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
```