Incident report

Incident ID `webprobe_demo` · generated 2026-10-18 19:41:54 UTC+04:00 by the Deception Platform

Incident: 10.10.10.10 Medium

Stage reached: reconnaissance · **Confidence:** 97% · **Techniques:** T1595.002, T1595.003

1. Summary

10.10.10.10 sent 386 HTTP requests to the admin panel on 8080 in about 3 s. It ran a Nikto-style path and CGI sweep with Shellshock probes, mostly returning 404. This is web vulnerability scanning with no credential guessing or other services touched.

2. Timeline

Time (local)	Event
2026-10-13 15:43:41 UTC+04:00	Capture started (first packet on the lab network)
2026-10-13 15:43:41 UTC+04:00	First packet from 10.10.10.10
2026-10-13 15:43:44 UTC+04:00	Last packet from 10.10.10.10 in this capture

3. Attacker profile

Property	Observed (recomputed from the pcap)
Source IP	10.10.10.10
Targets	10.10.10.1
Activity window	2026-10-13 15:43:41 UTC+04:00 to 2026-10-13 15:43:44 UTC+04:00 (3 s)
Packets sent	2,206
New connection attempts (bare SYN)	393 to 1 distinct ports
Most probed ports	8080 (393)
HTTP requests	386
SSH client banner(s)	none
HTTP user agents	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.6280.45 Safari/537.36 (325), () { :; }; echo 93e4r0-cve-2014-6271: true;echo;echo; (61)

4. Proof

Computed from the capture and honeypot logs, independent of the analysis text above.

First packets from the attacker (raw tshark output):

```
1 0.000000000  10.10.10.10 â†’ 10.10.10.1   TCP 74 33454 8080   33454 â†’ 8080 [SYN] Seq=0 Win=64240 Len=0
MSS=1460 SACK_PERM TSval=3874718692 TSecr=0 WS=512
3 0.000358500  10.10.10.10 â†’ 10.10.10.1   TCP 66 33454 8080   33454 â†’ 8080 [ACK] Seq=1 Ack=1 Win=64512 Len=0
TSval=3874718692 TSecr=12131743
4 0.000442200  10.10.10.10 â†’ 10.10.10.1   HTTP 511 33454 8080 Mozilla/5.0 (Windows NT 10.0; Win64; x64)
```

```
AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.62...
8 0.004990200  10.10.10.10 â†’ 10.10.10.1   TCP 66 33454 8080   33454 â†’ 8080 [ACK] Seq=446 Ack=190 Win=64512
Len=0 TSval=3874718697 TSecr=12131747
9 0.005027100  10.10.10.10 â†’ 10.10.10.1   TCP 66 33454 8080   33454 â†’ 8080 [ACK] Seq=446 Ack=389 Win=64512
Len=0 TSval=3874718697 TSecr=12131747
10 0.005308100  10.10.10.10 â†’ 10.10.10.1   TCP 66 33454 8080   33454 â†’ 8080 [FIN, ACK] Seq=446 Ack=390
Win=64512 Len=0 TSval=3874718697 TSecr=12131748
12 0.010091500  10.10.10.10 â†’ 10.10.10.1   TCP 74 33462 8080   33462 â†’ 8080 [SYN] Seq=0 Win=64240 Len=0
MSS=1460 SACK_PERM TSval=208059130 TSecr=0 WS=512
14 0.010390200  10.10.10.10 â†’ 10.10.10.1   TCP 66 33462 8080   33462 â†’ 8080 [ACK] Seq=1 Ack=1 Win=64512 Len=0
TSval=208059130 TSecr=12131753
```

Most requested web paths: / (61), /index.cgi (2), /index.php (2), /index.pl (2), /1010101.zip (2), /10.10.10.tar.gz (2), /10.10.10.1.sql (2), /dump.gz (2), /dump.war (2), /backup.pem (2)

No honeypot session or request is attributed to this source: the capture shows connection attempts only. Honeypot logs show the Docker gateway as the source address because Docker relays published ports; the pcap is the source of truth for the attacker IP.

5. MITRE ATT&CK mapping

Technique	Name	Tactic
T1595.002	Vulnerability Scanning	Reconnaissance
T1595.003	Wordlist Scanning	Reconnaissance

Evidence cited by the analysis agent:

- 386 HTTP requests to port 8080 in about 3 s, 171+ distinct URIs
- 321 of 392 HTTP responses were 404 (82%)
- 61 requests carried a Shellshock (CVE-2014-6271) payload in the User-Agent
- Probed /cgi-bin, /admin, /backup, /robots.txt, and random-named files; 393 connections to one port

6. Response taken

No decoy was spawned for this incident.

Recommended decoys by the analysis: admin_panel_decoy. The controller only starts templates from a fixed allowlist.

7. Recommendations

- Rate-limit or block the scanning source at the perimeter; expose only the services that must be reachable; keep honeypots on addresses no legitimate user needs.

8. Indicators of compromise

Type	Value
IPv4	10.10.10.10
User agent	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.6280.45 Safari/537.36
User agent	() { :; }; echo 93e4r0-cve-2014-6271: true;echo;echo;
Web path	/
Web path	/index.cgi
Web path	/index.php

Type	Value
Web path	/index.pl
Web path	/1010101.zip
Targeted port	8080

Evidence integrity

Capture file	SHA-256
webprobe_first4000.pcap	a932802a648bb01436261a1b1fa154f6fc82cafc3a366c01308e85faee43f763

Method and limits

- The analysis agent (Claude, read-only Wireshark tools) proposed these findings; the validator confirmed the schema, that the attacker IP appears in the capture, and that decoys are on the allowlist.
- Counts in sections 3 and 4 were recomputed from the capture and logs for this report.
- Captured content is attacker-controlled and is shown as escaped text only.
- Limits: lab network, a single capture window, simple attacks; confidence values are the agent's own estimate.