Exam Case #7

CANDIDATE'S INSTRUCTIONS:

A woman is coming for a new prescription. There is no DRP/DTP. Counsel the patient as you would do in pharmacy practice.

Time Frame: You have 7 minutes to complete this station.
References: CPS Printout (Epuris)

SP instructions:

•**Opening statement** “Hi, I am here to pick up my new Rx Dr prescribed for my acne. How to use and possible side effects

Sarah Azam 27 years old

What did dr say: Antibiotic which I am on , not working. And now my acne is severe not moderate.

Allergy : None Medical condition: Acne

Yaz as contraception

Pregnant: No and not planning and had period yesterday/ not sexually active

Breastfeeding: No

Caffeine: No Alcohol: No; Smoking: No; Exercise: one-hour walking everyday

Should I continue Tetracycline

Current date

Sarah Azam Age: 27

Rx : Isotretinoin 20 mg
Sig: i- cap po od f4w
M: 4 weeks

Dr. S. Mason

Treat Dr’s sig as original

PATIENT RECORD

PATIENT: Sarah Azam
ADDRESS: 7900 Pharmacy PREP Ave.
PHONE: 416-223-7737

AGE: 27 years
GENDER: Female
ALLERGIES: None known
Medical Condition: Acne

PHYSICIAN: Dr. S. Mason
ADDRESS: #358-4750 Yonge st. Toronto
PHONE: 647-221-0457

Current date

Sarah Azam Age: 27

Rx : Isotretinoin 20 mg
Sig: i- cap po od f4w
M: 4 weeks

Dr. S. Mason

Treat Dr's sig as original

Rx#	Date	Medications-Directions	Qty	Repeats	
				Authorized	Remaining
4	**28/12/2025**	Isotretinoin 20mg once daily	**28**	**28**	**0**
3	**22/10/2025**	tetracycline 250 mg daily Take two capsules by mouth twice daily	**360**	**360**	**0**
2	**22/10/2025**	**Yaz (**drospirenone—ethinyl estradiol—levomefolate calcium) Take 1 tablet by mouth once daily	**3**	**6**	**3**
1	**27/08/2025**	benzoylperoxide 2.5% plus topical clindamycin cream	**1**	**1**	**0**

SOLVED

- Confirmed allergies? Confirmed current medications? Confirmed pregnancy test? Confirmed is she is on contraception?
- This medication is teratogenic, it means it can cause birth defects in the fetus if one gets pregnant during the therapy. It is important to avoid pregnancies.
- Confirmed if she is currently taking tetracycline?
- Explained the drug interactions of tetracycline and isotretinoin combination can cause brain edema/brain swelling. Recommend a washout period for 7 days.
- Counselled to start isotretinoin after 7 days after stopping tetracycline.
- Counselled the side effects such dry skin, dry lips, eyes. Apply moisturizers to avoid dryness and use lip balms.
- Explained that rarely it associated with mood changes, of low mood, if this occurs you should inform your doctor.
- This medication is photosensitive, apply sunscreen before you go into sun.
- Monitoring: Don’t miss dr appointments, need regular blood work specially for lipids, liver function, no blood donation/any thought of self harming or mood swings contact Dr ASAP.
- Non-pharms; while using medication it is important avoid triggers, use soapless cleaners. Avoid pricking acne.
- Wash gently with water. Use oil-free makeup . To decrease redness, use green tinted makeup they the hiddenness.
- Follow up. The doctor has prescribed medication for 4 weeks. After 30 days please follow up with your doctor lab test and pregnancy and refill of your medication. This medication take 8 weeks to see the response.
- Initially it can increase acne. However, it gets better later.