Exam Case #8

CANDIDATE'S INSTRUCTIONS:

A woman comes into the pharmacy with a concern and needs a recommendation from you regarding OTC product. Address her concern as you would in real practice.

Time Frame: You have 7 minutes to complete this station.
References: eCPS monograph (PLAN B)

SP instructions:

•**Opening statement** “Hi, can you please help me? Do you think I need Plan B?

•I had unprotected intercourse last night.

•If asked? I am on Alesse 21 and I missed 3 pills consecutively (more than 72 hours since last pill).. I’m currently on my second week. I am on Alesse since last 2 years.

•If asked? 8 hours ago intercourse

•Weight : 60 kg

•Used plan B before? Never

•Menstrual cycle: finished 2 weeks ago

•Undiagnosed vaginal bleeding: no

MAMOVS: Allergy: No; Medical condition: none, Medication: Alesse 21 ; OTC ; No,

If asked? Sunday starter

P/B: No

Caffeine: 1 cup; alcohol No, smoking: no; exercise: 1 hour daily; diet: healthy

5th min question: when should I expect my periods? When and how can I restart my regular birth control pills?

plan B
DIN 02293854
#1 PHYSICIAN AND PHARMACIST RECOMMENDED BRAND
plan B
Levonorgestrel tablet, manufacturer's standard
1.5 mg
EMERGENCY CONTRACEPTION
1 TABLET, ONE DOSE
1 tablet


Now Available Over The Counter
One Tablet, One Dose
Next Choice
ONE DOSE
(Levonorgestrel) Tablet 1.5 mg
Emergency Contraceptive
Not for regular birth control.

PATIENT RECORD

PATIENT: Mrs. Jane Stafford **AGE: 26** years
ADDRESS: 7900 Pharmacy PREP Ave. **GENDER:** Female
PHONE: 416-223-7737 **ALLERGIES:** None known
Medical Condition:

PHYSICIAN: Dr. S. Mason
ADDRESS: #358-4750 Yonge st. Toronto
PHONE: 647-221-0457



Rx#	Date	Medications-Directions	Qty	Repeats	
				Authorized	Remaining
1	35 days ago	Alesse 21	3	3	1

SOLVED

- Introduce yourself, reason for visit, patient identity, privacy
- What time was intercourse?
- Did you use plan B before?
- Last menstrual cycle?
- Undiagnosed vaginal bleeding?
- Patient profile; MAMOVs, CASED; P/B
- Recommend plan B.
- Counselling on plan B. dosage, onset, side effects, monitoring
- Educate about starting regular birth control pills
- Self-care
- Follow-up
- Plan B: Dosage: take one tablet by mouth as soon as possible.
- Onset: couple of hours
- Side effects: Nausea, vomiting, abdominal pain, dizziness, fatigue. Rare side effects: ectopic pregnancy
- Monitoring: if vomiting occurs within 2 hours due to other reasons such as flu or pill is visible; a replacement dose is required. If you have sensitive stomach, take Gravol 30 min prior to taking plan B. if menses delay >1 week, pregnancy test should be considered. If severe abdominal pain develop in next menstrual cycle after taking plan B, visit doctor.
- Resume Alesse 21 24 hours after taking plan B, discard remaining pack and start new pack. If Sunday started wait till Sunday. Keep taking pills. Back up contraception required for first 7 days of starting new pack, you may not have period this month.