Exam Case #9

CANDIDATE'S INSTRUCTIONS:

A patient comes into the pharmacy for an OTC recommendation. Assess the situation and respond as you would in real practice.

Time Frame: You have 7 minutes to complete this station.
References: CPS (Vaginal Symptoms: hygiene and infections)

SP instructions:

•**Opening statement** “Hi, can you please help me? I have some discharge and itchiness down there.

•My symptoms started yesterday. Its very uncomfortable. I want medication that works very fast.
•Symptoms: looks like cottage cheese discharge, some itchiness internally, stinging and burning,
•History: last episode was 3 months ago.
•Aggravating ,remitting factors: did not notice anything.
•Taking Alesse 28 and no side effects
•Last time I used Canesten cream, it worked but did not like the applicator. I prefer medication without an applicator and gives effect right away.
•Single
•No allergy
•No medical condition, OTC: Tylenol occasionally for headache (2-tab tid), P/B: No
•Caffeine: 1 cup, Alcohol: none, smoking: None; Exercise: 1 hour walking daily; diet: healthy
•5th min: what are the risk factors that cause this and how can I prevent this from happening in future.

CanesOral®
Fluconazole Capsule
Capsule de fluconazole
1 DAY
JOUR
TREATS VAGINAL YEAST INFECTIONS
TRAITE LES INFECTIONS VAGINALES À LEVURES
RELIEVES:
• VAGINAL BURNING/ITCHING
• DISCHARGE
SOULAGE :
• LA SENSATION DE BRÛLURE ET LES DÉMANGEAISONS VAGINALES
• LES PERTES VAGINALES
Oral Capsule
Capsule à prise orale
Oral Capsule 150 mg
Capsule à prise orale à 150 mg
BAYER

Clotrimazole Vaginal Tablet, BP Std. & Clotrimazole Cream, Bayer Std./Comprimé vaginal de clotrimazole, normes de BP et crème de clotrimazole, normes de Bayer
Canesten®
Combi 3
Day/jours
BAYER
Combi
3 DAY
JOURS
BY DOCTORS & PHARMACISTS
PAR LES MÉDECINS ET PHARMACIENS
ComforTAB® + External Cream
Comprimé confort® + crème externe
With CanesComfort® Applicator / Avec applicateur CanesComfort®
TREATS VAGINAL YEAST INFECTIONS
TRAITE LES INFECTIONS VAGINALES À LEVURES
RELIEVES:
• INTERNAL AND EXTERNAL BURNING/ITCHING
• DISCHARGE
SOULAGE :
• LA SENSATION DE BRÛLURE ET LES DÉMANGEAISONS INTERNES ET EXTERNES
• LES PERTES VAGINALES
3 x
Vaginal Tablets 200 mg
• Comprimés vaginaux à 200 mg
• 10 g
External Cream 1% w/w • Crème externe à 1 % p/p

Canesten®
Clotrimazole Cream, Bayer Std.
Crème de clotrimazole, normes de Bayer
BAYER
BY DOCTORS & PHARMACISTS
PAR LES MÉDECINS ET PHARMACIENS
6 DAY
JOURS
TREATS VAGINAL YEAST INFECTIONS
TRAITE LES INFECTIONS VAGINALES À LEVURES
Internal Cream / Crème interne
RELIEVES:
• INTERNAL BURNING/ITCHING
• DISCHARGE
SOULAGE :
• LA SENSATION DE BRÛLURE ET LES DÉMANGEAISONS INTERNES
• LES PERTES VAGINALES
50 g
Vaginal Cream 1% w/w
Crème vaginale à 1 % p/p
6 x applicators / applicateurs

MONISTAT 3
VAGINAL ANTIFUNGAL
MONISTAT®
3
Miconazole Nitrate Vaginal Cream (4%)
(Miconazole Nitrate 200 mg per applicator)
VAGINAL ANTIFUNGAL
• CURES most vaginal YEAST INFECTIONS
VAGINAL CREAM
in 3 Prefilled Applicators
3 Prefilled Applicators
Net Wt. 0.18 oz (5g) each

PATIENT RECORD

PATIENT: Mona Gupta
ADDRESS: 7900 Pharmacy PREP Ave.
PHONE: 416-223-7737

PHYSICIAN: Dr. S. Mason
ADDRESS: #358-4750 Yonge st. Toronto
PHONE: 647-221-0457

AGE: 25 years
GENDER: Female
ALLERGIES: None known
Medical Condition:
Comments: alesse for 5 years

Rx#	Date	Medications-Directions	Qty	Repeats	
				Authorized	Remaining
1	45 days ago	Alesse 28	3	3	0

SOLVED

- Introduce yourself, reason for visit, patient identity, privacy, address with name
- Did you see Dr? tried anything? First time?
- Red flags, SCHLOR
- MAMOVS, CASED,
- Explain patient has candida,
- Recommend CanesOral since it does not include applicator.
- Dosage: take 1 tablets once by mouth
- Onset: improvement within 2-3 days, but take 7 days to clear infection
- Side effects: N, headache, stomach upset, abdominal pain (take it with food), diarrhea, dizziness
- Anaphylaxis
- Monitoring: if symptoms persists one week after starting therapy, see your doctor. Any time symptoms get worse visit dr as soon as possible
- 5th min questions: good genital hygiene and give examples of risk factors
- Self-care
- Follow-up