```
    78 4.303736        155.4.140.82         130.243.105.49        HTTP      380    GET /Research/MRO/gasbot/gallery.html HTTP/1.1
Frame 78: 380 bytes on wire (3040 bits), 380 bytes captured (3040 bits) on interface 0
Ethernet II, Src: AsustekC_72:3f:a6 (2c:56:dc:72:3f:a6), Dst: Cisco_ff:e8:3f (00:a2:ee:ff:e8:3f)
Internet Protocol Version 4, Src: 155.4.140.82, Dst: 130.243.105.49
Transmission Control Protocol, Src Port: 63186, Dst Port: 80, Seq: 1, Ack: 1, Len: 326
Hypertext Transfer Protocol
    GET /Research/MRO/gasbot/gallery.html HTTP/1.1\r\n
    Accept: text/html, application/xhtml+xml, image/jxr, */*\r\n
    Accept-Language: sv-SE,sv;q=0.8,en-US;q=0.5,en;q=0.3\r\n
    User-Agent: Mozilla/5.0 (Windows NT 10.0; WOW64; Trident/7.0; ASTE; rv:11.0) like Gecko\r\n
    Accept-Encoding: gzip, deflate\r\n
    Host: aass.oru.se\r\n
    Connection: Keep-Alive\r\n
    \r\n
    [Full request URI: http://aass.oru.se/Research/MRO/gasbot/gallery.html]
    [HTTP request 1/3]
    [Response in frame: 88]
    [Next request in frame: 91]
    84 4.315263        155.4.140.82         130.243.105.49        HTTP      405    GET /Research/MRO/gasbot/styles.css HTTP/1.1
Frame 84: 405 bytes on wire (3240 bits), 405 bytes captured (3240 bits) on interface 0
Ethernet II, Src: AsustekC_72:3f:a6 (2c:56:dc:72:3f:a6), Dst: Cisco_ff:e8:3f (00:a2:ee:ff:e8:3f)
Internet Protocol Version 4, Src: 155.4.140.82, Dst: 130.243.105.49
Transmission Control Protocol, Src Port: 63187, Dst Port: 80, Seq: 1, Ack: 1, Len: 351
Hypertext Transfer Protocol
    GET /Research/MRO/gasbot/styles.css HTTP/1.1\r\n
    Accept: text/css, */*\r\n
    Referer: http://aass.oru.se/Research/MRO/gasbot/gallery.html\r\n
    Accept-Language: sv-SE,sv;q=0.8,en-US;q=0.5,en;q=0.3\r\n
    User-Agent: Mozilla/5.0 (Windows NT 10.0; WOW64; Trident/7.0; ASTE; rv:11.0) like Gecko\r\n
    Accept-Encoding: gzip, deflate\r\n
    Host: aass.oru.se\r\n
    Connection: Keep-Alive\r\n
    \r\n
    [Full request URI: http://aass.oru.se/Research/MRO/gasbot/styles.css]
    [HTTP request 1/2]
    [Next request in frame: 289]
    88 4.318232        130.243.105.49         155.4.140.82        HTTP     1325    HTTP/1.1 200 OK  (text/html)
Frame 88: 1325 bytes on wire (10600 bits), 1325 bytes captured (10600 bits) on interface 0
Ethernet II, Src: Cisco_ff:e8:3f (00:a2:ee:ff:e8:3f), Dst: AsustekC_72:3f:a6 (2c:56:dc:72:3f:a6)
Internet Protocol Version 4, Src: 130.243.105.49, Dst: 155.4.140.82
Transmission Control Protocol, Src Port: 80, Dst Port: 63186, Seq: 2921, Ack: 327, Len: 1271
[3 Reassembled TCP Segments (4191 bytes): #80(1460), #82(1460), #88(1271)]
Hypertext Transfer Protocol
    HTTP/1.1 200 OK\r\n
    Date: Wed, 11 Apr 2018 05:26:44 GMT\r\n
    Server: Apache/1.3.14\r\n
    Cache-Control: max-age=864000\r\n
    Expires: Sat, 21 Apr 2018 05:26:44 GMT\r\n
    Last-Modified: Tue, 04 Aug 2015 11:56:07 GMT\r\n
    ETag: "234028-f00-55c0a857"\r\n
    Accept-Ranges: bytes\r\n
    Content-Length: 3840\r\n
    Keep-Alive: timeout=15, max=100\r\n
    Connection: Keep-Alive\r\n
    Content-Type: text/html\r\n
    \r\n
    [HTTP response 1/3]
    [Time since request: 0.014496000 seconds]
    [Request in frame: 78]
    [Next request in frame: 91]
    File Data: 3840 bytes
Line-based text data: text/html
    91 4.318672        155.4.140.82         130.243.105.49        HTTP      421    GET /Research/MRO/gasbot/lsl.js HTTP/1.1
Frame 91: 421 bytes on wire (3368 bits), 421 bytes captured (3368 bits) on interface 0
Ethernet II, Src: AsustekC_72:3f:a6 (2c:56:dc:72:3f:a6), Dst: Cisco_ff:e8:3f (00:a2:ee:ff:e8:3f)
Internet Protocol Version 4, Src: 155.4.140.82, Dst: 130.243.105.49
Transmission Control Protocol, Src Port: 63186, Dst Port: 80, Seq: 327, Ack: 4192, Len: 367
Hypertext Transfer Protocol
    GET /Research/MRO/gasbot/lsl.js HTTP/1.1\r\n
    Accept: application/javascript, */*;q=0.8\r\n
    Referer: http://aass.oru.se/Research/MRO/gasbot/gallery.html\r\n
    Accept-Language: sv-SE,sv;q=0.8,en-US;q=0.5,en;q=0.3\r\n
    User-Agent: Mozilla/5.0 (Windows NT 10.0; WOW64; Trident/7.0; ASTE; rv:11.0) like Gecko\r\n
    Accept-Encoding: gzip, deflate\r\n
    Host: aass.oru.se\r\n
    Connection: Keep-Alive\r\n
    \r\n
    [Full request URI: http://aass.oru.se/Research/MRO/gasbot/lsl.js]
    [HTTP request 2/3]
    [Prev request in frame: 78]
```

```
    [Next request in frame: 325]
    114 4.331717       155.4.140.82           130.243.105.49         HTTP     467    GET /Research/MRO/gasbot/images/RAGD_indoor_1.JPG
HTTP/1.1
Frame 114: 467 bytes on wire (3736 bits), 467 bytes captured (3736 bits) on interface 0
Ethernet II, Src: AsustekC_72:3f:a6 (2c:56:dc:72:3f:a6), Dst: Cisco_ff:e8:3f (00:a2:ee:ff:e8:3f)
Internet Protocol Version 4, Src: 155.4.140.82, Dst: 130.243.105.49
Transmission Control Protocol, Src Port: 63189, Dst Port: 80, Seq: 1, Ack: 1, Len: 413
Hypertext Transfer Protocol
    GET /Research/MRO/gasbot/images/RAGD_indoor_1.JPG HTTP/1.1\r\n
    Accept: image/png, image/svg+xml, image/jxr, image/*;q=0.8, */*;q=0.5\r\n
    Referer: http://aass.oru.se/Research/MRO/gasbot/gallery.html\r\n
    Accept-Language: sv-SE,sv;q=0.8,en-US;q=0.5,en;q=0.3\r\n
    User-Agent: Mozilla/5.0 (Windows NT 10.0; WOW64; Trident/7.0; ASTE; rv:11.0) like Gecko\r\n
    Accept-Encoding: gzip, deflate\r\n
    Host: aass.oru.se\r\n
    Connection: Keep-Alive\r\n
    \r\n
    [Full request URI: http://aass.oru.se/Research/MRO/gasbot/images/RAGD_indoor_1.JPG]
    [HTTP request 1/2]
    [Next request in frame: 6193]
    126 4.338641       155.4.140.82           130.243.105.49         HTTP     474    GET /Research/MRO/gasbot/images/
RAGD_outdoor_1_small.JPG HTTP/1.1
Frame 126: 474 bytes on wire (3792 bits), 474 bytes captured (3792 bits) on interface 0
Ethernet II, Src: AsustekC_72:3f:a6 (2c:56:dc:72:3f:a6), Dst: Cisco_ff:e8:3f (00:a2:ee:ff:e8:3f)
Internet Protocol Version 4, Src: 155.4.140.82, Dst: 130.243.105.49
Transmission Control Protocol, Src Port: 63190, Dst Port: 80, Seq: 1, Ack: 1, Len: 420
Hypertext Transfer Protocol
    GET /Research/MRO/gasbot/images/RAGD_outdoor_1_small.JPG HTTP/1.1\r\n
    Accept: image/png, image/svg+xml, image/jxr, image/*;q=0.8, */*;q=0.5\r\n
    Referer: http://aass.oru.se/Research/MRO/gasbot/gallery.html\r\n
    Accept-Language: sv-SE,sv;q=0.8,en-US;q=0.5,en;q=0.3\r\n
    User-Agent: Mozilla/5.0 (Windows NT 10.0; WOW64; Trident/7.0; ASTE; rv:11.0) like Gecko\r\n
    Accept-Encoding: gzip, deflate\r\n
    Host: aass.oru.se\r\n
    Connection: Keep-Alive\r\n
    \r\n
    [Full request URI: http://aass.oru.se/Research/MRO/gasbot/images/RAGD_outdoor_1_small.JPG]
    [HTTP request 1/1]
    132 4.344555       155.4.140.82           130.243.105.49         HTTP     474    GET /Research/MRO/gasbot/images/
RAGD_outdoor_2_small.JPG HTTP/1.1
Frame 132: 474 bytes on wire (3792 bits), 474 bytes captured (3792 bits) on interface 0
Ethernet II, Src: AsustekC_72:3f:a6 (2c:56:dc:72:3f:a6), Dst: Cisco_ff:e8:3f (00:a2:ee:ff:e8:3f)
Internet Protocol Version 4, Src: 155.4.140.82, Dst: 130.243.105.49
Transmission Control Protocol, Src Port: 63191, Dst Port: 80, Seq: 1, Ack: 1, Len: 420
Hypertext Transfer Protocol
    GET /Research/MRO/gasbot/images/RAGD_outdoor_2_small.JPG HTTP/1.1\r\n
    Accept: image/png, image/svg+xml, image/jxr, image/*;q=0.8, */*;q=0.5\r\n
    Referer: http://aass.oru.se/Research/MRO/gasbot/gallery.html\r\n
    Accept-Language: sv-SE,sv;q=0.8,en-US;q=0.5,en;q=0.3\r\n
    User-Agent: Mozilla/5.0 (Windows NT 10.0; WOW64; Trident/7.0; ASTE; rv:11.0) like Gecko\r\n
    Accept-Encoding: gzip, deflate\r\n
    Host: aass.oru.se\r\n
    Connection: Keep-Alive\r\n
    \r\n
    [Full request URI: http://aass.oru.se/Research/MRO/gasbot/images/RAGD_outdoor_2_small.JPG]
    [HTTP request 1/1]
    289 4.731412       155.4.140.82           130.243.105.49         HTTP     474    GET /Research/MRO/gasbot/images/
RAGD_outdoor_3_small.JPG HTTP/1.1
Frame 289: 474 bytes on wire (3792 bits), 474 bytes captured (3792 bits) on interface 0
Ethernet II, Src: AsustekC_72:3f:a6 (2c:56:dc:72:3f:a6), Dst: Cisco_ff:e8:3f (00:a2:ee:ff:e8:3f)
Internet Protocol Version 4, Src: 155.4.140.82, Dst: 130.243.105.49
Transmission Control Protocol, Src Port: 63187, Dst Port: 80, Seq: 352, Ack: 11820, Len: 420
Hypertext Transfer Protocol
    GET /Research/MRO/gasbot/images/RAGD_outdoor_3_small.JPG HTTP/1.1\r\n
    Accept: image/png, image/svg+xml, image/jxr, image/*;q=0.8, */*;q=0.5\r\n
    Referer: http://aass.oru.se/Research/MRO/gasbot/gallery.html\r\n
    Accept-Language: sv-SE,sv;q=0.8,en-US;q=0.5,en;q=0.3\r\n
    User-Agent: Mozilla/5.0 (Windows NT 10.0; WOW64; Trident/7.0; ASTE; rv:11.0) like Gecko\r\n
    Accept-Encoding: gzip, deflate\r\n
    Host: aass.oru.se\r\n
    Connection: Keep-Alive\r\n
    \r\n
    [Full request URI: http://aass.oru.se/Research/MRO/gasbot/images/RAGD_outdoor_3_small.JPG]
    [HTTP request 2/2]
    [Prev request in frame: 84]
    325 4.951533       155.4.140.82           130.243.105.49         HTTP     465    GET /Research/MRO/gasbot/images/GB_01_small.png HTTP/
1.1
Frame 325: 465 bytes on wire (3720 bits), 465 bytes captured (3720 bits) on interface 0
Ethernet II, Src: AsustekC_72:3f:a6 (2c:56:dc:72:3f:a6), Dst: Cisco_ff:e8:3f (00:a2:ee:ff:e8:3f)
Internet Protocol Version 4, Src: 155.4.140.82, Dst: 130.243.105.49
```

```
Transmission Control Protocol, Src Port: 63186, Dst Port: 80, Seq: 694, Ack: 24917, Len: 411
Hypertext Transfer Protocol
    GET /Research/MRO/gasbot/images/GB_01_small.png HTTP/1.1\r\n
    Accept: image/png, image/svg+xml, image/jxr, image/*;q=0.8, */*;q=0.5\r\n
    Referer: http://aass.oru.se/Research/MRO/gasbot/gallery.html\r\n
    Accept-Language: sv-SE,sv;q=0.8,en-US;q=0.5,en;q=0.3\r\n
    User-Agent: Mozilla/5.0 (Windows NT 10.0; WOW64; Trident/7.0; ASTE; rv:11.0) like Gecko\r\n
    Accept-Encoding: gzip, deflate\r\n
    Host: aass.oru.se\r\n
    Connection: Keep-Alive\r\n
    \r\n
    [Full request URI: http://aass.oru.se/Research/MRO/gasbot/images/GB_01_small.png]
    [HTTP request 3/3]
    [Prev request in frame: 91]
    445 5.330720        155.4.140.82         130.243.105.49          HTTP      465     GET /Research/MRO/gasbot/images/GB_02_small.jpg HTTP/
1.1
Frame 445: 465 bytes on wire (3720 bits), 465 bytes captured (3720 bits) on interface 0
Ethernet II, Src: AsustekC_72:3f:a6 (2c:56:dc:72:3f:a6), Dst: Cisco_ff:e8:3f (00:a2:ee:ff:e8:3f)
Internet Protocol Version 4, Src: 155.4.140.82, Dst: 130.243.105.49
Transmission Control Protocol, Src Port: 63188, Dst Port: 80, Seq: 1, Ack: 1, Len: 411
Hypertext Transfer Protocol
    GET /Research/MRO/gasbot/images/GB_02_small.jpg HTTP/1.1\r\n
    Accept: image/png, image/svg+xml, image/jxr, image/*;q=0.8, */*;q=0.5\r\n
    Referer: http://aass.oru.se/Research/MRO/gasbot/gallery.html\r\n
    Accept-Language: sv-SE,sv;q=0.8,en-US;q=0.5,en;q=0.3\r\n
    User-Agent: Mozilla/5.0 (Windows NT 10.0; WOW64; Trident/7.0; ASTE; rv:11.0) like Gecko\r\n
    Accept-Encoding: gzip, deflate\r\n
    Host: aass.oru.se\r\n
    Connection: Keep-Alive\r\n
    \r\n
    [Full request URI: http://aass.oru.se/Research/MRO/gasbot/images/GB_02_small.jpg]
    [HTTP request 1/1]
    638 5.845748        155.4.140.82         130.243.105.49          HTTP      465     GET /Research/MRO/gasbot/images/GB_06_small.jpg HTTP/
1.1
Frame 638: 465 bytes on wire (3720 bits), 465 bytes captured (3720 bits) on interface 0
Ethernet II, Src: AsustekC_72:3f:a6 (2c:56:dc:72:3f:a6), Dst: Cisco_ff:e8:3f (00:a2:ee:ff:e8:3f)
Internet Protocol Version 4, Src: 155.4.140.82, Dst: 130.243.105.49
Transmission Control Protocol, Src Port: 63192, Dst Port: 80, Seq: 1, Ack: 1, Len: 411
Hypertext Transfer Protocol
    GET /Research/MRO/gasbot/images/GB_06_small.jpg HTTP/1.1\r\n
    Accept: image/png, image/svg+xml, image/jxr, image/*;q=0.8, */*;q=0.5\r\n
    Referer: http://aass.oru.se/Research/MRO/gasbot/gallery.html\r\n
    Accept-Language: sv-SE,sv;q=0.8,en-US;q=0.5,en;q=0.3\r\n
    User-Agent: Mozilla/5.0 (Windows NT 10.0; WOW64; Trident/7.0; ASTE; rv:11.0) like Gecko\r\n
    Accept-Encoding: gzip, deflate\r\n
    Host: aass.oru.se\r\n
    Connection: Keep-Alive\r\n
    \r\n
    [Full request URI: http://aass.oru.se/Research/MRO/gasbot/images/GB_06_small.jpg]
    [HTTP request 1/5]
    [Next request in frame: 3092]
    639 5.845748        155.4.140.82         130.243.105.49          HTTP      465     GET /Research/MRO/gasbot/images/GB_07_small.jpg HTTP/
1.1
Frame 639: 465 bytes on wire (3720 bits), 465 bytes captured (3720 bits) on interface 0
Ethernet II, Src: AsustekC_72:3f:a6 (2c:56:dc:72:3f:a6), Dst: Cisco_ff:e8:3f (00:a2:ee:ff:e8:3f)
Internet Protocol Version 4, Src: 155.4.140.82, Dst: 130.243.105.49
Transmission Control Protocol, Src Port: 63193, Dst Port: 80, Seq: 1, Ack: 1, Len: 411
Hypertext Transfer Protocol
    GET /Research/MRO/gasbot/images/GB_07_small.jpg HTTP/1.1\r\n
    Accept: image/png, image/svg+xml, image/jxr, image/*;q=0.8, */*;q=0.5\r\n
    Referer: http://aass.oru.se/Research/MRO/gasbot/gallery.html\r\n
    Accept-Language: sv-SE,sv;q=0.8,en-US;q=0.5,en;q=0.3\r\n
    User-Agent: Mozilla/5.0 (Windows NT 10.0; WOW64; Trident/7.0; ASTE; rv:11.0) like Gecko\r\n
    Accept-Encoding: gzip, deflate\r\n
    Host: aass.oru.se\r\n
    Connection: Keep-Alive\r\n
    \r\n
    [Full request URI: http://aass.oru.se/Research/MRO/gasbot/images/GB_07_small.jpg]
    [HTTP request 1/2]
    [Next request in frame: 6195]
    880 6.343551        155.4.140.82         130.243.105.49          HTTP      465     GET /Research/MRO/gasbot/images/GB_04_small.jpg HTTP/
1.1
Frame 880: 465 bytes on wire (3720 bits), 465 bytes captured (3720 bits) on interface 0
Ethernet II, Src: AsustekC_72:3f:a6 (2c:56:dc:72:3f:a6), Dst: Cisco_ff:e8:3f (00:a2:ee:ff:e8:3f)
Internet Protocol Version 4, Src: 155.4.140.82, Dst: 130.243.105.49
Transmission Control Protocol, Src Port: 63195, Dst Port: 80, Seq: 1, Ack: 1, Len: 411
Hypertext Transfer Protocol
    GET /Research/MRO/gasbot/images/GB_04_small.jpg HTTP/1.1\r\n
    Accept: image/png, image/svg+xml, image/jxr, image/*;q=0.8, */*;q=0.5\r\n
    Referer: http://aass.oru.se/Research/MRO/gasbot/gallery.html\r\n
```

```
        Accept-Language: sv-SE,sv;q=0.8,en-US;q=0.5,en;q=0.3\r\n
        User-Agent: Mozilla/5.0 (Windows NT 10.0; WOW64; Trident/7.0; ASTE; rv:11.0) like Gecko\r\n
        Accept-Encoding: gzip, deflate\r\n
        Host: aass.oru.se\r\n
        Connection: Keep-Alive\r\n
        \r\n
        [Full request URI: http://aass.oru.se/Research/MRO/gasbot/images/GB_04_small.jpg]
        [HTTP request 1/1]
      881 6.343551          155.4.140.82          130.243.105.49          HTTP      465    GET /Research/MRO/gasbot/images/GB_08_small.jpg HTTP/
1.1
Frame 881: 465 bytes on wire (3720 bits), 465 bytes captured (3720 bits) on interface 0
Ethernet II, Src: AsustekC_72:3f:a6 (2c:56:dc:72:3f:a6), Dst: Cisco_ff:e8:3f (00:a2:ee:ff:e8:3f)
Internet Protocol Version 4, Src: 155.4.140.82, Dst: 130.243.105.49
Transmission Control Protocol, Src Port: 63194, Dst Port: 80, Seq: 1, Ack: 1, Len: 411
Hypertext Transfer Protocol
        GET /Research/MRO/gasbot/images/GB_08_small.jpg HTTP/1.1\r\n
        Accept: image/png, image/svg+xml, image/jxr, image/*;q=0.8, */*;q=0.5\r\n
        Referer: http://aass.oru.se/Research/MRO/gasbot/gallery.html\r\n
        Accept-Language: sv-SE,sv;q=0.8,en-US;q=0.5,en;q=0.3\r\n
        User-Agent: Mozilla/5.0 (Windows NT 10.0; WOW64; Trident/7.0; ASTE; rv:11.0) like Gecko\r\n
        Accept-Encoding: gzip, deflate\r\n
        Host: aass.oru.se\r\n
        Connection: Keep-Alive\r\n
        \r\n
        [Full request URI: http://aass.oru.se/Research/MRO/gasbot/images/GB_08_small.jpg]
        [HTTP request 1/1]
     1205 6.849513          155.4.140.82          130.243.105.49          HTTP      465    GET /Research/MRO/gasbot/images/GB_09_small.jpg HTTP/
1.1
Frame 1205: 465 bytes on wire (3720 bits), 465 bytes captured (3720 bits) on interface 0
Ethernet II, Src: AsustekC_72:3f:a6 (2c:56:dc:72:3f:a6), Dst: Cisco_ff:e8:3f (00:a2:ee:ff:e8:3f)
Internet Protocol Version 4, Src: 155.4.140.82, Dst: 130.243.105.49
Transmission Control Protocol, Src Port: 63196, Dst Port: 80, Seq: 1, Ack: 1, Len: 411
Hypertext Transfer Protocol
        GET /Research/MRO/gasbot/images/GB_09_small.jpg HTTP/1.1\r\n
        Accept: image/png, image/svg+xml, image/jxr, image/*;q=0.8, */*;q=0.5\r\n
        Referer: http://aass.oru.se/Research/MRO/gasbot/gallery.html\r\n
        Accept-Language: sv-SE,sv;q=0.8,en-US;q=0.5,en;q=0.3\r\n
        User-Agent: Mozilla/5.0 (Windows NT 10.0; WOW64; Trident/7.0; ASTE; rv:11.0) like Gecko\r\n
        Accept-Encoding: gzip, deflate\r\n
        Host: aass.oru.se\r\n
        Connection: Keep-Alive\r\n
        \r\n
        [Full request URI: http://aass.oru.se/Research/MRO/gasbot/images/GB_09_small.jpg]
        [HTTP request 1/2]
        [Next request in frame: 3667]
     1206 6.849551          155.4.140.82          130.243.105.49          HTTP      465    GET /Research/MRO/gasbot/images/GB_10_small.jpg HTTP/
1.1
Frame 1206: 465 bytes on wire (3720 bits), 465 bytes captured (3720 bits) on interface 0
Ethernet II, Src: AsustekC_72:3f:a6 (2c:56:dc:72:3f:a6), Dst: Cisco_ff:e8:3f (00:a2:ee:ff:e8:3f)
Internet Protocol Version 4, Src: 155.4.140.82, Dst: 130.243.105.49
Transmission Control Protocol, Src Port: 63197, Dst Port: 80, Seq: 1, Ack: 1, Len: 411
Hypertext Transfer Protocol
        GET /Research/MRO/gasbot/images/GB_10_small.jpg HTTP/1.1\r\n
        Accept: image/png, image/svg+xml, image/jxr, image/*;q=0.8, */*;q=0.5\r\n
        Referer: http://aass.oru.se/Research/MRO/gasbot/gallery.html\r\n
        Accept-Language: sv-SE,sv;q=0.8,en-US;q=0.5,en;q=0.3\r\n
        User-Agent: Mozilla/5.0 (Windows NT 10.0; WOW64; Trident/7.0; ASTE; rv:11.0) like Gecko\r\n
        Accept-Encoding: gzip, deflate\r\n
        Host: aass.oru.se\r\n
        Connection: Keep-Alive\r\n
        \r\n
        [Full request URI: http://aass.oru.se/Research/MRO/gasbot/images/GB_10_small.jpg]
        [HTTP request 1/3]
        [Next request in frame: 2599]
     2599 9.269227          155.4.140.82          130.243.105.49          HTTP      459    GET /Research/MRO/gasbot/images/GB_13.png HTTP/1.1
Frame 2599: 459 bytes on wire (3672 bits), 459 bytes captured (3672 bits) on interface 0
Ethernet II, Src: AsustekC_72:3f:a6 (2c:56:dc:72:3f:a6), Dst: Cisco_ff:e8:3f (00:a2:ee:ff:e8:3f)
Internet Protocol Version 4, Src: 155.4.140.82, Dst: 130.243.105.49
Transmission Control Protocol, Src Port: 63197, Dst Port: 80, Seq: 412, Ack: 147463, Len: 405
Hypertext Transfer Protocol
        GET /Research/MRO/gasbot/images/GB_13.png HTTP/1.1\r\n
        Accept: image/png, image/svg+xml, image/jxr, image/*;q=0.8, */*;q=0.5\r\n
        Referer: http://aass.oru.se/Research/MRO/gasbot/gallery.html\r\n
        Accept-Language: sv-SE,sv;q=0.8,en-US;q=0.5,en;q=0.3\r\n
        User-Agent: Mozilla/5.0 (Windows NT 10.0; WOW64; Trident/7.0; ASTE; rv:11.0) like Gecko\r\n
        Accept-Encoding: gzip, deflate\r\n
        Host: aass.oru.se\r\n
        Connection: Keep-Alive\r\n
        \r\n
        [Full request URI: http://aass.oru.se/Research/MRO/gasbot/images/GB_13.png]
```

```
     [HTTP request 2/3]
     [Prev request in frame: 1206]
     [Next request in frame: 6170]
   3092 10.015290      155.4.140.82           130.243.105.49          HTTP     466     GET /Research/MRO/gasbot/images/
GB_08b_small.jpg HTTP/1.1
Frame 3092: 466 bytes on wire (3728 bits), 466 bytes captured (3728 bits) on interface 0
Ethernet II, Src: AsustekC_72:3f:a6 (2c:56:dc:72:3f:a6), Dst: Cisco_ff:e8:3f (00:a2:ee:ff:e8:3f)
Internet Protocol Version 4, Src: 155.4.140.82, Dst: 130.243.105.49
Transmission Control Protocol, Src Port: 63192, Dst Port: 80, Seq: 412, Ack: 227901, Len: 412
Hypertext Transfer Protocol
     GET /Research/MRO/gasbot/images/GB_08b_small.jpg HTTP/1.1\r\n
     Accept: image/png, image/svg+xml, image/jxr, image/*;q=0.8, */*;q=0.5\r\n
     Referer: http://aass.oru.se/Research/MRO/gasbot/gallery.html\r\n
     Accept-Language: sv-SE,sv;q=0.8,en-US;q=0.5,en;q=0.3\r\n
     User-Agent: Mozilla/5.0 (Windows NT 10.0; WOW64; Trident/7.0; ASTE; rv:11.0) like Gecko\r\n
     Accept-Encoding: gzip, deflate\r\n
     Host: aass.oru.se\r\n
     Connection: Keep-Alive\r\n
     \r\n
     [Full request URI: http://aass.oru.se/Research/MRO/gasbot/images/GB_08b_small.jpg]
     [HTTP request 2/5]
     [Prev request in frame: 638]
     [Response in frame: 3095]
     [Next request in frame: 3097]
   3095 10.023765      130.243.105.49          155.4.140.82          HTTP     1303    HTTP/1.1 404 Not Found  (text/html)
Frame 3095: 1303 bytes on wire (10424 bits), 1303 bytes captured (10424 bits) on interface 0
Ethernet II, Src: Cisco_ff:e8:3f (00:a2:ee:ff:e8:3f), Dst: AsustekC_72:3f:a6 (2c:56:dc:72:3f:a6)
Internet Protocol Version 4, Src: 130.243.105.49, Dst: 155.4.140.82
Transmission Control Protocol, Src Port: 80, Dst Port: 63192, Seq: 227901, Ack: 824, Len: 1249
Hypertext Transfer Protocol
     HTTP/1.1 404 Not Found\r\n
     Date: Wed, 11 Apr 2018 05:26:50 GMT\r\n
     Server: Apache/1.3.14\r\n
     Last-Modified: Sat, 10 Feb 2001 23:24:17 GMT\r\n
     ETag: "3c800d-3bb-3a85cda1;55c0a44b"\r\n
     Accept-Ranges: bytes\r\n
     Content-Length: 955\r\n
     Keep-Alive: timeout=15, max=99\r\n
     Connection: Keep-Alive\r\n
     Content-Type: text/html\r\n
     \r\n
     [HTTP response 2/5]
     [Time since request: 0.008475000 seconds]
     [Prev request in frame: 638]
     [Request in frame: 3092]
     [Next request in frame: 3097]
     File Data: 955 bytes
Line-based text data: text/html
   3097 10.024243      155.4.140.82           130.243.105.49          HTTP     465     GET /Research/MRO/gasbot/images/GB_14_small.jpg HTTP/
1.1
Frame 3097: 465 bytes on wire (3720 bits), 465 bytes captured (3720 bits) on interface 0
Ethernet II, Src: AsustekC_72:3f:a6 (2c:56:dc:72:3f:a6), Dst: Cisco_ff:e8:3f (00:a2:ee:ff:e8:3f)
Internet Protocol Version 4, Src: 155.4.140.82, Dst: 130.243.105.49
Transmission Control Protocol, Src Port: 63192, Dst Port: 80, Seq: 824, Ack: 229150, Len: 411
Hypertext Transfer Protocol
     GET /Research/MRO/gasbot/images/GB_14_small.jpg HTTP/1.1\r\n
     Accept: image/png, image/svg+xml, image/jxr, image/*;q=0.8, */*;q=0.5\r\n
     Referer: http://aass.oru.se/Research/MRO/gasbot/gallery.html\r\n
     Accept-Language: sv-SE,sv;q=0.8,en-US;q=0.5,en;q=0.3\r\n
     User-Agent: Mozilla/5.0 (Windows NT 10.0; WOW64; Trident/7.0; ASTE; rv:11.0) like Gecko\r\n
     Accept-Encoding: gzip, deflate\r\n
     Host: aass.oru.se\r\n
     Connection: Keep-Alive\r\n
     \r\n
     [Full request URI: http://aass.oru.se/Research/MRO/gasbot/images/GB_14_small.jpg]
     [HTTP request 3/5]
     [Prev request in frame: 3092]
     [Next request in frame: 3619]
   3619 11.120654      155.4.140.82           130.243.105.49          HTTP     465     GET /Research/MRO/gasbot/images/GB_15_small.jpg HTTP/
1.1
Frame 3619: 465 bytes on wire (3720 bits), 465 bytes captured (3720 bits) on interface 0
Ethernet II, Src: AsustekC_72:3f:a6 (2c:56:dc:72:3f:a6), Dst: Cisco_ff:e8:3f (00:a2:ee:ff:e8:3f)
Internet Protocol Version 4, Src: 155.4.140.82, Dst: 130.243.105.49
Transmission Control Protocol, Src Port: 63192, Dst Port: 80, Seq: 1235, Ack: 301106, Len: 411
Hypertext Transfer Protocol
     GET /Research/MRO/gasbot/images/GB_15_small.jpg HTTP/1.1\r\n
     Accept: image/png, image/svg+xml, image/jxr, image/*;q=0.8, */*;q=0.5\r\n
     Referer: http://aass.oru.se/Research/MRO/gasbot/gallery.html\r\n
     Accept-Language: sv-SE,sv;q=0.8,en-US;q=0.5,en;q=0.3\r\n
     User-Agent: Mozilla/5.0 (Windows NT 10.0; WOW64; Trident/7.0; ASTE; rv:11.0) like Gecko\r\n
```

```
    Accept-Encoding: gzip, deflate\r\n
    Host: aass.oru.se\r\n
    Connection: Keep-Alive\r\n
    \r\n
    [Full request URI: http://aass.oru.se/Research/MRO/gasbot/images/GB_15_small.jpg]
    [HTTP request 4/5]
    [Prev request in frame: 3097]
    [Next request in frame: 6184]
  3667 11.244839      155.4.140.82         130.243.105.49       HTTP    465    GET /Research/MRO/gasbot/images/GB_16_small.jpg HTTP/
1.1
Frame 3667: 465 bytes on wire (3720 bits), 465 bytes captured (3720 bits) on interface 0
Ethernet II, Src: AsustekC_72:3f:a6 (2c:56:dc:72:3f:a6), Dst: Cisco_ff:e8:3f (00:a2:ee:ff:e8:3f)
Internet Protocol Version 4, Src: 155.4.140.82, Dst: 130.243.105.49
Transmission Control Protocol, Src Port: 63196, Dst Port: 80, Seq: 412, Ack: 131480, Len: 411
Hypertext Transfer Protocol
    GET /Research/MRO/gasbot/images/GB_16_small.jpg HTTP/1.1\r\n
    Accept: image/png, image/svg+xml, image/jxr, image/*;q=0.8, */*;q=0.5\r\n
    Referer: http://aass.oru.se/Research/MRO/gasbot/gallery.html\r\n
    Accept-Language: sv-SE,sv;q=0.8,en-US;q=0.5,en;q=0.3\r\n
    User-Agent: Mozilla/5.0 (Windows NT 10.0; WOW64; Trident/7.0; ASTE; rv:11.0) like Gecko\r\n
    Accept-Encoding: gzip, deflate\r\n
    Host: aass.oru.se\r\n
    Connection: Keep-Alive\r\n
    \r\n
    [Full request URI: http://aass.oru.se/Research/MRO/gasbot/images/GB_16_small.jpg]
    [HTTP request 2/2]
    [Prev request in frame: 1205]
  6170 24.646034      155.4.140.82         130.243.105.49       HTTP    462    GET /Research/MRO/gasbot/images/aass_oru.png HTTP/1.1
Frame 6170: 462 bytes on wire (3696 bits), 462 bytes captured (3696 bits) on interface 0
Ethernet II, Src: AsustekC_72:3f:a6 (2c:56:dc:72:3f:a6), Dst: Cisco_ff:e8:3f (00:a2:ee:ff:e8:3f)
Internet Protocol Version 4, Src: 155.4.140.82, Dst: 130.243.105.49
Transmission Control Protocol, Src Port: 63197, Dst Port: 80, Seq: 817, Ack: 754859, Len: 408
Hypertext Transfer Protocol
    GET /Research/MRO/gasbot/images/aass_oru.png HTTP/1.1\r\n
    Accept: image/png, image/svg+xml, image/jxr, image/*;q=0.8, */*;q=0.5\r\n
    Referer: http://aass.oru.se/Research/MRO/gasbot/gallery.html\r\n
    Accept-Language: sv-SE,sv;q=0.8,en-US;q=0.5,en;q=0.3\r\n
    User-Agent: Mozilla/5.0 (Windows NT 10.0; WOW64; Trident/7.0; ASTE; rv:11.0) like Gecko\r\n
    Accept-Encoding: gzip, deflate\r\n
    Host: aass.oru.se\r\n
    Connection: Keep-Alive\r\n
    \r\n
    [Full request URI: http://aass.oru.se/Research/MRO/gasbot/images/aass_oru.png]
    [HTTP request 3/3]
    [Prev request in frame: 2599]
    [Response in frame: 6189]
  6184 24.663570      155.4.140.82         130.243.105.49       HTTP    464    GET /Research/MRO/gasbot/images/2px_99AACC.gif HTTP/
1.1
Frame 6184: 464 bytes on wire (3712 bits), 464 bytes captured (3712 bits) on interface 0
Ethernet II, Src: AsustekC_72:3f:a6 (2c:56:dc:72:3f:a6), Dst: Cisco_ff:e8:3f (00:a2:ee:ff:e8:3f)
Internet Protocol Version 4, Src: 155.4.140.82, Dst: 130.243.105.49
Transmission Control Protocol, Src Port: 63192, Dst Port: 80, Seq: 1646, Ack: 644186, Len: 410
Hypertext Transfer Protocol
    GET /Research/MRO/gasbot/images/2px_99AACC.gif HTTP/1.1\r\n
    Accept: image/png, image/svg+xml, image/jxr, image/*;q=0.8, */*;q=0.5\r\n
    Referer: http://aass.oru.se/Research/MRO/gasbot/gallery.html\r\n
    Accept-Language: sv-SE,sv;q=0.8,en-US;q=0.5,en;q=0.3\r\n
    User-Agent: Mozilla/5.0 (Windows NT 10.0; WOW64; Trident/7.0; ASTE; rv:11.0) like Gecko\r\n
    Accept-Encoding: gzip, deflate\r\n
    Host: aass.oru.se\r\n
    Connection: Keep-Alive\r\n
    \r\n
    [Full request URI: http://aass.oru.se/Research/MRO/gasbot/images/2px_99AACC.gif]
    [HTTP request 5/5]
    [Prev request in frame: 3619]
    [Response in frame: 6191]
  6189 24.667808      130.243.105.49       155.4.140.82         HTTP    686    HTTP/1.1 200 OK  (PNG)
Frame 6189: 686 bytes on wire (5488 bits), 686 bytes captured (5488 bits) on interface 0
Ethernet II, Src: Cisco_ff:e8:3f (00:a2:ee:ff:e8:3f), Dst: AsustekC_72:3f:a6 (2c:56:dc:72:3f:a6)
Internet Protocol Version 4, Src: 130.243.105.49, Dst: 155.4.140.82
Transmission Control Protocol, Src Port: 80, Dst Port: 63197, Seq: 763619, Ack: 1225, Len: 632
[7 Reassembled TCP Segments (9392 bytes): #6171(1460), #6173(1460), #6174(1460), #6178(1460), #6180(1460), #6182(1460), #6189(632)]
Hypertext Transfer Protocol
    HTTP/1.1 200 OK\r\n
    Date: Wed, 11 Apr 2018 05:27:04 GMT\r\n
    Server: Apache/1.3.14\r\n
    Cache-Control: max-age=864000\r\n
    Expires: Sat, 21 Apr 2018 05:27:04 GMT\r\n
    Last-Modified: Wed, 18 Sep 2013 15:27:17 GMT\r\n
    ETag: "750097-2351-5239c655"\r\n
```

```
      Accept-Ranges: bytes\r\n
      Content-Length: 9041\r\n
      Keep-Alive: timeout=15, max=98\r\n
      Connection: Keep-Alive\r\n
      Content-Type: image/png\r\n
      \r\n
      [HTTP response 3/3]
      [Time since request: 0.021774000 seconds]
      [Prev request in frame: 2599]
      [Request in frame: 6170]
      File Data: 9041 bytes
Portable Network Graphics
    6191 24.670725       130.243.105.49        155.4.140.82          HTTP     450    HTTP/1.1 200 OK  (GIF89a)
Frame 6191: 450 bytes on wire (3600 bits), 450 bytes captured (3600 bits) on interface 0
Ethernet II, Src: Cisco_ff:e8:3f (00:a2:ee:ff:e8:3f), Dst: AsustekC_72:3f:a6 (2c:56:dc:72:3f:a6)
Internet Protocol Version 4, Src: 130.243.105.49, Dst: 155.4.140.82
Transmission Control Protocol, Src Port: 80, Dst Port: 63192, Seq: 644186, Ack: 2056, Len: 396
Hypertext Transfer Protocol
      HTTP/1.1 200 OK\r\n
      Date: Wed, 11 Apr 2018 05:27:04 GMT\r\n
      Server: Apache/1.3.14\r\n
      Cache-Control: max-age=864000\r\n
      Expires: Sat, 21 Apr 2018 05:27:04 GMT\r\n
      Last-Modified: Mon, 21 Jan 2013 14:54:00 GMT\r\n
      ETag: "750075-31-50fd5688"\r\n
      Accept-Ranges: bytes\r\n
      Content-Length: 49\r\n
      Keep-Alive: timeout=15, max=96\r\n
      Connection: Keep-Alive\r\n
      Content-Type: image/gif\r\n
      \r\n
      [HTTP response 5/5]
      [Time since request: 0.007155000 seconds]
      [Prev request in frame: 3619]
      [Request in frame: 6184]
      File Data: 49 bytes
Compuserve GIF, Version: GIF89a
    6193 24.682210       155.4.140.82          130.243.105.49        HTTP     473    GET /Research/MRO/gasbot/images/
headerGasbot_title.jpeg HTTP/1.1
Frame 6193: 473 bytes on wire (3784 bits), 473 bytes captured (3784 bits) on interface 0
Ethernet II, Src: AsustekC_72:3f:a6 (2c:56:dc:72:3f:a6), Dst: Cisco_ff:e8:3f (00:a2:ee:ff:e8:3f)
Internet Protocol Version 4, Src: 155.4.140.82, Dst: 130.243.105.49
Transmission Control Protocol, Src Port: 63189, Dst Port: 80, Seq: 414, Ack: 432909, Len: 419
Hypertext Transfer Protocol
      GET /Research/MRO/gasbot/images/headerGasbot_title.jpeg HTTP/1.1\r\n
      Accept: image/png, image/svg+xml, image/jxr, image/*;q=0.8, */*;q=0.5\r\n
      Referer: http://aass.oru.se/Research/MRO/gasbot/gallery.html\r\n
      Accept-Language: sv-SE,sv;q=0.8,en-US;q=0.5,en;q=0.3\r\n
      User-Agent: Mozilla/5.0 (Windows NT 10.0; WOW64; Trident/7.0; ASTE; rv:11.0) like Gecko\r\n
      Accept-Encoding: gzip, deflate\r\n
      Host: aass.oru.se\r\n
      Connection: Keep-Alive\r\n
      \r\n
      [Full request URI: http://aass.oru.se/Research/MRO/gasbot/images/headerGasbot_title.jpeg]
      [HTTP request 2/2]
      [Prev request in frame: 114]
    6194 24.682267       155.4.140.82          130.243.105.49        HTTP     280    GET /favicon.ico HTTP/1.1
Frame 6194: 280 bytes on wire (2240 bits), 280 bytes captured (2240 bits) on interface 0
Ethernet II, Src: AsustekC_72:3f:a6 (2c:56:dc:72:3f:a6), Dst: Cisco_ff:e8:3f (00:a2:ee:ff:e8:3f)
Internet Protocol Version 4, Src: 155.4.140.82, Dst: 130.243.105.49
Transmission Control Protocol, Src Port: 63199, Dst Port: 80, Seq: 1, Ack: 1, Len: 226
Hypertext Transfer Protocol
      GET /favicon.ico HTTP/1.1\r\n
      Accept: */*\r\n
      UA-CPU: AMD64\r\n
      Accept-Encoding: gzip, deflate\r\n
      User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; Trident/7.0; ASTE; rv:11.0) like Gecko\r\n
      Host: aass.oru.se\r\n
      Connection: Keep-Alive\r\n
      \r\n
      [Full request URI: http://aass.oru.se/favicon.ico]
      [HTTP request 1/1]
      [Response in frame: 6205]
    6195 24.682286       155.4.140.82          130.243.105.49        HTTP     470    GET /Research/MRO/gasbot/images/L0EntryArrowDark.gif
HTTP/1.1
Frame 6195: 470 bytes on wire (3760 bits), 470 bytes captured (3760 bits) on interface 0
Ethernet II, Src: AsustekC_72:3f:a6 (2c:56:dc:72:3f:a6), Dst: Cisco_ff:e8:3f (00:a2:ee:ff:e8:3f)
Internet Protocol Version 4, Src: 155.4.140.82, Dst: 130.243.105.49
Transmission Control Protocol, Src Port: 63193, Dst Port: 80, Seq: 412, Ack: 223188, Len: 416
Hypertext Transfer Protocol
```

```
    GET /Research/MRO/gasbot/images/L0EntryArrowDark.gif HTTP/1.1\r\n
    Accept: image/png, image/svg+xml, image/jxr, image/*;q=0.8, */*;q=0.5\r\n
    Referer: http://aass.oru.se/Research/MRO/gasbot/gallery.html\r\n
    Accept-Language: sv-SE,sv;q=0.8,en-US;q=0.5,en;q=0.3\r\n
    User-Agent: Mozilla/5.0 (Windows NT 10.0; WOW64; Trident/7.0; ASTE; rv:11.0) like Gecko\r\n
    Accept-Encoding: gzip, deflate\r\n
    Host: aass.oru.se\r\n
    Connection: Keep-Alive\r\n
    \r\n
    [Full request URI: http://aass.oru.se/Research/MRO/gasbot/images/L0EntryArrowDark.gif]
    [HTTP request 2/2]
    [Prev request in frame: 639]
    [Response in frame: 6203]
  6203 24.691285      130.243.105.49      155.4.140.82        HTTP    1303   HTTP/1.1 404 Not Found  (text/html)
Frame 6203: 1303 bytes on wire (10424 bits), 1303 bytes captured (10424 bits) on interface 0
Ethernet II, Src: Cisco_ff:e8:3f (00:a2:ee:ff:e8:3f), Dst: AsustekC_72:3f:a6 (2c:56:dc:72:3f:a6)
Internet Protocol Version 4, Src: 130.243.105.49, Dst: 155.4.140.82
Transmission Control Protocol, Src Port: 80, Dst Port: 63193, Seq: 223188, Ack: 828, Len: 1249
Hypertext Transfer Protocol
    HTTP/1.1 404 Not Found\r\n
    Date: Wed, 11 Apr 2018 05:27:04 GMT\r\n
    Server: Apache/1.3.14\r\n
    Last-Modified: Sat, 10 Feb 2001 23:24:17 GMT\r\n
    ETag: "3c800d-3bb-3a85cda1;55c0a44b"\r\n
    Accept-Ranges: bytes\r\n
    Content-Length: 955\r\n
    Keep-Alive: timeout=15, max=99\r\n
    Connection: Keep-Alive\r\n
    Content-Type: text/html\r\n
    \r\n
    [HTTP response 2/2]
    [Time since request: 0.008999000 seconds]
    [Prev request in frame: 639]
    [Request in frame: 6195]
    File Data: 955 bytes
Line-based text data: text/html
  6205 24.691568      130.243.105.49      155.4.140.82        HTTP    402    HTTP/1.1 200 OK  (text/plain)
Frame 6205: 402 bytes on wire (3216 bits), 402 bytes captured (3216 bits) on interface 0
Ethernet II, Src: Cisco_ff:e8:3f (00:a2:ee:ff:e8:3f), Dst: AsustekC_72:3f:a6 (2c:56:dc:72:3f:a6)
Internet Protocol Version 4, Src: 130.243.105.49, Dst: 155.4.140.82
Transmission Control Protocol, Src Port: 80, Dst Port: 63199, Seq: 1, Ack: 227, Len: 348
Hypertext Transfer Protocol
    HTTP/1.1 200 OK\r\n
    Date: Wed, 11 Apr 2018 05:27:04 GMT\r\n
    Server: Apache/1.3.14\r\n
    Cache-Control: max-age=864000\r\n
    Expires: Sat, 21 Apr 2018 05:27:04 GMT\r\n
    Last-Modified: Sat, 16 Dec 2006 11:03:36 GMT\r\n
    ETag: "3c800b-1-4583d288"\r\n
    Accept-Ranges: bytes\r\n
    Content-Length: 1\r\n
    Keep-Alive: timeout=15, max=100\r\n
    Connection: Keep-Alive\r\n
    Content-Type: text/plain\r\n
    \r\n
    [HTTP response 1/1]
    [Time since request: 0.009301000 seconds]
    [Request in frame: 6194]
    File Data: 1 bytes
Line-based text data: text/plain
```