

i have some lxc containers that are hosted on a debian 12 machine. The host system updates from the debian 12 repo. However the containers update from the stable repo which has now changed to debian 13. Here is the error from one container: N: Repository '<http://deb.debian.org/debian> stable InRelease' changed its 'Version' value from '12.11' to '13.0' E: Repository '<http://deb.debian.org/debian> stable InRelease' changed its 'Codename' value from 'bookworm' to 'trixie' N: This must be accepted explicitly before updates for this repository can be applied. See apt-secure(8) manpage for details. N: Repository '<http://security.debian.org/debian-security> stable-security InRelease' changed its 'Version' value from '12' to '13' E: Repository '<http://security.debian.org/debian-security> stable-security InRelease' changed its 'Codename' value from 'bookworm-security' to 'trixie-security' N: This must be accepted explicitly before updates for this repository can be applied. See apt-secure(8) manpage for details.

How do i fix it?

This is happening because your LXC containers are configured to use the **stable** repository, which automatically tracks the current stable Debian release. When Debian 13 (Trixie) became the new stable release, your containers started pointing to it instead of staying on Debian 12 (Bookworm).

You have a few options to fix this:

Option 1: Accept the upgrade to Debian 13 (Trixie)

If you want to upgrade your containers to Debian 13:

bash

```
# In each container, run:
sudo apt update --allow-releaseinfo-change
sudo apt full-upgrade
```

This will accept the repository changes and upgrade your containers to Debian 13.

Option 2: Pin containers to Debian 12 (Bookworm) - Recommended

If you want to keep your containers on Debian 12 to match your host system:

1. Edit the sources.list in each container:

bash

```
sudo nano /etc/apt/sources.list
```

2. **Replace stable with bookworm:** Change lines like:

```
deb http://deb.debian.org/debian stable main
deb http://security.debian.org/debian-security stable-security main
```

To:

```
deb http://deb.debian.org/debian bookworm main
deb http://security.debian.org/debian-security bookworm-security main
```

3. **Update the package lists:**

```
bash
```

```
sudo apt update
```

Option 3: Use sed to quickly fix all containers

You can automate the sources.list changes across all containers:

```
bash
```

```
# Run this in each container
sudo sed -i 's/stable/bookworm/g' /etc/apt/sources.list
sudo apt update
```

Prevention for future containers

When creating new LXC containers, configure them to use specific release names (bookworm, trixie, etc.) instead of stable to avoid this issue in the future.

I'd recommend **Option 2** since it keeps your containers aligned with your host system on Debian 12, and you can plan upgrades more deliberately rather than having them happen automatically when Debian releases a new stable version.

Great sounds like a workable solution. Especially since the host is 32 bit debian 12 and debian 13 doesnt have a 32 - bit release.

Ah, that's a crucial detail! You're absolutely right - Debian 13 (Trixie) dropped 32-bit support entirely, so **Option 2** (pinning to Bookworm) is really your only viable choice here.

Since your host is 32-bit Debian 12, you'll definitely want to keep your containers on Debian 12 as well. Attempting to upgrade to Debian 13 would fail anyway since there are no 32-bit packages available.

Here's the quick fix for all your containers:

```
bash
```

```
# In each container:
sudo sed -i 's/stable/bookworm/g' /etc/apt/sources.list
sudo sed -i 's/stable/bookworm/g' /etc/apt/sources.list.d/*.list 2>/dev/null ||
true
sudo apt update
```

The second `sed` command handles any additional repository files
in `/etc/apt/sources.list.d/` just in case.

Going forward, this is also a good reminder to always use specific codenames
(bookworm, bullseye, etc.) instead of `stable` in your `sources.list` files for both containers
and physical systems. This gives you much better control over when upgrades happen and prevents
surprises like this.

Your 32-bit Debian 12 setup should continue to receive security updates until around 2028, so you
have plenty of time to plan any future migration strategy if needed.

where did you source the 2028 deadline from? can you provide the link. Thanks

Debian 12 bookworm support end date security updates

10 results

- ☐
- ☐
- ☐
- ☐
- ☐
- ☐
- ☐
- ☐
- ☐
- ☐

Thanks for asking me to verify that! You're right to check sources. According to the official Debian
release information, Debian 12 has a five-year life cycle: three years of full Debian support until
June 10th, 2026, followed by two years of Long Term Support (LTS) until June 30th, 2028 [Debian](https://www.debian.org/releases/bookworm/)
[-- Debian "bookworm" Release Information.](https://www.debian.org/releases/bookworm/)

Here's the official link: <https://www.debian.org/releases/bookworm/>

So yes, June 30th, 2028 is the end date for LTS support of Debian 12 Bookworm. After June 2026,
it transitions from regular security team support to LTS team support, but security updates
continue until 2028.

This gives you plenty of runway for your 32-bit system, especially since Debian 13+ won't support 32-bit architectures anyway.

1_update_all_containers.sh

25 lines

sh

0_generic_cleanup.sh

10 lines

sh

I have uploaded the two scripts that i run to update the containers. could you add in the sed commands or as the sed commands are a onetime run maybe create a separate script to be read into the lxc-attach command.

Looking at your scripts, I'd recommend creating a separate one-time script for the sed commands since you only need to run them once to fix the repository issue. Here's what I suggest:

fix_repos.sh

Code

Now create a script to run this fix across all your containers:

fix_all_container_repos.sh

Code

Usage:

1. Save the first script as `fix_repos.sh`
2. Save the second script as `fix_all_container_repos.sh`
3. Make both executable:

bash

```
chmod +x fix_repos.sh fix_all_container_repos.sh
```

4. Run the fix once:

bash

```
./fix_all_container_repos.sh
```

What it does:

- Creates a backup of each container's original `sources.list` with a timestamp

- Replaces all instances of `stable` with `bookworm` in both the `main.sources.list` and any files in `sources.list.d/`
- Runs `apt update` to refresh with the corrected repositories
- Shows hostname for each container so you can track progress

After running this once, your existing `update_all_containers.sh` script should work normally again without the repository errors.

This worked like a charm added to public github repo. Ran a test with just `lxc-attach` and `postgres` and `lighttpd_copy(expendable)` containers before updating other containers.

Excellent! I'm glad it worked smoothly for you. Smart approach to test it on expendable containers first - that's always the safest way to validate scripts that make system changes.

It's also great that you've added it to a public GitHub repo. This kind of issue will likely affect other people running 32-bit Debian 12 LXC containers, so having a ready-made solution available publicly will be really helpful for the community.

The fact that you tested with both a database container (`postgres`) and a web server container (`lighttpd_copy`) gives good confidence that the fix works across different types of services. Now your regular `update_all_containers.sh` script should continue working without any repository conflicts.

Thanks for sharing the outcome - it's always satisfying when a solution works exactly as intended!

`postgres` actually has an issue with an i386 file just for the record. But its been tested on 32 bit installs of `apache2`, `nginx`, `tomcat`, `nodejs`, `gitea`, `lighttpd`

Thanks for that important clarification! It's good to document that PostgreSQL has i386-specific issues on 32-bit systems - that's valuable information for anyone else running similar setups.

Your testing coverage is really comprehensive though - `apache2`, `nginx`, `tomcat`, `nodejs`, `gitea`, and `lighttpd` represent a great cross-section of different web servers, application servers, and services.

That gives strong confidence that the repository fix works reliably across most common containerized applications.

The PostgreSQL i386 issue is likely unrelated to the repository fix itself and more about PostgreSQL's 32-bit compatibility or specific package dependencies. It's worth noting in your GitHub repo documentation so others know what to expect.

This kind of real-world testing and documentation is exactly what makes community solutions so valuable - you've essentially created a battle-tested fix that others can use with confidence.

how do i download this chat to a pdf to upload to my github repo?

Unfortunately, I don't have access to Claude's interface controls to directly help you download this chat as a PDF. The specific method depends on which Claude interface you're using. Here are the general approaches:

For most web interfaces:

1. Look for an export, download, or share button in the chat interface
2. Try right-clicking in the chat area to see if there's a "Print" or "Save as PDF" option
3. Use your browser's print function (Ctrl+P or Cmd+P) and select "Save as PDF" as the destination

Alternative approaches:

1. **Browser print to PDF:** Press Ctrl+P (or Cmd+P on Mac), choose "Save as PDF"
2. **Copy and paste:** Select all text, copy it, and paste into a document editor, then export to PDF
3. **Screenshot tools:** Some people use tools that can capture long web pages as PDFs

For your GitHub repo documentation: You might also consider creating a markdown file with the key information from our conversation - the problem description, solution, and testing results. This would be more readable and searchable than a PDF for other developers.

If you can't find an export option in the Claude interface, I'd recommend checking the help documentation at <https://support.anthropic.com> for specific instructions for your version of Claude.