

Assignment 10: Data Scraping

Asreeta Ushasri

OVERVIEW

This exercise accompanies the lessons in Environmental Data Analytics on data scraping.

Directions

1. Rename this file `<FirstLast>_A10_DataScraping.Rmd` (replacing `<FirstLast>` with your first and last name).
2. Change “Student Name” on line 3 (above) with your name.
3. Work through the steps, **creating code and output** that fulfill each instruction.
4. Be sure your code is tidy; use line breaks to ensure your code fits in the knitted output.
5. Be sure to **answer the questions** in this assignment document.
6. When you have completed the assignment, **Knit** the text and code into a single PDF file.

Set up

1. Set up your session:
 - Load the packages `tidyverse`, `rvest`, and any others you end up using.
 - Check your working directory

```
#1 Load packages
```

```
#install.packages('rvest')  
#install.packages("dataRetrieval")  
#install.packages("tidycensus")
```

```
library(tidyverse)  
library(rvest)  
library(lubridate)  
library(viridis)  
library(dataRetrieval)  
library(tidycensus)  
library(here)  
library(cowplot)  
library(purrr)
```

```
getwd()
```

```
## [1] "/home/guest/AU_EDE_Fall2024"
```

2. We will be scraping data from the NC DEQs Local Water Supply Planning website, specifically the Durham’s 2023 Municipal Local Water Supply Plan (LWSP):

- Navigate to <https://www.ncwater.org/WUDC/app/LWSP/search.php>
- Scroll down and select the LWSP link next to Durham Municipality.
- Note the web address: <https://www.ncwater.org/WUDC/app/LWSP/report.php?psid=03-32-010&year=2023>

Indicate this website as the as the URL to be scraped. (In other words, read the contents into an `rvest` webpage object.)

```
#2 Set the URL as the website for the data
```

```
URL <-  
  read_html('https://www.ncwater.org/WUDC/app/LWSP/report.php?psid=03-32-010&year=2023')  
URL
```

```
## {html_document}  
## <html xmlns="http://www.w3.org/1999/xhtml" lang="en" xml:lang="en">  
## [1] <head>\n<title>DWR :: Local Water Supply Planning</title>\n<meta http-equ ...  
## [2] <body id="plan">\r\n<!--<div id="division-header">\r\n<a name="top" href= ...
```

3. The data we want to collect are listed below:

- From the “1. System Information” section:
 - Water system name
 - PWSID
 - Ownership
- From the “3. Water Supply Sources” section:
 - Maximum Day Use (MGD) - for each month

In the code chunk below scrape these values, assigning them to four separate variables.

HINT: The first value should be “Durham”, the second “03-32-010”, the third “Municipality”, and the last should be a vector of 12 numeric values (represented as strings)“.

```
#3 Collect system information data
```

```
Water_System_Name <- URL %>%  
  html_nodes("div+ table tr:nth-child(1) td:nth-child(2)") %>%  
  html_text()
```

```
PWSID <- URL %>%  
  html_nodes("td tr:nth-child(1) td:nth-child(5)") %>%  
  html_text()
```

```
Ownership <- URL %>%  
  html_nodes("div+ table tr:nth-child(2) td:nth-child(4)") %>%  
  html_text()
```

```
MGD <- URL %>%  
  html_nodes("th~ td+ td") %>%  
  html_text()
```

```
Water_System_Name
```

```
## [1] "Durham"
```

```
PWSID
```

```
## [1] "03-32-010"
```

```
Ownership
```

```
## [1] "Municipality"
```

```
MGD
```

```
## [1] "28.9000" "33.3000" "43.7000" "30.0000" "40.0000" "37.2300" "34.2000"  
## [8] "44.9000" "40.3500" "30.9000" "56.7000" "33.3000"
```

4. Convert your scraped data into a dataframe. This dataframe should have a column for each of the 4 variables scraped and a row for the month corresponding to the withdrawal data. Also add a Date column that includes your month and year in data format. (Feel free to add a Year column too, if you wish.)

TIP: Use `rep()` to repeat a value when creating a dataframe.

NOTE: It's likely you won't be able to scrape the monthly withdrawal data in chronological order. You can overcome this by creating a month column manually assigning values in the order the data are scraped: "Jan", "May", "Sept", "Feb", etc... Or, you could scrape month values from the web page...

5. Create a line plot of the maximum daily withdrawals across the months for 2023, making sure, the months are presented in proper sequence.

```

#4 Create a dataframe

Water_Months <- c("Jan", "May", "Sept", "Feb", "June", "Oct",
                  "Mar", "Jul", "Nov", "Apr", "Aug", "Dec")

Date <- c(1, 5, 9, 2, 6, 10, 3, 7, 11, 4, 8, 12)

Durham_Water_DF <- data.frame("Water_System" = rep(Water_System_Name),
                              "Max_Day_Use" = as.numeric(MGD),
                              "PWSID" = rep(PWSID),
                              "Ownership" = rep(Ownership),
                              "Month_Name" = Water_Months,
                              "Month_Date" = as.numeric(Date))

#view(Durham_Water_DF)
#class(Durham_Water_DF$Month_Date)
#class(Durham_Water_DF$Max_Day_Use)
#str(Durham_Water_DF)


#5 Line Plot

Water_Plot <- ggplot(Durham_Water_DF, aes(x = Month_Date, y = Max_Day_Use)) +
  geom_line() +
  labs(title = "Maximum Daily Water Use in Durham County, NC (2023)",
        x = "Month",
        y = "Max Daily Usage (MGD)") + theme_light() +
  scale_x_continuous(breaks = seq(1, 12, by = 1),
                     labels = month.abb) +
  ylim(0, 60)

print(Water_Plot)

```

Maximum Daily Water Use in Durham County, NC (2023)



6. Note that the PWSID and the year appear in the web address for the page we scraped. Construct a function using your code above that can scrape data for any PWSID and year for which the NC DEQ has data, returning a dataframe. **Be sure to modify the code to reflect the year and site (pwsid) scraped.**

#6. First, start a function with two inputs

```
Water_Usage_Function <- function(Input_PWSID, Input_Year){

  #Next construct the scrape URL code

  Base_URL <- 'https://www.ncwater.org/WUDC/app/LWSP/report.php?'

  Scrape_URL <- paste0(Base_URL, 'pwsid=', Input_PWSID, '&year=', Input_Year)

  #print(Scrape_URL)

  #Assign the html nodes of the desired columns for the data frame

  Function_URL <- read_html(Scrape_URL)

  Function_Water_System_Name <- Function_URL %>%
    html_nodes("div+ table tr:nth-child(1) td:nth-child(2)") %>%
    html_text()
```

```

Function_PWSID <- Function_URL %>%
  html_nodes("td tr:nth-child(1) td:nth-child(5)") %>%
  html_text()

Function_Ownership <- Function_URL %>%
  html_nodes("div+ table tr:nth-child(2) td:nth-child(4)") %>%
  html_text()

Function_MGD <- Function_URL %>%
  html_nodes("th~ td+ td") %>%
  html_text()

#Assign the month labels for to match the order scraped from website

Water_Months <- c("Jan", "May", "Sept", "Feb", "June", "Oct",
  "Mar", "Jul", "Nov", "Apr", "Aug", "Dec")

Date <- c(1, 5, 9, 2, 6, 10, 3, 7, 11, 4, 8, 12)

#Set up data frame with desired columns

Function_WaterUsage_DF <- data.frame(
  "Water_System" = rep(Function_Water_System_Name),
  "Max_Day_Use" = as.numeric(Function_MGD),
  "PWSID" = rep(Function_PWSID),
  "Ownership" = rep(Function_Ownership),
  "Month_Name" = Water_Months,
  "Month_Date" = as.numeric(Date))

#Assign a plot title based on the variable water system name

Plot_Title <- paste("Maximum Daily Water Use in", Function_Water_System_Name)

#Plot the findings from the function

Function_Plot <- ggplot(Function_WaterUsage_DF,
  aes(x = Month_Date, y = Max_Day_Use)) +
  geom_line() + labs(title = Plot_Title,
    subtitle = Input_Year,
    x = "Month",
    y = "Max Daily Usage (MGD)") + theme_light() +
  scale_x_continuous(breaks = seq(1, 12, by = 1),
    labels = month.abb)


print(Function_Plot) }

#Test function with PWSID as Apex and Year as 2022

Water_Usage_Function("03-92-045", 2022)

```

Maximum Daily Water Use in Apex 2022



*#Create a separate function which only produces data frame
#This will be used for Part 8 and Part 9
#This function will be helpful for custom graphs*

```
Water_Usage_DF_Function <- function(Input_PWSID, Input_Year){

  Base_URL <- 'https://www.ncwater.org/WUDC/app/LWSP/report.php?'

  Scrape_URL <- paste0(Base_URL, 'pwsid=', Input_PWSID, '&year=', Input_Year)

  #print(Scrape_URL)

  Function_URL <- read_html(Scrape_URL)

  Function_Water_System_Name <- Function_URL %>%
    html_nodes("div+ table tr:nth-child(1) td:nth-child(2)") %>%
    html_text()

  Function_PWSID <- Function_URL %>%
    html_nodes("td tr:nth-child(1) td:nth-child(5)") %>%
    html_text()

  Function_Ownership <- Function_URL %>%
    html_nodes("div+ table tr:nth-child(2) td:nth-child(4)") %>%
    html_text()
}
```

```
Function_MGD <- Function_URL %>%
  html_nodes("th~ td+ td") %>%
  html_text()

Water_Months <- c("Jan", "May", "Sept", "Feb", "June", "Oct",
  "Mar", "Jul", "Nov", "Apr", "Aug", "Dec")


Date <- c(1, 5, 9, 2, 6, 10, 3, 7, 11, 4, 8, 12)

Function_WaterUsage_DF <- data.frame(
  "Water_System" = rep(Function_Water_System_Name),
  "Max_Day_Use" = as.numeric(Function_MGD),
  "PWSID" = rep(Function_PWSID),
  "Ownership" = rep(Function_Ownership),
  "Month_Name" = Water_Months,
  "Month_Date" = as.numeric(Date)) }
```

7. Use the function above to extract and plot max daily withdrawals for Durham (PWSID='03-32-010') for each month in 2015

```
#7 Run the function using Durham 2015 data
```

```
Water_Usage_Function("03-32-010", 2015)
```



8. Use the function above to extract data for Asheville (PWSID = 01-11-010) in 2015. Combine this data with the Durham data collected above and create a plot that compares Asheville's to Durham's water withdrawals.

```
#8 Extract Durham and Asheville Data from 2015
#Use the Water_Usage_DF_Function, with no automatic plots
#This will allow assignment of data frames from two counties
#From the two data frames, manually plot both data sets on the same graph

Durham_Data <- as.data.frame(Water_Usage_DF_Function("03-32-010", 2015))
Asheville_Data <- as.data.frame(Water_Usage_DF_Function("01-11-010", 2015))

#Combine the data sets into one data frame

County_Water_Use <- rbind(Durham_Data, Asheville_Data)

#view(County_Water_Use)

#Plot the two counties on the same graph with ggplot


class(County_Water_Use$Water_System)
```

```
## [1] "character"
```

```
County_MDG_Graph <- ggplot(data = County_Water_Use,
  aes(x = Month_Date, y = Max_Day_Use,
    color = Water_System)) +
  geom_line() + theme_light() +
  labs(title = "Maximum Daily Water Usage",
    subtitle = "Durham and Asheville, 2015",
    x = "Month",
    y = "Max Daily Usage (MGD)",
    color = "County") +
  scale_x_continuous(breaks = seq(1, 12, by = 1), labels = month.abb)

County_MDG_Graph
```

Maximum Daily Water Usage Durham and Asheville, 2015



- Use the code & function you created above to plot Asheville's max daily withdrawal by months for the years 2018 thru 2022. Add a smoothed line to the plot (method = 'loess').

TIP: See Section 3.2 in the “10_Data_Scraping.Rmd” where we apply “map2()” to iteratively run a function over two inputs. Pipe the output of the map2() function to bindrows() to combine the dataframes into a single one.

```
#9 Create multiyear graph of Asheville water usage

Asheville_Years <- c(2018,2019,2020,2021,2022)

Asheville_PWSID <- rep.int("01-11-010",length(Asheville_Years))

Asheville_Multiyear_DF <- map2(Asheville_PWSID, Asheville_Years,
  Water_Usage_DF_Function) %>%
  map2(Asheville_Years, ., ~ mutate(.y, Year = .x)) %>%
  bind_rows()


Asheville_Multiyear_Date_DF <- Asheville_Multiyear_DF %>%
  mutate(Date = my(paste(Month_Date, Year)))

view(Asheville_Multiyear_Date_DF)

#Plot Multiple Years
ggplot(Asheville_Multiyear_Date_DF) +
```

```
geom_line(aes(x=Date, y=Max_Day_Use)) +
  geom_smooth(aes(x=Date, y=Max_Day_Use),
    method="loess") +
  labs(title = "Water Usage in Asheville",
    subtitle = "2018 to 2022",
    y="Maximum Water Usage (MGD)",
    x="Year") +
  theme_light() +
  scale_x_date(date_labels = "%Y", date_breaks = "1 year")
```

'geom_smooth()' using formula = 'y ~ x'



Question: Just by looking at the plot (i.e. not running statistics), does Asheville have a trend in water usage over time?

Answer: In general, water usage increased in Asheville from 2018 - 2022, with a minor decline in 2020. This data also displays a seasonal trend over time, shown by the increases and decreases within each year.

There is some deviance from the broader trend of increasing water usage. Specifically, the water usage in 2020 dropped from the 2019 levels. By 2022, water usage picked back up and continued to increase beyond previous years.

Further investigation would be required to determine any correlating variables to the 2020 decline. Overall, water usage has increased over time in Asheville with a slight fall in 2020.