Quiz #2a

CS 211

Adam Sweeney

September 30, 2017

Wichita State University, EECS

Question 1

- When decarling a function, three things are required. What are they?

- When decarling a function, three things are required. What are they?
- The return type, a name for the function, and the parameter list

Question 2

- Sue needs to establish a remote connection to a Linux server. She knows that she needs to use the ssh command, but can't remember how to use it. What terminal command can she issue to learn how to us ssh?

Question 2

- Sue needs to establish a remote connection to a Linux server. She knows that she needs to use the ssh command, but can't remember how to use it. What terminal command can she issue to learn how to us ssh?

- `man ssh`

- Complete the following sentences:
  When an argument is passed by value, a(n) _____ is sent to the function.
  When an argument is passed by reference, a(n) _____ is sent to the function.
  A function is allowed to have as few as __ parameters.

Question 3

- Complete the following sentences:
  When an argument is passed by value, a(n) _____ is sent to the function.
  When an argument is passed by reference, a(n) _____ is sent to the function.
  A function is allowed to have as few as __ parameters.

- copy
  address
  zero

Question 4

- Write a function that returns the minimum of two `double` variables.

Question 4

- Write a function that returns the minimum of two `double` variables.

- ```
  double findMin(double a, double b)
  {
      if (a < b)
          return a;
      else
          return b;
  }
  ```