

What to take into your next call.

ग्राहकाने next step मान्य केला; exact time अभी तय नहीं है।

AI draft · Dipak has not reviewed this

Source moments 2 Unique timestamped spans	Evidence-backed findings 2 Findings linked to the source	Dimensions observed 0/8 Observed: 0 of 8	Recommended next steps 1 Improvements grounded in this call
--	---	---	--



One move to practise next

Name the objection earlier

Use the clearest improvement as a small rehearsal before your next call.

Surface the concern before presenting another feature.

What went well

You clarified the decision

The call ended with a concrete next step.

▼ Listen & read evidence 1 moment

 00:01–00:02 s1 “कल follow-up करूया — next step तय करते हैं।”

What to improve

No supported finding was produced for this section.

Final takeaway

Keep the direct close and ask one earlier diagnostic question.

Explore the sales factors

Open a factor to read the draft observation. Evidence found does not mean a positive or negative score.

Dimension 1 Not assessed – There is not enough evidence for a client-side conclusion.	Dimension 2 Not assessed – There is not enough evidence for a client-side conclusion.
Dimension 3 Not assessed – There is not enough evidence for a client-side conclusion.	Dimension 4 Not assessed – There is not enough evidence for a client-side conclusion.
Dimension 5 Not assessed – There is not enough evidence for a client-side conclusion.	Dimension 6 Not assessed – There is not enough evidence for a client-side conclusion.
Dimension 7 Not assessed – There is not enough evidence for a client-side conclusion.	Dimension 8 Not assessed – There is not enough evidence for a client-side conclusion.

SOURCE-BOUND AUDIO

00:04 · 2 transcript segments

Moments from your call

Listen to the moments behind each finding.

▶ 00:01–00:02 You clarified the decision “कल follow-up करूँया — next step तय करते हैं।”	▶ 00:02–00:03 Name the objection earlier “हे useful कसे होईल? बजट ₹15,000 है।”
---	--



Sound of the recording

Explore saved sound level and pitch estimates



Audio channel 2

Typical recorded level

-18.0 dBFS

Median of usable audio windows


Typical pitch estimate

190.0 Hz

Estimate available in 75.0% of windows

Pitch estimate

0:01 · 190.0 Hz



Move through the saved overview. This chart uses the decoded audio clock; it does not control playback.

Audio channels are not speaker identities. These measurements describe the recording, not emotion, confidence or sales ability. Microphones and recording settings affect the values.

What to say next

Name the objection earlier

Surface the concern before presenting another feature.

▼ Listen & read evidence 1 moment

▶ 00:02–00:03 s2 “हे useful कसे होईल? बजट ₹15,000 है।”

Questions and concerns

No supported finding was produced for this section.

Next step

No supported finding was produced for this section.