# Cucumber Report

| Start : Nov 11, 2:13:31.736 AM | End : Nov 11, 2:13:35.080 AM | Duration : 3.344 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 1<br>FAILED - 0<br>SKIPPED - 0 | PASSED - 2<br>FAILED - 0<br>SKIPPED - 0 | PASSED - 10<br>FAILED - 0<br>SKIPPED - 0 |
| 1 | 2 | 10 |

| Feature | | Scenario | | | | Step | | | |
|---------|----------|---|---|---|---|----|----|---|---|
| **Name** | **Duration** | **T** | **P** | **F** | **S** | **T** | **P** | **F** | **S** |
| *To create a new booking in restful-booker* | *3.344 s* | *2* | *2* | *0* | *0* | *10* | *10* | *0* | *0* |

| Tag | Scenario | | | | Feature | | | |
|---|---|---|---|---|---|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @createBK | 2 | 2 | 0 | 0 | 1 | 1 | 0 | 0 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | To create a new booking in restful-booker | 2 | 2 | 0 | 0 | 3.344 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | To create a new booking in restful-booker | To create new booking using cucumber Data Table | 5 | 5 | 0 | 0 | 2.894 s |
| 2 | To create a new booking in restful-booker | To create new booking using cucumber Data Table | 5 | 5 | 0 | 0 | 0.409 s |

## To create a new booking in restful-booker

| PASSED | DURATION - 3.344 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 2 | | Total - 10 | |
| / 2:13:31.736 AM // 2:13:35.080 AM / | | Pass - 2 | 2 | Pass - 10 | 10 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

## To create new booking using cucumber Data Table

| PASSED | DURATION - 2.894 s | | Steps | |
|---|---|---|---|---|
| / 2:13:31.766 AM // 2:13:34.660 AM / | | | Total - 5 | |
| To create a new booking in restful-booker | | | Pass - 5 | 5 |
| | | | Fail - 0 | |
| @createBK | | | Skip - 0 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given she has access to the endpoint "/booking" | PASSED | 0.007 s |
| 2 | When she creates a booking | PASSED | 2.382 s |
| | <table><tr><td>firstname</td><td>lastname</td><td>totalprice</td><td>depositpaid</td><td>checkin</td><td>checkout</td><td>additionalneeds</td></tr><tr><td>Alice</td><td>Smith</td><td>1500</td><td>true</td><td>2022-01-10</td><td>2022-01-20</td><td>Lunch</td></tr></table> | | |
| 3 | Then she should receive a response code of 200 | PASSED | 0.001 s |
| 4 | And she validates the booking data | PASSED | 0.002 s |
| 5 | And she validates the response against the JSON schema "create-booking-sch.json" | PASSED | 0.464 s |

## To create new booking using cucumber Data Table

| PASSED | DURATION - 0.409 s |
|---|---|
| / 2:13:34.671 AM // 2:13:35.080 AM / | |
| To create a new booking in restful-booker | |
| @createBK | |

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

5

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given she has access to the endpoint "/booking" | PASSED | 0.000 s |
| 2 | When she creates a booking | PASSED | 0.385 s |

| firstname | lastname | totalprice | depositpaid | checkin | checkout | additionalneeds |
|---|---|---|---|---|---|---|
| Bob | Johnson | 3000 | false | 2022-02-15 | 2022-03-25 | Brunch |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 3 | Then she should receive a response code of 200 | PASSED | 0.001 s |
| 4 | And she validates the booking data | PASSED | 0.001 s |
| 5 | And she validates the response against the JSON schema "create-booking-sch.json" | PASSED | 0.019 s |