

# Cucumber Report

Nov 13, 2024, 7:40:34 AM

Start : Nov 13, 7:39:20.982 AM

End : Nov 13, 7:40:33.932 AM

Duration : 1 m 12.950 s

Features




Scenarios

Steps

PASSED - 1  
FAILED - 0  
SKIPPED - 0


PASSED - 50  
FAILED - 0  
SKIPPED - 0

PASSED - 400  
FAILED - 0  
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>To update a booking in restful-booker</u>	1 m 12.950 s	50	50	0	0	400	400	0	0


<i>Tag</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@upd-booking-json	50	50	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>To update a booking in restful-booker</u>	50	50	0	0	1 m 12.950 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	4.773 s
2	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.488 s
3	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.422 s
4	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.423 s
5	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.419 s
6	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.415 s
7	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.399 s
8	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.402 s
9	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.354 s
10	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.425 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.343 s
12	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.407 s
13	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.388 s
14	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.433 s
15	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.381 s
16	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.364 s
17	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.405 s
18	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.398 s
19	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.447 s
20	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.288 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
21	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.384 s
22	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.382 s
23	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.439 s
24	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.414 s
25	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.315 s
26	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.405 s
27	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.278 s
28	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.342 s
29	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.328 s
30	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.400 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
31	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.307 s
32	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.352 s
33	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.336 s
34	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.328 s
35	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.402 s
36	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.413 s
37	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.332 s
38	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.403 s
39	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.385 s
40	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.395 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
41	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.409 s
42	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.404 s
43	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.492 s
44	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.341 s
45	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.301 s
46	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.399 s
47	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.296 s
48	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.353 s
49	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.304 s
50	<u>To update a booking in restful-booker</u>	<u>To update a booking using JSON data</u>	8	8	0	0	1.405 s

## To update a booking in restful-booker

<b>PASSED</b>	<i>DURATION - 1 m 12.950 s</i>	Scenarios Total - 50 Pass - 50 Fail - 0 Skip - 0		Steps Total - 400 Pass - 400 Fail - 0 Skip - 0	
/ 7:39:20.982 AM // 7:40:33.932 AM /					

## To update a booking using JSON data

<div>PASSED</div>	<div>DURATION - 4.773 s</div>	<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:39:21.002 AM // 7:39:25.775 AM /</div>				
<div>To update a booking in restful-booker</div>				
<div>@upd-booking-json</div>				

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.007 s
2	When she creates a auth token	PASSED	2.655 s
3	Then she should receive a response code of 200	PASSED	0.003 s
4	Given she has access to the endpoint "/booking"	PASSED	0.001 s
5	When sends request to retrieve the booking IDs	PASSED	0.929 s
6	And updates the booking details using the data identified by "upd-booking-0001" from the JSON file named "update-object-file.json" .	PASSED	0.865 s
7	Then she should receive a response code of 200	PASSED	0.001 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.257 s

## To update a booking using JSON data

<b>PASSED</b>	<b>DURATION - 1.488 s</b>		<b>Steps</b> Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:39:25.795 AM // 7:39:27.283 AM /				
To update a booking in restful-booker				
@upd-booking-json				

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.387 s
3	Then she should receive a response code of 200	PASSED	0.000 s
4	Given she has access to the endpoint "/booking"	PASSED	0.000 s
5	When sends request to retrieve the booking IDs	PASSED	0.683 s
6	And updates the booking details using the data identified by "upd-booking-0002" from the JSON file named "update-object-file.json" .	PASSED	0.398 s
7	Then she should receive a response code of 200	PASSED	0.001 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.011 s



### To update a booking using JSON data

<b>PASSED</b>	<b>DURATION - 1.422 s</b>		<b>Steps</b> Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:39:27.301 AM // 7:39:28.723 AM /				
To update a booking in restful-booker				
@upd-booking-json				

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.389 s
3	Then she should receive a response code of 200	PASSED	0.001 s
4	Given she has access to the endpoint "/booking"	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
5	When sends request to retrieve the booking IDs	PASSED	0.623 s
6	And updates the booking details using the data identified by "upd-booking-0003" from the JSON file named "update-object-file.json" .	PASSED	0.398 s
7	Then she should receive a response code of 200	PASSED	0.001 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.006 s

### To update a booking using JSON data

PASSED	DURATION - 1.423 s		<b>Steps</b> Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:39:28.729 AM // 7:39:30.152 AM /				
To update a booking in restful-booker				
@upd-booking-json				

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.380 s
3	Then she should receive a response code of 200	PASSED	0.001 s
4	Given she has access to the endpoint "/booking"	PASSED	0.000 s
5	When sends request to retrieve the booking IDs	PASSED	0.648 s
6	And updates the booking details using the data identified by "upd-booking-0004" from the JSON file named "update-object-file.json" .	PASSED	0.379 s
7	Then she should receive a response code of 200	PASSED	0.000 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.008 s

### To update a booking using JSON data

<b>PASSED</b>	<b>DURATION - 1.419 s</b>		<b>Steps</b> Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:39:30.160 AM // 7:39:31.579 AM /				
To update a booking in restful-booker				
@upd-booking-json				

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.399 s
3	Then she should receive a response code of 200	PASSED	0.001 s
4	Given she has access to the endpoint "/booking"	PASSED	0.002 s
5	When sends request to retrieve the booking IDs	PASSED	0.623 s
6	And updates the booking details using the data identified by "upd-booking-0005" from the JSON file named "update-object-file.json" .	PASSED	0.372 s
7	Then she should receive a response code of 200	PASSED	0.000 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.016 s



### To update a booking using JSON data

<b>PASSED</b>	<b>DURATION - 1.415 s</b>		<b>Steps</b> Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:39:31.598 AM // 7:39:33.013 AM /				
To update a booking in restful-booker				
@upd-booking-json				

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.391 s
3	Then she should receive a response code of 200	PASSED	0.000 s
4	Given she has access to the endpoint "/booking"	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
5	When sends request to retrieve the booking IDs	PASSED	0.622 s
6	And updates the booking details using the data identified by "upd-booking-0006" from the JSON file named "update-object-file.json" .	PASSED	0.385 s
7	Then she should receive a response code of 200	PASSED	0.001 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.010 s

### To update a booking using JSON data

PASSED	DURATION - 1.399 s		<b>Steps</b> Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:39:33.029 AM // 7:39:34.428 AM /				
To update a booking in restful-booker				
@upd-booking-json				

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.400 s
3	Then she should receive a response code of 200	PASSED	0.001 s
4	Given she has access to the endpoint "/booking"	PASSED	0.001 s
5	When sends request to retrieve the booking IDs	PASSED	0.615 s
6	And updates the booking details using the data identified by "upd-booking-0007" from the JSON file named "update-object-file.json" .	PASSED	0.369 s
7	Then she should receive a response code of 200	PASSED	0.000 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.005 s

### To update a booking using JSON data

<b>PASSED</b>	<b>DURATION - 1.402 s</b>		<b>Steps</b> Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:39:34.435 AM // 7:39:35.837 AM /				
To update a booking in restful-booker				
@upd-booking-json				

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.373 s
3	Then she should receive a response code of 200	PASSED	0.000 s
4	Given she has access to the endpoint "/booking"	PASSED	0.000 s
5	When sends request to retrieve the booking IDs	PASSED	0.625 s
6	And updates the booking details using the data identified by "upd-booking-0008" from the JSON file named "update-object-file.json" .	PASSED	0.378 s
7	Then she should receive a response code of 200	PASSED	0.002 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.016 s



### To update a booking using JSON data

<b>PASSED</b>	<b>DURATION - 1.354 s</b>		<b>Steps</b> Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:39:35.858 AM // 7:39:37.212 AM /				
To update a booking in restful-booker				
@upd-booking-json				

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.374 s
3	Then she should receive a response code of 200	PASSED	0.000 s
4	Given she has access to the endpoint "/booking"	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
5	When sends request to retrieve the booking IDs	PASSED	0.603 s
6	And updates the booking details using the data identified by "upd-booking-0009" from the JSON file named "update-object-file.json" .	PASSED	0.366 s
7	Then she should receive a response code of 200	PASSED	0.000 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.005 s

### To update a booking using JSON data

PASSED	DURATION - 1.425 s		<b>Steps</b> Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:39:37.218 AM // 7:39:38.643 AM /				
To update a booking in restful-booker				
@upd-booking-json				

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.375 s
3	Then she should receive a response code of 200	PASSED	0.000 s
4	Given she has access to the endpoint "/booking"	PASSED	0.000 s
5	When sends request to retrieve the booking IDs	PASSED	0.649 s
6	And updates the booking details using the data identified by "upd-booking-0010" from the JSON file named "update-object-file.json" .	PASSED	0.377 s
7	Then she should receive a response code of 200	PASSED	0.000 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.016 s

### To update a booking using JSON data



<b>PASSED</b>	<b>DURATION - 1.343 s</b>		<b>Steps</b> Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:39:38.664 AM // 7:39:40.007 AM /				
To update a booking in restful-booker				
@upd-booking-json				

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.378 s
3	Then she should receive a response code of 200	PASSED	0.001 s
4	Given she has access to the endpoint "/booking"	PASSED	0.001 s
5	When sends request to retrieve the booking IDs	PASSED	0.570 s
6	And updates the booking details using the data identified by "upd-booking-0011" from the JSON file named "update-object-file.json" .	PASSED	0.378 s
7	Then she should receive a response code of 200	PASSED	0.000 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.009 s



### To update a booking using JSON data

<b>PASSED</b>	<b>DURATION - 1.407 s</b>		<b>Steps</b> Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:39:40.016 AM // 7:39:41.423 AM /				
To update a booking in restful-booker				
@upd-booking-json				

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.381 s
3	Then she should receive a response code of 200	PASSED	0.001 s
4	Given she has access to the endpoint "/booking"	PASSED	0.000 s


#	Step / Hook Details	Status	Duration
5	When sends request to retrieve the booking IDs	PASSED	0.636 s
6	And updates the booking details using the data identified by "upd-booking-0012" from the JSON file named "update-object-file.json" .	PASSED	0.373 s
7	Then she should receive a response code of 200	PASSED	0.001 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.011 s

### To update a booking using JSON data

PASSED	DURATION - 1.388 s		<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 7:39:41.444 AM // 7:39:42.832 AM /				
To update a booking in restful-booker				
@upd-booking-json				


#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.002 s
2	When she creates a auth token	PASSED	0.394 s
3	Then she should receive a response code of 200	PASSED	0.001 s
4	Given she has access to the endpoint "/booking"	PASSED	0.001 s
5	When sends request to retrieve the booking IDs	PASSED	0.597 s
6	And updates the booking details using the data identified by "upd-booking-0013" from the JSON file named "update-object-file.json" .	PASSED	0.377 s
7	Then she should receive a response code of 200	PASSED	0.001 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.011 s

### To update a booking using JSON data



#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.000 s
2	When she creates a auth token	PASSED	0.413 s
3	Then she should receive a response code of 200	PASSED	0.000 s
4	Given she has access to the endpoint "/booking"	PASSED	0.001 s
5	When sends request to retrieve the booking IDs	PASSED	0.633 s
6	And updates the booking details using the data identified by "upd-booking-0014" from the JSON file named "update-object-file.json" .	PASSED	0.368 s
7	Then she should receive a response code of 200	PASSED	0.001 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.012 s



### To update a booking using JSON data



#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.390 s
3	Then she should receive a response code of 200	PASSED	0.000 s
4	Given she has access to the endpoint "/booking"	PASSED	0.001 s


#	Step / Hook Details	Status	Duration
5	When sends request to retrieve the booking IDs	PASSED	0.625 s
6	And updates the booking details using the data identified by "upd-booking-0015" from the JSON file named "update-object-file.json" .	PASSED	0.353 s
7	Then she should receive a response code of 200	PASSED	0.000 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.006 s

### To update a booking using JSON data

PASSED	DURATION - 1.364 s		<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>				
/ 7:39:45.679 AM // 7:39:47.043 AM /							
To update a booking in restful-booker							
@upd-booking-json							


#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.370 s
3	Then she should receive a response code of 200	PASSED	0.000 s
4	Given she has access to the endpoint "/booking"	PASSED	0.000 s
5	When sends request to retrieve the booking IDs	PASSED	0.602 s
6	And updates the booking details using the data identified by "upd-booking-0016" from the JSON file named "update-object-file.json" .	PASSED	0.377 s
7	Then she should receive a response code of 200	PASSED	0.000 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.009 s

### To update a booking using JSON data



#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.372 s
3	Then she should receive a response code of 200	PASSED	0.001 s
4	Given she has access to the endpoint "/booking"	PASSED	0.001 s
5	When sends request to retrieve the booking IDs	PASSED	0.630 s
6	And updates the booking details using the data identified by "upd-booking-0017" from the JSON file named "update-object-file.json" .	PASSED	0.386 s
7	Then she should receive a response code of 200	PASSED	0.001 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.010 s



### To update a booking using JSON data



#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.396 s
3	Then she should receive a response code of 200	PASSED	0.001 s
4	Given she has access to the endpoint "/booking"	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
5	When sends request to retrieve the booking IDs	PASSED	0.623 s
6	And updates the booking details using the data identified by "upd-booking-0018" from the JSON file named "update-object-file.json" .	PASSED	0.367 s
7	Then she should receive a response code of 200	PASSED	0.000 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.007 s

### To update a booking using JSON data

PASSED	DURATION - 1.447 s		<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 7:39:49.872 AM // 7:39:51.319 AM /				
To update a booking in restful-booker				
@upd-booking-json				

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.386 s
3	Then she should receive a response code of 200	PASSED	0.001 s
4	Given she has access to the endpoint "/booking"	PASSED	0.000 s
5	When sends request to retrieve the booking IDs	PASSED	0.661 s
6	And updates the booking details using the data identified by "upd-booking-0019" from the JSON file named "update-object-file.json" .	PASSED	0.384 s
7	Then she should receive a response code of 200	PASSED	0.001 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.007 s

### To update a booking using JSON data

<b>PASSED</b>	<b>DURATION - 1.288 s</b>		<b>Steps</b> Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:39:51.329 AM // 7:39:52.617 AM /				
To update a booking in restful-booker				
@upd-booking-json				

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.378 s
3	Then she should receive a response code of 200	PASSED	0.000 s
4	Given she has access to the endpoint "/booking"	PASSED	0.001 s
5	When sends request to retrieve the booking IDs	PASSED	0.535 s
6	And updates the booking details using the data identified by "upd-booking-0020" from the JSON file named "update-object-file.json" .	PASSED	0.367 s
7	Then she should receive a response code of 200	PASSED	0.000 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.004 s



### To update a booking using JSON data

<b>PASSED</b>	<b>DURATION - 1.384 s</b>		<b>Steps</b> Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:39:52.623 AM // 7:39:54.007 AM /				
To update a booking in restful-booker				
@upd-booking-json				

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.000 s
2	When she creates a auth token	PASSED	0.366 s
3	Then she should receive a response code of 200	PASSED	0.000 s
4	Given she has access to the endpoint "/booking"	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
5	When sends request to retrieve the booking IDs	PASSED	0.644 s
6	And updates the booking details using the data identified by "upd-booking-0021" from the JSON file named "update-object-file.json" .	PASSED	0.365 s
7	Then she should receive a response code of 200	PASSED	0.000 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.004 s



### To update a booking using JSON data

PASSED	DURATION - 1.382 s		<div>Steps Total - 8 Pass - 8 Fail - 0 Skip - 0</div> 
/ 7:39:54.013 AM // 7:39:55.395 AM /			
To update a booking in restful-booker			
@upd-booking-json			

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.000 s
2	When she creates a auth token	PASSED	0.371 s
3	Then she should receive a response code of 200	PASSED	0.000 s
4	Given she has access to the endpoint "/booking"	PASSED	0.001 s
5	When sends request to retrieve the booking IDs	PASSED	0.622 s
6	And updates the booking details using the data identified by "upd-booking-0022" from the JSON file named "update-object-file.json" .	PASSED	0.371 s
7	Then she should receive a response code of 200	PASSED	0.001 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.012 s



### To update a booking using JSON data



<div>PASSED</div>	<div>DURATION - 1.439 s</div>	<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:39:55.412 AM // 7:39:56.851 AM /</div>				
<div>To update a booking in restful-booker</div>				
<div>@upd-booking-json</div>				

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.393 s
3	Then she should receive a response code of 200	PASSED	0.001 s
4	Given she has access to the endpoint "/booking"	PASSED	0.001 s
5	When sends request to retrieve the booking IDs	PASSED	0.643 s
6	And updates the booking details using the data identified by "upd-booking-0023" from the JSON file named "update-object-file.json" .	PASSED	0.370 s
7	Then she should receive a response code of 200	PASSED	0.000 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.010 s



### To update a booking using JSON data

<div>PASSED</div> <div>DURATION - 1.414 s</div>	<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:39:56.869 AM // 7:39:58.283 AM /</div>			
<div>To update a booking in restful-booker</div>			
<div>@upd-booking-json</div>			

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.379 s
3	Then she should receive a response code of 200	PASSED	0.000 s
4	Given she has access to the endpoint "/booking"	PASSED	0.001 s



#	Step / Hook Details	Status	Duration
5	When sends request to retrieve the booking IDs	PASSED	0.650 s
6	And updates the booking details using the data identified by "upd-booking-0024" from the JSON file named "update-object-file.json" .	PASSED	0.375 s
7	Then she should receive a response code of 200	PASSED	0.001 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.005 s

### To update a booking using JSON data

PASSED	DURATION - 1.315 s		<b>Steps</b> Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:39:58.287 AM // 7:39:59.602 AM /				
To update a booking in restful-booker				
@upd-booking-json				



#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.000 s
2	When she creates a auth token	PASSED	0.360 s
3	Then she should receive a response code of 200	PASSED	0.000 s
4	Given she has access to the endpoint "/booking"	PASSED	0.001 s
5	When sends request to retrieve the booking IDs	PASSED	0.579 s
6	And updates the booking details using the data identified by "upd-booking-0025" from the JSON file named "update-object-file.json" .	PASSED	0.364 s
7	Then she should receive a response code of 200	PASSED	0.000 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.006 s

### To update a booking using JSON data

<div>PASSED</div>	<div>DURATION - 1.405 s</div>	<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:39:59.611 AM // 7:40:01.016 AM /</div>				
<div>To update a booking in restful-booker</div>				
<div>@upd-booking-json</div>				

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.000 s
2	When she creates a auth token	PASSED	0.385 s
3	Then she should receive a response code of 200	PASSED	0.001 s
4	Given she has access to the endpoint "/booking"	PASSED	0.000 s
5	When sends request to retrieve the booking IDs	PASSED	0.651 s
6	And updates the booking details using the data identified by "upd-booking-0026" from the JSON file named "update-object-file.json" .	PASSED	0.359 s
7	Then she should receive a response code of 200	PASSED	0.001 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.004 s



### To update a booking using JSON data

<div><div>PASSED</div><div>DURATION - 1.278 s</div></div>	<div></div>	<div><div>Steps</div><div>Total - 8</div><div>Pass - 8</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 7:40:01.021 AM // 7:40:02.299 AM /</div>			
<div>To update a booking in restful-booker</div>			
<div>@upd-booking-json</div>			

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.000 s
2	When she creates a auth token	PASSED	0.363 s
3	Then she should receive a response code of 200	PASSED	0.001 s
4	Given she has access to the endpoint "/booking"	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
5	When sends request to retrieve the booking IDs	PASSED	0.560 s
6	And updates the booking details using the data identified by "upd-booking-0027" from the JSON file named "update-object-file.json" .	PASSED	0.350 s
7	Then she should receive a response code of 200	PASSED	0.000 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.003 s

### To update a booking using JSON data

PASSED	DURATION - 1.342 s		<b>Steps</b> Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:40:02.303 AM // 7:40:03.645 AM /				
To update a booking in restful-booker				
@upd-booking-json				

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.000 s
2	When she creates a auth token	PASSED	0.362 s
3	Then she should receive a response code of 200	PASSED	0.000 s
4	Given she has access to the endpoint "/booking"	PASSED	0.000 s
5	When sends request to retrieve the booking IDs	PASSED	0.615 s
6	And updates the booking details using the data identified by "upd-booking-0028" from the JSON file named "update-object-file.json" .	PASSED	0.356 s
7	Then she should receive a response code of 200	PASSED	0.000 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.006 s

### To update a booking using JSON data

<b>PASSED</b>	<b>DURATION - 1.328 s</b>		<b>Steps</b> Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:40:03.654 AM // 7:40:04.982 AM /				
To update a booking in restful-booker				
@upd-booking-json				

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.003 s
2	When she creates a auth token	PASSED	0.368 s
3	Then she should receive a response code of 200	PASSED	0.000 s
4	Given she has access to the endpoint "/booking"	PASSED	0.000 s
5	When sends request to retrieve the booking IDs	PASSED	0.573 s
6	And updates the booking details using the data identified by "upd-booking-0029" from the JSON file named "update-object-file.json" .	PASSED	0.373 s
7	Then she should receive a response code of 200	PASSED	0.000 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.004 s



### To update a booking using JSON data

<b>PASSED</b>	<b>DURATION - 1.400 s</b>		<b>Steps</b> Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:40:04.986 AM // 7:40:06.386 AM /				
To update a booking in restful-booker				
@upd-booking-json				

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.372 s
3	Then she should receive a response code of 200	PASSED	0.001 s
4	Given she has access to the endpoint "/booking"	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
5	When sends request to retrieve the booking IDs	PASSED	0.642 s
6	And updates the booking details using the data identified by "upd-booking-0030" from the JSON file named "update-object-file.json" .	PASSED	0.375 s
7	Then she should receive a response code of 200	PASSED	0.001 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.008 s

### To update a booking using JSON data

PASSED	DURATION - 1.307 s		<b>Steps</b> Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:40:06.395 AM // 7:40:07.702 AM /				
To update a booking in restful-booker				
@upd-booking-json				

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.371 s
3	Then she should receive a response code of 200	PASSED	0.000 s
4	Given she has access to the endpoint "/booking"	PASSED	0.000 s
5	When sends request to retrieve the booking IDs	PASSED	0.544 s
6	And updates the booking details using the data identified by "upd-booking-0031" from the JSON file named "update-object-file.json" .	PASSED	0.376 s
7	Then she should receive a response code of 200	PASSED	0.000 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.011 s

### To update a booking using JSON data

<b>PASSED</b>	<b>DURATION - 1.352 s</b>		<b>Steps</b> Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:40:07.717 AM // 7:40:09.069 AM /				
To update a booking in restful-booker				
@upd-booking-json				

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.390 s
3	Then she should receive a response code of 200	PASSED	0.001 s
4	Given she has access to the endpoint "/booking"	PASSED	0.000 s
5	When sends request to retrieve the booking IDs	PASSED	0.578 s
6	And updates the booking details using the data identified by "upd-booking-0032" from the JSON file named "update-object-file.json" .	PASSED	0.373 s
7	Then she should receive a response code of 200	PASSED	0.000 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.005 s



### To update a booking using JSON data

<b>PASSED</b>	<b>DURATION - 1.336 s</b>		<b>Steps</b> Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:40:09.074 AM // 7:40:10.410 AM /				
To update a booking in restful-booker				
@upd-booking-json				

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.364 s
3	Then she should receive a response code of 200	PASSED	0.001 s
4	Given she has access to the endpoint "/booking"	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
5	When sends request to retrieve the booking IDs	PASSED	0.593 s
6	And updates the booking details using the data identified by "upd-booking-0033" from the JSON file named "update-object-file.json" .	PASSED	0.370 s
7	Then she should receive a response code of 200	PASSED	0.001 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.004 s


### To update a booking using JSON data

PASSED	DURATION - 1.328 s		<b>Steps</b> Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:40:10.424 AM // 7:40:11.752 AM /				
To update a booking in restful-booker				
@upd-booking-json				

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.000 s
2	When she creates a auth token	PASSED	0.353 s
3	Then she should receive a response code of 200	PASSED	0.000 s
4	Given she has access to the endpoint "/booking"	PASSED	0.000 s
5	When sends request to retrieve the booking IDs	PASSED	0.606 s
6	And updates the booking details using the data identified by "upd-booking-0034" from the JSON file named "update-object-file.json" .	PASSED	0.362 s
7	Then she should receive a response code of 200	PASSED	0.001 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.003 s


### To update a booking using JSON data





#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.000 s
2	When she creates a auth token	PASSED	0.392 s
3	Then she should receive a response code of 200	PASSED	0.000 s
4	Given she has access to the endpoint "/booking"	PASSED	0.001 s
5	When sends request to retrieve the booking IDs	PASSED	0.626 s
6	And updates the booking details using the data identified by "upd-booking-0035" from the JSON file named "update-object-file.json" .	PASSED	0.367 s
7	Then she should receive a response code of 200	PASSED	0.001 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.012 s



### To update a booking using JSON data



#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.397 s
3	Then she should receive a response code of 200	PASSED	0.001 s
4	Given she has access to the endpoint "/booking"	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
5	When sends request to retrieve the booking IDs	PASSED	0.640 s
6	And updates the booking details using the data identified by "upd-booking-0036" from the JSON file named "update-object-file.json" .	PASSED	0.367 s
7	Then she should receive a response code of 200	PASSED	0.001 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.003 s

### To update a booking using JSON data

PASSED	DURATION - 1.332 s		<b>Steps</b> Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:40:14.592 AM // 7:40:15.924 AM /				
To update a booking in restful-booker				
@upd-booking-json				

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.000 s
2	When she creates a auth token	PASSED	0.374 s
3	Then she should receive a response code of 200	PASSED	0.001 s
4	Given she has access to the endpoint "/booking"	PASSED	0.000 s
5	When sends request to retrieve the booking IDs	PASSED	0.563 s
6	And updates the booking details using the data identified by "upd-booking-0037" from the JSON file named "update-object-file.json" .	PASSED	0.384 s
7	Then she should receive a response code of 200	PASSED	0.001 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.004 s

### To update a booking using JSON data

<b>PASSED</b>	<b>DURATION - 1.403 s</b>		<b>Steps</b> Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:40:15.928 AM // 7:40:17.331 AM /				
To update a booking in restful-booker				
@upd-booking-json				

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.000 s
2	When she creates a auth token	PASSED	0.388 s
3	Then she should receive a response code of 200	PASSED	0.000 s
4	Given she has access to the endpoint "/booking"	PASSED	0.001 s
5	When sends request to retrieve the booking IDs	PASSED	0.643 s
6	And updates the booking details using the data identified by "upd-booking-0038" from the JSON file named "update-object-file.json" .	PASSED	0.360 s
7	Then she should receive a response code of 200	PASSED	0.001 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.007 s



### To update a booking using JSON data

<b>PASSED</b>	<b>DURATION - 1.385 s</b>		<b>Steps</b> Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:40:17.338 AM // 7:40:18.723 AM /				
To update a booking in restful-booker				
@upd-booking-json				

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.387 s
3	Then she should receive a response code of 200	PASSED	0.001 s
4	Given she has access to the endpoint "/booking"	PASSED	0.000 s



#	Step / Hook Details	Status	Duration
5	When sends request to retrieve the booking IDs	PASSED	0.607 s
6	And updates the booking details using the data identified by "upd-booking-0039" from the JSON file named "update-object-file.json" .	PASSED	0.372 s
7	Then she should receive a response code of 200	PASSED	0.001 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.011 s

### To update a booking using JSON data

PASSED	DURATION - 1.395 s		<b>Steps</b> Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:40:18.738 AM // 7:40:20.133 AM /				
To update a booking in restful-booker				
@upd-booking-json				



#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.390 s
3	Then she should receive a response code of 200	PASSED	0.000 s
4	Given she has access to the endpoint "/booking"	PASSED	0.000 s
5	When sends request to retrieve the booking IDs	PASSED	0.606 s
6	And updates the booking details using the data identified by "upd-booking-0040" from the JSON file named "update-object-file.json" .	PASSED	0.382 s
7	Then she should receive a response code of 200	PASSED	0.001 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.011 s

### To update a booking using JSON data

<div>PASSED</div>	<div>DURATION - 1.409 s</div>	<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:40:20.147 AM // 7:40:21.556 AM /</div>				
<div>To update a booking in restful-booker</div>				
<div>@upd-booking-json</div>				

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.394 s
3	Then she should receive a response code of 200	PASSED	0.000 s
4	Given she has access to the endpoint "/booking"	PASSED	0.001 s
5	When sends request to retrieve the booking IDs	PASSED	0.639 s
6	And updates the booking details using the data identified by "upd-booking-0041" from the JSON file named "update-object-file.json" .	PASSED	0.361 s
7	Then she should receive a response code of 200	PASSED	0.000 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.009 s



### To update a booking using JSON data

<div>PASSED</div> <div>DURATION - 1.404 s</div>	<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:40:21.566 AM // 7:40:22.970 AM /</div>			
<div>To update a booking in restful-booker</div>			
<div>@upd-booking-json</div>			

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.369 s
3	Then she should receive a response code of 200	PASSED	0.000 s
4	Given she has access to the endpoint "/booking"	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
5	When sends request to retrieve the booking IDs	PASSED	0.655 s
6	And updates the booking details using the data identified by "upd-booking-0042" from the JSON file named "update-object-file.json" .	PASSED	0.364 s
7	Then she should receive a response code of 200	PASSED	0.001 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.012 s

### To update a booking using JSON data

PASSED	DURATION - 1.492 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:40:22.985 AM // 7:40:24.477 AM /				
To update a booking in restful-booker				
@upd-booking-json				

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.392 s
3	Then she should receive a response code of 200	PASSED	0.001 s
4	Given she has access to the endpoint "/booking"	PASSED	0.001 s
5	When sends request to retrieve the booking IDs	PASSED	0.700 s
6	And updates the booking details using the data identified by "upd-booking-0043" from the JSON file named "update-object-file.json" .	PASSED	0.388 s
7	Then she should receive a response code of 200	PASSED	0.000 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.005 s

### To update a booking using JSON data

<b>PASSED</b>	<b>DURATION - 1.341 s</b>		<b>Steps</b> Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:40:24.481 AM // 7:40:25.822 AM /				
To update a booking in restful-booker				
@upd-booking-json				

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.000 s
2	When she creates a auth token	PASSED	0.366 s
3	Then she should receive a response code of 200	PASSED	0.000 s
4	Given she has access to the endpoint "/booking"	PASSED	0.000 s
5	When sends request to retrieve the booking IDs	PASSED	0.592 s
6	And updates the booking details using the data identified by "upd-booking-0044" from the JSON file named "update-object-file.json" .	PASSED	0.374 s
7	Then she should receive a response code of 200	PASSED	0.001 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.007 s



### To update a booking using JSON data

<b>PASSED</b>	<b>DURATION - 1.301 s</b>		<b>Steps</b> Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:40:25.831 AM // 7:40:27.132 AM /				
To update a booking in restful-booker				
@upd-booking-json				

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.368 s
3	Then she should receive a response code of 200	PASSED	0.000 s
4	Given she has access to the endpoint "/booking"	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
5	When sends request to retrieve the booking IDs	PASSED	0.557 s
6	And updates the booking details using the data identified by "upd-booking-0045" from the JSON file named "update-object-file.json" .	PASSED	0.369 s
7	Then she should receive a response code of 200	PASSED	0.000 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.004 s


### To update a booking using JSON data

PASSED	DURATION - 1.399 s		<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>				
/ 7:40:27.136 AM // 7:40:28.535 AM /							
To update a booking in restful-booker							
@upd-booking-json							

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.367 s
3	Then she should receive a response code of 200	PASSED	0.000 s
4	Given she has access to the endpoint "/booking"	PASSED	0.000 s
5	When sends request to retrieve the booking IDs	PASSED	0.663 s
6	And updates the booking details using the data identified by "upd-booking-0046" from the JSON file named "update-object-file.json" .	PASSED	0.354 s
7	Then she should receive a response code of 200	PASSED	0.000 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.008 s


### To update a booking using JSON data





#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.359 s
3	Then she should receive a response code of 200	PASSED	0.000 s
4	Given she has access to the endpoint "/booking"	PASSED	0.001 s
5	When sends request to retrieve the booking IDs	PASSED	0.559 s
6	And updates the booking details using the data identified by "upd-booking-0047" from the JSON file named "update-object-file.json" .	PASSED	0.367 s
7	Then she should receive a response code of 200	PASSED	0.000 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.008 s



### To update a booking using JSON data



#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.394 s
3	Then she should receive a response code of 200	PASSED	0.000 s
4	Given she has access to the endpoint "/booking"	PASSED	0.001 s



#	Step / Hook Details	Status	Duration
5	When sends request to retrieve the booking IDs	PASSED	0.574 s
6	And updates the booking details using the data identified by "upd-booking-0048" from the JSON file named "update-object-file.json" .	PASSED	0.375 s
7	Then she should receive a response code of 200	PASSED	0.001 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.004 s

### To update a booking using JSON data

PASSED	DURATION - 1.304 s		<b>Steps</b> Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:40:31.212 AM // 7:40:32.516 AM /				
To update a booking in restful-booker				
@upd-booking-json				

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.001 s
2	When she creates a auth token	PASSED	0.360 s
3	Then she should receive a response code of 200	PASSED	0.000 s
4	Given she has access to the endpoint "/booking"	PASSED	0.000 s
5	When sends request to retrieve the booking IDs	PASSED	0.563 s
6	And updates the booking details using the data identified by "upd-booking-0049" from the JSON file named "update-object-file.json" .	PASSED	0.371 s
7	Then she should receive a response code of 200	PASSED	0.000 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.007 s

### To update a booking using JSON data

<b>PASSED</b>	DURATION - 1.405 s		<b>Steps</b> Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:40:32.527 AM // 7:40:33.932 AM /				
To update a booking in restful-booker				
@upd-booking-json				

#	Step / Hook Details	Status	Duration
1	Given she has access to the endpoint "/auth"	PASSED	0.000 s
2	When she creates a auth token	PASSED	0.384 s
3	Then she should receive a response code of 200	PASSED	0.001 s
4	Given she has access to the endpoint "/booking"	PASSED	0.001 s
5	When sends request to retrieve the booking IDs	PASSED	0.640 s
6	And updates the booking details using the data identified by "upd-booking-0050" from the JSON file named "update-object-file.json" .	PASSED	0.371 s
7	Then she should receive a response code of 200	PASSED	0.000 s
8	And she validates the response against the JSON schema "update-object-file.json"	PASSED	0.004 s