


GHCP AI Credits Simulator



A visual tour of assessment, planning, governance, and reporting. Authorized live assessment data, pseudonymized and redacted for presentation.

Maintainer: Preston K. Parsard

Contributor(s): AI

One conversation. Five workspaces.

THE APPLICATION AT A GLANCE

GHCP / PRODUCT SHOWCASE

One conversation. Five workspaces.

Explore the evidence, test the assumptions, and prepare a decision.

01

Assessment

Establish the enterprise context. Inspect consumption, source warnings, budgets, cost centers, organizations, teams, and users.

02

Simulator

Explore license pools, developer populations, and what-if snapshots before changing operating policy.

03

Governance Insights

Read projected exposure and the modeled credit-control sequence together.

04

Recommendations

Turn assessment findings and planning inputs into proposals for review.

05

Reports

Connect cost-center accountability, executive communication, and an evidence register.

Product walkthrough | Not a provider compliance attestation

Explore the evidence, test the assumptions, and prepare a decision.

Different signals. Different confidence.

READ THE SIGNAL CORRECTLY

GHCP / PRODUCT SHOWCASE

Different signals. Different confidence.

A useful governance discussion keeps these three categories distinct.

LIVE

Observed assessment

Returned provider data is the evidence base. Source warnings, access gaps, and empty states stay visible.

MODEL

Planning output

Pool projections, what-if snapshots, readiness indicators, and recommendations depend on inputs and calculation rules.

VERIFY

Provider outcome

An approved or enforced control needs current evidence from the provider and the responsible owner. A visualization is not proof.

Unknown does not mean zero | Suggested does not mean approved | Modeled does not mean enforced

A useful governance discussion keeps these three categories distinct.

Connect the enterprise context

GHCP AI Credits Simulator

1 Assessment

2 Simulator

3 Governance Insights

4 Recommendations

5 Reports

Saved to PostgreSQL

Assessment

Connect a GitHub Enterprise account to assess live AI credit consumption.

Recent assessments

Select a saved assessment

Assessment Configuration

ENTERPRISE SLUG

CONFIDENTIAL

Use the enterprise URL slug from github.com/enterprises/<slug>. It is used to discover the enterprise organization and member directory.

ORGANIZATIONS (COMMA SEPARATED)

CONFIDENTIAL

These organizations define the billing assessment scope. Governance inventory includes all organizations discovered from the enterprise.

GHCP_ENTERPRISE_BILLING_TOKEN

CONFIDENTIAL

Use a classic personal access token with read:enterprise to retrieve enterprise teams, billing, budgets, and cost centers. Fine-grained tokens are not supported for enterprise teams. The token is sent only when this assessment starts, is not saved by the app, and is cleared from this field after submission. Leave it blank to use the token configured on the server.

ASSESSMENT PERIOD

Custom

API Version: (auto-set)

Assess Now

TOTAL CREDITS CONSUMED

POOL UTILIZATION


CONCENTRATION RISK

ORGANIZATIONS ASSESSED

Start with a defined enterprise scope and a reusable assessment history.

Live assessment workflow. Inputs and account details are masked; no credentials were transferred to the capture browser.


Understand consumption and source coverage



Read availability warnings alongside consumption before making comparisons.

Observed assessment view. Confidential amounts and identities are covered. Missing-source warnings remain visible; empty charts are not populated with invented data.

Separate the included pool from metered budgets



Keep included entitlements distinct from metered budget controls.

Included pool and governance configuration. Values are confidential; the captured state is not evidence that provider controls are enforced.

Governance inventory / Budgets

CONFIDENTIAL

CONFIDENTIAL

CONFIDENTIAL

SKU	Licenses	Scope	Scope target	Coverage	Amount	Used	Percent	Stop at limit	Threshold alerts
	Not reported	Organization						☒ Yes	☒ Yes
	Not reported							☒ Yes	☒ Yes
		Organization						☐ No	☒ Yes
	Not reported	Enterprise						☒ Yes	☒ Yes
		Organization						☐ No	☒ Yes
	Not reported							☒ Yes	☐ No
	Not reported							☒ Yes	☐ No
	Not reported							☒ Yes	☐ No
	Not reported							☒ Yes	☐ No
	Not reported	Enterprise						☐ No	☒ Yes

Governance for GitHub Copilot AI
Credits under Usage-Based Billing.

Inspect budget scope and behavior before assigning control ownership.

Live inventory, first visible rows. Identifiers are pseudonymous; amounts and private values are redacted. Unknown and unavailable data remain unknown.

Governance inventory / Cost centers

CONFIDENTIAL

CONFIDENTIAL

CONFIDENTIAL

🔍 All statuses

↕

Active first

Active

✓ AI credit included usage cap Enabled

/

resource-type

resource-name

Active

• AI credit included usage cap Disabled

/

resource-type

resource-name

Active

• AI credit included usage cap Disabled

/

resource-type

resource-name

Active

• AI credit included usage cap Disabled

/

resource-type

resource-name

Active

• AI credit included usage cap Disabled

/

resource-type

resource-name

Connect financial accountability to the cost-center inventory.

Live inventory, first visible rows. Identifiers are pseudonymous; amounts and private values are redacted. Unknown and unavailable data remain unknown.

Governance inventory / Organizations

Budget / Finance

Visibility

Alert / Notification

Workflow / Decision

Included Pool

Shared monthly pool created automatically from eligible licenses.

CONFIDENTIAL

User-Level Budget (ULB)

Most specific user budget: individual, cost center, then universal.

Cost Center Overage Budget

Metered overage charged to an assigned cost center.

Organization Budget

Alternative route for metered overage without a cost center.

Enterprise Spending Budget

Universal safeguard for remaining metered overage.

CONFIDENTIAL

Governance Configuration

CONFIDENTIAL

CONFIDENTIAL

CONFIDENTIAL

Organization ID	Organization	Node ID	Slug	Members	Teams	Credits consumed	Share of total
☐				☐ Unavailable		☐	☐
☐				☐	☐	☐	☐
☐				☐	☐	☐	☐
☐				☐	☐	☐	☐
☐				☐	☐	☐	☐
☐				☐	☐	☐	☐
☐				☐	☐	☐	☐
☐				☐	☐	☐	☐
☐				☐	☐	☐	☐
☐				☐	☐	☐	☐

Governance for GitHub Copilot AI Credits under Usage-Based Billing.

See the organizational context behind enterprise-wide governance.

Live inventory, first visible rows. Identifiers are pseudonymous; amounts and private values are redacted. Unknown and unavailable data remain unknown.

Governance inventory / Teams

Governance Configuration									
CONFIDENTIALCONFIDENTIALCONFIDENTIAL									
Team ID	Scope	Scope target	Parent team ID	Slug	Name	Privacy	Permission	Members	Maintain
☐	Enterprise	All organizations	None			Enterprise-managed	Enterprise-managed	☐	Unavaila
☐	Enterprise	Selected organizations	None			Enterprise-managed	Enterprise-managed	☐	Unavaila
☐	Enterprise	Selected organizations	None			Enterprise-managed	Enterprise-managed	☐	Unavaila
☐	Enterprise	Selected organizations	None			Enterprise-managed	Enterprise-managed	☐	Unavaila
☐	Enterprise	Selected organizations	None			Enterprise-managed	Enterprise-managed	☐	Unavaila
☐	Enterprise	Selected organizations	None			Enterprise-managed	Enterprise-managed	☐	Unavaila
☐	Enterprise	Selected organizations	None			Enterprise-managed	Enterprise-managed	☐	Unavaila
☐	Enterprise	Selected organizations	None			Enterprise-managed	Enterprise-managed	☐	Unavaila
☐	Enterprise	Selected organizations	None			Enterprise-managed	Enterprise-managed	☐	Unavaila
☐	Enterprise	Selected organizations	None			Enterprise-managed	Enterprise-managed	☐	Unavaila
☐	Enterprise	All organizations	None			Enterprise-managed	Enterprise-managed	☐	Unavaila

Bring team structure into the governance conversation.

Live inventory, first visible rows. Identifiers are pseudonymous; amounts and private values are redacted. Unknown and unavailable data remain unknown.

Governance inventory / Users

Included credits remaining

Metered usage and budget routing

Enterprise budget safeguard and stop control

ICON LEGEND

Users

Cost Center

Policy / Shield

Governance

Budget / Finance

Visibility

Alert / Notification

Workflow / Decision

TERMS

Definition

Current assessment

AIC (AI Credits)

Token-based unit used for included and metered AI consumption.

CONFIDENTIAL

Included Pool

Shared monthly pool created automatically from eligible licenses.

CONFIDENTIAL

User-Level Budget (ULB)

Most specific user budget: individual, cost center, then universal.

Cost Center Overage Budget

Metered overage charged to an assigned cost center.

Organization Budget

Alternative route for metered overage without a cost center.

Enterprise Spending Budget

Universal safeguard for remaining metered overage.

CONFIDENTIAL

Governance Configuration

CONFIDENTIAL

CONFIDENTIAL

CONFIDENTIAL

User ID	Login	Display name	Email	Status	Organizations	Teams	Credits consumed	Share to
☐		Not provided by member inventory	Not provided by member inventory	active	CONFIDENTIAL	CONFIDENTIAL	Not attributed	attributed

Governance for GitHub Copilot AI Credits under Usage-Based Billing.

Inspect the user-level view without disclosing personal identifiers.

Live inventory, first visible rows. Identifiers are pseudonymous; amounts and private values are redacted. Unknown and unavailable data remain unknown.

GHCP AI CREDITS SIMULATOR

REDACTED PRESENTATION / 11

Make assumptions visible before decisions.

THE PLANNING CONVERSATION

GHCP / PRODUCT SHOWCASE

Make assumptions visible before decisions.

Three surfaces let stakeholders inspect the shape of a plan.

POOL

License & Pool Config

Review the license mix, included pool, and financial assumptions. Validate inputs before treating projections as a budget forecast.

PEOPLE

Developer Population

Explore the population categories and usage assumptions that drive demand. Planning allocations are not provider assignments.

OPTIONS

What-If Scenarios

Snapshot a configuration, compare alternatives, and discuss trade-offs. The showcased snapshot exists only in the isolated capture session.

No forecast accuracy, savings percentage, or approved scenario is asserted in this showcase

Three surfaces let stakeholders inspect the shape of a plan.

Model license pools and credit exposure

GHCP AI Credits Simulator

1

Q

Assessment

2

☰

Simulator

3

☰

Governance Insights

🔒

4

☰

Recommendations

🔒

5

📄

Reports

Saved to PostgreSQL

Simulator

Confirm license and population inputs to model the ☐ assessed credits.

License & Pool Config

Developer Population

What-If Scenarios

License & Pool Configuration

ENTERPRISE NAME

CONFIDENTIAL

CONFIDENTIAL

CONFIDENTIAL

CONFIDENTIAL

CONFIDENTIAL

CONFIDENTIAL

CONFIDENTIAL

CONFIDENTIAL

CONFIDENTIAL

BILLING CYCLE START DATE

CONFIDENTIAL

CURRENT DAY OF CYCLE

CONFIDENTIAL

CREDITS CONSUMED SO FAR

CONFIDENTIAL

Calculated Projections

Total Included Pool

CONFIDENTIAL

Daily Burn Rate

CONFIDENTIAL

Projected Exhaustion Day

N/A

Estimated Exhaustion Date

N/A

Projected Overage

Projected Overage Cost

Confirm Inputs and View Dashboard →

Governance for GitHub Copilot AI Credits under Usage-Based Billing.


Explain which planning assumptions determine the available credit pool.

Planning inputs restored from the live workflow. These may include assumptions requiring confirmation; projected outcomes are not observed provider enforcement.

GHCP AI CREDITS SIMULATOR

REDACTED PRESENTATION / 13

Allocate developer populations



Compare options without changing provider controls

The screenshot displays the 'GHCP AI Credits Simulator' interface. On the left is a dark sidebar with a navigation menu containing five items: 'Assessment', 'Simulator' (highlighted in red), 'Governance Insights', 'Recommendations', and 'Reports'. The main content area has a dark background. At the top left of this area, it says 'Saved to PostgreSQL'. Below this is the title 'Simulator' followed by the instruction 'Confirm license and population inputs to model the assessed credits.' There are three tabs: 'License & Pool Config', 'Developer Population', and 'What-If Scenarios' (which is active and underlined in red). The 'What-If Scenarios' section contains a header 'What-If Scenarios' on the left, a 'CONFIDENTIAL' label in a box in the center, and two buttons on the right: '+ Snapshot current config' (in red) and 'Export CSV' (with a download icon). Below these is a large dashed rectangular box containing the text 'No scenarios yet. Configure the simulator and click "Snapshot current config".' At the bottom right of the main area is a red button labeled 'Confirm Inputs and View Dashboard →'. At the bottom left of the sidebar, there is a footer note: 'Governance for GitHub Copilot AI Credits under Usage-Based Billing.'

Create space to compare alternatives before committing to a plan.

What-if workspace. No saved scenario set was imported for this capture; the empty state is retained rather than implying a completed comparison.

Snapshot the current planning configuration

GHCP AI Credits Simulator

1 Assessment

2 Simulator

3 Governance Insights

4 Recommendations

5 Reports

Saved to PostgreSQL

Simulator

Confirm license and population inputs to model the assessed credits.

License & Pool Config

Developer Population

What-If Scenarios

What-If Scenarios

CONFIDENTIAL

+ Snapshot current config

Export CSV

CONFIDENTIAL

Pool

Burn/day

Exhaustion

Overage Cost

N/A

Comparative Analysis

CONFIDENTIAL

CONFIDENTIAL

Exhaustion Day

Preserve an option for discussion without changing live provider controls.

Presentation-only interaction: the current configuration was snapshotted in the isolated browser. It is not an approved scenario or a production write.

GHCP AI CREDITS SIMULATOR

REDACTED PRESENTATION / 16

Useful signals, explicit boundaries.

GOVERNANCE WITHOUT OVERCLAIMING

GHCP / PRODUCT SHOWCASE

Useful signals, explicit boundaries.

The interface supports a decision; it does not replace the decision owner.

READ

Insights

Projected consumption and modeled exposure help focus the discussion. Check the assumptions behind any headline.

REVIEW

Recommendations

Treat the proposed controls as a review queue. Confirm scope, ownership, and provider behavior before implementation.

PROVE


Evidence

Attach current evidence and record the decision. STOP / CONTINUE in the visualizer is a simulated state, not a provider action.

The original governance-reference acceptance target has not been demonstrated by this document

The interface supports a decision; it does not replace the decision owner.


Bring the planning signals together



Bring several modeled signals into one review surface.

Derived planning view, opened in the isolated session. Readiness and STOP/CONTINUE indicators are simulator output, not verified provider decisions.

Explain the credit-control sequence



Use the readable flow to discuss modeled decision points.

The two-dimensional flow is the app's readable fallback. It explains modeled behavior; actual enforcement still requires current provider evidence.

Translate modeled exposure into actions

1 Assessment

2 Simulator

3 Governance Insights

4 Recommendations

5 Reports

Saved to PostgreSQL

Recommendations

CONFIDENTIAL

LOW

CONFIDENTIAL

Organization Policy: Standard (Copilot Business)

CONFIDENTIAL

Recommended value:

IMPLEMENTATION STEPS

CONFIDENTIAL

Apply the "Organization Policy: Standard (Copilot Business)" org policy including model and feature access rules.

Validate license mix (Business vs. Enterprise) matches the assigned profile.

Re-assess quarterly and re-map organizations as usage evolves.

Strong

Governance Readiness

Three-Tier Governance Hierarchy

TIER 1

Enterprise Spending Limit

Hard cap on metered overage across the entire enterprise.

TIER 2

Universal User-Level Budget (ULB)

CONFIDENTIAL

TIER 3

Cost Center ULB Overrides

Per-team/cost-center overrides for overage, abundant, and exponential users.

Turn exposure into reviewable, scoped action proposals.

Recommendations are generated from the captured assessment and planning inputs. They are proposals, not approvals, executed changes, or guaranteed savings.

Tell the right story to the right audience.

THREE REPORTING LENSES

GHCP / PRODUCT SHOWCASE

Tell the right story to the right audience.

One reporting area, three complementary perspectives.

FINANCE

Cost center reporting

Inspect usage attribution, included credit allocation, and incremental chargeback context. Distinguish suggested allocations from approved plans.

LEADERSHIP

Executive report

Bring assessment findings, planning assumptions, and recommendations into a concise review narrative.

GOVERNANCE

Active Register

Make record type, scope, owner, phase, status, and revision inspectable within the existing access boundary.

Current capture: reader access and an empty register | No invented records or approvals

One reporting area, three complementary perspectives.

Connect usage to accountability

GHCP AI Credits

Simulator

1

Assessment

2

Simulator

3

Governance Insights

4

Recommendations

5

Reports

Saved to PostgreSQL

AI Credits Reporting

Reconcile cost-center showback, included value, and incremental chargeback.

Cost center reporting

Executive report

Active Register

FINOPS / CURRENT-MONTH BILLING

Cost center overview

Enterprise A ·

CONFIDENTIAL

 · captured

CONFIDENTIAL

COST CENTER

Private item 84

Download CSV

ID

CONFIDENTIAL

Shared pool

Included pool utilization

N/A

CONFIDENTIAL

Monthly snapshot

ASSIGNED RESOURCES

AI CREDIT POOL

Shared pool

POOL TARGET

POOL CONSUMPTION

GROSS QUANTITY

GROSS AMOUNT

INCLUDED VALUE

NET AI CHARGEBACK

OTHER METERED SPEND

USAGE LINE ITEMS

TOTAL METERED SPEND


Connect consumption to accountability and showback.

Cost-center reporting from the captured live snapshot. Private names, subscription identifiers, quantities, and financial amounts are redacted.

GHCP AI CREDITS SIMULATOR

REDACTED PRESENTATION / 22

Inspect allocation and chargeback context



Governance for GitHub Copilot AI Credits under Usage-Based Billing.

Discuss allocation choices separately from observed consumption.

Reporting detail. Default allocations are planning suggestions, not evidence of an approved allocation plan.

Prepare the executive narrative

1 Assessment

2 Simulator

3 Governance Insights

4 Recommendations

5 Reports

Saved to PostgreSQL

AI Credits Reporting

Reconcile cost-center showback, included value, and incremental chargeback.

Cost center reporting

Executive report

Active Register

Download Executive Report (PDF)

Enterprise A: AI Credits Governance Report

Generated

CONFIDENTIAL

CONFIDENTIAL

CONFIDENTIAL

CONFIDENTIAL

CONFIDENTIAL

CONFIDENTIAL

CONFIDENTIAL

CONFIDENTIAL

CONFIDENTIAL

Enterprise A manages licensed GitHub Copilot seats. Current governance readiness is scored at recommended actions across the three governance tiers to reduce unmanaged overage risk and align spend with organizational priorities.

CONFIDENTIAL

SKU	Licenses	Credits/User
Copilot Business		
Copilot Enterprise		
Copilot Cloud Agent		
Copilot Spark		

CONFIDENTIAL

Total credits consumed: . Concentration risk score:

Prepare a shared narrative for an executive review.

Executive preview based on the captured assessment and planning state. PDF generation and saved-report retrieval are not triggered during this showcase.

Keep evidence and decisions visible

GHCP AI Credits Simulator

1

Assessment

2

Simulator

3

Governance Insights

4

Recommendations

5

Reports

Saved to PostgreSQL

AI Credits Reporting

Reconcile cost-center showback, included value, and incremental chargeback.

Cost center reporting

Executive report

Active Register

Active Register

Private scope · reader

JSON

+ New record

Record type

All record types

Search

CONFIDENTIAL

Type	Scope	Owner	Phase	Status	Revision
No matching records.					

Governance for GitHub Copilot AI Credits under Usage-Based Billing.

Keep the access boundary visible even when the evidence register is empty.

Active Register with the live account's existing access. Empty or unavailable states are retained; no records, approvals, or evidence have been fabricated.

GHCP AI CREDITS SIMULATOR

REDACTED PRESENTATION / 25

Durable state belongs in PostgreSQL.

CONTINUITY BEHIND THE EXPERIENCE

GHCP / PRODUCT SHOWCASE

Durable state belongs in PostgreSQL.

Six table families support the application beyond a browser session.

01

Register records

Governance records within the authorized tenant.

02

Register revisions

Version history for register changes.

03

Application sessions

Encrypted server-side session payloads.

04

Assessment jobs

Persisted assessment status, inputs, and results.

05

Workflows

Account-scoped configuration, progress, and allocation plans.

06

Generated reports

Saved PDF bytes and their source input snapshots.

Architecture summary, not a fresh recovery test | The screenshot replay made no production writes

Six table families support the application beyond a browser session.

Capture scope and responsible use

Coverage: all five primary pages, all five Assessment governance tabs, all three Simulator tabs, and all three Reports tabs. Nineteen screenshots include the two-dimensional flow and a presentation-only scenario snapshot. This is a selected-viewport tour, not a screenshot of every row, scroll position, filter, modal, or role-specific editor.

Source: an authorized, authenticated live assessment and current planning inputs were pseudonymized before transfer into a separate browser running the unchanged application. API responses were replayed locally. Workflow changes stayed in that browser; all other API operations and external network requests were blocked.

Redaction: account, organization, team, user, and other private strings were replaced or masked. Numeric text, amounts, input fields, and canvases were covered before PNG files were saved. Chart geometry, categorical states, and visible row presence may still convey qualitative information. This is not a guarantee of complete anonymization; review audience suitability before distribution.

Interpretation: simulator and recommendation views are derived planning output. No provider approvals, executed control changes, savings outcomes, or certifications are asserted. The daily trend shown by the UI must not be treated as independently verified historical evidence in this showcase.

Boundaries: the 3D canvas is not showcased because its numeric labels are not covered by DOM text redaction; the readable 2D mode is included. The live register was empty with reader access, so populated record editors and revision histories are not represented. Saved-report history was not replayed, and no PDF generation or restore action was executed.

Validation: the capture completed without browser application errors. Images are embedded in the Word package, with no live JSON, credentials, or external image links included. The companion HTML provides a visual review of the same content; Word pagination may differ by installed fonts and version. This document is not completion evidence for the earlier governance-reference acceptance audit.