

ISO/IEC JTC 1/WG 7 Working Group on Sensor Networks

Document Number:	N115
Date:	2010-11-15
Replace:	
Document Type:	National Body Contribution
Document Title:	NB of Luxembourg's comments on WGSN N090, 1 st Working Draft of ISO/IEC WD 29182-6, Information technology — Sensor Networks: Sensor Network Reference Architecture (SNRA) — Part 6: Application Profiles
Document Source:	NB of Luxembourg
Document Status:	For your information.
Action ID:	FYI
Due Date:	
No. of Pages:	5

ISO/IEC JTC 1/WG 7 Convenor:

Dr. Yongjin Kim, Modacom Co., Ltd (Email: cap@modacom.co.kr)

ISO/IEC JTC 1/WG 7 Secretariat:

Ms. Jooran Lee, Korean Standards Association (Email: jooran@kisi.or.kr)

1 ¹	2	3	4	5	6	7
MB 2	Clause No./ Subclause No./ Annex ³	Paragraph/ Figure/ Table/ Note ⁴	Type of comment	Comment by the MB ⁶	Proposed change by the MB	Secretariat observations
LU	Clause 3		te	The definition	Propose the following definition:	
1	"Terms and Definitions"			of "application" in subclause 3.1 may be extended to consider also adaptive applications	"3.10 adaptive application an application designed as a ubiquitous "service platform" exploiting environmental conditions and aiming at the effective and transparent support to the activity of their end-users through the use of ICT ⁸ , like for example Ambient Intelligence systems and Self-Serve applications. Given the diversity of end-users and the dynamic nature of human activities, adaptive applications come with built-in capabilities to change their behaviour at runtime to adapt to changing end-user activities and requirements.	

¹ Columns 1, 2, 4, 5 are compulsory

² MB = Member body (enter the ISO 3166 two-letter country code, e.g. CN for China; comments from the ISO/CS editing unit are identified by **

³ e.g. 3.1

⁴ e.g. Table 1

⁵ ge = general te = technical ed = editorial

⁶ justification for change

⁷ on each comment submitted

⁸ G. Riva. "The Psychology of Ambient Intelligence: Activity, Situation and Presence, in Ambient Intelligence," G. Riva, F. Vatalaro, F. Davide, M. Alcañiz (eds.), IOS Press, 2005. URL: http://www.vepsy.com/communication/book5/02 AMI Riva.pdf

R. Razavi, K. Mechitov, G. Agha, J.-F. Perrot. "Ambiance: A Mobile Agent Platform for End-User Programmable Ambient Systems," J.C. Augusto and D. Shapiro (eds.), Advances in Ambient Intelligence, Frontiers in Artificial Intelligence and Applications (FAIA), vol. 164, pp. 81-106, IOS Press, November 2007. URL: http://osl.cs.uiuc.edu/docs/ios07/Razavi%20et%20al.pdf

	1	1	1	7	
				Both "low-level" sensor network components and "higher-level" business components of the application may be concerned by dynamic adaptation. In other terms, may be subject to dynamic adaptation the rules that govern not only the measurement, processing and presentation of environmental conditions, but also the generation and processing of business events deducted from the measured data. So, the incorporated sensor network in adaptive applications serves as a platform for runtime definition and on-the-fly execution of user-specific sensory services (by dynamic macroprogramming and tasking of the sensor network).	
LU 2	Clause 3 "Terms and Definitions"	te	The definition of "end-user" in subclause 3.7 may be extended to consider also end.user programmers	"3.11 end-user programmer an end-user trained to change at runtime the rules that govern the behavior of an adaptive application, for example by end-user macroprogramming the incorporated sensor network in order to adapt the rules that apply to field data capturing (what data to capture, when, via which sensors, how frequently, etc.).	
LU 3	Clause 3 "Terms and Definitions"	te	Definitions may be extended with terms specific to adaptive applications	"3.12 "operational-level" component application components that execute the rules that govern its behavior, specifically field data capturing, processing and communication.	
LU 4	Clause 3 "Terms and Definitions"	te	Definitions may be extended with terms specific to adaptive applications	"3.13 "knowledge-level" component adaptive application components that allow defining at runtime the rules executed by different operational-level components. Knowledge-level components are optional. In standard (non	

Comments and secretariat observations Luxembourg NB comments on WGSN N090

	1				,
					adaptive) applications, rules are "hard-coded" by programmers
					during the implementation, and may not be adapted at runtime.
LU	Clause 5	First	te	Ambiguous	Propose replacing the term "end-user" by "end-user programmer"
5	"General	paragraph		use of the	is the following sentence:
	sensor			term "end-	
	network			user", both	"The sensor output might be fused with measurements of other
	system",			as rule	sensors and then sent to a database or a processor which
	subclause			definer and	evaluates the information using rules which have to be defined by
	5.1			rule	an end-user programmer ."
	"Conceptua			evaluation	
	I diagram of			result	
	general			recipient.	
	sensor			•	
	network				
	system"				
LU	Clause 5	Second	te	The	Propose adding the following precision just after the sentence
6	"General	paragraph		conceptual	"The last two are not shown in the picture.":
	sensor			and	
	network			functional	"The Rule Generation Subsystem is conceptually situated at the
	system",			differences of	"knowledge-level" of the system architecture (See Subsection
	subclause			the "rule	5.2.4)."
	5.1			generation"	
	"Conceptua			component	
	I diagram of			with other	
	general			application	
	sensor			components	
	network			may be	
	system"			emphasized.	
LU	Clause 5	Figure 1	te	The	Propose modifying Figure 1 to visually distinguish:
7	"General			conceptual	Operational-level vs. knowledge-level components, and
	sensor			and	Operational-level vs. knowledge-level databases
	network			functional	(distinguish data and meta-data repositories).
	system",			differences of	
	subclause			the "rule	
	5.1			generation"	
	"Conceptua			component	
	I diagram of			with other	
	general			application	
	sensor			components	
	network			may be	

	system"			emphasized.		
LU 8	Clause 5 "General sensor network system", subclause 5.2 "Conceptua I component s of a general sensor network system"	Paragraph 5.2.4 "Rule Generation Subsystem"	te	Paragraph 5.2.4 is not yet defined.	Propose the following: "The Rule Generation Subsystem serves the dynamic adaptation of the application behavior, for example to define at runtime the sensor information processing rules. This subsystem may enable manual and/or automated dynamic adaptation. Manual adaptation is performed by end-user programmers, typically when the back-end network is related to a dynamic sensor network end-user macro-programming environment. Automated adaptation is performed by meta-programs, typically when the patterns that govern the application changes are well-known at development time. The Rule Generation Subsystem is optional. In standard (non adaptive) applications, the behavior rules are "hard-coded" by programmers at development time. It is further situated conceptually at the "knowledge-level" of the application architecture."	
LU 9	Clause 6 "Relationshi p between the sensor network system and the application"		te	Clause 6 is not yet defined.	Propose the following subclause concerning the relationship between knowledge-level application components and the incorporated sensor network: "6.1 Relationship between knowledge-level application components and the sensor network In adaptive applications, knowledge-level application components may serve as a platform for runtime definition and (on-the-fly) execution of end-user-specific services by dynamic (macro)programming of the incorporated sensor network. All or only part of the nodes (sensor and gateway nodes) in the sensor network may be concerned by runtime code modifications. "	