

Name: Jennifer Pei Ru Hao | DOB: 2/15/1994 | Legal Name: Jennifer Pei Ru Hao

ANA IFA SCREEN W/RFLX TO TITER/PATTERN

Collected on Nov 14, 2025 5:03 PM

If you have questions or concerns regarding your test results, contact the clinician who ordered the test. 

Results

Patient not fasting

ANA Screen,IFA

Normal value: Negative

Value
Negative

Note
ANA IFA is a first line screen for detecting the presence of up to approximately 150 autoantibodies in various autoimmune diseases. A negative ANA IFA result suggests an ANA-associated autoimmune disease is not present at this time, but is not definitive. If there is high clinical suspicion for Sjogren's syndrome, testing for anti-SS-A/Ro antibody should be considered. Anti-Jo-1 antibody should be considered for clinically suspected inflammatory myopathies.

AC-0: Negative
International Consensus on ANA Patterns
<https://doi.org/10.1515/cclm-2018-0052>

For additional information, please refer to
<http://education.QuestDiagnostics.com/faq/FAQ177>
(This link is being provided for informational/educational purposes only.)

ANA Pattern

Value
SEE NOTE

Note
Test not performed. Reflex testing not required since established criteria was not met.

ANA Titer

Value
SEE NOTE

Note
Test not performed. Reflex testing not required since established criteria was not met.

Reference Ranges for Anti-Nuclear Ab Titer:

<1:40 Negative
1:40-1:80 Low Antibody Level
>1:80 Elevated Antibody Level

Authorizing provider: Raymond Hong, MD
Collection date: Nov 14, 2025 5:03 PM
Specimens: Serum (Blood)
Result date: Nov 19, 2025 9:59 AM
Result status: Final
Resulting lab:
QUEST DIAGNOSTICS-SAN JUAN CAPISTRANO
33608 Ortega Highway
San Juan Capistrano CA 92675
800-642-4657
Irina B. Knezevic-Maramica, MD (Lab director)

MyChart® licensed from Epic Systems Corporation© 1999 - 2026