```
"index": {
  "1": {
    "advertisement_ver": 2,
    "capabilities": "Router Switch CVTA phone port",
    "device_id": "dist-sw02(9LQR5W39XQ2)",
    "duplex_mode": "full",
    "entry_addresses": {
      "10.10.20.178": {}
    "hold_time": 153,
    "local_interface": "GigabitEthernet1",
    "management_addresses": {
      "10.10.20.178": {}
    },
    "native_vlan": "",
    "platform": "N9K-9000v",
    "port_id": "mgmt0",
    "software_version": "Cisco Nexus Operating System (NX-OS) Software, Version 9.2(4)",
    "vtp_management_domain": ""
  },
  "2": {
    "advertisement_ver": 2,
    "capabilities": "Router Switch CVTA phone port",
    "device_id": "dist-sw02(9LQR5W39XQ2)",
```

{

```
"duplex_mode": "full",
  "entry_addresses": {
    "172.16.252.9": {}
  },
  "hold_time": 148,
  "local_interface": "GigabitEthernet5",
  "management_addresses": {
    "10.10.20.178": {}
  "native_vlan": "",
  "platform": "N9K-9000v",
  "port_id": "Ethernet1/3",
  "software_version": "Cisco Nexus Operating System (NX-OS) Software, Version 9.2(4)",
  "vtp_management_domain": ""
},
"3": {
  "advertisement_ver": 2,
  "capabilities": "Router Switch CVTA phone port",
  "device_id": "dist-sw01(9SURZFD8MR6)",
  "duplex_mode": "full",
  "entry_addresses": {
    "10.10.20.177": {}
  },
  "hold_time": 146,
  "local_interface": "GigabitEthernet1",
  "management_addresses": {
```

```
"10.10.20.177": {}
  },
  "native_vlan": "",
  "platform": "N9K-9000v",
  "port_id": "mgmt0",
  "software_version": "Cisco Nexus Operating System (NX-OS) Software, Version 9.2(4)",
  "vtp_management_domain": ""
},
"4": {
  "advertisement_ver": 2,
  "capabilities": "Router Switch CVTA phone port",
  "device_id": "dist-sw01(9SURZFD8MR6)",
  "duplex_mode": "full",
  "entry_addresses": {
    "172.16.252.1": {}
  },
  "hold_time": 142,
  "local_interface": "GigabitEthernet4",
  "management_addresses": {
    "10.10.20.177": {}
  },
  "native_vlan": "",
  "platform": "N9K-9000v",
  "port_id": "Ethernet1/3",
  "software_version": "Cisco Nexus Operating System (NX-OS) Software, Version 9.2(4)",
  "vtp_management_domain": ""
```

```
},
    "5": {
       "advertisement_ver": 2,
       "capabilities": "Router IGMP",
       "device_id": "dist-rtr02.virl.info",
      "duplex_mode": "full",
       "entry_addresses": {
        "172.16.252.18": {}
       "hold_time": 171,
       "local_interface": "GigabitEthernet6",
       "management_addresses": {
        "172.16.252.18": {}
      },
      "native_vlan": "",
      "platform": "cisco CSR1000V",
      "port_id": "GigabitEthernet6",
               "software_version": "Cisco IOS Software [Amsterdam], Virtual XE Software (X86_64_LINUX_IOSD-UNIVERSALK9-M), Version 17.3.2, RELEASE SOFTWARE (fc3)\nTechnical Support:
http://www.cisco.com/techsupport \ (c)\ 1986-2020\ by\ Cisco\ Systems,\ Inc. \ (c)\ 13:16\ by\ mcpre",
      "vtp_management_domain": ""
    },
    "6": {
      "advertisement_ver": 2,
       "capabilities": "Router IGMP",
      "device_id": "dist-rtr02.virl.info",
       "duplex_mode": "full",
```

```
"entry_addresses": {
        "10.10.20.176": {}
      },
      "hold_time": 125,
       "local_interface": "GigabitEthernet1",
       "management_addresses": {
        "10.10.20.176": {}
      "native_vlan": "",
      "platform": "cisco CSR1000V",
      "port_id": "GigabitEthernet1",
              "software_version": "Cisco IOS Software [Amsterdam], Virtual XE Software (X86_64_LINUX_IOSD-UNIVERSALK9-M), Version 17.3.2, RELEASE SOFTWARE (fc3)\nTechnical Support:
http://www.cisco.com/techsupport\nCopyright (c) 1986-2020 by Cisco Systems, Inc.\nCompiled Sat 31-Oct-20 13:16 by mcpre",
      "vtp_management_domain": ""
    }
 },
  "total_entries_displayed": 6
```