```
{

    "Vlan101": {

        "address_family": {

            "ipv4": {

                "version": {

                    "1": {

                        "groups": {

                            "10": {

                                "active_router": "local",

                                "authentication": "cisco",

                                "group_number": 10,

                                "hsrp_router_state": "active",

                                "primary_ipv4_address": {

                                    "address": "172.16.101.1",

                                    "virtual_ip_learn": false

                                },

                                "priority": 100,

                                "session_name": "hsrp-Vlan101-10",

                                "standby_ip_address": "172.16.101.3",

                                "standby_router": "172.16.101.3",

                                "timers": {

                                    "hello_msec_flag": false,

                                    "hello_sec": 3,

                                    "hold_msec_flag": false,

                                    "hold_sec": 10
```

```json
                },

                "virtual_mac_address": "0000.0c07.ac0a"

            }

          }

        }

      }

    },

    "interface": "Vlan101",

    "use_bia": false

  },

  "Vlan102": {

    "address_family": {

      "ipv4": {

        "version": {

          "1": {

            "groups": {

              "10": {

                "active_ip_address": "172.16.102.3",

                "active_router": "172.16.102.3",

                "authentication": "cisco",

                "group_number": 10,

                "hsrp_router_state": "standby",

                "primary_ipv4_address": {

                  "address": "172.16.102.1",

                  "virtual_ip_learn": false
```

                },

                "priority": 100,

                "session_name": "hsrp-Vlan102-10",

                "standby_router": "local",

                "timers": {

                    "hello_msec_flag": false,

                    "hello_sec": 3,

                    "hold_msec_flag": false,

                    "hold_sec": 10

                },

                "virtual_mac_address": "0000.0c07.ac0a"

              }

            }

          }

        }

      },

      "interface": "Vlan102",

      "use_bia": false

    },

    "Vlan103": {

      "address_family": {

        "ipv4": {

          "version": {

            "1": {

              "groups": {

```json
        "10": {

            "active_ip_address": "172.16.103.3",

            "active_router": "172.16.103.3",

            "authentication": "cisco",

            "group_number": 10,

            "hsrp_router_state": "standby",

            "primary_ipv4_address": {

                "address": "172.16.103.1",

                "virtual_ip_learn": false

            },

            "priority": 100,

            "session_name": "hsrp-Vlan103-10",

            "standby_router": "local",

            "timers": {

                "hello_msec_flag": false,

                "hello_sec": 3,

                "hold_msec_flag": false,

                "hold_sec": 10

            },

            "virtual_mac_address": "0000.0c07.ac0a"

        }

      }

    }

  }

},
```

```json
        "interface": "Vlan103",

      "use_bia": false

},

"Vlan104": {

    "address_family": {

      "ipv4": {

        "version": {

          "1": {

            "groups": {

              "10": {

                "active_ip_address": "172.16.104.3",

                "active_router": "172.16.104.3",

                "authentication": "cisco",

                "group_number": 10,

                "hsrp_router_state": "standby",

                "primary_ipv4_address": {

                  "address": "172.16.104.1",

                  "virtual_ip_learn": false

                },

                "priority": 100,

                "session_name": "hsrp-Vlan104-10",

                "standby_router": "local",

                "timers": {

                  "hello_msec_flag": false,

                  "hello_sec": 3,

                  "hold_msec_flag": false,
```

```json
                    "hold_sec": 10

                },

                "virtual_mac_address": "0000.0c07.ac0a"

            }

        }

    }

    }

},

"interface": "Vlan104",

"use_bia": false

},

"Vlan105": {

    "address_family": {

        "ipv4": {

            "version": {

                "1": {

                    "groups": {

                        "10": {

                            "active_ip_address": "172.16.105.3",

                            "active_router": "172.16.105.3",

                            "authentication": "cisco",

                            "group_number": 10,

                            "hsrp_router_state": "standby",

                            "primary_ipv4_address": {

                                "address": "172.16.105.1",
```

```
                    "virtual_ip_learn": false

                },

                "priority": 100,

                "session_name": "hsrp-Vlan105-10",

                "standby_router": "local",

                "timers": {

                    "hello_msec_flag": false,

                    "hello_sec": 3,

                    "hold_msec_flag": false,

                    "hold_sec": 10

                },

                "virtual_mac_address": "0000.0c07.ac0a"

            }

          }

        }

      }

    },

    "interface": "Vlan105",

    "use_bia": false

  }

}
```