

```
{

  "Ethernet1/1": {

    "access_vlan": 1,

    "bandwidth": 1000000,

    "counters": {

      "in_broadcast_pkts": 0,

      "in_crc_errors": 0,

      "in_errors": 0,

      "in_mac_pause_frames": 0,

      "in_multicast_pkts": 0,

      "in_octets": 0,

      "in_pkts": 0,

      "in_unicast_pkts": 0,

      "in_unknown_protos": 0,

      "last_clear": "never",

      "out_broadcast_pkts": 0,

      "out_discard": 0,

      "out_errors": 0,

      "out_mac_pause_frames": 0,

      "out_multicast_pkts": 0,

      "out_octets": 0,

      "out_pkts": 0,

      "out_unicast_pkts": 0,

      "rate": {

        "in_rate": 0,
```

```
"in_rate_pkts": 0,

"load_interval": 300,

"out_rate": 0,

"out_rate_pkts": 0

}

},

"delay": 10,

"description": "VPC Peer Link",

"duplex_mode": "full",

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false

},

"last_change": "02:34:32",

"mac_address": "5254.000d.e744",

"medium": "broadcast",

"mtu": 9216,

"native_vlan": 1,

"oper_status": "up",

"phys_address": "5254.000d.e744",

"port_channel": {

    "port_channel_int": "Port-channel1",
```

"port_channel_member": true

},

"port_speed": "1000",

"switchport_enable": true,

"switchport_mode": "trunk",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/10": {

"access_vlan": 1,

"bandwidth": 10000000,

"counters": {

"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

```
"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"description": "to",

"enabled": false,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false

},

"last_change": "02:34:49",

"mac_address": "5254.000d.e74d",

"medium": "broadcast",

"mtu": 1500,
```

```
"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e74d",

"port_channel": {

    "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/100": {

    "access_vlan": 1,

    "bandwidth": 10000000,

    "counters": {

        "in_broadcast_pkts": 0,

        "in_crc_errors": 0,

        "in_errors": 0,

        "in_mac_pause_frames": 0,

        "in_multicast_pkts": 0,

        "in_octets": 0,

        "in_pkts": 0,

        "in_unicast_pkts": 0,

        "in_unknown_protos": 0,

        "last_clear": "never",

        "out_broadcast_pkts": 0,
```

```
"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e7a7",
```

```
"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e7a7",

"port_channel": {

    "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/101": {

    "access_vlan": 1,

    "bandwidth": 10000000,

    "counters": {

        "in_broadcast_pkts": 0,

        "in_crc_errors": 0,

        "in_errors": 0,

        "in_mac_pause_frames": 0,

        "in_multicast_pkts": 0,

        "in_octets": 0,

        "in_pkts": 0,

        "in_unicast_pkts": 0,

        "in_unknown_protos": 0,
```

```
"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false

},
```



```
"last_change": "never",

"mac_address": "5254.000d.e7a8",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e7a8",

"port_channel": {

    "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/102": {

    "access_vlan": 1,

    "bandwidth": 10000000,

    "counters": {

        "in_broadcast_pkts": 0,

        "in_crc_errors": 0,

        "in_errors": 0,

        "in_mac_pause_frames": 0,

        "in_multicast_pkts": 0,

        "in_octets": 0,

        "in_pkts": 0,
```

```
"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,
```

```
    "send": false

  },

  "last_change": "never",

  "mac_address": "5254.000d.e7a9",

  "medium": "broadcast",

  "mtu": 1500,

  "native_vlan": 1,

  "oper_status": "down",

  "phys_address": "5254.000d.e7a9",

  "port_channel": {

    "port_channel_member": false

  },

  "switchport_enable": true,

  "switchport_mode": "access",

  "trunk_vlans": "1-4094",

  "type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/103": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,

    "in_errors": 0,

    "in_mac_pause_frames": 0,

    "in_multicast_pkts": 0,
```

```
"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},
```

```
"flow_control": {

    "receive": false,

    "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e7aa",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e7aa",

"port_channel": {

    "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/104": {

    "access_vlan": 1,

    "bandwidth": 10000000,

    "counters": {

        "in_broadcast_pkts": 0,

        "in_crc_errors": 0,

        "in_errors": 0,
```

```
"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {
```

```
    "encapsulation": "arpa"

  },

  "flow_control": {

    "receive": false,

    "send": false

  },

  "last_change": "never",

  "mac_address": "5254.000d.e7ab",

  "medium": "broadcast",

  "mtu": 1500,

  "native_vlan": 1,

  "oper_status": "down",

  "phys_address": "5254.000d.e7ab",

  "port_channel": {

    "port_channel_member": false

  },

  "switchport_enable": true,

  "switchport_mode": "access",

  "trunk_vlans": "1-4094",

  "type": "100/1000/10000 Ethernet"

},

"Ethernet1/105": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,
```

```
"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,
```



```
"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e7ac",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e7ac",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/106": {

  "access_vlan": 1,

  "bandwidth": 10000000,
```

```
"counters": {  
  
  "in_broadcast_pkts": 0,  
  
  "in_crc_errors": 0,  
  
  "in_errors": 0,  
  
  "in_mac_pause_frames": 0,  
  
  "in_multicast_pkts": 0,  
  
  "in_octets": 0,  
  
  "in_pkts": 0,  
  
  "in_unicast_pkts": 0,  
  
  "in_unknown_protos": 0,  
  
  "last_clear": "never",  
  
  "out_broadcast_pkts": 0,  
  
  "out_discard": 0,  
  
  "out_errors": 0,  
  
  "out_mac_pause_frames": 0,  
  
  "out_multicast_pkts": 0,  
  
  "out_octets": 0,  
  
  "out_pkts": 0,  
  
  "out_unicast_pkts": 0,  
  
  "rate": {  
  
    "in_rate": 0,  
  
    "in_rate_pkts": 0,  
  
    "load_interval": 300,  
  
    "out_rate": 0,  
  
    "out_rate_pkts": 0  
  
  }  
}
```

```
  },

  "delay": 10,

  "enabled": true,

  "encapsulation": {

    "encapsulation": "arpa"

  },

  "flow_control": {

    "receive": false,

    "send": false

  },

  "last_change": "never",

  "mac_address": "5254.000d.e7ad",

  "medium": "broadcast",

  "mtu": 1500,

  "native_vlan": 1,

  "oper_status": "down",

  "phys_address": "5254.000d.e7ad",

  "port_channel": {

    "port_channel_member": false

  },

  "switchport_enable": true,

  "switchport_mode": "access",

  "trunk_vlans": "1-4094",

  "type": "100/1000/10000 Ethernet"

},

"Ethernet1/107": {
```

```
"access_vlan": 1,

"bandwidth": 10000000,

"counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,

    "in_errors": 0,

    "in_mac_pause_frames": 0,

    "in_multicast_pkts": 0,

    "in_octets": 0,

    "in_pkts": 0,

    "in_unicast_pkts": 0,

    "in_unknown_protos": 0,

    "last_clear": "never",

    "out_broadcast_pkts": 0,

    "out_discard": 0,

    "out_errors": 0,

    "out_mac_pause_frames": 0,

    "out_multicast_pkts": 0,

    "out_octets": 0,

    "out_pkts": 0,

    "out_unicast_pkts": 0,

    "rate": {

        "in_rate": 0,

        "in_rate_pkts": 0,

        "load_interval": 300,

        "out_rate": 0,
```

```
    "out_rate_pkts": 0

  }

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e7ae",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e7ae",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"
```

},

"Ethernet1/108": {

 "access_vlan": 1,

 "bandwidth": 10000000,

 "counters": {

 "in_broadcast_pkts": 0,

 "in_crc_errors": 0,

 "in_errors": 0,

 "in_mac_pause_frames": 0,

 "in_multicast_pkts": 0,

 "in_octets": 0,

 "in_pkts": 0,

 "in_unicast_pkts": 0,

 "in_unknown_protos": 0,

 "last_clear": "never",

 "out_broadcast_pkts": 0,

 "out_discard": 0,

 "out_errors": 0,

 "out_mac_pause_frames": 0,

 "out_multicast_pkts": 0,

 "out_octets": 0,

 "out_pkts": 0,

 "out_unicast_pkts": 0,

 "rate": {

 "in_rate": 0,

 "in_rate_pkts": 0,

```
"load_interval": 300,

"out_rate": 0,

"out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e7af",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e7af",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",
```

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/109": {

"access_vlan": 1,

"bandwidth": 10000000,

"counters": {

"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {


```
"in_rate": 0,

"in_rate_pkts": 0,

"load_interval": 300,

"out_rate": 0,

"out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e7b0",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e7b0",

"port_channel": {

    "port_channel_member": false

},
```

```
"switchport_enable": true,  
  
"switchport_mode": "access",  
  
"trunk_vlans": "1-4094",  
  
"type": "100/1000/10000 Ethernet"
```

```
},
```

```
"Ethernet1/11": {  
  
  "access_vlan": 101,  
  
  "bandwidth": 1000000,  
  
  "counters": {  
  
    "in_broadcast_pkts": 0,  
  
    "in_crc_errors": 0,  
  
    "in_errors": 0,  
  
    "in_mac_pause_frames": 0,  
  
    "in_multicast_pkts": 0,  
  
    "in_octets": 0,  
  
    "in_pkts": 0,  
  
    "in_unicast_pkts": 0,  
  
    "in_unknown_protos": 0,  
  
    "last_clear": "never",  
  
    "out_broadcast_pkts": 0,  
  
    "out_discard": 0,  
  
    "out_errors": 0,  
  
    "out_mac_pause_frames": 0,  
  
    "out_multicast_pkts": 0,  
  
    "out_octets": 0,  
  
    "out_pkts": 0,
```

```
"out_unicast_pkts": 0,

"rate": {

  "in_rate": 0,

  "in_rate_pkts": 0,

  "load_interval": 300,

  "out_rate": 0,

  "out_rate_pkts": 0

}

},

"delay": 10,

"description": "Link to inside-host01",

"duplex_mode": "full",

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "02:34:49",

"mac_address": "5254.000d.e74e",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "up",
```

"phys_address": "5254.000d.e74e",

"port_channel": {

"port_channel_member": false

},

"port_speed": "1000",

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/110": {

"access_vlan": 1,

"bandwidth": 10000000,

"counters": {

"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

```
"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e7b1",

"medium": "broadcast",
```

```
"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e7b1",

"port_channel": {

    "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/111": {

    "access_vlan": 1,

    "bandwidth": 10000000,

    "counters": {

        "in_broadcast_pkts": 0,

        "in_crc_errors": 0,

        "in_errors": 0,

        "in_mac_pause_frames": 0,

        "in_multicast_pkts": 0,

        "in_octets": 0,

        "in_pkts": 0,

        "in_unicast_pkts": 0,

        "in_unknown_protos": 0,

        "last_clear": "never",
```

```
"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

  "in_rate": 0,

  "in_rate_pkts": 0,

  "load_interval": 300,

  "out_rate": 0,

  "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",
```

```
"mac_address": "5254.000d.e7b2",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e7b2",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/112": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,

    "in_errors": 0,

    "in_mac_pause_frames": 0,

    "in_multicast_pkts": 0,

    "in_octets": 0,

    "in_pkts": 0,

    "in_unicast_pkts": 0,
```



```
"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false
```

```
},

"last_change": "never",

"mac_address": "5254.000d.e7b3",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e7b3",

"port_channel": {

    "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/113": {

    "access_vlan": 1,

    "bandwidth": 10000000,

    "counters": {

        "in_broadcast_pkts": 0,

        "in_crc_errors": 0,

        "in_errors": 0,

        "in_mac_pause_frames": 0,

        "in_multicast_pkts": 0,

        "in_octets": 0,
```

```
"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {
```

```
    "receive": false,

    "send": false

  },

  "last_change": "never",

  "mac_address": "5254.000d.e7b4",

  "medium": "broadcast",

  "mtu": 1500,

  "native_vlan": 1,

  "oper_status": "down",

  "phys_address": "5254.000d.e7b4",

  "port_channel": {

    "port_channel_member": false

  },

  "switchport_enable": true,

  "switchport_mode": "access",

  "trunk_vlans": "1-4094",

  "type": "100/1000/10000 Ethernet"

},

"Ethernet1/114": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,

    "in_errors": 0,

    "in_mac_pause_frames": 0,
```

```
"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"
```

```
  },

  "flow_control": {

    "receive": false,

    "send": false

  },

  "last_change": "never",

  "mac_address": "5254.000d.e7b5",

  "medium": "broadcast",

  "mtu": 1500,

  "native_vlan": 1,

  "oper_status": "down",

  "phys_address": "5254.000d.e7b5",

  "port_channel": {

    "port_channel_member": false

  },

  "switchport_enable": true,

  "switchport_mode": "access",

  "trunk_vlans": "1-4094",

  "type": "100/1000/10000 Ethernet"

},

"Ethernet1/115": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,
```

```
"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,
```

```
"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e7b6",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e7b6",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/116": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {
```



```
"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},
```

```
"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e7b7",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e7b7",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/117": {

  "access_vlan": 1,
```

"bandwidth": 10000000,

"counters": {

"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

"in_rate": 0,

"in_rate_pkts": 0,

"load_interval": 300,

"out_rate": 0,

"out_rate_pkts": 0

```
}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e7b8",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e7b8",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/118": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,

    "in_errors": 0,

    "in_mac_pause_frames": 0,

    "in_multicast_pkts": 0,

    "in_octets": 0,

    "in_pkts": 0,

    "in_unicast_pkts": 0,

    "in_unknown_protos": 0,

    "last_clear": "never",

    "out_broadcast_pkts": 0,

    "out_discard": 0,

    "out_errors": 0,

    "out_mac_pause_frames": 0,

    "out_multicast_pkts": 0,

    "out_octets": 0,

    "out_pkts": 0,

    "out_unicast_pkts": 0,

    "rate": {

      "in_rate": 0,

      "in_rate_pkts": 0,

      "load_interval": 300,
```

```
"out_rate": 0,

"out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e7b9",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e7b9",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",
```

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/119": {

"access_vlan": 1,

"bandwidth": 10000000,

"counters": {

"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

"in_rate": 0,

```
"in_rate_pkts": 0,

"load_interval": 300,

"out_rate": 0,

"out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e7ba",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e7ba",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,
```



```
"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"
```

```
},
```

```
"Ethernet1/12": {
```

```
  "access_vlan": 1,
```

```
  "bandwidth": 10000000,
```

```
  "counters": {
```

```
    "in_broadcast_pkts": 0,
```

```
    "in_crc_errors": 0,
```

```
    "in_errors": 0,
```

```
    "in_mac_pause_frames": 0,
```

```
    "in_multicast_pkts": 0,
```

```
    "in_octets": 0,
```

```
    "in_pkts": 0,
```

```
    "in_unicast_pkts": 0,
```

```
    "in_unknown_protos": 0,
```

```
    "last_clear": "never",
```

```
    "out_broadcast_pkts": 0,
```

```
    "out_discard": 0,
```

```
    "out_errors": 0,
```

```
    "out_mac_pause_frames": 0,
```

```
    "out_multicast_pkts": 0,
```

```
    "out_octets": 0,
```

```
    "out_pkts": 0,
```

```
    "out_unicast_pkts": 0,
```

```
"rate": {

  "in_rate": 0,

  "in_rate_pkts": 0,

  "load_interval": 300,

  "out_rate": 0,

  "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e74f",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e74f",

"port_channel": {

  "port_channel_member": false
```

```
},  
  
"switchport_enable": true,  
  
"switchport_mode": "access",  
  
"trunk_vlans": "1-4094",  
  
"type": "100/1000/10000 Ethernet"  
  
},
```

```
"Ethernet1/120": {  
  
"access_vlan": 1,  
  
"bandwidth": 10000000,  
  
"counters": {  
  
"in_broadcast_pkts": 0,  
  
"in_crc_errors": 0,  
  
"in_errors": 0,  
  
"in_mac_pause_frames": 0,  
  
"in_multicast_pkts": 0,  
  
"in_octets": 0,  
  
"in_pkts": 0,  
  
"in_unicast_pkts": 0,  
  
"in_unknown_protos": 0,  
  
"last_clear": "never",  
  
"out_broadcast_pkts": 0,  
  
"out_discard": 0,  
  
"out_errors": 0,  
  
"out_mac_pause_frames": 0,  
  
"out_multicast_pkts": 0,  
  
"out_octets": 0,
```

```
"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

  "in_rate": 0,

  "in_rate_pkts": 0,

  "load_interval": 300,

  "out_rate": 0,

  "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e7bb",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e7bb",
```

```
"port_channel": {  
  
  "port_channel_member": false  
  
},  
  
"switchport_enable": true,  
  
"switchport_mode": "access",  
  
"trunk_vlans": "1-4094",  
  
"type": "100/1000/10000 Ethernet"  
  
},
```

```
"Ethernet1/121": {  
  
  "access_vlan": 1,  
  
  "bandwidth": 10000000,  
  
  "counters": {  
  
    "in_broadcast_pkts": 0,  
  
    "in_crc_errors": 0,  
  
    "in_errors": 0,  
  
    "in_mac_pause_frames": 0,  
  
    "in_multicast_pkts": 0,  
  
    "in_octets": 0,  
  
    "in_pkts": 0,  
  
    "in_unicast_pkts": 0,  
  
    "in_unknown_protos": 0,  
  
    "last_clear": "never",  
  
    "out_broadcast_pkts": 0,  
  
    "out_discard": 0,  
  
    "out_errors": 0,  
  
    "out_mac_pause_frames": 0,
```

```
"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e7bc",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,
```

```
"oper_status": "down",

"phys_address": "5254.000d.e7bc",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/122": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,

    "in_errors": 0,

    "in_mac_pause_frames": 0,

    "in_multicast_pkts": 0,

    "in_octets": 0,

    "in_pkts": 0,

    "in_unicast_pkts": 0,

    "in_unknown_protos": 0,

    "last_clear": "never",

    "out_broadcast_pkts": 0,

    "out_discard": 0,
```

```
"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e7bd",

"medium": "broadcast",
```



```
"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e7bd",

"port_channel": {

    "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/123": {

    "access_vlan": 1,

    "bandwidth": 10000000,

    "counters": {

        "in_broadcast_pkts": 0,

        "in_crc_errors": 0,

        "in_errors": 0,

        "in_mac_pause_frames": 0,

        "in_multicast_pkts": 0,

        "in_octets": 0,

        "in_pkts": 0,

        "in_unicast_pkts": 0,

        "in_unknown_protos": 0,

        "last_clear": "never",
```

```
"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false

},

"last_change": "never",
```

```
"mac_address": "5254.000d.e7be",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e7be",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/124": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,

    "in_errors": 0,

    "in_mac_pause_frames": 0,

    "in_multicast_pkts": 0,

    "in_octets": 0,

    "in_pkts": 0,

    "in_unicast_pkts": 0,
```

```
"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false
```

```
},

"last_change": "never",

"mac_address": "5254.000d.e7bf",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e7bf",

"port_channel": {

    "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/125": {

    "access_vlan": 1,

    "bandwidth": 10000000,

    "counters": {

        "in_broadcast_pkts": 0,

        "in_crc_errors": 0,

        "in_errors": 0,

        "in_mac_pause_frames": 0,

        "in_multicast_pkts": 0,

        "in_octets": 0,
```

```
"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {
```

```
    "receive": false,

    "send": false

  },

  "last_change": "never",

  "mac_address": "5254.000d.e7c0",

  "medium": "broadcast",

  "mtu": 1500,

  "native_vlan": 1,

  "oper_status": "down",

  "phys_address": "5254.000d.e7c0",

  "port_channel": {

    "port_channel_member": false

  },

  "switchport_enable": true,

  "switchport_mode": "access",

  "trunk_vlans": "1-4094",

  "type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/126": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,

    "in_errors": 0,

    "in_mac_pause_frames": 0,
```

```
"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

  "in_rate": 0,

  "in_rate_pkts": 0,

  "load_interval": 300,

  "out_rate": 0,

  "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"
```



```
},

"flow_control": {

    "receive": false,

    "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e7c1",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e7c1",

"port_channel": {

    "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/127": {

    "access_vlan": 1,

    "bandwidth": 10000000,

    "counters": {

        "in_broadcast_pkts": 0,

        "in_crc_errors": 0,
```

```
"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,
```

```
"encapsulation": {  
  
  "encapsulation": "arpa"  
  
},  
  
"flow_control": {  
  
  "receive": false,  
  
  "send": false  
  
},  
  
"last_change": "never",  
  
"mac_address": "5254.000d.e7c2",  
  
"medium": "broadcast",  
  
"mtu": 1500,  
  
"native_vlan": 1,  
  
"oper_status": "down",  
  
"phys_address": "5254.000d.e7c2",  
  
"port_channel": {  
  
  "port_channel_member": false  
  
},  
  
"switchport_enable": true,  
  
"switchport_mode": "access",  
  
"trunk_vlans": "1-4094",  
  
"type": "100/1000/10000 Ethernet"  
  
},  
  
"Ethernet1/128": {  
  
  "access_vlan": 1,  
  
  "bandwidth": 10000000,  
  
  "counters": {
```

```
"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},
```

```
"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e7c3",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e7c3",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/13": {

  "access_vlan": 1,
```

"bandwidth": 10000000,

"counters": {

"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

"in_rate": 0,

"in_rate_pkts": 0,

"load_interval": 300,

"out_rate": 0,

"out_rate_pkts": 0

```
}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e750",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e750",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/14": {  
  
  "access_vlan": 1,  
  
  "bandwidth": 10000000,  
  
  "counters": {  
  
    "in_broadcast_pkts": 0,  
  
    "in_crc_errors": 0,  
  
    "in_errors": 0,  
  
    "in_mac_pause_frames": 0,  
  
    "in_multicast_pkts": 0,  
  
    "in_octets": 0,  
  
    "in_pkts": 0,  
  
    "in_unicast_pkts": 0,  
  
    "in_unknown_protos": 0,  
  
    "last_clear": "never",  
  
    "out_broadcast_pkts": 0,  
  
    "out_discard": 0,  
  
    "out_errors": 0,  
  
    "out_mac_pause_frames": 0,  
  
    "out_multicast_pkts": 0,  
  
    "out_octets": 0,  
  
    "out_pkts": 0,  
  
    "out_unicast_pkts": 0,  
  
    "rate": {  
  
      "in_rate": 0,  
  
      "in_rate_pkts": 0,  
  
      "load_interval": 300,  

```



```
"out_rate": 0,

"out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e751",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e751",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",
```

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/15": {

"access_vlan": 1,

"bandwidth": 10000000,

"counters": {

"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

"in_rate": 0,

```
"in_rate_pkts": 0,

"load_interval": 300,

"out_rate": 0,

"out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e752",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e752",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,
```

```
"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"
```

```
},
```

```
"Ethernet1/16": {
```

```
    "access_vlan": 1,
```

```
    "bandwidth": 10000000,
```

```
    "counters": {
```

```
        "in_broadcast_pkts": 0,
```

```
        "in_crc_errors": 0,
```

```
        "in_errors": 0,
```

```
        "in_mac_pause_frames": 0,
```

```
        "in_multicast_pkts": 0,
```

```
        "in_octets": 0,
```

```
        "in_pkts": 0,
```

```
        "in_unicast_pkts": 0,
```

```
        "in_unknown_protos": 0,
```

```
        "last_clear": "never",
```

```
        "out_broadcast_pkts": 0,
```

```
        "out_discard": 0,
```

```
        "out_errors": 0,
```

```
        "out_mac_pause_frames": 0,
```

```
        "out_multicast_pkts": 0,
```

```
        "out_octets": 0,
```

```
        "out_pkts": 0,
```

```
        "out_unicast_pkts": 0,
```

```
"rate": {

  "in_rate": 0,

  "in_rate_pkts": 0,

  "load_interval": 300,

  "out_rate": 0,

  "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e753",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e753",

"port_channel": {

  "port_channel_member": false
```

```
},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/17": {

"access_vlan": 1,

"bandwidth": 10000000,

"counters": {

"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,
```

```
"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

  "in_rate": 0,

  "in_rate_pkts": 0,

  "load_interval": 300,

  "out_rate": 0,

  "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e754",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e754",
```

```
"port_channel": {  
  
  "port_channel_member": false  
  
},  
  
"switchport_enable": true,  
  
"switchport_mode": "access",  
  
"trunk_vlans": "1-4094",  
  
"type": "100/1000/10000 Ethernet"  
  
},
```

```
"Ethernet1/18": {  
  
  "access_vlan": 1,  
  
  "bandwidth": 10000000,  
  
  "counters": {  
  
    "in_broadcast_pkts": 0,  
  
    "in_crc_errors": 0,  
  
    "in_errors": 0,  
  
    "in_mac_pause_frames": 0,  
  
    "in_multicast_pkts": 0,  
  
    "in_octets": 0,  
  
    "in_pkts": 0,  
  
    "in_unicast_pkts": 0,  
  
    "in_unknown_protos": 0,  
  
    "last_clear": "never",  
  
    "out_broadcast_pkts": 0,  
  
    "out_discard": 0,  
  
    "out_errors": 0,  
  
    "out_mac_pause_frames": 0,
```



```
"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e755",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,
```

```
"oper_status": "down",

"phys_address": "5254.000d.e755",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/19": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,

    "in_errors": 0,

    "in_mac_pause_frames": 0,

    "in_multicast_pkts": 0,

    "in_octets": 0,

    "in_pkts": 0,

    "in_unicast_pkts": 0,

    "in_unknown_protos": 0,

    "last_clear": "never",

    "out_broadcast_pkts": 0,

    "out_discard": 0,
```

```
"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e756",

"medium": "broadcast",
```

```
"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e756",

"port_channel": {

    "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/2": {

    "access_vlan": 1,

    "bandwidth": 1000000,

    "counters": {

        "in_broadcast_pkts": 0,

        "in_crc_errors": 0,

        "in_errors": 0,

        "in_mac_pause_frames": 0,

        "in_multicast_pkts": 0,

        "in_octets": 0,

        "in_pkts": 0,

        "in_unicast_pkts": 0,

        "in_unknown_protos": 0,

        "last_clear": "never",
```

```
"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

  "in_rate": 0,

  "in_rate_pkts": 0,

  "load_interval": 300,

  "out_rate": 0,

  "out_rate_pkts": 0

}

},

"delay": 10,

"description": "VPC Peer Link",

"duplex_mode": "full",

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false
```

```
  },

  "last_change": "02:34:33",

  "mac_address": "5254.000d.e745",

  "medium": "broadcast",

  "mtu": 9216,

  "native_vlan": 1,

  "oper_status": "up",

  "phys_address": "5254.000d.e745",

  "port_channel": {

    "port_channel_int": "Port-channel1",

    "port_channel_member": true

  },

  "port_speed": "1000",

  "switchport_enable": true,

  "switchport_mode": "trunk",

  "trunk_vlans": "1-4094",

  "type": "100/1000/10000 Ethernet"

},

"Ethernet1/20": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,

    "in_errors": 0,

    "in_mac_pause_frames": 0,
```

```
"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"
```

```
},

"flow_control": {

    "receive": false,

    "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e757",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e757",

"port_channel": {

    "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/21": {

    "access_vlan": 1,

    "bandwidth": 10000000,

    "counters": {

        "in_broadcast_pkts": 0,

        "in_crc_errors": 0,
```



```
"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,
```

```
"encapsulation": {  
  
  "encapsulation": "arpa"  
  
},  
  
"flow_control": {  
  
  "receive": false,  
  
  "send": false  
  
},  
  
"last_change": "never",  
  
"mac_address": "5254.000d.e758",  
  
"medium": "broadcast",  
  
"mtu": 1500,  
  
"native_vlan": 1,  
  
"oper_status": "down",  
  
"phys_address": "5254.000d.e758",  
  
"port_channel": {  
  
  "port_channel_member": false  
  
},  
  
"switchport_enable": true,  
  
"switchport_mode": "access",  
  
"trunk_vlans": "1-4094",  
  
"type": "100/1000/10000 Ethernet"  
  
},  
  
"Ethernet1/22": {  
  
  "access_vlan": 1,  
  
  "bandwidth": 10000000,  
  
  "counters": {
```

```
"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},
```

```
"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e759",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e759",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/23": {

  "access_vlan": 1,
```

"bandwidth": 10000000,

"counters": {

"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

"in_rate": 0,

"in_rate_pkts": 0,

"load_interval": 300,

"out_rate": 0,

"out_rate_pkts": 0

```
    }

  },

  "delay": 10,

  "enabled": true,

  "encapsulation": {

    "encapsulation": "arpa"

  },

  "flow_control": {

    "receive": false,

    "send": false

  },

  "last_change": "never",

  "mac_address": "5254.000d.e75a",

  "medium": "broadcast",

  "mtu": 1500,

  "native_vlan": 1,

  "oper_status": "down",

  "phys_address": "5254.000d.e75a",

  "port_channel": {

    "port_channel_member": false

  },

  "switchport_enable": true,

  "switchport_mode": "access",

  "trunk_vlans": "1-4094",

  "type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/24": {  
  
  "access_vlan": 1,  
  
  "bandwidth": 10000000,  
  
  "counters": {  
  
    "in_broadcast_pkts": 0,  
  
    "in_crc_errors": 0,  
  
    "in_errors": 0,  
  
    "in_mac_pause_frames": 0,  
  
    "in_multicast_pkts": 0,  
  
    "in_octets": 0,  
  
    "in_pkts": 0,  
  
    "in_unicast_pkts": 0,  
  
    "in_unknown_protos": 0,  
  
    "last_clear": "never",  
  
    "out_broadcast_pkts": 0,  
  
    "out_discard": 0,  
  
    "out_errors": 0,  
  
    "out_mac_pause_frames": 0,  
  
    "out_multicast_pkts": 0,  
  
    "out_octets": 0,  
  
    "out_pkts": 0,  
  
    "out_unicast_pkts": 0,  
  
    "rate": {  
  
      "in_rate": 0,  
  
      "in_rate_pkts": 0,  
  
      "load_interval": 300,  

```

```
"out_rate": 0,

"out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e75b",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e75b",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",
```


"type": "100/1000/10000 Ethernet"

},

"Ethernet1/25": {

"access_vlan": 1,

"bandwidth": 10000000,

"counters": {

"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

"in_rate": 0,

```
"in_rate_pkts": 0,

"load_interval": 300,

"out_rate": 0,

"out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e75c",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e75c",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,
```

```
"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"
```

```
},
```

```
"Ethernet1/26": {
```

```
  "access_vlan": 1,
```

```
  "bandwidth": 10000000,
```

```
  "counters": {
```

```
    "in_broadcast_pkts": 0,
```

```
    "in_crc_errors": 0,
```

```
    "in_errors": 0,
```

```
    "in_mac_pause_frames": 0,
```

```
    "in_multicast_pkts": 0,
```

```
    "in_octets": 0,
```

```
    "in_pkts": 0,
```

```
    "in_unicast_pkts": 0,
```

```
    "in_unknown_protos": 0,
```

```
    "last_clear": "never",
```

```
    "out_broadcast_pkts": 0,
```

```
    "out_discard": 0,
```

```
    "out_errors": 0,
```

```
    "out_mac_pause_frames": 0,
```

```
    "out_multicast_pkts": 0,
```

```
    "out_octets": 0,
```

```
    "out_pkts": 0,
```

```
    "out_unicast_pkts": 0,
```

```
"rate": {

  "in_rate": 0,

  "in_rate_pkts": 0,

  "load_interval": 300,

  "out_rate": 0,

  "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e75d",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e75d",

"port_channel": {

  "port_channel_member": false
```

```
},  
  
"switchport_enable": true,  
  
"switchport_mode": "access",  
  
"trunk_vlans": "1-4094",  
  
"type": "100/1000/10000 Ethernet"  
  
},
```

```
"Ethernet1/27": {  
  
"access_vlan": 1,  
  
"bandwidth": 10000000,  
  
"counters": {  
  
"in_broadcast_pkts": 0,  
  
"in_crc_errors": 0,  
  
"in_errors": 0,  
  
"in_mac_pause_frames": 0,  
  
"in_multicast_pkts": 0,  
  
"in_octets": 0,  
  
"in_pkts": 0,  
  
"in_unicast_pkts": 0,  
  
"in_unknown_protos": 0,  
  
"last_clear": "never",  
  
"out_broadcast_pkts": 0,  
  
"out_discard": 0,  
  
"out_errors": 0,  
  
"out_mac_pause_frames": 0,  
  
"out_multicast_pkts": 0,  
  
"out_octets": 0,
```

```
"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

  "in_rate": 0,

  "in_rate_pkts": 0,

  "load_interval": 300,

  "out_rate": 0,

  "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e75e",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e75e",
```

```
"port_channel": {  
  
  "port_channel_member": false  
  
},  
  
"switchport_enable": true,  
  
"switchport_mode": "access",  
  
"trunk_vlans": "1-4094",  
  
"type": "100/1000/10000 Ethernet"  
  
},
```

```
"Ethernet1/28": {  
  
  "access_vlan": 1,  
  
  "bandwidth": 10000000,  
  
  "counters": {  
  
    "in_broadcast_pkts": 0,  
  
    "in_crc_errors": 0,  
  
    "in_errors": 0,  
  
    "in_mac_pause_frames": 0,  
  
    "in_multicast_pkts": 0,  
  
    "in_octets": 0,  
  
    "in_pkts": 0,  
  
    "in_unicast_pkts": 0,  
  
    "in_unknown_protos": 0,  
  
    "last_clear": "never",  
  
    "out_broadcast_pkts": 0,  
  
    "out_discard": 0,  
  
    "out_errors": 0,  
  
    "out_mac_pause_frames": 0,
```

```
"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e75f",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,
```



```
"oper_status": "down",

"phys_address": "5254.000d.e75f",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/29": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,

    "in_errors": 0,

    "in_mac_pause_frames": 0,

    "in_multicast_pkts": 0,

    "in_octets": 0,

    "in_pkts": 0,

    "in_unicast_pkts": 0,

    "in_unknown_protos": 0,

    "last_clear": "never",

    "out_broadcast_pkts": 0,

    "out_discard": 0,
```

```
"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e760",

"medium": "broadcast",
```

```
"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e760",

"port_channel": {

    "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/3": {

    "bandwidth": 1000000,

    "counters": {

        "in_broadcast_pkts": 0,

        "in_crc_errors": 0,

        "in_errors": 0,

        "in_mac_pause_frames": 0,

        "in_multicast_pkts": 0,

        "in_octets": 0,

        "in_pkts": 0,

        "in_unicast_pkts": 0,

        "in_unknown_protos": 0,

        "last_clear": "never",

        "out_broadcast_pkts": 0,
```

```
"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"description": "L3 link to dist-rtr01",

"duplex_mode": "full",

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false

},
```

```
"ipv4": {

  "172.16.252.1/30": {

    "ip": "172.16.252.1",

    "prefix_length": "30"

  }

},

"last_change": "02:34:51",

"mac_address": "5254.000d.e743",

"medium": "broadcast",

"mtu": 1500,

"oper_status": "up",

"phys_address": "5254.000d.e746",

"port_channel": {

  "port_channel_member": false

},

"port_speed": "1000",

"type": "100/1000/10000 Ethernet",

"vrf": "default"

},

"Ethernet1/30": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,

    "in_errors": 0,
```

```
"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {
```

```
    "encapsulation": "arpa"

  },

  "flow_control": {

    "receive": false,

    "send": false

  },

  "last_change": "never",

  "mac_address": "5254.000d.e761",

  "medium": "broadcast",

  "mtu": 1500,

  "native_vlan": 1,

  "oper_status": "down",

  "phys_address": "5254.000d.e761",

  "port_channel": {

    "port_channel_member": false

  },

  "switchport_enable": true,

  "switchport_mode": "access",

  "trunk_vlans": "1-4094",

  "type": "100/1000/10000 Ethernet"

},

"Ethernet1/31": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,
```

```
"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,
```



```
"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e762",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e762",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/32": {

  "access_vlan": 1,

  "bandwidth": 10000000,
```

```
"counters": {  
  
  "in_broadcast_pkts": 0,  
  
  "in_crc_errors": 0,  
  
  "in_errors": 0,  
  
  "in_mac_pause_frames": 0,  
  
  "in_multicast_pkts": 0,  
  
  "in_octets": 0,  
  
  "in_pkts": 0,  
  
  "in_unicast_pkts": 0,  
  
  "in_unknown_protos": 0,  
  
  "last_clear": "never",  
  
  "out_broadcast_pkts": 0,  
  
  "out_discard": 0,  
  
  "out_errors": 0,  
  
  "out_mac_pause_frames": 0,  
  
  "out_multicast_pkts": 0,  
  
  "out_octets": 0,  
  
  "out_pkts": 0,  
  
  "out_unicast_pkts": 0,  
  
  "rate": {  
  
    "in_rate": 0,  
  
    "in_rate_pkts": 0,  
  
    "load_interval": 300,  
  
    "out_rate": 0,  
  
    "out_rate_pkts": 0  
  
  }  
}
```

```
  },

  "delay": 10,

  "enabled": true,

  "encapsulation": {

    "encapsulation": "arpa"

  },

  "flow_control": {

    "receive": false,

    "send": false

  },

  "last_change": "never",

  "mac_address": "5254.000d.e763",

  "medium": "broadcast",

  "mtu": 1500,

  "native_vlan": 1,

  "oper_status": "down",

  "phys_address": "5254.000d.e763",

  "port_channel": {

    "port_channel_member": false

  },

  "switchport_enable": true,

  "switchport_mode": "access",

  "trunk_vlans": "1-4094",

  "type": "100/1000/10000 Ethernet"

},

"Ethernet1/33": {
```

```
"access_vlan": 1,

"bandwidth": 10000000,

"counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,

    "in_errors": 0,

    "in_mac_pause_frames": 0,

    "in_multicast_pkts": 0,

    "in_octets": 0,

    "in_pkts": 0,

    "in_unicast_pkts": 0,

    "in_unknown_protos": 0,

    "last_clear": "never",

    "out_broadcast_pkts": 0,

    "out_discard": 0,

    "out_errors": 0,

    "out_mac_pause_frames": 0,

    "out_multicast_pkts": 0,

    "out_octets": 0,

    "out_pkts": 0,

    "out_unicast_pkts": 0,

    "rate": {

        "in_rate": 0,

        "in_rate_pkts": 0,

        "load_interval": 300,

        "out_rate": 0,
```

```
"out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e764",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e764",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"
```

},

"Ethernet1/34": {

"access_vlan": 1,

"bandwidth": 10000000,

"counters": {

"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

"in_rate": 0,

"in_rate_pkts": 0,

```
"load_interval": 300,

"out_rate": 0,

"out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e765",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e765",

"port_channel": {

    "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",
```

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/35": {

"access_vlan": 1,

"bandwidth": 10000000,

"counters": {

"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {


```
"in_rate": 0,

"in_rate_pkts": 0,

"load_interval": 300,

"out_rate": 0,

"out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e766",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e766",

"port_channel": {

    "port_channel_member": false

},
```

```
"switchport_enable": true,  
  
"switchport_mode": "access",  
  
"trunk_vlans": "1-4094",  
  
"type": "100/1000/10000 Ethernet"  
  
},
```

```
"Ethernet1/36": {  
  
"access_vlan": 1,  
  
"bandwidth": 10000000,  
  
"counters": {  
  
"in_broadcast_pkts": 0,  
  
"in_crc_errors": 0,  
  
"in_errors": 0,  
  
"in_mac_pause_frames": 0,  
  
"in_multicast_pkts": 0,  
  
"in_octets": 0,  
  
"in_pkts": 0,  
  
"in_unicast_pkts": 0,  
  
"in_unknown_protos": 0,  
  
"last_clear": "never",  
  
"out_broadcast_pkts": 0,  
  
"out_discard": 0,  
  
"out_errors": 0,  
  
"out_mac_pause_frames": 0,  
  
"out_multicast_pkts": 0,  
  
"out_octets": 0,  
  
"out_pkts": 0,
```

```
"out_unicast_pkts": 0,

"rate": {

  "in_rate": 0,

  "in_rate_pkts": 0,

  "load_interval": 300,

  "out_rate": 0,

  "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e767",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e767",

"port_channel": {
```

"port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/37": {

"access_vlan": 1,

"bandwidth": 10000000,

"counters": {

"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

```
"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e768",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",
```

"phys_address": "5254.000d.e768",

"port_channel": {

"port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/38": {

"access_vlan": 1,

"bandwidth": 10000000,

"counters": {

"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

```
"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

  "in_rate": 0,

  "in_rate_pkts": 0,

  "load_interval": 300,

  "out_rate": 0,

  "out_rate_pkts": 0

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e769",

"medium": "broadcast",

"mtu": 1500,
```

```
"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e769",

"port_channel": {

    "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/39": {

    "access_vlan": 1,

    "bandwidth": 10000000,

    "counters": {

        "in_broadcast_pkts": 0,

        "in_crc_errors": 0,

        "in_errors": 0,

        "in_mac_pause_frames": 0,

        "in_multicast_pkts": 0,

        "in_octets": 0,

        "in_pkts": 0,

        "in_unicast_pkts": 0,

        "in_unknown_protos": 0,

        "last_clear": "never",

        "out_broadcast_pkts": 0,
```



```
"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e76a",
```

```
"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e76a",

"port_channel": {

    "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/4": {

    "bandwidth": 1000000,

    "counters": {

        "in_broadcast_pkts": 0,

        "in_crc_errors": 0,

        "in_errors": 0,

        "in_mac_pause_frames": 0,

        "in_multicast_pkts": 0,

        "in_octets": 0,

        "in_pkts": 0,

        "in_unicast_pkts": 0,

        "in_unknown_protos": 0,

        "last_clear": "never",
```

```
"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"description": "L3 link to dist-rtr02",

"duplex_mode": "full",

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false
```

```
  },

  "ipv4": {

    "172.16.252.5/30": {

      "ip": "172.16.252.5",

      "prefix_length": "30"

    }

  },

  "last_change": "02:34:51",

  "mac_address": "5254.000d.e743",

  "medium": "broadcast",

  "mtu": 1500,

  "oper_status": "up",

  "phys_address": "5254.000d.e747",

  "port_channel": {

    "port_channel_member": false

  },

  "port_speed": "1000",

  "type": "100/1000/10000 Ethernet",

  "vrf": "default"

},

"Ethernet1/40": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,
```

```
"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,
```

```
"encapsulation": {  
  
  "encapsulation": "arpa"  
  
},  
  
"flow_control": {  
  
  "receive": false,  
  
  "send": false  
  
},  
  
"last_change": "never",  
  
"mac_address": "5254.000d.e76b",  
  
"medium": "broadcast",  
  
"mtu": 1500,  
  
"native_vlan": 1,  
  
"oper_status": "down",  
  
"phys_address": "5254.000d.e76b",  
  
"port_channel": {  
  
  "port_channel_member": false  
  
},  
  
"switchport_enable": true,  
  
"switchport_mode": "access",  
  
"trunk_vlans": "1-4094",  
  
"type": "100/1000/10000 Ethernet"  
  
},
```

```
"Ethernet1/41": {  
  
  "access_vlan": 1,  
  
  "bandwidth": 10000000,  
  
  "counters": {
```

```
"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},
```

```
"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e76c",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e76c",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/42": {

  "access_vlan": 1,
```


"bandwidth": 10000000,

"counters": {

"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

"in_rate": 0,

"in_rate_pkts": 0,

"load_interval": 300,

"out_rate": 0,

"out_rate_pkts": 0

```
    }

  },

  "delay": 10,

  "enabled": true,

  "encapsulation": {

    "encapsulation": "arpa"

  },

  "flow_control": {

    "receive": false,

    "send": false

  },

  "last_change": "never",

  "mac_address": "5254.000d.e76d",

  "medium": "broadcast",

  "mtu": 1500,

  "native_vlan": 1,

  "oper_status": "down",

  "phys_address": "5254.000d.e76d",

  "port_channel": {

    "port_channel_member": false

  },

  "switchport_enable": true,

  "switchport_mode": "access",

  "trunk_vlans": "1-4094",

  "type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/43": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,

    "in_errors": 0,

    "in_mac_pause_frames": 0,

    "in_multicast_pkts": 0,

    "in_octets": 0,

    "in_pkts": 0,

    "in_unicast_pkts": 0,

    "in_unknown_protos": 0,

    "last_clear": "never",

    "out_broadcast_pkts": 0,

    "out_discard": 0,

    "out_errors": 0,

    "out_mac_pause_frames": 0,

    "out_multicast_pkts": 0,

    "out_octets": 0,

    "out_pkts": 0,

    "out_unicast_pkts": 0,

    "rate": {

      "in_rate": 0,

      "in_rate_pkts": 0,

      "load_interval": 300,
```

```
"out_rate": 0,

"out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e76e",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e76e",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",
```

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/44": {

"access_vlan": 1,

"bandwidth": 10000000,

"counters": {

"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

"in_rate": 0,

```
"in_rate_pkts": 0,

"load_interval": 300,

"out_rate": 0,

"out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e76f",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e76f",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,
```

```
"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"
```

```
},
```

```
"Ethernet1/45": {
```

```
  "access_vlan": 1,
```

```
  "bandwidth": 10000000,
```

```
  "counters": {
```

```
    "in_broadcast_pkts": 0,
```

```
    "in_crc_errors": 0,
```

```
    "in_errors": 0,
```

```
    "in_mac_pause_frames": 0,
```

```
    "in_multicast_pkts": 0,
```

```
    "in_octets": 0,
```

```
    "in_pkts": 0,
```

```
    "in_unicast_pkts": 0,
```

```
    "in_unknown_protos": 0,
```

```
    "last_clear": "never",
```

```
    "out_broadcast_pkts": 0,
```

```
    "out_discard": 0,
```

```
    "out_errors": 0,
```

```
    "out_mac_pause_frames": 0,
```

```
    "out_multicast_pkts": 0,
```

```
    "out_octets": 0,
```

```
    "out_pkts": 0,
```

```
    "out_unicast_pkts": 0,
```

```
"rate": {

  "in_rate": 0,

  "in_rate_pkts": 0,

  "load_interval": 300,

  "out_rate": 0,

  "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e770",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e770",

"port_channel": {

  "port_channel_member": false
```



```
},  
  
"switchport_enable": true,  
  
"switchport_mode": "access",  
  
"trunk_vlans": "1-4094",  
  
"type": "100/1000/10000 Ethernet"  
  
},
```

```
"Ethernet1/46": {  
  
"access_vlan": 1,  
  
"bandwidth": 10000000,  
  
"counters": {  
  
"in_broadcast_pkts": 0,  
  
"in_crc_errors": 0,  
  
"in_errors": 0,  
  
"in_mac_pause_frames": 0,  
  
"in_multicast_pkts": 0,  
  
"in_octets": 0,  
  
"in_pkts": 0,  
  
"in_unicast_pkts": 0,  
  
"in_unknown_protos": 0,  
  
"last_clear": "never",  
  
"out_broadcast_pkts": 0,  
  
"out_discard": 0,  
  
"out_errors": 0,  
  
"out_mac_pause_frames": 0,  
  
"out_multicast_pkts": 0,  
  
"out_octets": 0,
```

```
"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

  "in_rate": 0,

  "in_rate_pkts": 0,

  "load_interval": 300,

  "out_rate": 0,

  "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e771",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e771",
```

```
"port_channel": {  
  
  "port_channel_member": false  
  
},  
  
"switchport_enable": true,  
  
"switchport_mode": "access",  
  
"trunk_vlans": "1-4094",  
  
"type": "100/1000/10000 Ethernet"  
  
},
```

```
"Ethernet1/47": {  
  
  "access_vlan": 1,  
  
  "bandwidth": 10000000,  
  
  "counters": {  
  
    "in_broadcast_pkts": 0,  
  
    "in_crc_errors": 0,  
  
    "in_errors": 0,  
  
    "in_mac_pause_frames": 0,  
  
    "in_multicast_pkts": 0,  
  
    "in_octets": 0,  
  
    "in_pkts": 0,  
  
    "in_unicast_pkts": 0,  
  
    "in_unknown_protos": 0,  
  
    "last_clear": "never",  
  
    "out_broadcast_pkts": 0,  
  
    "out_discard": 0,  
  
    "out_errors": 0,  
  
    "out_mac_pause_frames": 0,
```

```
"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e772",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,
```

```
"oper_status": "down",

"phys_address": "5254.000d.e772",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/48": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,

    "in_errors": 0,

    "in_mac_pause_frames": 0,

    "in_multicast_pkts": 0,

    "in_octets": 0,

    "in_pkts": 0,

    "in_unicast_pkts": 0,

    "in_unknown_protos": 0,

    "last_clear": "never",

    "out_broadcast_pkts": 0,

    "out_discard": 0,
```

```
"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

  "in_rate": 0,

  "in_rate_pkts": 0,

  "load_interval": 300,

  "out_rate": 0,

  "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e773",

"medium": "broadcast",
```

```
"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e773",

"port_channel": {

    "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/49": {

    "access_vlan": 1,

    "bandwidth": 10000000,

    "counters": {

        "in_broadcast_pkts": 0,

        "in_crc_errors": 0,

        "in_errors": 0,

        "in_mac_pause_frames": 0,

        "in_multicast_pkts": 0,

        "in_octets": 0,

        "in_pkts": 0,

        "in_unicast_pkts": 0,

        "in_unknown_protos": 0,

        "last_clear": "never",
```

```
"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

  "in_rate": 0,

  "in_rate_pkts": 0,

  "load_interval": 300,

  "out_rate": 0,

  "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",
```



```
"mac_address": "5254.000d.e774",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e774",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/5": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,

    "in_errors": 0,

    "in_mac_pause_frames": 0,

    "in_multicast_pkts": 0,

    "in_octets": 0,

    "in_pkts": 0,

    "in_unicast_pkts": 0,
```

```
"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"description": "to",

"enabled": false,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,
```

```
    "send": false

  },

  "last_change": "02:34:51",

  "mac_address": "5254.000d.e748",

  "medium": "broadcast",

  "mtu": 1500,

  "native_vlan": 1,

  "oper_status": "down",

  "phys_address": "5254.000d.e748",

  "port_channel": {

    "port_channel_member": false

  },

  "switchport_enable": true,

  "switchport_mode": "access",

  "trunk_vlans": "1-4094",

  "type": "100/1000/10000 Ethernet"

},

"Ethernet1/50": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,

    "in_errors": 0,

    "in_mac_pause_frames": 0,

    "in_multicast_pkts": 0,
```

```
"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

}
```

```
"flow_control": {

    "receive": false,

    "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e775",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e775",

"port_channel": {

    "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/51": {

    "access_vlan": 1,

    "bandwidth": 10000000,

    "counters": {

        "in_broadcast_pkts": 0,

        "in_crc_errors": 0,

        "in_errors": 0,
```

```
"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {
```

```
    "encapsulation": "arpa"

  },

  "flow_control": {

    "receive": false,

    "send": false

  },

  "last_change": "never",

  "mac_address": "5254.000d.e776",

  "medium": "broadcast",

  "mtu": 1500,

  "native_vlan": 1,

  "oper_status": "down",

  "phys_address": "5254.000d.e776",

  "port_channel": {

    "port_channel_member": false

  },

  "switchport_enable": true,

  "switchport_mode": "access",

  "trunk_vlans": "1-4094",

  "type": "100/1000/10000 Ethernet"

},

"Ethernet1/52": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,
```

```
"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,
```



```
"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e777",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e777",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/53": {

  "access_vlan": 1,

  "bandwidth": 10000000,
```

```
"counters": {  
  
  "in_broadcast_pkts": 0,  
  
  "in_crc_errors": 0,  
  
  "in_errors": 0,  
  
  "in_mac_pause_frames": 0,  
  
  "in_multicast_pkts": 0,  
  
  "in_octets": 0,  
  
  "in_pkts": 0,  
  
  "in_unicast_pkts": 0,  
  
  "in_unknown_protos": 0,  
  
  "last_clear": "never",  
  
  "out_broadcast_pkts": 0,  
  
  "out_discard": 0,  
  
  "out_errors": 0,  
  
  "out_mac_pause_frames": 0,  
  
  "out_multicast_pkts": 0,  
  
  "out_octets": 0,  
  
  "out_pkts": 0,  
  
  "out_unicast_pkts": 0,  
  
  "rate": {  
  
    "in_rate": 0,  
  
    "in_rate_pkts": 0,  
  
    "load_interval": 300,  
  
    "out_rate": 0,  
  
    "out_rate_pkts": 0  
  
  }  
}
```

```
  },

  "delay": 10,

  "enabled": true,

  "encapsulation": {

    "encapsulation": "arpa"

  },

  "flow_control": {

    "receive": false,

    "send": false

  },

  "last_change": "never",

  "mac_address": "5254.000d.e778",

  "medium": "broadcast",

  "mtu": 1500,

  "native_vlan": 1,

  "oper_status": "down",

  "phys_address": "5254.000d.e778",

  "port_channel": {

    "port_channel_member": false

  },

  "switchport_enable": true,

  "switchport_mode": "access",

  "trunk_vlans": "1-4094",

  "type": "100/1000/10000 Ethernet"

},

"Ethernet1/54": {
```

```
"access_vlan": 1,

"bandwidth": 10000000,

"counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,

    "in_errors": 0,

    "in_mac_pause_frames": 0,

    "in_multicast_pkts": 0,

    "in_octets": 0,

    "in_pkts": 0,

    "in_unicast_pkts": 0,

    "in_unknown_protos": 0,

    "last_clear": "never",

    "out_broadcast_pkts": 0,

    "out_discard": 0,

    "out_errors": 0,

    "out_mac_pause_frames": 0,

    "out_multicast_pkts": 0,

    "out_octets": 0,

    "out_pkts": 0,

    "out_unicast_pkts": 0,

    "rate": {

        "in_rate": 0,

        "in_rate_pkts": 0,

        "load_interval": 300,

        "out_rate": 0,
```

```
    "out_rate_pkts": 0

  },

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e779",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e779",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"
```

},

"Ethernet1/55": {

"access_vlan": 1,

"bandwidth": 10000000,

"counters": {

"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

"in_rate": 0,

"in_rate_pkts": 0,

```
"load_interval": 300,

"out_rate": 0,

"out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e77a",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e77a",

"port_channel": {

    "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",
```

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/56": {

"access_vlan": 1,

"bandwidth": 10000000,

"counters": {

"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {


```
"in_rate": 0,

"in_rate_pkts": 0,

"load_interval": 300,

"out_rate": 0,

"out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e77b",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e77b",

"port_channel": {

    "port_channel_member": false

},
```

```
"switchport_enable": true,  
  
"switchport_mode": "access",  
  
"trunk_vlans": "1-4094",  
  
"type": "100/1000/10000 Ethernet"  
  
},
```

```
"Ethernet1/57": {  
  
  "access_vlan": 1,  
  
  "bandwidth": 10000000,  
  
  "counters": {  
  
    "in_broadcast_pkts": 0,  
  
    "in_crc_errors": 0,  
  
    "in_errors": 0,  
  
    "in_mac_pause_frames": 0,  
  
    "in_multicast_pkts": 0,  
  
    "in_octets": 0,  
  
    "in_pkts": 0,  
  
    "in_unicast_pkts": 0,  
  
    "in_unknown_protos": 0,  
  
    "last_clear": "never",  
  
    "out_broadcast_pkts": 0,  
  
    "out_discard": 0,  
  
    "out_errors": 0,  
  
    "out_mac_pause_frames": 0,  
  
    "out_multicast_pkts": 0,  
  
    "out_octets": 0,  
  
    "out_pkts": 0,
```

```
"out_unicast_pkts": 0,

"rate": {

  "in_rate": 0,

  "in_rate_pkts": 0,

  "load_interval": 300,

  "out_rate": 0,

  "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e77c",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e77c",

"port_channel": {
```

"port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/58": {

"access_vlan": 1,

"bandwidth": 10000000,

"counters": {

"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

```
"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e77d",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",
```

"phys_address": "5254.000d.e77d",

"port_channel": {

"port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/59": {

"access_vlan": 1,

"bandwidth": 10000000,

"counters": {

"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

```
"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

  "in_rate": 0,

  "in_rate_pkts": 0,

  "load_interval": 300,

  "out_rate": 0,

  "out_rate_pkts": 0

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e77e",

"medium": "broadcast",

"mtu": 1500,
```

```
"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e77e",

"port_channel": {

    "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/6": {

    "access_vlan": 1,

    "bandwidth": 10000000,

    "counters": {

        "in_broadcast_pkts": 0,

        "in_crc_errors": 0,

        "in_errors": 0,

        "in_mac_pause_frames": 0,

        "in_multicast_pkts": 0,

        "in_octets": 0,

        "in_pkts": 0,

        "in_unicast_pkts": 0,

        "in_unknown_protos": 0,

        "last_clear": "never",

        "out_broadcast_pkts": 0,
```



```
"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"description": "to",

"enabled": false,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false

},

"last_change": "02:34:51",
```

"mac_address": "5254.000d.e749",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e749",

"port_channel": {

 "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/60": {

 "access_vlan": 1,

 "bandwidth": 10000000,

 "counters": {

 "in_broadcast_pkts": 0,

 "in_crc_errors": 0,

 "in_errors": 0,

 "in_mac_pause_frames": 0,

 "in_multicast_pkts": 0,

 "in_octets": 0,

 "in_pkts": 0,

 "in_unicast_pkts": 0,

```
"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false
```

```
},

"last_change": "never",

"mac_address": "5254.000d.e77f",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e77f",

"port_channel": {

    "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/61": {

    "access_vlan": 1,

    "bandwidth": 10000000,

    "counters": {

        "in_broadcast_pkts": 0,

        "in_crc_errors": 0,

        "in_errors": 0,

        "in_mac_pause_frames": 0,

        "in_multicast_pkts": 0,

        "in_octets": 0,
```

```
"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {
```

```
    "receive": false,

    "send": false

  },

  "last_change": "never",

  "mac_address": "5254.000d.e780",

  "medium": "broadcast",

  "mtu": 1500,

  "native_vlan": 1,

  "oper_status": "down",

  "phys_address": "5254.000d.e780",

  "port_channel": {

    "port_channel_member": false

  },

  "switchport_enable": true,

  "switchport_mode": "access",

  "trunk_vlans": "1-4094",

  "type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/62": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,

    "in_errors": 0,

    "in_mac_pause_frames": 0,
```

```
"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"
```

```
  },

  "flow_control": {

    "receive": false,

    "send": false

  },

  "last_change": "never",

  "mac_address": "5254.000d.e781",

  "medium": "broadcast",

  "mtu": 1500,

  "native_vlan": 1,

  "oper_status": "down",

  "phys_address": "5254.000d.e781",

  "port_channel": {

    "port_channel_member": false

  },

  "switchport_enable": true,

  "switchport_mode": "access",

  "trunk_vlans": "1-4094",

  "type": "100/1000/10000 Ethernet"

},

"Ethernet1/63": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,
```



```
"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,
```

```
"encapsulation": {  
  
  "encapsulation": "arpa"  
  
},  
  
"flow_control": {  
  
  "receive": false,  
  
  "send": false  
  
},  
  
"last_change": "never",  
  
"mac_address": "5254.000d.e782",  
  
"medium": "broadcast",  
  
"mtu": 1500,  
  
"native_vlan": 1,  
  
"oper_status": "down",  
  
"phys_address": "5254.000d.e782",  
  
"port_channel": {  
  
  "port_channel_member": false  
  
},  
  
"switchport_enable": true,  
  
"switchport_mode": "access",  
  
"trunk_vlans": "1-4094",  
  
"type": "100/1000/10000 Ethernet"  
  
},
```

```
"Ethernet1/64": {  
  
  "access_vlan": 1,  
  
  "bandwidth": 10000000,  
  
  "counters": {
```

```
"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},
```

```
"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e783",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e783",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/65": {

  "access_vlan": 1,
```

"bandwidth": 10000000,

"counters": {

"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

"in_rate": 0,

"in_rate_pkts": 0,

"load_interval": 300,

"out_rate": 0,

"out_rate_pkts": 0

```
    }

  },

  "delay": 10,

  "enabled": true,

  "encapsulation": {

    "encapsulation": "arpa"

  },

  "flow_control": {

    "receive": false,

    "send": false

  },

  "last_change": "never",

  "mac_address": "5254.000d.e784",

  "medium": "broadcast",

  "mtu": 1500,

  "native_vlan": 1,

  "oper_status": "down",

  "phys_address": "5254.000d.e784",

  "port_channel": {

    "port_channel_member": false

  },

  "switchport_enable": true,

  "switchport_mode": "access",

  "trunk_vlans": "1-4094",

  "type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/66": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,

    "in_errors": 0,

    "in_mac_pause_frames": 0,

    "in_multicast_pkts": 0,

    "in_octets": 0,

    "in_pkts": 0,

    "in_unicast_pkts": 0,

    "in_unknown_protos": 0,

    "last_clear": "never",

    "out_broadcast_pkts": 0,

    "out_discard": 0,

    "out_errors": 0,

    "out_mac_pause_frames": 0,

    "out_multicast_pkts": 0,

    "out_octets": 0,

    "out_pkts": 0,

    "out_unicast_pkts": 0,

    "rate": {

      "in_rate": 0,

      "in_rate_pkts": 0,

      "load_interval": 300,
```

```
"out_rate": 0,

"out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e785",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e785",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",
```


"type": "100/1000/10000 Ethernet"

},

"Ethernet1/67": {

"access_vlan": 1,

"bandwidth": 10000000,

"counters": {

"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

"in_rate": 0,

```
"in_rate_pkts": 0,

"load_interval": 300,

"out_rate": 0,

"out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e786",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e786",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,
```

```
"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"
```

```
},
```

```
"Ethernet1/68": {
```

```
  "access_vlan": 1,
```

```
  "bandwidth": 10000000,
```

```
  "counters": {
```

```
    "in_broadcast_pkts": 0,
```

```
    "in_crc_errors": 0,
```

```
    "in_errors": 0,
```

```
    "in_mac_pause_frames": 0,
```

```
    "in_multicast_pkts": 0,
```

```
    "in_octets": 0,
```

```
    "in_pkts": 0,
```

```
    "in_unicast_pkts": 0,
```

```
    "in_unknown_protos": 0,
```

```
    "last_clear": "never",
```

```
    "out_broadcast_pkts": 0,
```

```
    "out_discard": 0,
```

```
    "out_errors": 0,
```

```
    "out_mac_pause_frames": 0,
```

```
    "out_multicast_pkts": 0,
```

```
    "out_octets": 0,
```

```
    "out_pkts": 0,
```

```
    "out_unicast_pkts": 0,
```

```
"rate": {

  "in_rate": 0,

  "in_rate_pkts": 0,

  "load_interval": 300,

  "out_rate": 0,

  "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e787",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e787",

"port_channel": {

  "port_channel_member": false
```

```
},  
  
"switchport_enable": true,  
  
"switchport_mode": "access",  
  
"trunk_vlans": "1-4094",  
  
"type": "100/1000/10000 Ethernet"  
  
},
```

```
"Ethernet1/69": {  
  
"access_vlan": 1,  
  
"bandwidth": 10000000,  
  
"counters": {  
  
"in_broadcast_pkts": 0,  
  
"in_crc_errors": 0,  
  
"in_errors": 0,  
  
"in_mac_pause_frames": 0,  
  
"in_multicast_pkts": 0,  
  
"in_octets": 0,  
  
"in_pkts": 0,  
  
"in_unicast_pkts": 0,  
  
"in_unknown_protos": 0,  
  
"last_clear": "never",  
  
"out_broadcast_pkts": 0,  
  
"out_discard": 0,  
  
"out_errors": 0,  
  
"out_mac_pause_frames": 0,  
  
"out_multicast_pkts": 0,  
  
"out_octets": 0,
```

```
"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

  "in_rate": 0,

  "in_rate_pkts": 0,

  "load_interval": 300,

  "out_rate": 0,

  "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e788",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e788",
```

```
"port_channel": {  
  
  "port_channel_member": false  
  
},  
  
"switchport_enable": true,  
  
"switchport_mode": "access",  
  
"trunk_vlans": "1-4094",  
  
"type": "100/1000/10000 Ethernet"  
  
},
```

```
"Ethernet1/7": {  
  
  "access_vlan": 1,  
  
  "bandwidth": 10000000,  
  
  "counters": {  
  
    "in_broadcast_pkts": 0,  
  
    "in_crc_errors": 0,  
  
    "in_errors": 0,  
  
    "in_mac_pause_frames": 0,  
  
    "in_multicast_pkts": 0,  
  
    "in_octets": 0,  
  
    "in_pkts": 0,  
  
    "in_unicast_pkts": 0,  
  
    "in_unknown_protos": 0,  
  
    "last_clear": "never",  
  
    "out_broadcast_pkts": 0,  
  
    "out_discard": 0,  
  
    "out_errors": 0,  
  
    "out_mac_pause_frames": 0,
```

```
"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"description": "to",

"enabled": false,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false

},

"last_change": "02:34:50",

"mac_address": "5254.000d.e74a",

"medium": "broadcast",

"mtu": 1500,
```



```
"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e74a",

"port_channel": {

    "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/70": {

    "access_vlan": 1,

    "bandwidth": 10000000,

    "counters": {

        "in_broadcast_pkts": 0,

        "in_crc_errors": 0,

        "in_errors": 0,

        "in_mac_pause_frames": 0,

        "in_multicast_pkts": 0,

        "in_octets": 0,

        "in_pkts": 0,

        "in_unicast_pkts": 0,

        "in_unknown_protos": 0,

        "last_clear": "never",

        "out_broadcast_pkts": 0,
```

```
"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e789",
```

```
"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e789",

"port_channel": {

    "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"
```

```
},
```

```
"Ethernet1/71": {

    "access_vlan": 1,

    "bandwidth": 10000000,

    "counters": {

        "in_broadcast_pkts": 0,

        "in_crc_errors": 0,

        "in_errors": 0,

        "in_mac_pause_frames": 0,

        "in_multicast_pkts": 0,

        "in_octets": 0,

        "in_pkts": 0,

        "in_unicast_pkts": 0,

        "in_unknown_protos": 0,
```

```
"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false

},
```

```
"last_change": "never",

"mac_address": "5254.000d.e78a",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e78a",

"port_channel": {

    "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/72": {

    "access_vlan": 1,

    "bandwidth": 10000000,

    "counters": {

        "in_broadcast_pkts": 0,

        "in_crc_errors": 0,

        "in_errors": 0,

        "in_mac_pause_frames": 0,

        "in_multicast_pkts": 0,

        "in_octets": 0,

        "in_pkts": 0,
```

```
"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,
```

```
    "send": false

  },

  "last_change": "never",

  "mac_address": "5254.000d.e78b",

  "medium": "broadcast",

  "mtu": 1500,

  "native_vlan": 1,

  "oper_status": "down",

  "phys_address": "5254.000d.e78b",

  "port_channel": {

    "port_channel_member": false

  },

  "switchport_enable": true,

  "switchport_mode": "access",

  "trunk_vlans": "1-4094",

  "type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/73": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,

    "in_errors": 0,

    "in_mac_pause_frames": 0,

    "in_multicast_pkts": 0,
```

```
"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

}
```



```
"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e78c",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e78c",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/74": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,

    "in_errors": 0,
```

```
"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {
```

```
    "encapsulation": "arpa"

  },

  "flow_control": {

    "receive": false,

    "send": false

  },

  "last_change": "never",

  "mac_address": "5254.000d.e78d",

  "medium": "broadcast",

  "mtu": 1500,

  "native_vlan": 1,

  "oper_status": "down",

  "phys_address": "5254.000d.e78d",

  "port_channel": {

    "port_channel_member": false

  },

  "switchport_enable": true,

  "switchport_mode": "access",

  "trunk_vlans": "1-4094",

  "type": "100/1000/10000 Ethernet"

},

"Ethernet1/75": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,
```

```
"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,
```

```
"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e78e",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e78e",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/76": {

  "access_vlan": 1,

  "bandwidth": 10000000,
```

```
"counters": {  
  
  "in_broadcast_pkts": 0,  
  
  "in_crc_errors": 0,  
  
  "in_errors": 0,  
  
  "in_mac_pause_frames": 0,  
  
  "in_multicast_pkts": 0,  
  
  "in_octets": 0,  
  
  "in_pkts": 0,  
  
  "in_unicast_pkts": 0,  
  
  "in_unknown_protos": 0,  
  
  "last_clear": "never",  
  
  "out_broadcast_pkts": 0,  
  
  "out_discard": 0,  
  
  "out_errors": 0,  
  
  "out_mac_pause_frames": 0,  
  
  "out_multicast_pkts": 0,  
  
  "out_octets": 0,  
  
  "out_pkts": 0,  
  
  "out_unicast_pkts": 0,  
  
  "rate": {  
  
    "in_rate": 0,  
  
    "in_rate_pkts": 0,  
  
    "load_interval": 300,  
  
    "out_rate": 0,  
  
    "out_rate_pkts": 0  
  
  }  
}
```

```
  },

  "delay": 10,

  "enabled": true,

  "encapsulation": {

    "encapsulation": "arpa"

  },

  "flow_control": {

    "receive": false,

    "send": false

  },

  "last_change": "never",

  "mac_address": "5254.000d.e78f",

  "medium": "broadcast",

  "mtu": 1500,

  "native_vlan": 1,

  "oper_status": "down",

  "phys_address": "5254.000d.e78f",

  "port_channel": {

    "port_channel_member": false

  },

  "switchport_enable": true,

  "switchport_mode": "access",

  "trunk_vlans": "1-4094",

  "type": "100/1000/10000 Ethernet"

},

"Ethernet1/77": {
```

```
"access_vlan": 1,

"bandwidth": 10000000,

"counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,

    "in_errors": 0,

    "in_mac_pause_frames": 0,

    "in_multicast_pkts": 0,

    "in_octets": 0,

    "in_pkts": 0,

    "in_unicast_pkts": 0,

    "in_unknown_protos": 0,

    "last_clear": "never",

    "out_broadcast_pkts": 0,

    "out_discard": 0,

    "out_errors": 0,

    "out_mac_pause_frames": 0,

    "out_multicast_pkts": 0,

    "out_octets": 0,

    "out_pkts": 0,

    "out_unicast_pkts": 0,

    "rate": {

        "in_rate": 0,

        "in_rate_pkts": 0,

        "load_interval": 300,

        "out_rate": 0,
```



```
    "out_rate_pkts": 0

  },

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e790",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e790",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"
```

},

"Ethernet1/78": {

"access_vlan": 1,

"bandwidth": 10000000,

"counters": {

"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

"in_rate": 0,

"in_rate_pkts": 0,

```
"load_interval": 300,

"out_rate": 0,

"out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e791",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e791",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",
```

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/79": {

"access_vlan": 1,

"bandwidth": 10000000,

"counters": {

"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

```
"in_rate": 0,

"in_rate_pkts": 0,

"load_interval": 300,

"out_rate": 0,

"out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e792",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e792",

"port_channel": {

  "port_channel_member": false

},
```

```
"switchport_enable": true,  
  
"switchport_mode": "access",  
  
"trunk_vlans": "1-4094",  
  
"type": "100/1000/10000 Ethernet"
```

```
},
```

```
"Ethernet1/8": {  
  
  "access_vlan": 1,  
  
  "bandwidth": 10000000,  
  
  "counters": {  
  
    "in_broadcast_pkts": 0,  
  
    "in_crc_errors": 0,  
  
    "in_errors": 0,  
  
    "in_mac_pause_frames": 0,  
  
    "in_multicast_pkts": 0,  
  
    "in_octets": 0,  
  
    "in_pkts": 0,  
  
    "in_unicast_pkts": 0,  
  
    "in_unknown_protos": 0,  
  
    "last_clear": "never",  
  
    "out_broadcast_pkts": 0,  
  
    "out_discard": 0,  
  
    "out_errors": 0,  
  
    "out_mac_pause_frames": 0,  
  
    "out_multicast_pkts": 0,  
  
    "out_octets": 0,  
  
    "out_pkts": 0,
```

```
"out_unicast_pkts": 0,

"rate": {

  "in_rate": 0,

  "in_rate_pkts": 0,

  "load_interval": 300,

  "out_rate": 0,

  "out_rate_pkts": 0

}

},

"delay": 10,

"description": "to",

"enabled": false,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "02:34:50",

"mac_address": "5254.000d.e74b",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e74b",
```

```
"port_channel": {  
  
  "port_channel_member": false  
  
},  
  
"switchport_enable": true,  
  
"switchport_mode": "access",  
  
"trunk_vlans": "1-4094",  
  
"type": "100/1000/10000 Ethernet"  
  
},
```

```
"Ethernet1/80": {  
  
  "access_vlan": 1,  
  
  "bandwidth": 10000000,  
  
  "counters": {  
  
    "in_broadcast_pkts": 0,  
  
    "in_crc_errors": 0,  
  
    "in_errors": 0,  
  
    "in_mac_pause_frames": 0,  
  
    "in_multicast_pkts": 0,  
  
    "in_octets": 0,  
  
    "in_pkts": 0,  
  
    "in_unicast_pkts": 0,  
  
    "in_unknown_protos": 0,  
  
    "last_clear": "never",  
  
    "out_broadcast_pkts": 0,  
  
    "out_discard": 0,  
  
    "out_errors": 0,  
  
    "out_mac_pause_frames": 0,
```



```
"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e793",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,
```

```
"oper_status": "down",

"phys_address": "5254.000d.e793",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/81": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,

    "in_errors": 0,

    "in_mac_pause_frames": 0,

    "in_multicast_pkts": 0,

    "in_octets": 0,

    "in_pkts": 0,

    "in_unicast_pkts": 0,

    "in_unknown_protos": 0,

    "last_clear": "never",

    "out_broadcast_pkts": 0,

    "out_discard": 0,
```

```
"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e794",

"medium": "broadcast",
```

```
"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e794",

"port_channel": {

    "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/82": {

    "access_vlan": 1,

    "bandwidth": 10000000,

    "counters": {

        "in_broadcast_pkts": 0,

        "in_crc_errors": 0,

        "in_errors": 0,

        "in_mac_pause_frames": 0,

        "in_multicast_pkts": 0,

        "in_octets": 0,

        "in_pkts": 0,

        "in_unicast_pkts": 0,

        "in_unknown_protos": 0,

        "last_clear": "never",
```

```
"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

  "in_rate": 0,

  "in_rate_pkts": 0,

  "load_interval": 300,

  "out_rate": 0,

  "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",
```

```
"mac_address": "5254.000d.e795",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e795",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/83": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,

    "in_errors": 0,

    "in_mac_pause_frames": 0,

    "in_multicast_pkts": 0,

    "in_octets": 0,

    "in_pkts": 0,

    "in_unicast_pkts": 0,
```

```
"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false
```

```
},

"last_change": "never",

"mac_address": "5254.000d.e796",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e796",

"port_channel": {

    "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/84": {

    "access_vlan": 1,

    "bandwidth": 10000000,

    "counters": {

        "in_broadcast_pkts": 0,

        "in_crc_errors": 0,

        "in_errors": 0,

        "in_mac_pause_frames": 0,

        "in_multicast_pkts": 0,

        "in_octets": 0,
```



```
"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {
```

```
    "receive": false,

    "send": false

  },

  "last_change": "never",

  "mac_address": "5254.000d.e797",

  "medium": "broadcast",

  "mtu": 1500,

  "native_vlan": 1,

  "oper_status": "down",

  "phys_address": "5254.000d.e797",

  "port_channel": {

    "port_channel_member": false

  },

  "switchport_enable": true,

  "switchport_mode": "access",

  "trunk_vlans": "1-4094",

  "type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/85": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,

    "in_errors": 0,

    "in_mac_pause_frames": 0,
```

```
"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

  "in_rate": 0,

  "in_rate_pkts": 0,

  "load_interval": 300,

  "out_rate": 0,

  "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"
```

```
  },

  "flow_control": {

    "receive": false,

    "send": false

  },

  "last_change": "never",

  "mac_address": "5254.000d.e798",

  "medium": "broadcast",

  "mtu": 1500,

  "native_vlan": 1,

  "oper_status": "down",

  "phys_address": "5254.000d.e798",

  "port_channel": {

    "port_channel_member": false

  },

  "switchport_enable": true,

  "switchport_mode": "access",

  "trunk_vlans": "1-4094",

  "type": "100/1000/10000 Ethernet"

},

"Ethernet1/86": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,
```

```
"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,
```

```
"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e799",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e799",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/87": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {
```

```
"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},
```

```
"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e79a",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e79a",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/88": {

  "access_vlan": 1,
```


"bandwidth": 10000000,

"counters": {

"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

"in_rate": 0,

"in_rate_pkts": 0,

"load_interval": 300,

"out_rate": 0,

"out_rate_pkts": 0

```
}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e79b",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e79b",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/89": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,

    "in_errors": 0,

    "in_mac_pause_frames": 0,

    "in_multicast_pkts": 0,

    "in_octets": 0,

    "in_pkts": 0,

    "in_unicast_pkts": 0,

    "in_unknown_protos": 0,

    "last_clear": "never",

    "out_broadcast_pkts": 0,

    "out_discard": 0,

    "out_errors": 0,

    "out_mac_pause_frames": 0,

    "out_multicast_pkts": 0,

    "out_octets": 0,

    "out_pkts": 0,

    "out_unicast_pkts": 0,

    "rate": {

      "in_rate": 0,

      "in_rate_pkts": 0,

      "load_interval": 300,
```

```
"out_rate": 0,

"out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e79c",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e79c",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",
```

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/9": {

"access_vlan": 1,

"bandwidth": 10000000,

"counters": {

"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

"in_rate": 0,

```
"in_rate_pkts": 0,

"load_interval": 300,

"out_rate": 0,

"out_rate_pkts": 0

}

},

"delay": 10,

"description": "to",

"enabled": false,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false

},

"last_change": "02:34:50",

"mac_address": "5254.000d.e74c",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e74c",

"port_channel": {

    "port_channel_member": false

},
```

```
"switchport_enable": true,  
  
"switchport_mode": "access",  
  
"trunk_vlans": "1-4094",  
  
"type": "100/1000/10000 Ethernet"
```

```
},
```

```
"Ethernet1/90": {  
  
  "access_vlan": 1,  
  
  "bandwidth": 10000000,  
  
  "counters": {  
  
    "in_broadcast_pkts": 0,  
  
    "in_crc_errors": 0,  
  
    "in_errors": 0,  
  
    "in_mac_pause_frames": 0,  
  
    "in_multicast_pkts": 0,  
  
    "in_octets": 0,  
  
    "in_pkts": 0,  
  
    "in_unicast_pkts": 0,  
  
    "in_unknown_protos": 0,  
  
    "last_clear": "never",  
  
    "out_broadcast_pkts": 0,  
  
    "out_discard": 0,  
  
    "out_errors": 0,  
  
    "out_mac_pause_frames": 0,  
  
    "out_multicast_pkts": 0,  
  
    "out_octets": 0,  
  
    "out_pkts": 0,
```

```
"out_unicast_pkts": 0,

"rate": {

  "in_rate": 0,

  "in_rate_pkts": 0,

  "load_interval": 300,

  "out_rate": 0,

  "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e79d",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e79d",

"port_channel": {
```


"port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/91": {

"access_vlan": 1,

"bandwidth": 10000000,

"counters": {

"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

```
"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e79e",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",
```

"phys_address": "5254.000d.e79e",

"port_channel": {

"port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/92": {

"access_vlan": 1,

"bandwidth": 10000000,

"counters": {

"in_broadcast_pkts": 0,

"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

```
"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

  "in_rate": 0,

  "in_rate_pkts": 0,

  "load_interval": 300,

  "out_rate": 0,

  "out_rate_pkts": 0

},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e79f",

"medium": "broadcast",

"mtu": 1500,
```

```
"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e79f",

"port_channel": {

    "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/93": {

    "access_vlan": 1,

    "bandwidth": 10000000,

    "counters": {

        "in_broadcast_pkts": 0,

        "in_crc_errors": 0,

        "in_errors": 0,

        "in_mac_pause_frames": 0,

        "in_multicast_pkts": 0,

        "in_octets": 0,

        "in_pkts": 0,

        "in_unicast_pkts": 0,

        "in_unknown_protos": 0,

        "last_clear": "never",

        "out_broadcast_pkts": 0,
```

```
"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e7a0",
```

```
"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e7a0",

"port_channel": {

    "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/94": {

    "access_vlan": 1,

    "bandwidth": 10000000,

    "counters": {

        "in_broadcast_pkts": 0,

        "in_crc_errors": 0,

        "in_errors": 0,

        "in_mac_pause_frames": 0,

        "in_multicast_pkts": 0,

        "in_octets": 0,

        "in_pkts": 0,

        "in_unicast_pkts": 0,

        "in_unknown_protos": 0,
```

```
"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,

    "send": false

},
```



```
"last_change": "never",

"mac_address": "5254.000d.e7a1",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e7a1",

"port_channel": {

    "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/95": {

    "access_vlan": 1,

    "bandwidth": 10000000,

    "counters": {

        "in_broadcast_pkts": 0,

        "in_crc_errors": 0,

        "in_errors": 0,

        "in_mac_pause_frames": 0,

        "in_multicast_pkts": 0,

        "in_octets": 0,

        "in_pkts": 0,
```

```
"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"flow_control": {

    "receive": false,
```

```
    "send": false

  },

  "last_change": "never",

  "mac_address": "5254.000d.e7a2",

  "medium": "broadcast",

  "mtu": 1500,

  "native_vlan": 1,

  "oper_status": "down",

  "phys_address": "5254.000d.e7a2",

  "port_channel": {

    "port_channel_member": false

  },

  "switchport_enable": true,

  "switchport_mode": "access",

  "trunk_vlans": "1-4094",

  "type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/96": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,

    "in_errors": 0,

    "in_mac_pause_frames": 0,

    "in_multicast_pkts": 0,
```

```
"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

}
```

```
"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e7a3",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e7a3",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},
```

```
"Ethernet1/97": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,

    "in_errors": 0,
```

```
"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,

"enabled": true,

"encapsulation": {
```

```
    "encapsulation": "arpa"

  },

  "flow_control": {

    "receive": false,

    "send": false

  },

  "last_change": "never",

  "mac_address": "5254.000d.e7a4",

  "medium": "broadcast",

  "mtu": 1500,

  "native_vlan": 1,

  "oper_status": "down",

  "phys_address": "5254.000d.e7a4",

  "port_channel": {

    "port_channel_member": false

  },

  "switchport_enable": true,

  "switchport_mode": "access",

  "trunk_vlans": "1-4094",

  "type": "100/1000/10000 Ethernet"

},

"Ethernet1/98": {

  "access_vlan": 1,

  "bandwidth": 10000000,

  "counters": {

    "in_broadcast_pkts": 0,
```

```
"in_crc_errors": 0,

"in_errors": 0,

"in_mac_pause_frames": 0,

"in_multicast_pkts": 0,

"in_octets": 0,

"in_pkts": 0,

"in_unicast_pkts": 0,

"in_unknown_protos": 0,

"last_clear": "never",

"out_broadcast_pkts": 0,

"out_discard": 0,

"out_errors": 0,

"out_mac_pause_frames": 0,

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

    "in_rate": 0,

    "in_rate_pkts": 0,

    "load_interval": 300,

    "out_rate": 0,

    "out_rate_pkts": 0

}

},

"delay": 10,
```



```
"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e7a5",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e7a5",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Ethernet1/99": {

  "access_vlan": 1,

  "bandwidth": 10000000,
```

```
"counters": {  
  
  "in_broadcast_pkts": 0,  
  
  "in_crc_errors": 0,  
  
  "in_errors": 0,  
  
  "in_mac_pause_frames": 0,  
  
  "in_multicast_pkts": 0,  
  
  "in_octets": 0,  
  
  "in_pkts": 0,  
  
  "in_unicast_pkts": 0,  
  
  "in_unknown_protos": 0,  
  
  "last_clear": "never",  
  
  "out_broadcast_pkts": 0,  
  
  "out_discard": 0,  
  
  "out_errors": 0,  
  
  "out_mac_pause_frames": 0,  
  
  "out_multicast_pkts": 0,  
  
  "out_octets": 0,  
  
  "out_pkts": 0,  
  
  "out_unicast_pkts": 0,  
  
  "rate": {  
  
    "in_rate": 0,  
  
    "in_rate_pkts": 0,  
  
    "load_interval": 300,  
  
    "out_rate": 0,  
  
    "out_rate_pkts": 0  
  
  }  
}
```

```
},

"delay": 10,

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"flow_control": {

  "receive": false,

  "send": false

},

"last_change": "never",

"mac_address": "5254.000d.e7a6",

"medium": "broadcast",

"mtu": 1500,

"native_vlan": 1,

"oper_status": "down",

"phys_address": "5254.000d.e7a6",

"port_channel": {

  "port_channel_member": false

},

"switchport_enable": true,

"switchport_mode": "access",

"trunk_vlans": "1-4094",

"type": "100/1000/10000 Ethernet"

},

"Loopback0": {
```

```
"bandwidth": 8000000,

"delay": 5000,

"description": "to",

"enabled": false,

"encapsulation": {

  "encapsulation": "loopback"

},

"medium": "broadcast",

"mtu": 1500,

"oper_status": "down",

"port_channel": {

  "port_channel_member": false

},

"vrf": "default"

},

"Mgmt0": {

  "auto_negotiate": true,

  "bandwidth": 1000000,

  "counters": {

    "in_broadcast_pkts": 9,

    "in_multicast_pkts": 315,

    "in_octets": 4920729,

    "in_pkts": 14302,

    "in_unicast_pkts": 13523,

    "rate": {

      "in_rate": 17592,
```

```
"in_rate_pkts": 28,

"load_interval": 1,

"out_rate": 189896,

"out_rate_pkts": 46

}

},

"delay": 10,

"description": "to port8.sandbox-backend",

"duplex_mode": "full",

"enabled": true,

"encapsulation": {

    "encapsulation": "arpa"

},

"ipv4": {

    "10.10.20.177/24": {

        "ip": "10.10.20.177",

        "prefix_length": "24"

    }

},

"mac_address": "5254.000d.e73c",

"medium": "broadcast",

"mtu": 1500,

"oper_status": "up",

"phys_address": "5254.000d.e73c",

"port_channel": {

    "port_channel_member": false
```

```
  },

  "port_speed": "1000",

  "type": "Ethernet",

  "vrf": "management"

},

"Null0": {

  "vrf": "default"

},

"Port-channel1": {

  "access_vlan": 1,

  "bandwidth": 2000000,

  "counters": {

    "in_broadcast_pkts": 0,

    "in_crc_errors": 0,

    "in_errors": 0,

    "in_mac_pause_frames": 0,

    "in_multicast_pkts": 0,

    "in_octets": 0,

    "in_pkts": 0,

    "in_unicast_pkts": 0,

    "in_unknown_protos": 0,

    "last_clear": "never",

    "out_broadcast_pkts": 0,

    "out_discard": 0,

    "out_errors": 0,

    "out_mac_pause_frames": 0,
```

"out_multicast_pkts": 0,

"out_octets": 0,

"out_pkts": 0,

"out_unicast_pkts": 0,

"rate": {

"in_rate": 0,

"in_rate_pkts": 0,

"load_interval": 300,

"out_rate": 0,

"out_rate_pkts": 0

}

},

"delay": 10,

"duplex_mode": "full",

"enabled": true,

"encapsulation": {

"encapsulation": "arpa"

},

"flow_control": {

"receive": false,

"send": false

},

"medium": "broadcast",

"mtu": 9216,

"native_vlan": 1,

"oper_status": "up",

```
"port_channel": {

  "port_channel_member": true,

  "port_channel_member_intfs": [

    "Ethernet1/1",

    "Ethernet1/2"

  ]

},

"port_speed": "1000",

"switchport_enable": true,

"switchport_mode": "trunk",

"trunk_vlans": "1-4094"

},

"Vlan1": {

  "bandwidth": 1000000,

  "delay": 10,

  "enabled": false,

  "encapsulation": {

    "encapsulation": "arpa"

  },

  "mac_address": "5254.000d.e743",

  "mtu": 1500,

  "oper_status": "down",

  "port_channel": {

    "port_channel_member": false

  },

  "type": "EtherSVI",
```



```
"vrf": "default"

},

"Vlan101": {

  "bandwidth": 1000000,

  "delay": 10,

  "description": "prod svi ",

  "enabled": true,

  "encapsulation": {

    "encapsulation": "arpa"

  },

  "ipv4": {

    "172.16.101.2/24": {

      "ip": "172.16.101.2",

      "prefix_length": "24"

    }

  },

  "mac_address": "5254.000d.e743",

  "mtu": 1500,

  "oper_status": "up",

  "port_channel": {

    "port_channel_member": false

  },

  "type": "EtherSVI",

  "vrf": "default"

},

"Vlan102": {
```

```
"bandwidth": 1000000,

"delay": 10,

"description": "dev svi ",

"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"ipv4": {

  "172.16.102.2/24": {

    "ip": "172.16.102.2",

    "prefix_length": "24"

  }

},

"mac_address": "5254.000d.e743",

"mtu": 1500,

"oper_status": "up",

"port_channel": {

  "port_channel_member": false

},

"type": "EtherSVI",

"vrf": "default"

},

"Vlan103": {

  "bandwidth": 1000000,

  "delay": 10,

  "description": "test svi ",
```

```
"enabled": true,

"encapsulation": {

  "encapsulation": "arpa"

},

"ipv4": {

  "172.16.103.2/24": {

    "ip": "172.16.103.2",

    "prefix_length": "24"

  }

},

"mac_address": "5254.000d.e743",

"mtu": 1500,

"oper_status": "up",

"port_channel": {

  "port_channel_member": false

},

"type": "EtherSVI",

"vrf": "default"

},

"Vlan104": {

  "bandwidth": 1000000,

  "delay": 10,

  "description": "security svi ",

  "enabled": true,

  "encapsulation": {

    "encapsulation": "arpa"
```

```
  },

  "ipv4": {

    "172.16.104.2/24": {

      "ip": "172.16.104.2",

      "prefix_length": "24"

    }

  },

  "mac_address": "5254.000d.e743",

  "mtu": 1500,

  "oper_status": "up",

  "port_channel": {

    "port_channel_member": false

  },

  "type": "EtherSVI",

  "vrf": "default"

},

"Vlan105": {

  "bandwidth": 1000000,

  "delay": 10,

  "description": "iot svi ",

  "enabled": true,

  "encapsulation": {

    "encapsulation": "arpa"

  },

  "ipv4": {

    "172.16.105.2/24": {
```

"ip": "172.16.105.2",

"prefix_length": "24"

}

},

"mac_address": "5254.000d.e743",

"mtu": 1500,

"oper_status": "up",

"port_channel": {

"port_channel_member": false

},

"type": "EtherSVI",

"vrf": "default"

}

}