```
{
  "feature_ospf": true,
  "vrf": {
    "default": {
       "address_family": {
         "ipv4": {
            "instance": {
              "1": {
                "areas": {
                   "0.0.0.0": {
                     "area_id": "0.0.0.0",
                      "area_type": "normal",
                      "database": {
                        "Isa_types": {
                          "1": {
                             "Isa_type": 1,
                             "Isas": {
                               "172.16.101.2 172.16.101.2": {
                                 "adv_router": "172.16.101.2",
                                  "lsa_id": "172.16.101.2",
                                  "ospfv2": {
                                    "body": {
                                      "router": {
                                         "links": {
                                           "172.16.101.0": {
```

```
"link_data": "255.255.255.0",
  "link_id": "172.16.101.0",
  "topologies": {
    "0": {
    "metric": 40,
    "mt_id": 0
   }
 "type": "stub network"
"172.16.102.0": {
  "link_data": "255.255.255.0",
  "link_id": "172.16.102.0",
  "topologies": {
    "0": {
    "metric": 40,
    "mt_id": 0
   }
 "type": "stub network"
"172.16.103.0": {
  "link_data": "255.255.255.0",
  "link_id": "172.16.103.0",
  "topologies": {
```

},

"0": {

```
"metric": 40,
    "mt_id": 0
    }
  },
 "type": "stub network"
},
"172.16.104.0": {
  "link_data": "255.255.255.0",
  "link_id": "172.16.104.0",
  "topologies": {
    "0": {
    "metric": 40,
    "mt_id": 0
    }
  },
 "type": "stub network"
},
"172.16.105.0": {
 "link_data": "255.255.255.0",
  "link_id": "172.16.105.0",
  "topologies": {
    "0": {
    "metric": 40,
    "mt_id": 0
    }
```

```
"type": "stub network"
 },
  "172.16.252.2": {
    "link_data": "172.16.252.1",
    "link_id": "172.16.252.2",
    "topologies": {
      "0": {
      "metric": 40,
      "mt_id": 0
     }
   "type": "transit network"
 },
  "172.16.252.6": {
   "link_data": "172.16.252.5",
    "link_id": "172.16.252.6",
    "topologies": {
      "0": {
      "metric": 40,
      "mt_id": 0
      }
 "type": "transit network"
}
```

"num_of_links": 7

```
},
    "header": {
      "adv_router": "172.16.101.2",
      "age": 267,
       "checksum": "0xb927",
      "length": 108,
      "Isa_id": "172.16.101.2",
      "option": "0x2",
      "seq_num": "0x8000000a",
      "type": 1
   }
"172.16.101.3 172.16.101.3": {
  "adv_router": "172.16.101.3",
  "lsa_id": "172.16.101.3",
  "ospfv2": {
    "body": {
      "router": {
         "links": {
           "172.16.101.0": {
             "link_data": "255.255.255.0",
              "link_id": "172.16.101.0",
              "topologies": {
                "0": {
```

}

```
"metric": 40,
    "mt_id": 0
    }
  },
 "type": "stub network"
},
"172.16.102.0": {
  "link_data": "255.255.255.0",
  "link_id": "172.16.102.0",
  "topologies": {
    "0": {
    "metric": 40,
    "mt_id": 0
    }
  },
 "type": "stub network"
},
"172.16.103.0": {
 "link_data": "255.255.255.0",
  "link_id": "172.16.103.0",
  "topologies": {
    "0": {
    "metric": 40,
    "mt_id": 0
    }
```

```
"type": "stub network"
},
"172.16.104.0": {
  "link_data": "255.255.255.0",
  "link_id": "172.16.104.0",
  "topologies": {
    "0": {
    "metric": 40,
    "mt_id": 0
    }
 "type": "stub network"
},
"172.16.105.0": {
  "link_data": "255.255.255.0",
  "link_id": "172.16.105.0",
  "topologies": {
    "0": {
    "metric": 40,
    "mt_id": 0
    }
  },
 "type": "stub network"
},
"172.16.252.10": {
```

"link_data": "172.16.252.9",

```
"link_id": "172.16.252.10",
        "topologies": {
          "0": {
          "metric": 40,
          "mt_id": 0
         }
        },
       "type": "transit network"
      "172.16.252.14": {
       "link_data": "172.16.252.13",
        "link_id": "172.16.252.14",
        "topologies": {
          "0": {
          "metric": 40,
          "mt_id": 0
        }
      "type": "transit network"
    }
   "num_of_links": 7
 }
"header": {
```

},

"adv_router": "172.16.101.3",

```
"age": 272,
       "checksum": "0xe9d3",
      "length": 108,
       "Isa_id": "172.16.101.3",
      "option": "0x2",
      "seq_num": "0x8000000b",
      "type": 1
  }
 }
"172.16.252.25 172.16.252.25": {
  "adv_router": "172.16.252.25",
  "lsa_id": "172.16.252.25",
  "ospfv2": {
    "body": {
      "router": {
        "links": {
           "172.16.252.10": {
             "link_data": "172.16.252.10",
             "link_id": "172.16.252.10",
             "topologies": {
                "0": {
                "metric": 1,
                "mt_id": 0
                }
             },
```

```
"type": "transit network"
},
"172.16.252.18": {
  "link_data": "172.16.252.17",
  "link_id": "172.16.252.18",
  "topologies": {
    "0": {
    "metric": 1,
     "mt_id": 0
    }
  "type": "transit network"
},
"172.16.252.2": {
  "link_data": "172.16.252.2",
  "link_id": "172.16.252.2",
  "topologies": {
    "0": {
    "metric": 1,
    "mt_id": 0
    }
  },
 "type": "transit network"
},
"172.16.252.20": {
```

"link_data": "255.255.255.252",

```
"link_id": "172.16.252.20",
        "topologies": {
          "0": {
          "metric": 1,
          "mt_id": 0
          }
        },
       "type": "stub network"
      "172.16.252.24": {
        "link_data": "255.255.255.252",
        "link_id": "172.16.252.24",
        "topologies": {
          "0": {
          "metric": 1,
          "mt_id": 0
        }
      "type": "stub network"
    }
  "num_of_links": 5
"header": {
"adv_router": "172.16.252.25",
```

}

```
"age": 1543,
       "checksum": "0xe526",
      "length": 84,
       "lsa_id": "172.16.252.25",
      "option": "0x22",
      "seq_num": "0x80000011",
      "type": 1
  }
 }
},
"172.16.252.33 172.16.252.33": {
  "adv_router": "172.16.252.33",
  "lsa_id": "172.16.252.33",
  "ospfv2": {
    "body": {
      "router": {
        "links": {
           "172.16.252.14": {
             "link_data": "172.16.252.14",
             "link_id": "172.16.252.14",
             "topologies": {
               "0": {
                "metric": 1,
                "mt_id": 0
               }
             },
```

```
"type": "transit network"
},
"172.16.252.18": {
  "link_data": "172.16.252.18",
  "link_id": "172.16.252.18",
  "topologies": {
    "0": {
    "metric": 1,
     "mt_id": 0
    }
  "type": "transit network"
},
"172.16.252.28": {
  "link_data": "255.255.255.252",
  "link_id": "172.16.252.28",
  "topologies": {
    "0": {
     "metric": 1,
     "mt_id": 0
    }
  },
 "type": "stub network"
},
"172.16.252.32": {
```

"link_data": "255.255.255.252",

```
"link_id": "172.16.252.32",
        "topologies": {
          "0": {
          "metric": 1,
          "mt_id": 0
          }
        },
       "type": "stub network"
      "172.16.252.6": {
        "link_data": "172.16.252.6",
        "link_id": "172.16.252.6",
        "topologies": {
          "0": {
          "metric": 1,
          "mt_id": 0
        }
      "type": "transit network"
    }
  "num_of_links": 5
"header": {
```

}

"adv_router": "172.16.252.33",

```
"age": 1505,
           "checksum": "0xa03e",
           "length": 84,
           "lsa_id": "172.16.252.33",
           "option": "0x22",
           "seq_num": "0x8000000d",
          "type": 1
      }
      }
    }
 }
},
"2": {
  "Isa_type": 2,
  "Isas": {
    "172.16.252.10 172.16.252.25": {
      "adv_router": "172.16.252.25",
      "lsa_id": "172.16.252.10",
      "ospfv2": {
         "body": {
           "network": {
             "attached_routers": {
               "172.16.101.3": {},
              "172.16.252.25": {}
             },
             "network_mask": "255.255.255.252"
```

```
}
    },
    "header": {
      "adv_router": "172.16.252.25",
      "age": 1543,
       "checksum": "0x3e6c",
      "length": 32,
      "Isa_id": "172.16.252.10",
      "option": "0x22",
      "seq_num": "0x80000005",
      "type": 2
   }
"172.16.252.14 172.16.252.33": {
  "adv_router": "172.16.252.33",
  "lsa_id": "172.16.252.14",
  "ospfv2": {
    "body": {
      "network": {
        "attached_routers": {
          "172.16.101.3": {},
          "172.16.252.33": {}
        },
        "network_mask": "255.255.255.252"
```

}

},

}

```
},
     "header": {
      "adv_router": "172.16.252.33",
       "age": 1505,
       "checksum": "0x3660",
       "length": 32,
       "Isa_id": "172.16.252.14",
      "option": "0x22",
      "seq_num": "0x80000005",
      "type": 2
    }
 }
"172.16.252.18 172.16.252.33": {
  "adv_router": "172.16.252.33",
  "lsa_id": "172.16.252.18",
  "ospfv2": {
    "body": {
      "network": {
         "attached_routers": {
           "172.16.252.25": {},
           "172.16.252.33": {}
         },
         "network_mask": "255.255.255.252"
      }
```

```
"header": {
       "adv_router": "172.16.252.33",
      "age": 1505,
       "checksum": "0xf5ee",
       "length": 32,
       "Isa_id": "172.16.252.18",
      "option": "0x22",
      "seq_num": "0x80000005",
      "type": 2
    }
  }
"172.16.252.2 172.16.252.25": {
  "adv_router": "172.16.252.25",
  "Isa_id": "172.16.252.2",
  "ospfv2": {
    "body": {
      "network": {
        "attached_routers": {
          "172.16.101.2": {},
          "172.16.252.25": {}
         },
        "network_mask": "255.255.255.252"
      }
    },
```

"header": {

```
"adv_router": "172.16.252.25",
       "age": 1543,
       "checksum": "0x8033",
       "length": 32,
       "Isa_id": "172.16.252.2",
       "option": "0x22",
      "seq_num": "0x80000005",
      "type": 2
    }
  }
"172.16.252.6 172.16.252.33": {
  "adv_router": "172.16.252.33",
  "lsa_id": "172.16.252.6",
  "ospfv2": {
    "body": {
      "network": {
         "attached_routers": {
          "172.16.101.2": {},
          "172.16.252.33": {}
         },
         "network_mask": "255.255.255.252"
      }
    },
    "header": {
      "adv_router": "172.16.252.33",
```

```
"checksum": "0x7827",
                "length": 32,
                "Isa_id": "172.16.252.6",
                "option": "0x22",
               "seq_num": "0x80000005",
               "type": 2
           }
        }
        }
     }
   }
  }
},
"interfaces": {
  "Ethernet1/3": {
    "bdr_ip_addr": "172.16.252.1",
    "bdr_router_id": "172.16.101.2",
    "bfd": {
     "enable": false
    },
    "cost": 40,
    "dead_interval": 40,
    "dr_ip_addr": "172.16.252.2",
    "dr_router_id": "172.16.252.25",
    "enable": true,
```

"age": 1505,

```
"hello_interval": 10,
"hello_timer": "00:00:05",
"interface_type": "broadcast",
"name": "Ethernet1/3",
"neighbors": {
  "172.16.252.25": {
    "address": "172.16.252.2",
    "bdr_ip_addr": "172.16.252.1",
    "dead_timer": "00:00:41",
    "dr_ip_addr": "172.16.252.2",
    "last_state_change": "02:36:39",
    "neighbor_router_id": "172.16.252.25",
    "state": "full",
    "statistics": {
      "nbr_event_count": 6
    }
 }
},
"passive": false,
"priority": 1,
"retransmit_interval": 5,
"state": "bdr",
"statistics": {
 "link_scope_lsa_cksum_sum": 0,
  "link_scope_lsa_count": 0
},
```

```
"transmit_delay": 1
},
"Ethernet1/4": {
  "bdr_ip_addr": "172.16.252.5",
  "bdr_router_id": "172.16.101.2",
  "bfd": {
    "enable": false
  "cost": 40,
  "dead_interval": 40,
  "dr_ip_addr": "172.16.252.6",
  "dr_router_id": "172.16.252.33",
  "enable": true,
  "hello_interval": 10,
  "hello_timer": "00:00:08",
  "interface_type": "broadcast",
  "name": "Ethernet1/4",
  "neighbors": {
    "172.16.252.33": {
       "address": "172.16.252.6",
       "bdr_ip_addr": "172.16.252.5",
       "dead_timer": "00:00:41",
       "dr_ip_addr": "172.16.252.6",
       "last_state_change": "02:36:39",
       "neighbor_router_id": "172.16.252.33",
       "state": "full",
```

```
"statistics": {
        "nbr_event_count": 6
      }
   }
  },
  "passive": false,
  "priority": 1,
  "retransmit_interval": 5,
  "state": "bdr",
  "statistics": {
    "link_scope_lsa_cksum_sum": 0,
   "link_scope_lsa_count": 0
  },
  "transmit_delay": 1
},
"Vlan101": {
  "bfd": {
   "enable": false
  "cost": 40,
  "enable": true,
  "interface_type": "broadcast",
  "name": "Vlan101",
  "passive": true,
  "state": "dr"
},
```

```
"bfd": {
  "enable": false
  },
  "cost": 40,
  "enable": true,
  "interface_type": "broadcast",
  "name": "Vlan102",
  "passive": true,
  "state": "dr"
},
"Vlan103": {
  "bfd": {
  "enable": false
  },
  "cost": 40,
  "enable": true,
  "interface_type": "broadcast",
  "name": "Vlan103",
  "passive": true,
  "state": "dr"
},
"Vlan104": {
  "bfd": {
  "enable": false
  },
```

"Vlan102": {

```
"cost": 40,
     "enable": true,
     "interface_type": "broadcast",
     "name": "Vlan104",
     "passive": true,
     "state": "dr"
  "Vlan105": {
    "bfd": {
     "enable": false
    },
     "cost": 40,
     "enable": true,
     "interface_type": "broadcast",
     "name": "Vlan105",
     "passive": true,
    "state": "dr"
"mpls": {
  "ldp": {
   "auto_config": false,
   "sync": false
```

}

},

}

},

"statistics": {

```
"area_scope_lsa_cksum_sum": "9",
       "area_scope_lsa_count": 9,
      "spf_runs_count": 9
  }
 }
},
"auto_cost": {
  "enable": false,
  "reference_bandwidth": 40000
},
"enable": true,
"graceful_restart": {
  "ietf": {
    "enable": true,
   "restart_interval": 60,
   "type": "ietf"
  }
"nsr": {
 "enable": true
},
"preference": {
  "single_value": {
  "all": 110
}
},
```

```
"spf_control": {
              "paths": 8,
              "throttle": {
                "lsa": {
                  "hold": 5000,
                  "maximum": 5000,
                 "start": 0
                "spf": {
                  "hold": 1000,
                  "maximum": 5000,
                 "start": 200
                }
           }
         }
        }
     }
   }
  }
}
```

}

"router_id": "172.16.101.2",