

Window scrollTo()

[< Window Object](#)

Example

Scroll the document to the horizontal position 500:

```
window.scrollTo(500, 0);
```

[Try it Yourself »](#)

Scroll the document to the vertical position 300:

```
window.scrollTo(0, 500);
```

[Try it Yourself »](#)

More examples below.

Definition and Usage

The `scrollTo()` method scrolls the document to specified coordinates.

Note

For the `scrollTo()` method to work, the document must be larger than the screen, and the scrollbar must be visible.

See Also:

[The scrollBy\(\) method.](#)

Syntax

```
window.scrollTo(x, y)
```

or just:

```
scrollTo(x, y)
```

Parameters

Parameter	Description
<i>x</i>	Required. The coordinate to scroll to (horizontally), in pixels.
<i>y</i>	Required. The coordinate to scroll to (vertically), in pixels.

Return Value

NONE

More Examples




Scroll the document to position 300 horizontally and 500 vertically:

```
window.scrollTo(300, 500);
```

Try it Yourself »

Browser Support

`scrollTo()` is supported in all browsers:

					
Chrome	IE	Edge	Firefox	Safari	Opera
Yes	Yes	Yes	Yes	Yes	Yes




◀ Window Object




NEW

We just launched
W3Schools videos



Explore now

COLOR PICKER





Get certified
by completing
a course today!



Get started

CODE GAME



Play Game

Report Error

Forum

About

Shop

Top Tutorials

[HTML Tutorial](#)
[CSS Tutorial](#)
[JavaScript Tutorial](#)
[How To Tutorial](#)
[SQL Tutorial](#)
[Python Tutorial](#)
[W3.CSS Tutorial](#)
[Bootstrap Tutorial](#)
[PHP Tutorial](#)
[Java Tutorial](#)
[C++ Tutorial](#)
[jQuery Tutorial](#)

Top References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[SQL Reference](#)
[Python Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[Java Reference](#)
[Angular Reference](#)
[jQuery Reference](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[Java Examples](#)
[XML Examples](#)
[jQuery Examples](#)

Web Courses

[HTML Course](#)
[CSS Course](#)
[JavaScript Course](#)
[Front End Course](#)
[SQL Course](#)
[Python Course](#)
[PHP Course](#)

[jQuery Course](#)[Java Course](#)[C++ Course](#)[C# Course](#)[XML Course](#)[Get Certified »](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#).

Copyright 1999-2022 by Refsnes Data. All Rights Reserved.

W3Schools is Powered by W3.CSS.

