





Automation One

Business Systems

BRAND GUIDELINES

Metro Vancouver · Est. 1981



Identity standards for print, signage, and digital

Contents

- 1 Brand overview
 - 2 Logo & lockups
 - 3 Colour system
 - 4 Typography
 - 5 Applications
 - 6 Usage standards
-

1 Brand overview

Identity standards for every touchpoint.

Clarity One blue palette. One type family. Every application should feel unmistakably Automation One.	Consistency Primary lockup first. Secondary only on brand blue. Alternates are the exception, not the default.	Restraint Generous space, precise alignment, and production-ready minimums — never decorative clutter.
--	---	---

Automation One Business Systems has served Metro Vancouver since 1981. The visual system is intentionally restrained: a single blue palette, one type family, and lockups engineered for print, signage, and digital at any scale.

2 Logo & lockups

Primary, secondary, and alternate treatments.

Lockup width equals the width of “Automation One.” When stacked, the mark matches that width. “Business Systems” aligns with **B** under **m**; subline size is ~53.5% of the name. Maintain at least **2 mm** between mark and wordmark.

Background	When to use
White / paper	Default — all marketing, print, and web on light fields
Blue 500 (#1F5CF5)	Brand-blue fields only — same blue as the logo colour
Paired: blue/white fields; black/white fields	Only when Primary or Secondary cannot be used

Approved Primary

Blue 500 (#1F5CF5) on white. Default lockup for all materials on light backgrounds. Dashed outline = **5 mm** minimum clear space.



Stacked

Horizontal



Approved Secondary

White on Blue 500 (#1F5CF5). Use only when the background is the same brand blue as the primary logo colour — not lighter tints, not darker blues.


Stacked

Horizontal



Approved Alternate


Use only when Approved Primary or Secondary cannot be applied. **Blue 800 pair:** dark blue on white and white on Blue 800 (#0A2870). **Monochrome pair:** black on white and white on black.



Minimum size & clear space

Never set the name or mark smaller than the minimums below. Every lockup shown in §2–§5 is rendered at **10 pt** name size or larger. Keep at least **5 mm** clear space around the full lockup and at least **2 mm** between the mark and the wordmark.

Minimum size example — “Automation One” **10 pt**, “Business Systems” **6.0 pt**, mark width **25.3 mm**. All other lockups in this document are this size or larger.




Minimum	Digital minimum (website)
	30 px
% of name)	Scales with name (JS lockup)
	Matches name width
Minimum	50 px
	5 mm
Minimum	2 mm minimum

Application mockups are scaled to fit each format; clear space is still required in final production files.

Mark asset

Source: ao-nav-logo.png · Primary: #1F5CF5 · Secondary: white on Blue 500 · Alternate: black, Blue 800, or white per field.



3 Colour system

Blue 500 is the anchor. Ink tones support type on light fields.

 Blue 50 #EEF4FF	 Blue 100 #D9E6FF	 Blue 200 #B3CCFF
 Blue 300 #7EA7FF	 Blue 400 #4A82FF	 Blue 500 (Primary) #1F5CF5
 Blue 600 #1547D1	 Blue 700 #0F389E	 Blue 800 #0A2870
 Blue 900 #061A4A	 Ink (on light) #0B1330	 Ink soft #1A2347
 Nav / logo ink #2B4593	 Paper #F8FAFF	 White #FFFFFF
 Transition UI #3868F7		

Digital gradients (blue only)

Hero




CTA & buttons



Light shimmer



Section wash



4 Typography

Sequel Sans Display — the only approved family.

Use Sequel Sans Display across brand and product UI. Inter and Montserrat are web fallbacks only — never Arial, Roboto, or system substitutes in brand materials.

	Weight / file	Use on site & print
s Display	400 — SequelSans-Display	Body copy, UI, default sans-serif
s Display	450 — SequelSans-DisplayBook	Optional book weight
s Display	500 — SequelSans-DisplayMedium	“Business Systems”, buttons, subheads
s Display	600 — SequelSans-DisplaySemi	“Automation One”, headings, logo name line
errant	—	If Sequel Sans fails to load
sans-serif	—	Final web fallback

All typography in this document uses embedded Sequel Sans Display (Book, Medium, Semi, and Regular) from the approved fonts/ library.

Type samples

Automation One

Business Systems

Business solutions made simple.

5 Applications

Production-ready mockups at or above minimum size.

Approved email signature

First Last

Title · Automation One Business Systems

604-255-6622

first.last@automationone.ca

automationone.ca · Metro Vancouver, BC



Canon

IDEAL.MBM
CORPORATION

 **Lexmark**

FP®

xerox


— AUTHORIZED DEALER —

Contact block · website · Approved Primary lockup · authorized dealer bar (58% width). Do not alter partner logos.

Business cards (3.5" × 2")

Front

Back



Approved Primary — front (≥ minimum size) · Blue 500 back


Exterior signage



Approved Secondary — white on Blue 500

Presentation pocket folder

Automation One



Automation One
Business Systems

Approved Primary — stacked on white

Letterhead



Metro Vancouver · Est. 1981

Letter content area

Approved Primary — horizontal on white (≥ minimum size)

Vehicle magnet / decal



Approved Primary — horizontal on white

6 Usage standards

Do	Don't
• Use Approved Primary (#1F5CF5 on white) whenever possible • Secondary (white on Blue 500) only on that exact blue field • Alternate only when Primary/Secondary cannot be used • Lockup width = “Automation One” width; B under m; 5 mm clear / 2 mm mark gap	• Do not use Secondary on any blue except Blue 500 (#1F5CF5) • Do not use Alternate when Primary or Secondary fits • No green, pink, or off-palette accents; do not stretch the mark • Do not break “Automation One” across lines or misalign the subline

Automation One Business Systems · Brand Guidelines · Version 3.0 · May 2026