

Parameter	Def.P	Def.O	Tun.P	Tun.O	$q_{0.05}$	$q_{0.95}$
glmnet			0.069	0.024		
alpha	1	0.403	0.038	0.006	0.009	0.981
lambda	0	0.004	0.034	0.021	0.001	0.147
rpart			0.038	0.012		
cp	0.01	0	0.025	0.002	0	0.008
maxdepth	30	21	0.004	0.002	12.1	27
minbucket	7	12	0.005	0.006	3.85	41.6
minsplit	20	24	0.004	0.004	5	49.15
kkn			0.031	0.006		
k	7	30	0.031	0.006	9.95	30
svm			0.056	0.042		
kernel	radial	radial	0.030	0.024		
cost	1	682.478	0.016	0.006	0.002	920.582
gamma	$1/p$	0.005	0.030	0.022	0.003	18.195
degree	3	3	0.008	0.014	2	4
ranger			0.010	0.006		
num.trees	500	983	0.001	0.001	206.35	1740.15
replace	TRUE	FALSE	0.002	0.001		
sample.fraction	1	0.703	0.004	0.002	0.323	0.974
mtry	\sqrt{p}	$p \cdot 0.257$	0.006	0.003	0.035	0.692
respect.unordered.factors	TRUE	FALSE	0.000	0.000		
min.node.size	1	1	0.001	0.001	0.007	0.513
xgboost			0.043	0.014		
nrounds	500	4168	0.004	0.002	920.7	4550.95
eta	0.3	0.018	0.006	0.005	0.002	0.355
subsample	1	0.839	0.004	0.002	0.545	0.958
booster	gbtree	gbtree	0.015	0.008		
max_depth	6	13	0.001	0.001	5.6	14
min_child_weight	1	2.06	0.008	0.002	1.295	6.984
colsample_bytree	1	0.752	0.006	0.001	0.419	0.864
colsample_bylevel	1	0.585	0.008	0.001	0.335	0.886
lambda	1	0.982	0.003	0.002	0.008	29.755
alpha	1	1.113	0.003	0.002	0.002	6.105

Table 3: Defaults (package defaults (Def.P) and optimal defaults (Def.O)), tunability of the hyperparameters with the package defaults (Tun.P) and our optimal defaults (Tun.O) as reference and tuning space quantiles ($q_{0.05}$ and $q_{0.95}$) for different parameters of the algorithms.