# AutoML: Interpretability

Overview: Automated Empirical Analysis

Bernd Bischl Frank Hutter Lars Kotthoff <u>Marius Lindauer</u> Joaquin Vanschoren

#### Idea

- Big challenge of ML: Interpretability
  - ▶ In some applications, it is required to "understand" a prediction
  - ▶ Users have less trust in systems, they can't understand

#### Idea


- Big challenge of ML: Interpretability
  - ▶ In some applications, it is required to "understand" a prediction
  - Users have less trust in systems, they can't understand
- AutoML is even worse?
  - AutoML is a black-box that automates the design of another blackbox (ML)
  - ► Also ML-developers have a basic understanding of the design of their ML pipelines
- Automated empirical interpretability helps to
  - understand the finally returned ML system
  - understand the AutoML process

- Insights:
  - AutoML is yet another optimization problem
  - ▶ (Most) AutoML approach are iterative in nature
- --- AutoML generates a lot of empirical data

Cost cBudgets


Design Space  $\Lambda$ 

- Insights:
  - AutoML is yet another optimization problem
  - ▶ (Most) AutoML approach are iterative in nature
- --- AutoML generates a lot of empirical data






- Insights:
  - AutoML is yet another optimization problem
  - ▶ (Most) AutoML approach are iterative in nature
- → AutoML generates a lot of empirical data



- Insights:
  - AutoML is yet another optimization problem
  - ▶ (Most) AutoML approach are iterative in nature
- → AutoML generates a lot of empirical data



 $\rightsquigarrow$  Let's use this data to learn something about our AutoML problem

# Basic Examples


- ullet Visualize final incumbent  $\hat{oldsymbol{\lambda}}$ 
  - ML pipeline with its components
  - ► Neural architecture

# Basic Examples

- ullet Visualize final incumbent  $\hat{oldsymbol{\lambda}}$ 
  - ▶ ML pipeline with its components
  - Neural architecture
- ullet Compare what changed between  $\lambda_{\mathsf{def}}$  and  $\hat{\lambda}$


### Basic Examples

- ullet Visualize final incumbent  $\hat{oldsymbol{\lambda}}$ 
  - ML pipeline with its components
  - Neural architecture
- ullet Compare what changed between  $\lambda_{\mathsf{def}}$  and  $\hat{\lambda}$
- $oldsymbol{\circ}$  Show  $oldsymbol{\hat{\lambda}}$  on different budgets (if you used a multi-fideltiy approach)




Source: [Lindauer et al. 2019]

 Study how your AutoML tool improves cost (or loss) over time




Source: [Lindauer et al. 2019]

- Study how your AutoML tool improves cost (or loss) over time
- Allows to identify whether
  - ▶ you need less time next time or



Source: [Lindauer et al. 2019]

- Study how your AutoML tool improves cost (or loss) over time
- Allows to identify whether
  - you need less time next time or
  - the AutoML system is still improving; so you should give it more time



Source: [Lindauer et al. 2019]

- Study how your AutoML tool improves cost (or loss) over time
- Allows to identify whether
  - you need less time next time or
  - the AutoML system is still improving; so you should give it more time
- Notes:
  - ▶ Plot on log-scale to see details in the beginning
  - If you have done several runs, plot distribution (e.g., median and 25/75%-quartiles)